



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 12:23 PM UTC

PDB ID : 7N1B / pdb_00007n1b
Title : SARS-CoV-2 RLQ peptide binds to HLA-A2
Authors : Wu, D.; Mariuzza, R.A.
Deposited on : 2021-05-27
Resolution : 2.81 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4591 (2.84-2.80)
Clashscore	190562	5010 (2.84-2.80)
Ramachandran outliers	187476	4916 (2.84-2.80)
Sidechain outliers	187428	4918 (2.84-2.80)
RSRZ outliers	180081	4594 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	275	
1	D	275	
2	B	100	
2	E	100	
3	C	9	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	9	 89% 11%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6261 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MHC class I antigen, A-2 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	274	Total	C	N	O	S	0	0	0
			2233	1396	407	421	9			
1	D	272	Total	C	N	O	S	0	0	0
			2206	1378	399	420	9			

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	100	Total	C	N	O	S	0	0	0
			833	530	140	159	4			
2	E	100	Total	C	N	O	S	0	0	0
			833	530	140	159	4			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	initiating methionine	UNP P61769
E	0	MET	-	initiating methionine	UNP P61769


- Molecule 3 is a protein called Spike protein S2.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	9	Total	C	N	O	0	0	0
			78	49	14	15			
3	F	9	Total	C	N	O	0	0	0
			78	49	14	15			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: MHC class I antigen, A-2 alpha chain




- Molecule 1: MHC class I antigen, A-2 alpha chain



- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin



- Molecule 3: Spike protein S2

Chain C:  67% 33%



● Molecule 3: Spike protein S2

Chain F:  89% 11%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	47.20Å 49.26Å 117.09Å 91.89° 92.39° 118.59°	Depositor
Resolution (Å)	43.17 – 2.81 43.17 – 2.81	Depositor EDS
% Data completeness (in resolution range)	96.0 (43.17-2.81) 96.0 (43.17-2.81)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.85 (at 2.81Å)	Xtriage
Refinement program	PHENIX 1.16_3549	Depositor
R, R_{free}	0.211 , 0.269 0.211 , 0.271	Depositor DCC
R_{free} test set	1074 reflections (4.76%)	wwPDB-VP
Wilson B-factor (Å ²)	25.6	Xtriage
Anisotropy	0.484	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 36.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.042 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	6261	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.15	0/2298	0.40	0/3120
1	D	0.26	0/2269	0.63	3/3081 (0.1%)
2	B	0.11	0/856	0.35	0/1158
2	E	0.17	0/856	0.40	0/1158
3	C	0.16	0/78	0.34	0/103
3	F	0.09	0/78	0.32	0/103
All	All	0.19	0/6435	0.49	3/8723 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	D	198	GLU	CA-CB-CG	6.69	127.48	114.10
1	D	253	GLN	CA-C-N	5.28	131.63	121.18
1	D	253	GLN	C-N-CA	5.28	131.63	121.18

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	200	THR	Peptide
1	D	249	VAL	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2233	0	2084	34	1
1	D	2206	0	2056	57	1
2	B	833	0	792	8	0
2	E	833	0	792	8	0
3	C	78	0	83	5	0
3	F	78	0	83	1	0
All	All	6261	0	5890	101	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:192:HIS:HB2	1:D:200:THR:CG2	1.89	1.02
1:D:226:GLN:OE1	1:D:227:ASP:HB2	1.59	1.01
1:D:192:HIS:HB2	1:D:200:THR:HG21	1.46	0.97
1:D:226:GLN:OE1	1:D:227:ASP:N	2.01	0.92
1:D:201:LEU:HG	1:D:257:TYR:HE1	1.34	0.92
1:D:201:LEU:HG	1:D:257:TYR:CE1	2.14	0.83
1:A:194:VAL:HG12	1:A:195:SER:HB2	1.66	0.78
1:D:219:ARG:NH2	1:D:253:GLN:OE1	2.11	0.78
1:A:195:SER:O	1:A:197:HIS:N	2.17	0.76
1:D:192:HIS:HB2	1:D:200:THR:HG23	1.68	0.76
1:D:198:GLU:OE2	1:D:249:VAL:O	2.04	0.75
1:D:191:HIS:HA	1:D:200:THR:OG1	1.90	0.71
2:E:17:ASN:OD1	2:E:97:ARG:NH2	2.26	0.68
1:D:226:GLN:OE1	1:D:227:ASP:CB	2.38	0.68
1:A:82:ARG:HH21	1:A:89:GLU:HG2	1.59	0.68
1:A:121:LYS:HE3	2:B:1:ILE:HG21	1.76	0.68
1:A:66:LYS:HD2	3:C:4:SER:HA	1.79	0.65
1:D:255:GLN:HA	1:D:257:TYR:CD2	2.31	0.64
1:D:226:GLN:CD	1:D:227:ASP:HB2	2.23	0.64
1:D:199:ALA:H	1:D:249:VAL:HG22	1.63	0.64
1:D:219:ARG:HH21	1:D:256:ARG:HG3	1.62	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:52:SER:HB3	2:B:65:LEU:H	1.62	0.63
2:E:52:SER:HB3	2:E:65:LEU:H	1.62	0.63
1:D:226:GLN:CD	1:D:227:ASP:N	2.57	0.63
1:D:201:LEU:HD22	1:D:247:VAL:HG23	1.82	0.62
1:D:202:ARG:HE	1:D:246:ALA:HB2	1.65	0.61
1:A:227:ASP:O	1:A:247:VAL:HA	2.04	0.58
1:A:214:THR:HB	1:A:262:GLN:HB2	1.85	0.57
1:D:200:THR:HA	1:D:248:VAL:HG12	1.87	0.56
1:A:218:GLN:HA	1:A:223:ASP:HA	1.89	0.54
1:D:15:PRO:O	1:D:17:ARG:NH2	2.41	0.54
1:D:154:GLU:HG3	1:D:157:ARG:HH22	1.72	0.54
1:D:219:ARG:HE	1:D:256:ARG:HB3	1.74	0.53
1:D:23:ILE:HG21	2:E:54:LEU:HB3	1.92	0.52
1:D:201:LEU:HB2	1:D:247:VAL:O	2.10	0.51
1:D:191:HIS:HA	1:D:200:THR:HG1	1.76	0.51
1:A:167:TRP:CE2	3:C:1:ARG:HD3	2.46	0.51
1:D:169:ARG:O	1:D:173:GLU:HG3	2.11	0.51
1:A:178:THR:O	1:A:181:ARG:HG3	2.11	0.50
2:E:3:ARG:NH1	2:E:59:ASP:OD2	2.45	0.50
1:A:253:GLN:NE2	1:A:256:ARG:HH12	2.10	0.49
2:E:48:LYS:HB2	2:E:48:LYS:HE2	1.59	0.49
1:D:254:GLU:O	1:D:257:TYR:HE2	1.96	0.49
1:A:5:MET:HB2	1:A:168:LEU:HD13	1.95	0.48
1:A:198:GLU:HA	1:A:249:VAL:O	2.12	0.48
1:D:226:GLN:OE1	1:D:227:ASP:CA	2.61	0.48
1:D:5:MET:HB2	1:D:168:LEU:HD13	1.95	0.48
2:B:41:LYS:HB2	2:B:46:ILE:HG12	1.94	0.48
1:D:177:GLU:H	1:D:177:GLU:CD	2.22	0.48
2:B:58:LYS:HD2	2:B:58:LYS:H	1.79	0.47
1:A:73:THR:HG22	3:C:8:TYR:CZ	2.49	0.47
1:A:108:ARG:HA	1:A:169:ARG:HH11	1.79	0.47
1:D:230:LEU:HD11	1:D:243:LYS:HE3	1.96	0.47
1:D:203:CYS:HB2	1:D:217:TRP:CE2	2.50	0.47
1:D:225:THR:HA	1:D:228:THR:OG1	2.15	0.47
1:D:190:THR:HB	1:D:192:HIS:CD2	2.50	0.47
1:D:98:MET:HE3	1:D:98:MET:HB3	1.84	0.46
1:A:11:SER:HA	1:A:21:ARG:O	2.16	0.46
1:A:23:ILE:HG21	2:B:54:LEU:HB3	1.98	0.46
1:A:74:HIS:CE1	1:A:97:ARG:HE	2.34	0.45
1:A:235:PRO:HG2	2:B:65:LEU:HD13	1.98	0.45
1:D:19:GLU:HG2	1:D:75:ARG:NH1	2.31	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:58:LYS:H	2:E:58:LYS:HD2	1.82	0.45
1:A:163:THR:HG21	3:C:1:ARG:NH2	2.32	0.45
1:D:108:ARG:HA	1:D:169:ARG:HH11	1.81	0.45
2:B:3:ARG:NH2	2:B:59:ASP:O	2.48	0.45
1:D:235:PRO:HG2	2:E:65:LEU:HD13	1.99	0.45
1:D:201:LEU:HB3	1:D:217:TRP:CH2	2.53	0.44
1:D:201:LEU:HB3	1:D:217:TRP:CZ2	2.53	0.44
1:D:249:VAL:HG23	1:D:250:PRO:C	2.42	0.44
1:A:238:ASP:OD1	1:A:240:THR:HG22	2.18	0.44
1:A:202:ARG:NH1	2:B:99:MET:HG2	2.32	0.43
1:D:58:GLU:H	1:D:58:GLU:CD	2.27	0.43
1:D:201:LEU:HD23	1:D:217:TRP:CZ3	2.53	0.43
1:A:98:MET:HE3	1:A:98:MET:HB3	1.89	0.43
2:E:81:ARG:HG3	2:E:92:ILE:HG12	2.00	0.43
1:A:74:HIS:HE2	1:A:97:ARG:HE	1.67	0.43
1:D:192:HIS:N	1:D:200:THR:OG1	2.52	0.43
1:D:201:LEU:HB2	1:D:247:VAL:HG23	2.00	0.42
1:A:82:ARG:NH2	1:A:89:GLU:HG2	2.30	0.42
1:A:202:ARG:HE	1:A:246:ALA:HB2	1.83	0.42
1:D:181:ARG:NH1	1:D:183:ASP:OD2	2.52	0.42
1:D:219:ARG:HB2	1:D:224:GLN:NE2	2.34	0.42
1:D:186:LYS:HA	1:D:186:LYS:HD3	1.73	0.42
1:A:19:GLU:HG2	1:A:75:ARG:HH11	1.85	0.42
1:D:202:ARG:HG2	1:D:204:TRP:NE1	2.35	0.42
1:D:167:TRP:NE1	3:F:1:ARG:HD2	2.35	0.42
1:A:66:LYS:HB2	1:A:66:LYS:HE2	1.85	0.42
1:D:194:VAL:HB	1:D:198:GLU:C	2.45	0.41
1:D:189:MET:HE2	1:D:189:MET:HB3	1.49	0.41
1:D:194:VAL:HG11	1:D:198:GLU:HG3	2.00	0.41
1:A:11:SER:HB3	1:A:95:VAL:HG12	2.01	0.41
1:A:66:LYS:HD2	3:C:4:SER:CA	2.49	0.41
1:A:200:THR:HA	1:A:247:VAL:O	2.20	0.41
1:D:198:GLU:HA	1:D:251:SER:HB2	2.02	0.41
1:D:217:TRP:NE1	1:D:245:ALA:O	2.50	0.41
1:A:14:ARG:NH1	1:A:19:GLU:O	2.49	0.41
1:A:197:HIS:O	1:A:250:PRO:HA	2.21	0.41
1:D:219:ARG:HG2	1:D:220:ASP:OD1	2.21	0.41
1:A:19:GLU:HG2	1:A:75:ARG:NH1	2.36	0.40
1:D:256:ARG:HD3	1:D:256:ARG:HA	1.84	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:ARG:NH1	1:D:61:ASP:OD2[1_455]	2.06	0.14

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	272/275 (99%)	261 (96%)	10 (4%)	1 (0%)	30	58
1	D	270/275 (98%)	256 (95%)	12 (4%)	2 (1%)	18	45
2	B	98/100 (98%)	96 (98%)	2 (2%)	0	100	100
2	E	98/100 (98%)	96 (98%)	2 (2%)	0	100	100
3	C	7/9 (78%)	7 (100%)	0	0	100	100
3	F	7/9 (78%)	7 (100%)	0	0	100	100
All	All	752/768 (98%)	723 (96%)	26 (4%)	3 (0%)	30	58

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	196	ASP
1	D	226	GLN
1	D	195	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	229/231 (99%)	229 (100%)	0	100	100
1	D	227/231 (98%)	227 (100%)	0	100	100
2	B	94/95 (99%)	94 (100%)	0	100	100
2	E	94/95 (99%)	94 (100%)	0	100	100
3	C	9/9 (100%)	9 (100%)	0	100	100
3	F	9/9 (100%)	9 (100%)	0	100	100
All	All	662/670 (99%)	662 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	253	GLN
2	B	2	GLN
2	B	13	HIS
3	C	6	GLN
1	D	155	GLN
1	D	224	GLN
2	E	2	GLN
2	E	13	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	274/275 (99%)	0.37	27 (9%)	13	9	9, 20, 84, 100	0
1	D	272/275 (98%)	0.61	42 (15%)	5	4	8, 20, 111, 132	0
2	B	100/100 (100%)	0.35	6 (6%)	27	20	12, 26, 58, 76	0
2	E	100/100 (100%)	0.12	3 (3%)	52	42	13, 24, 54, 78	0
3	C	9/9 (100%)	-0.09	0	100	100	10, 15, 21, 23	0
3	F	9/9 (100%)	-0.24	0	100	100	12, 15, 18, 18	0
All	All	764/768 (99%)	0.40	78 (10%)	12	9	8, 21, 86, 132	0

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	194	VAL	7.4
1	D	250	PRO	7.2
1	D	257	TYR	6.9
1	D	248	VAL	6.3
1	D	251	SER	5.6
1	D	220	ASP	5.5
1	D	221	GLY	5.4
1	A	221	GLY	5.3
1	D	249	VAL	5.3
1	D	199	ALA	5.2
1	D	197	HIS	5.2
1	D	195	SER	5.2
1	D	190	THR	5.2
1	D	218	GLN	5.0
1	D	200	THR	5.0
1	D	255	GLN	5.0
1	D	223	ASP	4.7
1	A	225	THR	4.6
1	D	252	GLY	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	219	ARG	4.5
1	D	256	ARG	4.5
1	A	223	ASP	4.4
1	D	191	HIS	4.2
1	D	198	GLU	4.2
1	D	224	GLN	4.1
1	D	192	HIS	4.0
1	D	271	THR	4.0
1	D	253	GLN	3.9
1	A	193	ALA	3.9
1	D	189	MET	3.6
1	D	247	VAL	3.6
1	D	216	THR	3.5
1	D	222	GLU	3.5
1	D	193	ALA	3.5
1	D	227	ASP	3.4
1	A	255	GLN	3.4
1	D	196	ASP	3.4
2	B	99	MET	3.4
1	A	224	GLN	3.3
1	D	258	THR	3.3
2	B	98	ASP	3.3
1	A	222	GLU	3.2
1	D	217	TRP	3.1
1	A	253	GLN	3.0
1	A	194	VAL	2.9
2	E	99	MET	2.9
1	D	225	THR	2.9
1	A	195	SER	2.9
1	D	230	LEU	2.8
1	A	197	HIS	2.8
1	A	219	ARG	2.7
1	D	201	LEU	2.7
1	A	251	SER	2.7
1	D	254	GLU	2.7
1	A	220	ASP	2.6
1	A	249	VAL	2.6
1	A	250	PRO	2.5
1	A	217	TRP	2.5
1	A	246	ALA	2.5
1	D	246	ALA	2.5
1	D	270	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	16	GLU	2.4
1	D	272	LEU	2.4
2	E	98	ASP	2.3
1	A	264	GLU	2.3
2	B	0	MET	2.3
1	A	256	ARG	2.2
1	A	274	TRP	2.2
1	A	200	THR	2.2
1	A	257	TYR	2.2
1	D	202	ARG	2.1
2	B	17	ASN	2.1
1	A	189	MET	2.1
1	A	199	ALA	2.0
2	B	47	GLU	2.0
1	A	192	HIS	2.0
1	A	226	GLN	2.0
2	E	0	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.