



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 8, 2026 – 02:56 PM UTC

PDB ID : 5N2R / pdb_00005n2r
Title : Crystal structure of stabilized A2A adenosine receptor A2AR-StaR2-bRIL in complex with PSB36 at 2.8Å resolution
Authors : Cheng, R.K.Y.; Segala, E.; Robertson, N.; Deflorian, F.; Dore, A.S.; Errey, J.C.; Fiez-Vandal, C.; Marshall, F.H.; Cooke, R.M.
Deposited on : 2017-02-08
Resolution : 2.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	433	

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 3528 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosine receptor A2a,Soluble cytochrome b562,ADENOSINE RECEPTOR A2A SOLUBLE CYTOCHROME B562 ADENOSINE RECEPTOR A2A,Adenosine receptor A2a.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	388	Total	C	N	O	S	0	0	0
			2993	1949	505	518	21			

There are 33 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	ASP	-	expression tag	UNP P29274
A	-7	TYR	-	expression tag	UNP P29274
A	-6	LYS	-	expression tag	UNP P29274
A	-5	ASP	-	expression tag	UNP P29274
A	-4	ASP	-	expression tag	UNP P29274
A	-3	ASP	-	expression tag	UNP P29274
A	-2	ASP	-	expression tag	UNP P29274
A	-1	GLY	-	expression tag	UNP P29274
A	0	ALA	-	expression tag	UNP P29274
A	1	PRO	-	expression tag	UNP P29274
A	54	LEU	ALA	engineered mutation	UNP P29274
A	88	ALA	THR	engineered mutation	UNP P29274
A	107	ALA	ARG	engineered mutation	UNP P29274
A	122	ALA	LYS	engineered mutation	UNP P29274
A	154	ALA	ASN	engineered mutation	UNP P29274
A	202	ALA	LEU	engineered mutation	UNP P29274
A	1007	TRP	MET	engineered mutation	UNP P0ABE7
A	1102	ILE	HIS	conflict	UNP P0ABE7
A	1106	LEU	-	linker	UNP P0ABE7
A	235	ALA	LEU	engineered mutation	UNP P29274
A	239	ALA	VAL	engineered mutation	UNP P29274
A	277	ALA	SER	engineered mutation	UNP P29274
A	318	ALA	GLY	engineered mutation	UNP P29274
A	319	HIS	-	expression tag	UNP P29274
A	320	HIS	-	expression tag	UNP P29274

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	321	HIS	-	expression tag	UNP P29274
A	322	HIS	-	expression tag	UNP P29274
A	323	HIS	-	expression tag	UNP P29274
A	324	HIS	-	expression tag	UNP P29274
A	325	HIS	-	expression tag	UNP P29274
A	326	HIS	-	expression tag	UNP P29274
A	327	HIS	-	expression tag	UNP P29274
A	328	HIS	-	expression tag	UNP P29274

- Molecule 2 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Na 1 1	0	0

- Molecule 3 is 1-butyl-3-[({E})-3-oxidanylprop-1-enyl]-8-[(1 {R},5 {S})-3-tricyclo[3.3.1.0[^]{3,7}]nonanyl]-7 {H}-purine-2,6-dione (CCD ID: 8JN) (formula: C₂₁H₂₈N₄O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 28 21 4 3	0	0

- Molecule 4 is CHOLESTEROL (CCD ID: CLR) (formula: C₂₇H₄₆O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			28	27	1		
4	A	1	Total	C	O	0	0
			28	27	1		
4	A	1	Total	C	O	0	0
			28	27	1		

- Molecule 5 is OLEIC ACID (CCD ID: OLA) (formula: $C_{18}H_{34}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			20	18	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 15 13 2	0	0
5	A	1	Total C O 14 12 2	0	0
5	A	1	Total C O 11 9 2	0	0
5	A	1	Total C 7 7	0	0
5	A	1	Total C O 17 15 2	0	0
5	A	1	Total C O 20 18 2	0	0
5	A	1	Total C 7 7	0	0
5	A	1	Total C O 8 6 2	0	0
5	A	1	Total C 9 9	0	0
5	A	1	Total C O 14 12 2	0	0
5	A	1	Total C O 17 15 2	0	0
5	A	1	Total C O 14 12 2	0	0
5	A	1	Total C O 20 18 2	0	0
5	A	1	Total C O 17 15 2	0	0
5	A	1	Total C O 11 9 2	0	0
5	A	1	Total C 9 9	0	0
5	A	1	Total C O 14 12 2	0	0
5	A	1	Total C O 10 8 2	0	0
5	A	1	Total C O 16 14 2	0	0
5	A	1	Total C 10 10	0	0

- Molecule 6 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: C₂₁H₄₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			16	12	4		
6	A	1	Total	C	O	0	0
			20	16	4		
6	A	1	Total	C	O	0	0
			20	16	4		
6	A	1	Total	C	O	0	0
			21	17	4		
6	A	1	Total	C	O	0	0
			18	14	4		

- Molecule 7 is D(-)-TARTARIC ACID (CCD ID: TAR) (formula: C₄H₆O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			10	4	6		



- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	37	Total	O	0	0
			37	37		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Adenosine receptor A2a,Soluble cytochrome b562,ADENOSINE RECEPTOR A2A SOLUBLE CYTOCHROME B562 ADENOSINE RECEPTOR A2A,Adenosine receptor A2a



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	39.25Å 180.74Å 140.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.36 – 2.80 38.36 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (38.36-2.80) 99.9 (38.36-2.80)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.59 (at 2.81Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.188 , 0.229 0.200 , 0.234	Depositor DCC
R_{free} test set	658 reflections (5.13%)	wwPDB-VP
Wilson B-factor (Å ²)	60.7	Xtriage
Anisotropy	0.283	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 88.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3528	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TAR, OLC, 8JN, CLR, NA, OLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.35	0/3055	0.35	0/4154

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2993	0	3055	21	1
2	A	1	0	0	0	0
3	A	28	0	0	0	0
4	A	84	0	138	3	0
5	A	280	0	392	19	0
6	A	95	0	127	3	0
7	A	10	0	4	0	0
8	A	37	0	0	0	0
All	All	3528	0	3716	34	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 34 close contacts within the same asymmetric unit are listed below, sorted by their

clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:2418:OLA:H131	5:A:2419:OLA:H112	1.59	0.85
5:A:2420:OLA:H62	5:A:2422:OLA:H9	1.64	0.78
5:A:2418:OLA:H21	5:A:2419:OLA:H22	1.67	0.76
1:A:1078:LEU:HD13	1:A:1086:GLU:HG2	1.83	0.60
1:A:271:TYR:CD2	5:A:2410:OLA:H32	2.36	0.60

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:-1:GLY:O	1:A:300:ARG:NH2[4_575]	2.07	0.13

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	380/433 (88%)	377 (99%)	3 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	311/353 (88%)	309 (99%)	2 (1%)	78	92

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	151	GLU
1	A	1106	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	157	GLN
1	A	181	ASN
1	A	230	HIS
1	A	250	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 32 ligands modelled in this entry, 1 is monoatomic - leaving 31 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	OLA	A	2417	-	13,13,19	0.59	0	13,13,19	1.02	2 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	CLR	A	2402	-	31,31,31	0.68	0	48,48,48	1.06	2 (4%)
5	OLA	A	2413	-	7,7,19	0.94	0	7,7,19	1.18	2 (28%)
7	TAR	A	2431	-	9,9,9	1.01	0	12,12,12	1.52	2 (16%)
4	CLR	A	2403	-	31,31,31	0.70	0	48,48,48	1.01	1 (2%)
6	OLC	A	2430	-	17,17,24	0.72	0	18,18,25	0.82	0
5	OLA	A	2407	-	13,13,19	0.57	0	13,13,19	1.01	2 (15%)
5	OLA	A	2420	-	10,10,19	0.79	0	10,10,19	1.01	1 (10%)
5	OLA	A	2416	-	16,16,19	0.70	0	16,16,19	0.81	2 (12%)
5	OLA	A	2422	-	13,13,19	0.77	0	13,13,19	0.94	2 (15%)
6	OLC	A	2426	-	15,15,24	0.84	0	16,16,25	0.85	0
6	OLC	A	2427	-	19,19,24	0.76	0	20,20,25	0.81	1 (5%)
5	OLA	A	2415	-	13,13,19	0.77	0	13,13,19	0.90	2 (15%)
5	OLA	A	2423	-	9,9,19	0.57	0	9,9,19	1.16	2 (22%)
5	OLA	A	2414	-	8,8,19	0.25	0	7,7,19	0.32	0
3	8JN	A	2401	-	31,32,32	3.40	18 (58%)	35,49,49	2.88	9 (25%)
5	OLA	A	2405	-	19,19,19	0.69	0	19,19,19	0.74	1 (5%)
5	OLA	A	2419	-	16,16,19	0.56	0	16,16,19	0.92	2 (12%)
5	OLA	A	2425	-	9,9,19	0.44	0	8,8,19	0.35	0
5	OLA	A	2412	-	6,6,19	0.53	0	5,5,19	0.42	0
5	OLA	A	2408	-	10,10,19	0.54	0	10,10,19	1.17	2 (20%)
4	CLR	A	2404	-	31,31,31	0.72	0	48,48,48	1.00	0
6	OLC	A	2428	-	19,19,24	0.74	0	20,20,25	0.83	0
5	OLA	A	2410	-	16,16,19	0.55	0	16,16,19	0.94	2 (12%)
5	OLA	A	2409	-	6,6,19	0.28	0	5,5,19	0.12	0
6	OLC	A	2429	-	20,20,24	0.73	0	21,21,25	0.81	1 (4%)
5	OLA	A	2418	-	19,19,19	0.67	0	19,19,19	0.74	1 (5%)
5	OLA	A	2424	-	15,15,19	0.55	0	15,15,19	0.90	1 (6%)
5	OLA	A	2411	-	19,19,19	0.68	0	19,19,19	0.76	2 (10%)
5	OLA	A	2421	-	8,8,19	0.42	0	7,7,19	0.42	0
5	OLA	A	2406	-	14,14,19	0.73	0	14,14,19	0.87	2 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	OLA	A	2417	-	-	5/11/11/17	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	CLR	A	2402	-	-	1/10/68/68	0/4/4/4
5	OLA	A	2413	-	-	3/5/5/17	-
7	TAR	A	2431	-	-	8/12/12/12	-
4	CLR	A	2403	-	-	3/10/68/68	0/4/4/4
6	OLC	A	2430	-	-	9/17/17/24	-
5	OLA	A	2407	-	-	7/11/11/17	-
5	OLA	A	2420	-	-	6/8/8/17	-
5	OLA	A	2416	-	-	8/14/14/17	-
5	OLA	A	2422	-	-	7/11/11/17	-
6	OLC	A	2426	-	-	7/15/15/24	-
6	OLC	A	2427	-	-	11/19/19/24	-
5	OLA	A	2415	-	-	3/11/11/17	-
5	OLA	A	2423	-	-	4/7/7/17	-
5	OLA	A	2414	-	-	4/6/6/17	-
3	8JN	A	2401	-	-	2/8/42/42	0/6/5/5
5	OLA	A	2405	-	-	8/17/17/17	-
5	OLA	A	2419	-	-	7/14/14/17	-
5	OLA	A	2425	-	-	4/7/7/17	-
5	OLA	A	2412	-	-	2/4/4/17	-
5	OLA	A	2408	-	-	5/8/8/17	-
4	CLR	A	2404	-	-	3/10/68/68	0/4/4/4
6	OLC	A	2428	-	-	9/19/19/24	-
5	OLA	A	2410	-	-	7/14/14/17	-
5	OLA	A	2409	-	-	2/4/4/17	-
6	OLC	A	2429	-	-	12/20/20/24	-
5	OLA	A	2418	-	-	11/17/17/17	-
5	OLA	A	2424	-	-	4/13/13/17	-
5	OLA	A	2411	-	-	7/17/17/17	-
5	OLA	A	2421	-	-	3/6/6/17	-
5	OLA	A	2406	-	-	7/12/12/17	-

The worst 5 of 18 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2401	8JN	C09-C10	8.93	1.58	1.32
3	A	2401	8JN	C25-C18	7.61	1.66	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2401	8JN	C06-N08	5.58	1.48	1.40
3	A	2401	8JN	C14-C27	5.51	1.52	1.42
3	A	2401	8JN	C04-N05	4.68	1.57	1.47

The worst 5 of 44 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2401	8JN	C14-C13-N17	-12.77	107.06	112.39
3	A	2401	8JN	C26-C20-C19	-5.89	100.41	110.30
3	A	2401	8JN	C18-C16-N15	4.33	126.83	123.15
3	A	2401	8JN	N08-C13-N17	4.12	132.71	125.52
3	A	2401	8JN	C23-C24-C25	-4.01	93.91	101.60

There are no chirality outliers.

5 of 179 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	2401	8JN	C09-C10-C11-O12
6	A	2426	OLC	C21-C22-C24-O25
6	A	2426	OLC	O23-C22-C24-O25
6	A	2426	OLC	O20-C21-C22-C24
6	A	2427	OLC	C10-C11-C12-C13




There are no ring outliers.





14 monomers are involved in 25 short contacts:





Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	2417	OLA	2	0
4	A	2402	CLR	1	0
4	A	2403	CLR	2	0
6	A	2430	OLC	1	0
5	A	2407	OLA	2	0
5	A	2420	OLA	4	0
5	A	2416	OLA	3	0
5	A	2422	OLA	4	0
5	A	2419	OLA	6	0
6	A	2428	OLC	1	0
5	A	2410	OLA	1	0
6	A	2429	OLC	1	0
5	A	2418	OLA	8	0
5	A	2411	OLA	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	1106:LEU	C	219:GLU	N	3.11
1	A	208:LEU	C	1001:ALA	N	3.09

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	388/433 (89%)	-0.25	6 (1%) 72 63	28, 61, 143, 219	0

The worst 5 of 6 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1106	LEU	3.5
1	A	264	HIS	2.6
1	A	1102	ILE	2.6
1	A	1080	ASN	2.5
1	A	1086	GLU	2.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	OLA	A	2422	14/20	0.73	0.18	84,99,116,120	0
5	OLA	A	2413	8/20	0.78	0.14	58,78,94,95	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	OLA	A	2408	11/20	0.78	0.23	80,89,116,117	0
2	NA	A	2400	1/1	0.80	0.15	62,62,62,62	0
5	OLA	A	2409	7/20	0.80	0.17	46,54,57,58	0
5	OLA	A	2414	9/20	0.81	0.16	54,58,66,69	0
5	OLA	A	2416	17/20	0.81	0.15	56,86,102,103	0
5	OLA	A	2410	17/20	0.81	0.17	48,70,106,110	0
5	OLA	A	2406	15/20	0.82	0.14	71,90,105,106	0
6	OLC	A	2430	18/25	0.84	0.17	49,78,106,108	0
5	OLA	A	2415	14/20	0.85	0.15	60,79,94,99	0
5	OLA	A	2417	14/20	0.85	0.14	74,77,84,87	0
5	OLA	A	2423	10/20	0.86	0.13	55,76,105,110	0
5	OLA	A	2424	16/20	0.86	0.15	56,69,91,98	0
5	OLA	A	2419	17/20	0.86	0.12	53,69,100,102	0
6	OLC	A	2427	20/25	0.87	0.15	70,84,101,102	0
5	OLA	A	2407	14/20	0.87	0.16	46,63,110,114	0
6	OLC	A	2426	16/25	0.88	0.14	58,72,81,94	0
5	OLA	A	2420	11/20	0.88	0.12	40,57,97,101	0
5	OLA	A	2411	20/20	0.88	0.13	46,75,86,89	0
5	OLA	A	2405	20/20	0.89	0.12	46,72,97,99	0
6	OLC	A	2428	20/25	0.89	0.13	49,65,108,113	0
6	OLC	A	2429	21/25	0.89	0.13	43,58,101,106	0
5	OLA	A	2418	20/20	0.89	0.15	57,68,100,104	0
4	CLR	A	2403	28/28	0.90	0.15	85,95,105,106	0
5	OLA	A	2425	10/20	0.91	0.13	45,74,79,80	0
5	OLA	A	2412	7/20	0.92	0.14	63,66,74,74	0
3	8JN	A	2401	28/28	0.92	0.12	39,69,90,94	0
4	CLR	A	2402	28/28	0.92	0.11	52,69,79,85	0
7	TAR	A	2431	10/10	0.92	0.11	121,124,126,126	10
4	CLR	A	2404	28/28	0.94	0.10	51,66,77,83	0
5	OLA	A	2421	9/20	0.94	0.11	52,58,67,75	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around OLA A 2422:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 2413:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA A 2408:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 2409:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA A 2414:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 2416:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA A 2410:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 2406:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around OLC A 2430:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 2415:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA A 2417:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 2423:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA A 2424:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around OLA A 2419:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 2427:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 2407:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 2426:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 2420:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA A 2411:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 2405:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 2428:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 2429:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA A 2418:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLR A 2403:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA A 2425:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 2412:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8JN A 2401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CLR A 2402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CLR A 2404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around OLA A 2421:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.