



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 12:03 PM UTC

PDB ID : 1N3I / pdb_00001n3i
Title : Crystal Structure of Mycobacterium tuberculosis PNP with transition state analog DADMe-ImmH
Authors : Lewandowicz, A.; Shi, W.; Evans, G.B.; Tyler, P.C.; Furneaux, R.H.; Basso, L.A.; Santos, D.S.; Almo, S.C.; Schramm, V.L.
Deposited on : 2002-10-28
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	268	 84% 13% ..
1	B	268	 82% 15% ..
1	C	268	 82% 15% ..

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 6180 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Purine Nucleoside Phosphorylase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	262	Total	C	N	O	S	0	0	0
			1892	1189	345	354	4			
1	B	262	Total	C	N	O	S	0	0	0
			1892	1189	345	354	4			
1	C	262	Total	C	N	O	S	0	0	0
			1892	1189	345	354	4			

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is 7-[[[(3R,4R)-3-(hydroxymethyl)-4-oxidanyl-pyrrolidin-1-ium-1-yl]methyl]-3,5-dihydropyrrolo[3,2-d]pyrimidin-4-one (CCD ID: DIH) (formula: $C_{12}H_{17}N_4O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			19	12	4	3		
3	B	1	Total	C	N	O	0	0
			19	12	4	3		
3	C	1	Total	C	N	O	0	0
			19	12	4	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	150	Total	O	0	0
			150	150		
4	B	132	Total	O	0	0
			132	132		
4	C	150	Total	O	0	0
			150	150		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: Purine Nucleoside Phosphorylase

Chain A: 




• Molecule 1: Purine Nucleoside Phosphorylase

Chain B: 



• Molecule 1: Purine Nucleoside Phosphorylase

Chain C: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	102.84Å 102.84Å 128.76Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 1.90	Depositor
% Data completeness (in resolution range)	94.8 (20.00-1.90)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.04	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.183 , 0.213	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6180	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DIH, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/1928	0.94	7/2637 (0.3%)
1	B	0.34	0/1928	0.93	6/2637 (0.2%)
1	C	0.34	0/1928	0.92	7/2637 (0.3%)
All	All	0.35	0/5784	0.93	20/7911 (0.3%)

There are no bond length outliers.

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	61	VAL	N-CA-C	-7.46	102.21	108.63
1	C	61	VAL	N-CA-C	-7.46	102.22	108.63
1	C	82	VAL	N-CA-C	6.96	117.91	108.17
1	B	82	VAL	N-CA-C	6.84	117.74	108.17
1	A	82	VAL	N-CA-C	6.31	117.00	108.17
1	C	49	THR	N-CA-C	-5.94	106.19	113.50
1	C	209	THR	N-CA-C	5.84	123.25	110.80
1	A	120	ALA	N-CA-C	-5.80	100.83	110.17
1	B	61	VAL	N-CA-C	-5.78	103.28	108.95
1	A	42	VAL	N-CA-C	5.70	116.44	110.62
1	C	210	VAL	N-CA-C	5.58	116.22	110.36
1	B	209	THR	N-CA-C	5.54	122.61	110.80
1	A	175	LEU	N-CA-C	5.54	118.38	110.24
1	C	120	ALA	N-CA-C	-5.53	101.27	110.17
1	A	209	THR	N-CA-C	5.42	122.33	110.80
1	B	120	ALA	N-CA-C	-5.34	101.58	110.17
1	B	81	ARG	N-CA-C	-5.15	100.34	108.73
1	A	57	LEU	N-CA-C	5.06	116.20	109.93
1	C	126	ALA	N-CA-C	5.03	118.19	111.75
1	B	126	ALA	N-CA-C	5.02	118.18	111.75

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1892	0	1911	23	0
1	B	1892	0	1911	30	0
1	C	1892	0	1911	25	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
3	A	19	0	16	0	0
3	B	19	0	16	0	0
3	C	19	0	16	0	0
4	A	150	0	0	2	0
4	B	132	0	0	4	0
4	C	150	0	0	3	0
All	All	6180	0	5781	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:125:ARG:HD2	1:B:127:ASP:OD2	1.93	0.68
1:B:119:ASN:C	1:B:119:ASN:HD22	2.03	0.67
1:C:25:ILE:HD12	1:C:81:ARG:NH1	2.12	0.63
1:A:119:ASN:C	1:A:119:ASN:HD22	2.05	0.63
1:C:119:ASN:HD22	1:C:119:ASN:C	2.06	0.63
1:A:260:LEU:O	1:A:264:VAL:HG23	2.04	0.58
1:B:25:ILE:HD12	1:B:81:ARG:NH1	2.18	0.58
1:B:124:LEU:HD23	1:B:198:GLN:HG3	1.85	0.58
1:A:228:LEU:HD22	1:A:257:MET:CE	2.34	0.57
1:B:133:PRO:HB3	1:B:257:MET:SD	2.46	0.56
1:B:217:ARG:HD3	4:B:566:HOH:O	2.06	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:44:ALA:HB3	1:C:258:GLY:HA3	1.87	0.56
1:B:260:LEU:O	1:B:264:VAL:HG23	2.07	0.55
1:A:9:ASP:O	1:A:13:ARG:HG3	2.07	0.55
1:B:39:LEU:C	1:B:39:LEU:HD23	2.32	0.55
1:A:77:ILE:HD12	1:A:82:VAL:HG21	1.91	0.53
1:B:154:VAL:HG21	1:B:218:ALA:HB2	1.91	0.51
1:A:25:ILE:HD13	1:A:81:ARG:HD2	1.93	0.51
1:C:211:HIS:HE1	4:C:512:HOH:O	1.93	0.50
1:A:147:PRO:HD3	1:A:211:HIS:CD2	2.47	0.50
1:C:39:LEU:C	1:C:39:LEU:HD23	2.37	0.49
1:A:196:MET:HG3	1:B:200:LEU:HD22	1.95	0.48
1:C:139:HIS:CD2	1:C:139:HIS:C	2.91	0.48
1:B:139:HIS:CD2	1:B:139:HIS:C	2.92	0.48
1:B:232:LEU:HD12	1:B:237:THR:CG2	2.43	0.48
1:A:39:LEU:C	1:A:39:LEU:HD23	2.38	0.48
1:A:200:LEU:HD22	1:C:196:MET:HG3	1.95	0.48
1:C:38:TRP:CZ3	1:C:257:MET:HB3	2.49	0.48
1:B:257:MET:HG2	4:B:921:HOH:O	2.14	0.47
1:A:139:HIS:CD2	1:A:139:HIS:C	2.91	0.47
1:A:232:LEU:HD12	1:A:237:THR:CG2	2.44	0.47
1:C:119:ASN:C	1:C:119:ASN:ND2	2.72	0.47
1:B:196:MET:HG3	1:C:200:LEU:HD22	1.96	0.47
1:A:119:ASN:C	1:A:119:ASN:ND2	2.72	0.47
1:A:211:HIS:HE1	4:A:508:HOH:O	1.96	0.47
1:A:228:LEU:HD22	1:A:257:MET:SD	2.55	0.47
1:B:211:HIS:HE1	4:B:501:HOH:O	1.98	0.47
1:A:228:LEU:CD2	1:A:250:GLY:HA2	2.45	0.46
1:C:147:PRO:HD3	1:C:211:HIS:CD2	2.51	0.46
1:B:257:MET:CG	4:B:921:HOH:O	2.63	0.46
1:B:119:ASN:C	1:B:119:ASN:ND2	2.71	0.46
1:A:154:VAL:HG21	1:A:218:ALA:HB2	1.98	0.45
1:C:11:LEU:HD23	4:C:929:HOH:O	2.16	0.45
1:A:228:LEU:HD21	1:A:250:GLY:HA2	1.99	0.45
1:A:217:ARG:HD3	4:A:648:HOH:O	2.16	0.45
1:A:159:ALA:HA	1:A:217:ARG:HD2	1.99	0.44
1:C:32:VAL:HG22	1:C:116:VAL:HB	1.98	0.44
1:C:28:HIS:CG	1:C:83:LEU:HG	2.51	0.44
1:C:40:PRO:HG2	1:C:254:ALA:CB	2.48	0.43
1:C:77:ILE:HD12	1:C:82:VAL:HG21	2.01	0.43
1:B:172:ASP:HB3	1:B:175:LEU:HG	2.01	0.42
1:A:7:ASP:C	1:A:98:ARG:HH12	2.27	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:11:LEU:HG	1:B:102:HIS:CE1	2.54	0.42
1:B:62:PRO:HA	1:B:63:PRO:HD3	1.93	0.42
1:B:159:ALA:HA	1:B:217:ARG:HD2	2.02	0.42
1:C:102:HIS:HB3	1:C:103:PRO:HD3	2.01	0.42
1:C:194:ILE:O	1:C:198:GLN:HG3	2.19	0.42
1:C:195:ARG:HA	1:C:198:GLN:HE21	1.85	0.41
1:B:38:TRP:CZ3	1:B:257:MET:HB3	2.54	0.41
1:B:81:ARG:HG3	1:B:81:ARG:HH11	1.85	0.41
1:C:15:ALA:O	1:C:19:ILE:HG13	2.20	0.41
1:B:32:VAL:HG22	1:B:116:VAL:HB	2.03	0.41
1:B:81:ARG:HA	1:B:81:ARG:HD3	1.86	0.41
1:B:194:ILE:HD12	1:B:233:ALA:HB1	2.01	0.41
1:C:27:GLU:HG3	1:C:111:GLY:HA3	2.03	0.41
1:B:196:MET:O	1:B:200:LEU:HG	2.21	0.41
1:B:228:LEU:HD21	1:B:250:GLY:HA2	2.01	0.41
1:C:233:ALA:O	1:C:236:ILE:HG12	2.20	0.41
1:B:102:HIS:HB3	1:B:103:PRO:HD3	2.03	0.41
1:B:28:HIS:CG	1:B:83:LEU:HG	2.56	0.40
1:C:163:ARG:HB2	4:C:763:HOH:O	2.19	0.40
1:A:47:SER:HA	1:A:48:PRO:HD3	1.86	0.40
1:A:194:ILE:HD12	1:A:233:ALA:HB1	2.04	0.40
1:C:11:LEU:HD12	1:C:11:LEU:HA	1.83	0.40
1:C:260:LEU:O	1:C:264:VAL:HG23	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	260/268 (97%)	254 (98%)	5 (2%)	1 (0%)	30	22
1	B	260/268 (97%)	255 (98%)	5 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	260/268 (97%)	255 (98%)	5 (2%)	0	100	100
All	All	780/804 (97%)	764 (98%)	15 (2%)	1 (0%)	48	40

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	150	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	187/193 (97%)	184 (98%)	3 (2%)	55	54
1	B	187/193 (97%)	185 (99%)	2 (1%)	65	67
1	C	187/193 (97%)	184 (98%)	3 (2%)	55	54
All	All	561/579 (97%)	553 (99%)	8 (1%)	59	59

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	119	ASN
1	A	139	HIS
1	A	166	GLU
1	B	119	ASN
1	B	139	HIS
1	C	119	ASN
1	C	139	HIS
1	C	166	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	119	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	174	GLN
1	A	198	GLN
1	A	211	HIS
1	B	95	HIS
1	B	113	GLN
1	B	119	ASN
1	B	170	GLN
1	B	198	GLN
1	B	211	HIS
1	C	113	GLN
1	C	119	ASN
1	C	198	GLN
1	C	211	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	A	301	-	4,4,4	1.24	0	6,6,6	1.28	1 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PO4	B	302	-	4,4,4	0.99	0	6,6,6	1.27	1 (16%)
2	PO4	C	303	-	4,4,4	0.96	0	6,6,6	1.31	1 (16%)
3	DIH	A	401	-	21,21,21	2.42	9 (42%)	22,30,30	3.75	10 (45%)
3	DIH	C	403	-	21,21,21	2.41	9 (42%)	22,30,30	3.75	10 (45%)
3	DIH	B	402	-	21,21,21	2.48	10 (47%)	22,30,30	3.71	10 (45%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DIH	A	401	-	-	1/6/18/18	0/3/3/3
3	DIH	C	403	-	-	1/6/18/18	0/3/3/3
3	DIH	B	402	-	-	1/6/18/18	0/3/3/3

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	402	DIH	C2-N3	5.43	1.40	1.30
3	A	401	DIH	C2-N3	5.21	1.39	1.30
3	C	403	DIH	C2-N3	5.12	1.39	1.30
3	A	401	DIH	C2-N1	4.70	1.43	1.35
3	B	402	DIH	C2-N1	4.68	1.43	1.35
3	C	403	DIH	C2-N1	4.41	1.43	1.35
3	C	403	DIH	C6'-C4'	-4.10	1.47	1.53
3	B	402	DIH	C6'-C4'	-3.97	1.47	1.53
3	A	401	DIH	C6'-C4'	-3.96	1.47	1.53
3	B	402	DIH	C5-C4	3.82	1.42	1.38
3	A	401	DIH	C5-C4	3.80	1.42	1.38
3	C	403	DIH	C5-C4	3.73	1.42	1.38
3	C	403	DIH	C6-N1	2.67	1.44	1.39
3	B	402	DIH	C6-N1	2.55	1.44	1.39
3	A	401	DIH	C2'-C3'	-2.52	1.48	1.52
3	B	402	DIH	C8-N7	-2.51	1.31	1.36
3	A	401	DIH	C6-N1	2.50	1.44	1.39
3	B	402	DIH	C10-C9	-2.49	1.48	1.51
3	C	403	DIH	C2'-C3'	-2.45	1.48	1.52
3	B	402	DIH	C2'-C3'	-2.43	1.48	1.52
3	C	403	DIH	C10-C9	-2.30	1.48	1.51
3	C	403	DIH	C2'-N1'	-2.29	1.43	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	DIH	C10-C9	-2.27	1.48	1.51
3	A	401	DIH	C8-N7	-2.25	1.31	1.36
3	C	403	DIH	C8-N7	-2.21	1.31	1.36
3	B	402	DIH	C2'-N1'	-2.12	1.43	1.47
3	B	402	DIH	C5'-C4'	-2.03	1.48	1.52
3	A	401	DIH	C2'-N1'	-2.02	1.44	1.47

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	403	DIH	C9-C10-N1'	11.79	129.89	113.38
3	B	402	DIH	C9-C10-N1'	11.72	129.79	113.38
3	A	401	DIH	C9-C10-N1'	11.66	129.71	113.38
3	A	401	DIH	O5'-C5'-C4'	7.13	127.49	111.26
3	B	402	DIH	O5'-C5'-C4'	6.77	126.68	111.26
3	C	403	DIH	O5'-C5'-C4'	6.72	126.58	111.26
3	A	401	DIH	C9-C8-N7	4.73	115.31	109.22
3	C	403	DIH	C9-C8-N7	4.59	115.14	109.22
3	B	402	DIH	C9-C8-N7	4.58	115.12	109.22
3	A	401	DIH	C8-N7-C5	-4.12	104.42	109.49
3	C	403	DIH	C8-N7-C5	-4.10	104.44	109.49
3	B	402	DIH	C8-N7-C5	-4.01	104.55	109.49
3	C	403	DIH	O3'-C3'-C2'	3.96	120.21	110.94
3	B	402	DIH	O3'-C3'-C2'	3.92	120.11	110.94
3	B	402	DIH	N1-C2-N3	-3.88	121.03	125.50
3	A	401	DIH	N1-C2-N3	-3.85	121.07	125.50
3	C	403	DIH	N1-C2-N3	-3.85	121.07	125.50
3	A	401	DIH	O3'-C3'-C2'	3.82	119.89	110.94
3	A	401	DIH	C2'-N1'-C6'	-3.74	98.68	104.12
3	C	403	DIH	C2'-N1'-C6'	-3.67	98.78	104.12
3	B	402	DIH	C2'-N1'-C6'	-3.51	99.00	104.12
3	A	401	DIH	C4-C5-N7	3.28	110.34	105.57
3	C	403	DIH	C4-C5-N7	3.24	110.29	105.57
3	C	403	DIH	C6'-C4'-C5'	-3.22	108.28	112.71
3	B	402	DIH	C4-C5-N7	3.19	110.22	105.57
3	B	402	DIH	C6'-C4'-C5'	-2.90	108.73	112.71
3	C	403	DIH	C4-C5-C6	-2.85	118.90	121.41
3	A	401	DIH	C4-C5-C6	-2.80	118.95	121.41
3	B	402	DIH	C4-C5-C6	-2.67	119.06	121.41
3	A	401	DIH	C6'-C4'-C5'	-2.64	109.09	112.71
2	A	301	PO4	O3-P-O2	-2.09	101.40	107.91
2	C	303	PO4	O3-P-O2	-2.09	101.40	107.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	302	PO4	O3-P-O2	-2.09	101.42	107.91

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	401	DIH	C9-C10-N1'-C6'
3	B	402	DIH	C9-C10-N1'-C6'
3	C	403	DIH	C9-C10-N1'-C6'

There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand DIH A 401



Ligand DIH C 403





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.