



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:00 PM UTC

PDB ID : 1N4D / pdb_00001n4d
Title : The Ligand-Free Structure of E coli BtuF, the Periplasmic Binding Protein for Vitamin B12
Authors : Karpowich, N.; Smith, P.C.; Hunt, J.F.
Deposited on : 2002-10-30
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	252	52% 40% 5%
1	B	252	3% 45% 38% 6% 10%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3661 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Vitamin B12 transport protein btuF.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	244	Total	C	N	O	S	Se	0	0	0
			1902	1213	331	354	2	2			
1	B	227	Total	C	N	O	S	Se	0	0	0
			1759	1119	307	329	2	2			


There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	47	MSE	MET	modified residue	UNP P37028
A	83	MSE	MET	modified residue	UNP P37028
A	245	LEU	-	expression tag	UNP P37028
A	246	GLU	-	expression tag	UNP P37028
A	247	HIS	-	expression tag	UNP P37028
A	248	HIS	-	expression tag	UNP P37028
A	249	HIS	-	expression tag	UNP P37028
A	250	HIS	-	expression tag	UNP P37028
A	251	HIS	-	expression tag	UNP P37028
A	252	HIS	-	expression tag	UNP P37028
B	1047	MSE	MET	modified residue	UNP P37028
B	1083	MSE	MET	modified residue	UNP P37028
B	1245	LEU	-	expression tag	UNP P37028
B	1246	GLU	-	expression tag	UNP P37028
B	1247	HIS	-	expression tag	UNP P37028
B	1248	HIS	-	expression tag	UNP P37028
B	1249	HIS	-	expression tag	UNP P37028
B	1250	HIS	-	expression tag	UNP P37028
B	1251	HIS	-	expression tag	UNP P37028
B	1252	HIS	-	expression tag	UNP P37028


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Vitamin B12 transport protein btuF



• Molecule 1: Vitamin B12 transport protein btuF



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	56.25Å 84.08Å 209.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 3.00 20.00 – 3.00	Depositor EDS
% Data completeness (in resolution range)	12.7 (20.00-3.00) 96.0 (20.00-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.50 (at 2.49Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.242 , 0.298 0.244 , 0.313	Depositor DCC
R_{free} test set	614 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	50.9	Xtriage
Anisotropy	0.507	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 59.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	3661	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.57	0/1944	1.09	13/2648 (0.5%)
1	B	0.54	0/1795	1.11	15/2445 (0.6%)
All	All	0.56	0/3739	1.10	28/5093 (0.5%)

There are no bond length outliers.

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1143	ASN	C-N-CD	-9.38	99.96	120.60
1	A	106	GLN	CA-C-N	7.64	127.35	119.56
1	A	106	GLN	C-N-CA	7.64	127.35	119.56
1	A	215	ILE	N-CA-C	7.60	115.07	107.55
1	B	1146	PHE	N-CA-C	7.08	120.86	110.59
1	B	1069	GLU	N-CA-C	-6.93	102.82	112.45
1	B	1021	THR	CA-C-N	6.91	126.95	119.90
1	B	1021	THR	C-N-CA	6.91	126.95	119.90
1	A	131	LYS	CA-C-N	6.79	127.35	119.47
1	A	131	LYS	C-N-CA	6.79	127.35	119.47
1	B	1125	LYS	N-CA-C	-6.61	101.63	110.55
1	B	1001	ALA	CA-C-N	6.59	126.57	119.78
1	B	1001	ALA	C-N-CA	6.59	126.57	119.78
1	A	200	PRO	N-CA-C	-6.50	107.92	114.68
1	A	21	THR	CA-C-N	6.47	127.48	119.98
1	A	21	THR	C-N-CA	6.47	127.48	119.98
1	B	1044	TRP	N-CA-C	-6.36	106.10	114.31
1	B	1106	GLN	CA-C-N	6.16	125.72	119.19
1	B	1106	GLN	C-N-CA	6.16	125.72	119.19
1	A	105	PRO	N-CA-C	-6.01	106.99	114.20
1	B	1027	SER	N-CA-C	5.95	118.28	111.02
1	A	39	GLU	N-CA-C	5.83	118.71	109.96
1	B	1007	LEU	N-CA-C	5.40	119.58	113.15
1	A	151	GLU	N-CA-C	5.31	117.33	107.99
1	B	1212	ILE	CA-C-N	5.22	124.98	119.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1212	ILE	C-N-CA	5.22	124.98	119.76
1	A	202	ILE	N-CA-C	-5.10	108.53	113.53
1	A	228	ARG	N-CA-C	-5.05	107.09	113.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1902	0	1922	81	0
1	B	1759	0	1775	92	0
All	All	3661	0	3697	173	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (173) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:193:THR:HG21	1:A:222:PHE:HD2	1.40	0.86
1:A:123:GLN:HE21	1:A:123:GLN:HA	1.40	0.85
1:A:35:ALA:HA	1:A:38:ILE:HD12	1.59	0.84
1:A:112:GLN:HA	1:A:112:GLN:HE21	1.41	0.83
1:A:165:ASN:HD22	1:A:166:ILE:N	1.75	0.83
1:A:138:LEU:HD11	1:A:158:LEU:HD22	1.58	0.82
1:B:1048:ASN:ND2	1:B:1051:ARG:H	1.78	0.81
1:B:1088:THR:H	1:B:1092:GLN:NE2	1.80	0.79
1:B:1156:GLN:O	1:B:1160:VAL:HG23	1.87	0.75
1:B:1043:THR:HG22	1:B:1044:TRP:H	1.53	0.73
1:A:230:ILE:O	1:A:234:GLN:HG3	1.90	0.72
1:B:1035:ALA:HA	1:B:1038:ILE:HD13	1.72	0.70
1:B:1166:ILE:HG21	1:B:1187:PRO:HG3	1.74	0.70
1:A:25:VAL:HG23	1:A:38:ILE:HG21	1.75	0.69
1:B:1147:THR:HG23	1:B:1148:SER:H	1.55	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1099:GLN:HE21	1:B:1099:GLN:HA	1.58	0.68
1:B:1161:CYS:HG	1:B:1237:CYS:HG	0.69	0.68
1:B:1193:THR:HG22	1:B:1222:PHE:HD2	1.59	0.68
1:A:165:ASN:HD22	1:A:165:ASN:C	2.01	0.67
1:A:148:SER:HB2	1:A:174:TRP:CZ3	2.30	0.67
1:B:1048:ASN:HD22	1:B:1051:ARG:H	1.41	0.66
1:B:1144:PRO:O	1:B:1178:SER:HB3	1.97	0.65
1:A:11:ASN:ND2	1:A:61:ILE:HG22	2.12	0.64
1:A:25:VAL:HG23	1:A:38:ILE:CG2	2.28	0.64
1:A:132:PRO:O	1:A:133:LYS:HB2	1.98	0.64
1:B:1049:LEU:HD12	1:B:1049:LEU:H	1.61	0.64
1:A:25:VAL:HG12	1:A:26:SER:N	2.12	0.62
1:A:193:THR:HG21	1:A:222:PHE:CD2	2.29	0.62
1:B:1166:ILE:HG13	1:B:1167:PHE:HD1	1.63	0.62
1:A:217:LEU:HD11	1:A:236:LEU:HD13	1.82	0.62
1:A:98:ARG:HG3	1:A:98:ARG:HH11	1.64	0.62
1:A:161:CYS:O	1:A:240:LEU:HD23	2.00	0.62
1:B:1043:THR:HG22	1:B:1044:TRP:N	2.13	0.61
1:B:1240:LEU:C	1:B:1242:GLN:H	2.09	0.60
1:A:46:GLY:O	1:A:47:MSE:HB3	2.00	0.60
1:B:1034:GLN:NE2	1:B:1034:GLN:H	1.99	0.60
1:B:1049:LEU:O	1:B:1053:VAL:HG23	2.02	0.60
1:B:1016:PHE:CD1	1:B:1032:PRO:HD2	2.36	0.59
1:B:1090:ILE:HD12	1:B:1121:TYR:CD1	2.39	0.58
1:B:1189:ALA:HA	1:B:1212:ILE:HG23	1.84	0.58
1:A:60:VAL:HG21	1:A:75:LEU:HD21	1.84	0.58
1:B:1083:MSE:HE3	1:B:1085:VAL:CG2	2.33	0.58
1:B:1142:ILE:HG23	1:B:1145:PRO:HG2	1.85	0.57
1:B:1146:PHE:HA	1:B:1175:PRO:O	2.04	0.56
1:B:1166:ILE:HG13	1:B:1167:PHE:CD1	2.41	0.56
1:A:116:SER:O	1:A:120:GLN:HG3	2.05	0.55
1:B:1191:VAL:HG12	1:B:1215:ILE:HB	1.88	0.55
1:B:1136:VAL:HG12	1:B:1137:PHE:N	2.21	0.55
1:A:138:LEU:HD12	1:A:138:LEU:N	2.21	0.55
1:B:1027:SER:HB3	1:B:1043:THR:HA	1.87	0.55
1:B:1193:THR:CG2	1:B:1222:PHE:HD2	2.20	0.55
1:A:144:PRO:HB2	1:A:176:GLN:HE21	1.72	0.54
1:A:25:VAL:O	1:A:40:GLN:HA	2.08	0.54
1:B:1161:CYS:O	1:B:1240:LEU:HD23	2.07	0.54
1:B:1005:ILE:HD12	1:B:1057:PRO:HG3	1.90	0.54
1:A:166:ILE:HG13	1:A:167:PHE:CD1	2.43	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1033:PRO:HG2	1:B:1034:GLN:HE21	1.73	0.54
1:B:1136:VAL:HG12	1:B:1137:PHE:H	1.73	0.53
1:B:1161:CYS:SG	1:B:1236:LEU:HD23	2.48	0.53
1:A:89:SER:OG	1:A:92:GLN:HG3	2.08	0.53
1:B:1125:LYS:C	1:B:1127:GLN:H	2.17	0.53
1:A:49:LEU:HD12	1:A:49:LEU:H	1.74	0.53
1:B:1190:ILE:O	1:B:1190:ILE:HG13	2.09	0.52
1:A:226:SER:HB2	1:A:227:PRO:HD2	1.92	0.52
1:B:1137:PHE:HB3	1:B:1190:ILE:HG22	1.91	0.52
1:A:128:TYR:O	1:A:131:LYS:HG2	2.10	0.51
1:B:1006:THR:HG22	1:B:1061:ILE:HD12	1.91	0.51
1:B:1128:TYR:CZ	1:B:1237:CYS:HB3	2.46	0.51
1:B:1140:PHE:CG	1:B:1141:GLY:N	2.65	0.51
1:B:1048:ASN:ND2	1:B:1051:ARG:CB	2.74	0.51
1:A:12:THR:HG21	1:A:29:SER:HB3	1.93	0.51
1:A:27:SER:HA	1:A:40:GLN:CD	2.36	0.50
1:B:1034:GLN:H	1:B:1034:GLN:HE21	1.59	0.50
1:B:1150:LYS:HA	1:B:1155:ASN:ND2	2.26	0.50
1:A:99:GLN:O	1:A:102:PRO:HD2	2.12	0.50
1:A:31:TYR:HA	1:A:32:PRO:C	2.37	0.50
1:A:47:MSE:HE3	1:A:71:GLN:HB3	1.94	0.50
1:B:1147:THR:HG21	1:B:1167:PHE:CD2	2.47	0.50
1:B:1192:ILE:HD12	1:B:1192:ILE:O	2.12	0.49
1:B:1106:GLN:O	1:B:1109:LYS:HB3	2.13	0.49
1:B:1140:PHE:N	1:B:1192:ILE:HG22	2.27	0.49
1:B:1161:CYS:HB3	1:B:1240:LEU:HD23	1.95	0.48
1:A:123:GLN:O	1:A:127:GLN:HB2	2.13	0.48
1:B:1240:LEU:O	1:B:1243:VAL:HG23	2.13	0.48
1:A:104:SER:C	1:A:106:GLN:H	2.22	0.48
1:B:1131:LYS:C	1:B:1133:LYS:H	2.21	0.48
1:A:183:LEU:HD21	1:A:206:TRP:CD1	2.48	0.48
1:A:142:ILE:HD12	1:A:142:ILE:N	2.29	0.48
1:B:1048:ASN:HD22	1:B:1051:ARG:HB3	1.78	0.48
1:A:98:ARG:HG3	1:A:98:ARG:NH1	2.29	0.48
1:B:1125:LYS:O	1:B:1126:ALA:HB3	2.14	0.48
1:B:1230:ILE:O	1:B:1234:GLN:HG2	2.15	0.47
1:B:1185:ARG:O	1:B:1186:SER:HB2	2.13	0.47
1:A:123:GLN:HA	1:A:123:GLN:NE2	2.20	0.47
1:B:1166:ILE:HD13	1:B:1187:PRO:HG3	1.97	0.47
1:B:1071:GLN:HA	1:B:1074:GLN:HE21	1.80	0.46
1:B:1166:ILE:HB	1:B:1185:ARG:HG3	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1121:TYR:OH	1:B:1160:VAL:HG21	2.15	0.46
1:B:1006:THR:OG1	1:B:1025:VAL:HG12	2.16	0.46
1:A:49:LEU:O	1:A:53:VAL:HG23	2.15	0.46
1:A:25:VAL:HG12	1:A:26:SER:H	1.79	0.46
1:A:179:ARG:O	1:A:183:LEU:HG	2.16	0.46
1:A:200:PRO:C	1:A:202:ILE:H	2.24	0.46
1:B:1192:ILE:O	1:B:1217:LEU:HB2	2.16	0.45
1:A:101:ALA:HB3	1:A:102:PRO:HD3	1.97	0.45
1:B:1186:SER:N	1:B:1187:PRO:HD3	2.31	0.45
1:A:128:TYR:CZ	1:A:237:CYS:HB3	2.51	0.45
1:B:1048:ASN:HD22	1:B:1051:ARG:CB	2.30	0.45
1:B:1048:ASN:O	1:B:1052:ILE:HG13	2.17	0.45
1:A:112:GLN:HE21	1:A:112:GLN:CA	2.21	0.45
1:A:167:PHE:HA	1:A:185:ARG:HH12	1.82	0.44
1:A:243:VAL:HG12	1:A:244:ASP:N	2.32	0.44
1:B:1005:ILE:CD1	1:B:1057:PRO:HG3	2.48	0.44
1:B:1012:THR:HG21	1:B:1029:SER:HB3	1.99	0.44
1:A:72:VAL:O	1:A:75:LEU:HB3	2.16	0.44
1:A:128:TYR:CE2	1:A:237:CYS:HB3	2.53	0.44
1:A:142:ILE:HG13	1:A:202:ILE:HG12	1.99	0.44
1:B:1112:GLN:O	1:B:1113:ALA:HB2	2.16	0.44
1:A:165:ASN:C	1:A:165:ASN:ND2	2.73	0.44
1:A:221:TRP:HB3	1:A:232:ALA:HB2	1.99	0.44
1:B:1222:PHE:HA	1:B:1229:ILE:CD1	2.48	0.44
1:A:175:PRO:HB2	1:A:177:VAL:HG13	1.99	0.44
1:B:1222:PHE:HA	1:B:1229:ILE:HD12	1.99	0.44
1:A:52:ILE:O	1:A:57:PRO:HD3	2.18	0.44
1:B:1240:LEU:C	1:B:1242:GLN:N	2.75	0.44
1:B:1099:GLN:HA	1:B:1099:GLN:NE2	2.31	0.43
1:B:1135:ARG:HA	1:B:1164:GLU:HB3	1.99	0.43
1:B:1124:LEU:HD21	1:B:1234:GLN:HE22	1.83	0.43
1:A:135:ARG:HB2	1:A:188:GLN:HG2	2.00	0.43
1:A:6:THR:HG22	1:A:61:ILE:HD12	2.00	0.43
1:A:131:LYS:HA	1:A:132:PRO:HD3	1.84	0.43
1:B:1139:GLN:HG2	1:B:1140:PHE:N	2.34	0.43
1:A:230:ILE:HG23	1:A:231:LEU:HD13	1.99	0.43
1:B:1031:TYR:HA	1:B:1032:PRO:C	2.43	0.43
1:A:135:ARG:HH21	1:A:188:GLN:HE22	1.67	0.43
1:B:1088:THR:H	1:B:1092:GLN:HE21	1.60	0.43
1:A:127:GLN:HB3	1:A:128:TYR:HD1	1.83	0.43
1:A:3:ARG:HB3	1:A:23:VAL:HG21	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:ARG:O	1:A:55:LEU:HG	2.19	0.42
1:B:1087:ALA:HA	1:B:1092:GLN:HE21	1.83	0.42
1:B:1143:ASN:HA	1:B:1144:PRO:HA	1.57	0.42
1:B:1060:VAL:HB	1:B:1082:VAL:HG22	2.02	0.42
1:B:1140:PHE:HD2	1:B:1193:THR:HG1	1.62	0.42
1:B:1212:ILE:HA	1:B:1213:PRO:HD2	1.91	0.42
1:A:165:ASN:ND2	1:A:167:PHE:N	2.68	0.42
1:A:83:MSE:HE1	1:A:100:LEU:HD23	2.01	0.42
1:A:132:PRO:O	1:A:133:LYS:CB	2.66	0.42
1:A:137:PHE:HB2	1:A:166:ILE:CD1	2.50	0.42
1:B:1043:THR:CG2	1:B:1044:TRP:H	2.17	0.42
1:B:1140:PHE:H	1:B:1192:ILE:HG22	1.84	0.42
1:B:1142:ILE:HG12	1:B:1143:ASN:N	2.35	0.42
1:B:1215:ILE:HA	1:B:1216:PRO:HD3	1.86	0.41
1:A:199:ILE:C	1:A:201:LYS:H	2.29	0.41
1:A:143:ASN:HA	1:A:144:PRO:HA	1.83	0.41
1:B:1138:LEU:HD21	1:B:1158:LEU:HD22	2.03	0.41
1:A:106:GLN:O	1:A:106:GLN:HG3	2.21	0.41
1:B:1182:VAL:O	1:B:1187:PRO:HD3	2.19	0.41
1:A:41:VAL:O	1:A:47:MSE:HA	2.19	0.41
1:B:1068:ALA:HB1	1:B:1071:GLN:HB2	2.02	0.41
1:B:1083:MSE:HE3	1:B:1085:VAL:HG21	2.03	0.41
1:A:159:GLU:HA	1:A:163:GLY:O	2.21	0.41
1:A:1:ALA:HB1	1:A:2:PRO:HD2	2.02	0.41
1:B:1047:MSE:HB3	1:B:1071:GLN:NE2	2.35	0.41
1:B:1088:THR:H	1:B:1092:GLN:HE22	1.64	0.41
1:A:55:LEU:HA	1:A:55:LEU:HD23	1.89	0.40
1:A:106:GLN:NE2	1:A:109:LYS:HD2	2.35	0.40
1:A:39:GLU:O	1:A:39:GLU:HG3	2.20	0.40
1:A:195:GLY:HA2	1:A:196:PRO:HD2	1.91	0.40
1:A:230:ILE:HD12	1:A:230:ILE:HA	1.87	0.40
1:B:1005:ILE:HD12	1:B:1057:PRO:CG	2.51	0.40
1:A:166:ILE:C	1:A:168:LYS:H	2.29	0.40
1:A:242:GLN:N	1:A:242:GLN:HE21	2.19	0.40
1:B:1033:PRO:HG2	1:B:1034:GLN:NE2	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	242/252 (96%)	209 (86%)	26 (11%)	7 (3%)	3	20
1	B	223/252 (88%)	187 (84%)	27 (12%)	9 (4%)	2	14
All	All	465/504 (92%)	396 (85%)	53 (11%)	16 (3%)	3	17

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	1113	ALA
1	B	1145	PRO
1	B	1219	SER
1	A	133	LYS
1	A	150	LYS
1	A	197	ASP
1	A	208	GLU
1	A	209	GLN
1	A	189	ALA
1	B	1148	SER
1	A	47	MSE
1	B	1067	ASN
1	B	1139	GLN
1	B	1144	PRO
1	B	1149	GLY
1	B	1241	SER

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	205/211 (97%)	193 (94%)	12 (6%)	18	50
1	B	190/211 (90%)	174 (92%)	16 (8%)	10	37
All	All	395/422 (94%)	367 (93%)	28 (7%)	13	43

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	SER
1	A	70	ARG
1	A	93	ILE
1	A	112	GLN
1	A	123	GLN
1	A	127	GLN
1	A	153	ILE
1	A	165	ASN
1	A	224	ARG
1	A	228	ARG
1	A	229	ILE
1	A	231	LEU
1	B	1007	LEU
1	B	1034	GLN
1	B	1039	GLU
1	B	1050	GLU
1	B	1055	LEU
1	B	1067	ASN
1	B	1070	ARG
1	B	1078	LEU
1	B	1081	LYS
1	B	1099	GLN
1	B	1111	GLU
1	B	1146	PHE
1	B	1153	ILE
1	B	1192	ILE
1	B	1226	SER
1	B	1231	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	36	GLN
1	A	40	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	48	ASN
1	A	71	GLN
1	A	92	GLN
1	A	112	GLN
1	A	115	GLN
1	A	120	GLN
1	A	123	GLN
1	A	165	ASN
1	A	176	GLN
1	A	188	GLN
1	A	204	GLN
1	A	242	GLN
1	B	1034	GLN
1	B	1048	ASN
1	B	1071	GLN
1	B	1074	GLN
1	B	1092	GLN
1	B	1099	GLN
1	B	1143	ASN
1	B	1234	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	242/252 (96%)	-0.17	3 (1%) 76 55	15, 46, 124, 146	0
1	B	225/252 (89%)	0.09	8 (3%) 46 26	16, 59, 133, 142	0
All	All	467/504 (92%)	-0.04	11 (2%) 59 36	15, 52, 130, 146	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	196	PRO	2.8
1	B	1126	ALA	2.5
1	B	1143	ASN	2.5
1	B	1189	ALA	2.4
1	B	1235	GLN	2.3
1	B	1139	GLN	2.2
1	A	197	ASP	2.2
1	A	141	GLY	2.2
1	B	1044	TRP	2.2
1	B	1178	SER	2.1
1	B	1147	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.