



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:03 PM UTC

PDB ID : 4N4Q / pdb_00004n4q
Title : Crystal Structure of N-acetylneuraminate lyase from Mycoplasma synoviae, crystal form II
Authors : Georgescauld, F.; Popova, K.; Gupta, A.J.; Bracher, A.; Engen, J.R.; Hayer-Hartl, M.; Hartl, F.U.
Deposited on : 2013-10-08
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	296	17% 80% 18% ..
1	B	296	6% 85% 13% ..
1	C	296	6% 84% 14% ..
1	D	296	5% 83% 16% .

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 9824 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acylneuraminate lyase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	293	Total	C	N	O	S	0	0	0
			2336	1523	372	431	10			
1	B	294	Total	C	N	O	S	0	0	0
			2339	1526	372	431	10			
1	C	292	Total	C	N	O	S	0	0	0
			2331	1520	371	430	10			
1	D	293	Total	C	N	O	S	0	0	0
			2336	1523	372	431	10			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	82	Total	O	0	0
			82	82		
2	B	125	Total	O	0	0
			125	125		
2	C	143	Total	O	0	0
			143	143		
2	D	132	Total	O	0	0
			132	132		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acylneuraminate lyase





- Molecule 1: Acylneuraminate lyase



- Molecule 1: Acylneuraminate lyase



- Molecule 1: Acylneuraminate lyase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	60.23Å 142.44Å 80.79Å 90.00° 108.27° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00 30.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.9 (30.00-2.00) 98.8 (30.00-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.46 (at 2.00Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.239 , 0.283 0.240 , 0.283	Depositor DCC
R_{free} test set	4294 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	28.4	Xtriage
Anisotropy	0.032	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 32.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	9824	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.67	0/2387	0.93	0/3212
1	B	0.73	0/2390	0.93	0/3217
1	C	0.77	0/2382	0.97	1/3205 (0.0%)
1	D	0.78	0/2387	0.93	0/3212
All	All	0.74	0/9546	0.94	1/12846 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	145	ALA	N-CA-C	-6.41	106.04	114.31

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2336	0	2348	48	0
1	B	2339	0	2345	34	0
1	C	2331	0	2346	33	0
1	D	2336	0	2348	36	0
2	A	82	0	0	3	0
2	B	125	0	0	3	0
2	C	143	0	0	3	0
2	D	132	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	9824	0	9387	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:115:ASN:HB3	1:B:145:ALA:HB3	1.20	1.17
1:A:198:MET:HE3	1:B:198:MET:HB3	1.38	1.06
1:B:115:ASN:HB3	1:B:145:ALA:CB	1.97	0.94
1:B:30:LYS:HG3	1:B:72:ALA:HB2	1.48	0.93
1:D:110:THR:HG21	1:D:141:LEU:HD21	1.51	0.92
1:D:110:THR:CG2	1:D:141:LEU:HD21	2.10	0.82
1:A:143:GLN:HA	1:A:149:VAL:HG21	1.65	0.78
1:A:173:LEU:HD13	1:A:198:MET:HE2	1.66	0.77
1:A:111:PRO:O	2:A:347:HOH:O	2.02	0.77
1:C:102:LYS:HE3	2:C:312:HOH:O	1.85	0.75
1:B:115:ASN:CB	1:B:145:ALA:HB3	2.11	0.73
1:D:62:LYS:O	1:D:66:MET:HG3	1.90	0.71
1:A:110:THR:O	2:A:339:HOH:O	2.10	0.68
1:A:141:LEU:CD2	1:A:144:LEU:HG	2.24	0.67
1:C:202:MET:HG2	1:D:198:MET:HE3	1.77	0.67
1:C:100:GLU:OE2	2:C:386:HOH:O	2.11	0.67
1:A:198:MET:HE1	1:B:173:LEU:CB	2.25	0.67
1:D:23:LYS:HA	1:D:23:LYS:HE2	1.76	0.66
1:A:65:VAL:O	1:A:69:VAL:HG23	1.95	0.65
1:C:198:MET:HE1	1:D:173:LEU:HB3	1.79	0.65
1:D:143:GLN:HA	1:D:148:LYS:HA	1.77	0.65
1:A:80:ILE:HG23	1:A:105:ALA:HB3	1.79	0.65
1:A:173:LEU:HD13	1:A:198:MET:CE	2.27	0.64
1:C:12:PRO:HG3	1:C:42:VAL:HG11	1.80	0.64
1:C:231:LYS:HD3	1:D:226:TRP:CH2	2.32	0.64
1:D:12:PRO:HG3	1:D:42:VAL:HG11	1.80	0.63
1:A:118:PHE:HA	1:A:144:LEU:HD22	1.82	0.62
1:A:198:MET:HE1	1:B:173:LEU:HD13	1.84	0.60
1:C:202:MET:CG	1:D:198:MET:HE3	2.31	0.60
1:A:262:ARG:HA	1:A:266:VAL:O	2.02	0.59
1:A:198:MET:CE	1:B:173:LEU:HD13	2.33	0.58
1:A:72:ALA:O	1:A:76:ARG:NH2	2.36	0.58
1:A:124:TYR:O	1:A:128:ILE:HG13	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198:MET:HE1	1:B:173:LEU:CD1	2.34	0.58
1:A:198:MET:O	1:B:198:MET:HE1	2.03	0.58
1:C:260:ILE:O	1:C:264:HIS:HD2	1.87	0.58
1:A:141:LEU:HD21	1:A:144:LEU:HG	1.86	0.57
1:A:173:LEU:HD12	1:B:173:LEU:HD12	1.86	0.57
1:A:173:LEU:CD1	1:B:173:LEU:HD12	2.34	0.57
1:B:116:PHE:O	1:B:144:LEU:HD12	2.06	0.56
1:D:30:LYS:HD3	1:D:72:ALA:HB2	1.87	0.55
1:A:17:PRO:HD2	1:A:29:VAL:HG22	1.89	0.55
1:A:33:VAL:O	1:A:37:VAL:HG23	2.07	0.55
1:C:118:PHE:HA	1:C:144:LEU:HD13	1.88	0.55
1:A:141:LEU:HD22	1:A:144:LEU:HG	1.88	0.54
1:D:149:VAL:HG13	1:D:153:GLN:HB3	1.88	0.54
1:D:65:VAL:O	1:D:69:VAL:HG23	2.07	0.54
1:C:198:MET:HG2	2:C:305:HOH:O	2.08	0.53
1:C:231:LYS:HD3	1:D:226:TRP:CZ2	2.43	0.53
1:B:139:TYR:O	1:B:141:LEU:HD23	2.09	0.53
1:A:30:LYS:HG2	1:A:72:ALA:HB2	1.90	0.52
1:C:8:LYS:HG2	1:C:9:GLY:N	2.23	0.52
1:A:198:MET:HE1	1:B:173:LEU:HB3	1.92	0.52
1:B:40:GLN:NE2	2:B:350:HOH:O	2.41	0.52
1:B:177:GLU:HG2	1:B:202:MET:HE2	1.92	0.51
1:A:62:LYS:O	1:A:66:MET:HG3	2.11	0.51
1:D:126:GLU:HG2	1:D:130:LYS:NZ	2.26	0.51
1:B:12:PRO:HG3	1:B:42:VAL:HG11	1.93	0.50
1:C:202:MET:HG2	1:D:198:MET:CE	2.41	0.50
1:B:129:SER:HB2	1:B:161:LYS:O	2.12	0.50
1:D:260:ILE:O	1:D:264:HIS:HD2	1.95	0.49
1:A:232:GLU:N	1:A:232:GLU:CD	2.70	0.49
1:C:92:LYS:HE3	1:C:127:GLU:HG2	1.95	0.49
1:D:141:LEU:HD22	1:D:144:LEU:HG	1.94	0.49
1:B:292:ASP:HA	1:B:296:LYS:HE2	1.95	0.49
1:A:239:HIS:ND1	1:B:181:SER:HB2	2.28	0.48
1:C:141:LEU:HD13	1:C:144:LEU:HD11	1.95	0.48
1:B:220:ASN:O	1:B:224:LYS:HD3	2.12	0.48
1:A:165:GLY:HA3	1:A:187:LEU:O	2.14	0.48
1:B:115:ASN:HA	2:B:425:HOH:O	2.14	0.48
1:B:111:PRO:O	2:B:407:HOH:O	2.19	0.48
1:B:244:TYR:HB2	1:B:294:TYR:CD1	2.49	0.48
1:D:169:GLY:O	2:D:403:HOH:O	2.19	0.48
1:C:54:PHE:HA	1:C:57:LEU:HD12	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:211:THR:HG21	1:B:245:VAL:HG22	1.95	0.47
1:C:198:MET:CE	1:D:173:LEU:HB3	2.44	0.47
1:C:285:LYS:HA	1:C:285:LYS:HD3	1.74	0.47
1:A:11:PHE:CE2	1:A:44:GLY:HA3	2.50	0.46
1:B:57:LEU:HD22	1:B:61:ASP:HB3	1.96	0.46
1:A:150:SER:HB3	1:A:153:GLN:H	1.80	0.46
1:B:62:LYS:O	1:B:66:MET:HG3	2.15	0.46
1:A:273:LYS:HB3	1:C:88:ILE:HG13	1.97	0.46
1:B:195:ALA:HB1	1:B:198:MET:HG3	1.97	0.46
1:A:231:LYS:HD2	1:B:226:TRP:CZ2	2.50	0.46
1:C:229:ASN:OD1	1:D:231:LYS:NZ	2.48	0.45
1:D:196:LEU:C	1:D:196:LEU:HD23	2.42	0.45
1:A:12:PRO:HD2	1:A:44:GLY:O	2.16	0.45
1:C:141:LEU:HA	1:C:142:PRO:HD2	1.87	0.45
1:A:11:PHE:O	1:A:208:ILE:HA	2.17	0.45
1:C:202:MET:HE3	1:C:202:MET:HA	1.98	0.45
1:A:115:ASN:HB3	1:A:145:ALA:HA	1.98	0.45
1:A:262:ARG:NH1	1:A:269:GLY:O	2.50	0.45
1:C:83:ILE:O	1:C:91:THR:HG23	2.17	0.44
1:A:135:PRO:HB3	1:A:164:ILE:CG2	2.48	0.44
1:D:126:GLU:HG2	1:D:130:LYS:HZ1	1.82	0.44
1:A:112:TYR:HB3	2:A:339:HOH:O	2.18	0.43
1:C:262:ARG:NH1	1:C:269:GLY:O	2.51	0.43
1:D:57:LEU:HD22	1:D:61:ASP:HB3	2.00	0.43
1:A:35:PHE:CD1	1:A:266:VAL:HG21	2.54	0.43
1:A:59:PHE:CZ	1:A:63:LYS:HE3	2.53	0.43
1:D:244:TYR:HA	1:D:294:TYR:CE2	2.53	0.43
1:A:88:ILE:HG13	1:C:273:LYS:HB3	2.01	0.43
1:B:262:ARG:NH1	1:B:269:GLY:O	2.51	0.43
1:C:80:ILE:HG12	1:C:105:ALA:HB3	2.00	0.43
1:D:33:VAL:O	1:D:37:VAL:HG23	2.19	0.43
1:D:165:GLY:HA3	1:D:187:LEU:O	2.18	0.43
1:B:193:ASP:OD1	1:B:193:ASP:N	2.52	0.42
1:C:18:PHE:CD2	1:C:272:ARG:HG3	2.54	0.42
1:C:144:LEU:HD12	1:C:149:VAL:HG21	2.00	0.42
1:A:239:HIS:CE1	1:B:202:MET:CE	3.03	0.42
1:D:155:GLY:HA3	1:D:183:TYR:OH	2.20	0.42
1:A:12:PRO:HG3	1:A:42:VAL:HG11	2.02	0.42
1:D:116:PHE:O	1:D:144:LEU:HD22	2.20	0.42
1:A:46:TYR:HD1	1:A:80:ILE:HB	1.85	0.42
1:B:165:GLY:HA3	1:B:187:LEU:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:12:PRO:CG	1:D:42:VAL:HG11	2.48	0.41
1:D:73:ASN:OD1	1:D:77:VAL:HG22	2.19	0.41
1:D:155:GLY:HA2	1:D:158:LEU:HD12	2.01	0.41
1:D:109:ILE:H	1:D:109:ILE:HG13	1.68	0.41
1:D:137:LEU:HD21	1:D:187:LEU:HD23	2.03	0.41
1:C:48:THR:O	1:C:82:GLN:HB3	2.21	0.41
1:D:18:PHE:CD2	1:D:272:ARG:HG3	2.55	0.41
1:A:40:GLN:NE2	1:A:216:ALA:H	2.19	0.41
1:C:244:TYR:HA	1:C:294:TYR:CE2	2.55	0.41
1:A:232:GLU:CD	1:A:232:GLU:H	2.29	0.40
1:C:109:ILE:HD12	1:C:110:THR:O	2.22	0.40
1:D:88:ILE:HD12	1:D:124:TYR:CD1	2.57	0.40
1:C:15:VAL:HB	1:C:258:LYS:HE3	2.04	0.40
1:C:156:LYS:HD2	1:C:159:GLU:OE1	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	289/296 (98%)	285 (99%)	4 (1%)	0	100	100
1	B	290/296 (98%)	285 (98%)	5 (2%)	0	100	100
1	C	288/296 (97%)	283 (98%)	5 (2%)	0	100	100
1	D	289/296 (98%)	281 (97%)	8 (3%)	0	100	100
All	All	1156/1184 (98%)	1134 (98%)	22 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	243/248 (98%)	236 (97%)	7 (3%)	37	40
1	B	242/248 (98%)	236 (98%)	6 (2%)	42	45
1	C	243/248 (98%)	240 (99%)	3 (1%)	63	70
1	D	243/248 (98%)	240 (99%)	3 (1%)	63	70
All	All	971/992 (98%)	952 (98%)	19 (2%)	48	54

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	LYS
1	A	80	ILE
1	A	127	GLU
1	A	144	LEU
1	A	149	VAL
1	A	151	THR
1	A	193	ASP
1	B	109	ILE
1	B	110	THR
1	B	127	GLU
1	B	141	LEU
1	B	193	ASP
1	B	198	MET
1	C	88	ILE
1	C	141	LEU
1	C	194	GLU
1	D	109	ILE
1	D	127	GLU
1	D	193	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	GLN
1	A	153	GLN
1	B	40	GLN
1	B	115	ASN
1	B	122	HIS
1	B	153	GLN
1	C	220	ASN
1	C	264	HIS
1	D	3	ASN
1	D	220	ASN
1	D	264	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	293/296 (98%)	1.20	49 (16%) 4 4	20, 33, 45, 55	0
1	B	294/296 (99%)	0.56	19 (6%) 25 23	16, 25, 39, 51	0
1	C	292/296 (98%)	0.44	18 (6%) 26 25	13, 22, 40, 51	0
1	D	293/296 (98%)	0.44	15 (5%) 33 32	13, 23, 40, 53	0
All	All	1172/1184 (98%)	0.66	101 (8%) 16 15	13, 26, 43, 55	0

All (101) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	145	ALA	4.7
1	C	110	THR	4.5
1	A	141	LEU	4.5
1	A	144	LEU	4.4
1	A	149	VAL	4.4
1	A	145	ALA	4.0
1	C	141	LEU	3.9
1	A	113	TYR	3.8
1	D	145	ALA	3.8
1	B	142	PRO	3.8
1	A	72	ALA	3.7
1	B	149	VAL	3.7
1	D	27	ALA	3.6
1	D	114	TYR	3.5
1	C	109	ILE	3.4
1	D	144	LEU	3.4
1	C	143	GLN	3.4
1	A	146	GLY	3.4
1	A	112	TYR	3.4
1	B	3	ASN	3.3
1	D	141	LEU	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	144	LEU	3.2
1	C	115	ASN	3.2
1	C	112	TYR	3.1
1	A	35	PHE	3.1
1	C	149	VAL	3.1
1	D	110	THR	3.0
1	B	113	TYR	3.0
1	B	112	TYR	3.0
1	A	34	ASN	2.9
1	B	144	LEU	2.9
1	A	110	THR	2.9
1	A	27	ALA	2.9
1	B	151	THR	2.9
1	A	111	PRO	2.9
1	A	2	HIS	2.9
1	A	292	ASP	2.8
1	A	74	ALA	2.8
1	A	124	TYR	2.8
1	A	151	THR	2.8
1	B	152	ASP	2.8
1	D	146	GLY	2.7
1	A	280	ASP	2.7
1	A	68	LEU	2.7
1	D	112	TYR	2.7
1	D	142	PRO	2.7
1	B	147	GLN	2.7
1	C	111	PRO	2.7
1	D	113	TYR	2.7
1	A	4	PHE	2.6
1	C	151	THR	2.6
1	A	150	SER	2.6
1	A	29	VAL	2.6
1	A	228	ALA	2.6
1	B	110	THR	2.6
1	C	142	PRO	2.6
1	C	146	GLY	2.5
1	B	250	SER	2.5
1	A	261	MET	2.5
1	A	152	ASP	2.5
1	B	115	ASN	2.5
1	B	24	LEU	2.5
1	A	41	LYS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	114	TYR	2.4
1	C	150	SER	2.4
1	D	143	GLN	2.4
1	A	114	TYR	2.4
1	D	124	TYR	2.4
1	C	130	LYS	2.4
1	A	30	LYS	2.3
1	D	148	LYS	2.3
1	A	10	LEU	2.3
1	A	132	ALA	2.3
1	A	188	PHE	2.2
1	A	142	PRO	2.2
1	B	148	LYS	2.2
1	C	128	ILE	2.2
1	D	296	LYS	2.2
1	C	113	TYR	2.2
1	A	157	LEU	2.2
1	A	163	VAL	2.1
1	A	95	ALA	2.1
1	A	283	ILE	2.1
1	A	289	PHE	2.1
1	A	23	LYS	2.1
1	D	140	TYR	2.1
1	A	153	GLN	2.1
1	A	106	ILE	2.1
1	A	102	LYS	2.1
1	A	131	ALA	2.1
1	A	36	LEU	2.1
1	A	97	LEU	2.1
1	B	150	SER	2.1
1	B	124	TYR	2.0
1	B	109	ILE	2.0
1	A	32	VAL	2.0
1	A	33	VAL	2.0
1	A	50	SER	2.0
1	B	143	GLN	2.0
1	A	267	ASP	2.0
1	B	292	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.