



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 04:13 AM UTC

PDB ID : 6N41 / pdb_00006n41
Title : Crystal structure of InvbM.18715.a.KN11: Influenza hemagglutinin from strain A/Netherlands/002P1/1951
Authors : Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2018-11-16
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	499	4% 81% 15% .
1	B	499	% 84% 13% .
1	C	499	3% 83% 12% ..
2	D	3	33% 67%
3	E	2	50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	2	 50%50%
3	H	2	 100%
3	I	2	 100%
4	F	5	 20%80%
5	J	6	 50%33%17%

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 11831 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	483	Total	C	N	O	S	0	0	0
			3690	2307	643	720	20			
1	B	486	Total	C	N	O	S	0	0	0
			3765	2359	653	733	20			
1	C	479	Total	C	N	O	S	0	0	0
			3646	2288	634	704	20			

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	expression tag	UNP E6XTV3
A	2	SER	-	expression tag	UNP E6XTV3
A	495	PHE	-	expression tag	UNP E6XTV3
A	496	LEU	-	expression tag	UNP E6XTV3
A	497	VAL	-	expression tag	UNP E6XTV3
A	498	PRO	-	expression tag	UNP E6XTV3
A	499	ARG	-	expression tag	UNP E6XTV3
B	1	GLY	-	expression tag	UNP E6XTV3
B	2	SER	-	expression tag	UNP E6XTV3
B	495	PHE	-	expression tag	UNP E6XTV3
B	496	LEU	-	expression tag	UNP E6XTV3
B	497	VAL	-	expression tag	UNP E6XTV3
B	498	PRO	-	expression tag	UNP E6XTV3
B	499	ARG	-	expression tag	UNP E6XTV3
C	1	GLY	-	expression tag	UNP E6XTV3
C	2	SER	-	expression tag	UNP E6XTV3
C	495	PHE	-	expression tag	UNP E6XTV3
C	496	LEU	-	expression tag	UNP E6XTV3
C	497	VAL	-	expression tag	UNP E6XTV3
C	498	PRO	-	expression tag	UNP E6XTV3
C	499	ARG	-	expression tag	UNP E6XTV3


- Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b

eta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	D	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	E	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	G	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	H	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	I	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	F	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	J	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	C	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	C	1	Total	C	N	O	0	0
			14	8	1	5		
6	C	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			7	4	3		
7	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 8 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			4	2	2		
8	A	1	Total	C	O	0	0
			4	2	2		
8	A	1	Total	C	O	0	0
			4	2	2		
8	B	1	Total	C	O	0	0
			4	2	2		
8	B	1	Total	C	O	0	0
			4	2	2		
8	B	1	Total	C	O	0	0
			4	2	2		
8	B	1	Total	C	O	0	0
			4	2	2		
8	B	1	Total	C	O	0	0
			4	2	2		
8	C	1	Total	C	O	0	0
			4	2	2		
8	C	1	Total	C	O	0	0
			4	2	2		
8	C	1	Total	C	O	0	0
			4	2	2		
8	C	1	Total	C	O	0	0
			4	2	2		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	82	Total 82	O 82	0	0
9	B	81	Total 81	O 81	0	0
9	C	73	Total 73	O 73	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Hemagglutinin




• Molecule 1: Hemagglutinin



• Molecule 1: Hemagglutinin





- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D: 33% 67%

MAG1
MAG2
BNA3

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 50% 50%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 50% 50%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 100%

MAG1
MAG2


- Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  20% 80%



- Molecule 5: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50% 33% 17%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	70.28Å 123.41Å 119.97Å 90.00° 95.54° 90.00°	Depositor
Resolution (Å)	46.27 – 2.50 46.27 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (46.27-2.50) 99.9 (46.27-2.50)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.32 (at 2.51Å)	Xtriage
Refinement program	PHENIX dev_3297	Depositor
R, R_{free}	0.187 , 0.235 0.191 , 0.237	Depositor DCC
R_{free} test set	2037 reflections (2.89%)	wwPDB-VP
Wilson B-factor (Å ²)	44.0	Xtriage
Anisotropy	0.440	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 62.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11831	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, EDO, PEG, MAN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/3772	0.56	0/5129
1	B	0.36	0/3853	0.59	0/5238
1	C	0.33	0/3730	0.54	0/5076
All	All	0.34	0/11355	0.56	0/15443

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3690	0	3392	56	0
1	B	3765	0	3490	45	0
1	C	3646	0	3355	44	0
2	D	39	0	34	0	0
3	E	28	0	25	0	0
3	G	28	0	25	0	0
3	H	28	0	25	1	0
3	I	28	0	25	0	0
4	F	61	0	52	0	0
5	J	72	0	61	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	28	0	26	0	0
6	B	70	0	65	2	0
6	C	42	0	39	1	0
7	A	7	0	10	2	0
7	B	7	0	10	0	0
8	A	12	0	18	3	0
8	B	24	0	36	7	0
8	C	20	0	30	1	0
9	A	82	0	0	1	0
9	B	81	0	0	3	0
9	C	73	0	0	0	0
All	All	11831	0	10718	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:234:THR:HA	8:B:511:EDO:H21	1.75	0.69
1:C:229:MET:HE3	1:C:251:ILE:HG13	1.76	0.68
1:C:34:LEU:HD21	1:C:316:MET:HE2	1.77	0.66
1:B:204:VAL:HG11	1:C:219:ARG:HG2	1.77	0.65
1:C:23:GLU:OE1	1:C:321:ARG:NH2	2.24	0.65
8:B:511:EDO:H12	1:C:401:LYS:HD2	1.80	0.63
1:A:29:THR:C	1:A:30:HIS:HD1	2.07	0.62
1:C:316:MET:HE3	1:C:381:VAL:HG22	1.81	0.62
1:A:102:GLU:OE2	1:B:404:LYS:N	2.34	0.61
1:A:417:PHE:HB3	8:A:516:EDO:H22	1.82	0.61
1:A:54:LEU:HD11	1:A:59:ILE:HG13	1.83	0.60
1:A:54:LEU:HD12	1:A:83:GLU:HB3	1.84	0.60
1:C:133:GLY:HA3	1:C:152:TRP:HB3	1.82	0.60
1:C:112:SER:OG	1:C:260:SER:OG	2.16	0.59
1:A:196:LYS:HE2	1:A:247:ASN:HB2	1.85	0.59
1:C:274:MET:HG3	1:C:275:ASP:N	2.16	0.59
1:B:115:ARG:NH1	1:B:149:ASN:OD1	2.35	0.59
1:B:196:LYS:HE2	1:B:247:ASN:HB2	1.83	0.58
1:A:439:PHE:O	1:A:443:ASN:ND2	2.36	0.58
1:C:7:ILE:HD11	1:C:451:VAL:HG21	1.84	0.57
1:C:106:GLN:OE1	1:C:261:ARG:NH2	2.35	0.57
1:C:308:TYR:CD2	1:C:418:LEU:HD13	2.39	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:54:LEU:HD12	1:C:83:GLU:HG2	1.87	0.57
1:A:219:ARG:HG2	1:C:204:VAL:HG11	1.86	0.57
1:A:288:ILE:HG21	1:A:297:ILE:HD13	1.88	0.56
1:B:95:GLY:HA3	1:B:229:MET:O	2.05	0.56
1:C:173:LYS:HD2	1:C:258:ALA:HB1	1.86	0.56
1:A:352:GLY:HA3	1:A:365:ALA:HA	1.88	0.55
1:A:295:GLN:HG2	1:A:306:PRO:HG2	1.88	0.55
1:A:95:GLY:HA3	1:A:229:MET:O	2.07	0.55
1:A:191:ARG:HB3	5:J:5:MAN:H61	1.88	0.55
1:A:316:MET:HE3	1:A:381:VAL:HG22	1.89	0.55
1:C:469:PHE:CE2	1:C:478:MET:HE1	2.42	0.55
1:C:95:GLY:HA3	1:C:229:MET:O	2.08	0.54
1:B:5:ILE:HB	1:B:478:MET:HE1	1.90	0.54
1:A:72:LEU:O	1:A:115:ARG:HD3	2.07	0.54
1:A:160:TYR:HB3	1:A:196:LYS:NZ	2.22	0.54
1:B:283:THR:HB	1:B:286:GLY:O	2.06	0.54
1:B:4:THR:HG22	1:B:468:GLU:HA	1.90	0.54
1:B:102:GLU:OE2	1:C:404:LYS:N	2.40	0.54
1:B:398:GLU:HG3	8:B:515:EDO:H11	1.90	0.54
1:A:102:GLU:HG3	9:A:617:HOH:O	2.08	0.53
1:A:219:ARG:CG	1:C:204:VAL:HG11	2.38	0.53
1:A:307:LYS:HG3	8:A:516:EDO:H11	1.89	0.53
1:C:109:SER:O	1:C:109:SER:OG	2.22	0.53
1:A:233:TRP:O	7:A:507:PEG:H31	2.09	0.53
1:B:448:TYR:CE1	1:B:465:GLY:HA2	2.46	0.51
1:A:49:LYS:O	1:A:79:SER:OG	2.28	0.50
1:C:7:ILE:HG23	1:C:447:LEU:HD23	1.93	0.50
1:A:380:LYS:HG3	1:B:21:VAL:HG22	1.93	0.50
1:B:380:LYS:HG3	1:C:21:VAL:HG22	1.93	0.50
1:A:7:ILE:HD12	1:A:448:TYR:HA	1.92	0.50
1:B:267:ILE:HG12	8:B:515:EDO:H12	1.94	0.50
1:C:310:LYS:HD3	1:C:418:LEU:HD21	1.94	0.49
1:B:479:GLU:HB3	6:B:513:NAG:H62	1.94	0.49
1:B:67:PRO:HB2	1:B:140:HIS:HB2	1.94	0.49
1:B:190:GLN:HG3	1:B:196:LYS:O	2.11	0.49
1:A:417:PHE:CB	8:A:516:EDO:H22	2.42	0.48
1:A:160:TYR:HB3	1:A:196:LYS:HZ1	1.78	0.48
1:C:196:LYS:HB2	1:C:196:LYS:HE3	1.34	0.48
1:A:404:LYS:N	1:C:102:GLU:OE2	2.47	0.48
1:A:4:THR:OG1	1:A:356:GLN:HB3	2.14	0.47
1:B:387:LYS:NZ	9:B:610:HOH:O	2.48	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:115:ARG:NH1	1:C:149:ASN:OD1	2.41	0.47
1:C:399:PHE:CE1	1:C:406:MET:HB3	2.50	0.47
1:C:474:ASP:OD1	1:C:474:ASP:N	2.45	0.47
1:A:440:HIS:O	1:A:444:VAL:HG13	2.15	0.47
1:B:274:MET:HG2	1:B:275:ASP:N	2.28	0.47
1:C:49:LYS:O	1:C:79:SER:OG	2.25	0.47
1:B:133:GLY:HA3	1:B:152:TRP:HB3	1.97	0.47
1:B:204:VAL:HG11	1:C:219:ARG:CG	2.44	0.47
1:C:51:PRO:HB3	1:C:80:TYR:CZ	2.50	0.47
1:C:7:ILE:HD13	1:C:448:TYR:HA	1.97	0.47
1:A:36:GLU:HB2	1:A:295:GLN:HB3	1.96	0.46
1:C:182:HIS:CE1	8:C:513:EDO:H22	2.51	0.46
1:B:307:LYS:HG3	1:B:421:TRP:CE2	2.51	0.46
1:C:335:ILE:HG13	1:C:444:VAL:HG21	1.98	0.46
1:A:317:VAL:HG12	1:A:433:ASN:OD1	2.16	0.46
1:B:353:TYR:CD1	1:B:482:LYS:HD2	2.50	0.46
1:A:478:MET:O	1:A:482:LYS:HG2	2.15	0.46
1:B:462:LEU:HD12	1:B:466:CYS:HB2	1.96	0.45
1:B:109:SER:HB3	1:B:265:SER:HB2	1.97	0.45
1:A:359:GLN:OE1	1:A:474:ASP:HB2	2.16	0.45
1:B:93:TYR:CD1	1:B:229:MET:HB2	2.51	0.45
1:A:103:LEU:HB2	1:A:233:TRP:CE2	2.52	0.45
1:B:6:CYS:O	1:B:353:TYR:HA	2.17	0.45
1:A:35:LEU:HB2	1:A:314:LEU:HB2	1.99	0.44
1:C:83:GLU:O	1:C:269:THR:HA	2.18	0.44
1:C:284:PRO:HG2	1:C:298:HIS:CD2	2.52	0.44
1:A:7:ILE:HG23	1:A:447:LEU:HD23	1.98	0.44
1:B:333:GLY:O	1:B:337:GLY:HA3	2.17	0.44
1:B:3:ASP:OD1	1:B:357:ASN:HA	2.17	0.44
6:C:504:NAG:H83	6:C:505:NAG:H61	1.99	0.44
1:C:261:ARG:HA	1:C:261:ARG:HD2	1.92	0.44
1:A:275:ASP:OD1	1:A:276:GLU:N	2.44	0.44
1:B:210:ARG:NH1	9:B:612:HOH:O	2.51	0.44
1:A:357:ASN:ND2	1:A:475:ASN:OD1	2.41	0.44
1:C:36:GLU:OE1	1:C:289:ASN:HB2	2.17	0.44
1:A:199:ALA:O	1:A:214:PRO:HD2	2.19	0.43
3:H:1:NAG:H61	3:H:2:NAG:O5	2.18	0.43
1:A:348:ASP:N	1:A:348:ASP:OD1	2.50	0.43
1:C:448:TYR:CE2	1:C:465:GLY:HA2	2.53	0.43
1:B:283:THR:HG21	1:B:297:ILE:CG2	2.48	0.43
1:B:293:PRO:HG2	1:B:294:PHE:CD2	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:41:GLY:HA2	1:A:285:GLN:O	2.19	0.43
1:A:204:VAL:HG21	1:B:219:ARG:HG2	2.01	0.43
1:B:132:ARG:HD3	6:B:504:NAG:H61	2.00	0.43
1:A:11:ALA:O	1:A:344:THR:HA	2.19	0.43
1:A:168:VAL:HG22	1:A:241:THR:HG22	1.99	0.43
1:C:174:GLU:OE1	1:C:261:ARG:NH1	2.51	0.43
1:A:76:ARG:HG2	1:A:77:SER:H	1.83	0.42
1:B:396:GLY:HA3	8:B:515:EDO:H22	2.01	0.42
1:B:83:GLU:O	1:B:269:THR:HA	2.20	0.42
1:B:35:LEU:HB2	1:B:314:LEU:HB2	2.01	0.42
1:A:29:THR:C	1:A:30:HIS:ND1	2.76	0.42
1:B:100:TYR:CZ	1:B:104:ARG:HD2	2.55	0.42
1:A:351:TYR:CD1	1:A:444:VAL:HG12	2.55	0.42
1:A:76:ARG:HG2	1:A:77:SER:N	2.35	0.41
1:A:234:THR:OG1	7:A:507:PEG:H22	2.20	0.41
1:A:455:LEU:O	1:A:456:ARG:C	2.62	0.41
1:C:430:LEU:HA	1:C:430:LEU:HD23	1.84	0.41
1:A:7:ILE:CD1	1:A:448:TYR:HA	2.50	0.41
1:B:359:GLN:HG3	9:B:674:HOH:O	2.20	0.41
1:A:72:LEU:HD11	1:A:76:ARG:HB3	2.03	0.41
1:A:49:LYS:HB2	1:A:79:SER:OG	2.21	0.41
1:A:303:GLY:HA2	1:A:392:PHE:CE2	2.55	0.41
1:B:110:VAL:HG21	1:B:113:PHE:HB2	2.03	0.41
1:B:435:ARG:HB3	8:B:510:EDO:H22	2.03	0.41
1:A:288:ILE:CG2	1:A:297:ILE:HD13	2.49	0.40
1:B:355:HIS:HB2	1:B:478:MET:SD	2.61	0.40
1:A:314:LEU:HD23	1:A:314:LEU:HA	1.89	0.40
1:C:6:CYS:O	1:C:353:TYR:HA	2.22	0.40
1:C:355:HIS:HB2	1:C:478:MET:SD	2.61	0.40
1:A:46:LEU:HD23	1:A:279:THR:HG23	2.04	0.40
1:B:290:SER:O	8:B:509:EDO:H11	2.21	0.40
1:B:417:PHE:CZ	1:C:416:GLY:HA3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	477/499 (96%)	466 (98%)	11 (2%)	0	100	100
1	B	482/499 (97%)	467 (97%)	15 (3%)	0	100	100
1	C	475/499 (95%)	464 (98%)	11 (2%)	0	100	100
All	All	1434/1497 (96%)	1397 (97%)	37 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	384/436 (88%)	376 (98%)	8 (2%)	47	74
1	B	398/436 (91%)	392 (98%)	6 (2%)	57	80
1	C	377/436 (86%)	368 (98%)	9 (2%)	43	70
All	All	1159/1308 (89%)	1136 (98%)	23 (2%)	48	75

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	ILE
1	A	74	SER
1	A	135	THR
1	A	209	ASN
1	A	418	LEU
1	A	444	VAL
1	A	471	HIS
1	A	473	CYS
1	B	71	SER
1	B	135	THR
1	B	283	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	344	THR
1	B	478	MET
1	B	480	SER
1	C	79	SER
1	C	111	SER
1	C	135	THR
1	C	159	SER
1	C	260	SER
1	C	404	LYS
1	C	451	VAL
1	C	478	MET
1	C	480	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	ASN
1	A	225	GLN
1	A	354	HIS
1	A	372	ASN
1	B	33	ASN
1	B	128	HIS
1	B	224	ASN
1	B	367	GLN
1	C	53	GLN
1	C	209	ASN
1	C	224	ASN
1	C	355	HIS
1	C	356	GLN
1	C	359	GLN
1	C	367	GLN
1	C	379	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

22 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	D	1	1,2	14,14,15	0.50	0	17,19,21	0.75	1 (5%)
2	NAG	D	2	2	14,14,15	0.75	0	17,19,21	0.52	0
2	BMA	D	3	2	11,11,12	1.24	1 (9%)	15,15,17	0.96	0
3	NAG	E	1	1,3	14,14,15	0.41	0	17,19,21	0.41	0
3	NAG	E	2	3	14,14,15	0.19	0	17,19,21	0.74	1 (5%)
4	NAG	F	1	1,4	14,14,15	0.28	0	17,19,21	0.78	1 (5%)
4	NAG	F	2	4	14,14,15	0.42	0	17,19,21	0.48	0
4	BMA	F	3	4	11,11,12	0.77	0	15,15,17	0.96	1 (6%)
4	MAN	F	4	4	11,11,12	1.14	1 (9%)	15,15,17	1.10	1 (6%)
4	MAN	F	5	4	11,11,12	1.28	1 (9%)	15,15,17	1.09	2 (13%)
3	NAG	G	1	1,3	14,14,15	0.47	0	17,19,21	0.63	0
3	NAG	G	2	3	14,14,15	0.40	0	17,19,21	0.84	1 (5%)
3	NAG	H	1	1,3	14,14,15	0.31	0	17,19,21	1.10	2 (11%)
3	NAG	H	2	3	14,14,15	0.20	0	17,19,21	0.63	1 (5%)
3	NAG	I	1	1,3	14,14,15	0.41	0	17,19,21	1.39	2 (11%)
3	NAG	I	2	3	14,14,15	0.70	1 (7%)	17,19,21	1.29	2 (11%)
5	NAG	J	1	1,5	14,14,15	0.45	0	17,19,21	0.40	0
5	NAG	J	2	5	14,14,15	0.35	0	17,19,21	0.61	0
5	BMA	J	3	5	11,11,12	1.05	0	15,15,17	0.89	0
5	MAN	J	4	5	11,11,12	1.52	2 (18%)	15,15,17	2.06	5 (33%)
5	MAN	J	5	5	11,11,12	1.05	0	15,15,17	1.40	1 (6%)
5	MAN	J	6	5	11,11,12	0.96	1 (9%)	15,15,17	1.14	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	D	2	2	-	0/6/23/26	0/1/1/1
2	BMA	D	3	2	-	2/2/19/22	0/1/1/1
3	NAG	E	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	E	2	3	-	0/6/23/26	0/1/1/1
4	NAG	F	1	1,4	-	4/6/23/26	0/1/1/1
4	NAG	F	2	4	-	0/6/23/26	0/1/1/1
4	BMA	F	3	4	-	0/2/19/22	0/1/1/1
4	MAN	F	4	4	-	0/2/19/22	0/1/1/1
4	MAN	F	5	4	-	2/2/19/22	0/1/1/1
3	NAG	G	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
3	NAG	H	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	H	2	3	-	4/6/23/26	0/1/1/1
3	NAG	I	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1
5	NAG	J	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	J	2	5	-	2/6/23/26	0/1/1/1
5	BMA	J	3	5	-	2/2/19/22	0/1/1/1
5	MAN	J	4	5	-	1/2/19/22	0/1/1/1
5	MAN	J	5	5	-	1/2/19/22	0/1/1/1
5	MAN	J	6	5	-	2/2/19/22	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	J	4	MAN	O5-C5	3.26	1.49	1.43
5	J	4	MAN	C4-C5	3.22	1.59	1.53
2	D	3	BMA	C4-C3	2.70	1.59	1.52
4	F	4	MAN	C1-C2	2.22	1.57	1.52
3	I	2	NAG	O5-C1	-2.21	1.40	1.43
4	F	5	MAN	C4-C5	2.19	1.57	1.53
5	J	6	MAN	C1-C2	2.07	1.57	1.52

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	J	4	MAN	C1-O5-C5	5.76	119.90	112.19
3	I	2	NAG	C1-O5-C5	4.38	118.05	112.19
5	J	5	MAN	C1-O5-C5	4.20	117.81	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	1	NAG	O4-C4-C5	4.08	119.38	109.32
3	I	1	NAG	C1-O5-C5	3.12	116.36	112.19
3	H	1	NAG	C1-O5-C5	3.06	116.29	112.19
5	J	6	MAN	C1-O5-C5	2.82	115.97	112.19
4	F	5	MAN	C1-O5-C5	2.75	115.88	112.19
5	J	4	MAN	C3-C4-C5	2.72	115.16	110.23
4	F	4	MAN	C1-O5-C5	2.63	115.71	112.19
3	E	2	NAG	C1-O5-C5	2.62	115.70	112.19
3	H	1	NAG	O4-C4-C5	2.61	115.74	109.32
3	G	2	NAG	C1-O5-C5	2.51	115.55	112.19
4	F	3	BMA	C1-O5-C5	2.39	115.39	112.19
5	J	4	MAN	O2-C2-C1	2.25	114.38	109.22
5	J	4	MAN	O5-C5-C4	2.25	116.29	110.83
4	F	5	MAN	O2-C2-C3	-2.22	105.55	110.15
5	J	4	MAN	C1-C2-C3	-2.21	106.42	109.64
2	D	1	NAG	C1-O5-C5	2.20	115.14	112.19
4	F	1	NAG	C1-O5-C5	2.18	115.11	112.19
3	I	2	NAG	C3-C4-C5	2.17	114.17	110.23
3	H	2	NAG	C1-O5-C5	2.03	114.91	112.19

There are no chirality outliers.

All (30) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	J	2	NAG	O5-C5-C6-O6
4	F	5	MAN	O5-C5-C6-O6
3	G	2	NAG	C4-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6
5	J	1	NAG	C4-C5-C6-O6
4	F	5	MAN	C4-C5-C6-O6
5	J	2	NAG	C4-C5-C6-O6
5	J	1	NAG	O5-C5-C6-O6
3	I	1	NAG	O5-C5-C6-O6
3	E	1	NAG	O5-C5-C6-O6
3	H	2	NAG	C8-C7-N2-C2
3	H	2	NAG	O7-C7-N2-C2
3	E	1	NAG	C4-C5-C6-O6
5	J	3	BMA	C4-C5-C6-O6
3	I	1	NAG	C4-C5-C6-O6
4	F	1	NAG	O5-C5-C6-O6
4	F	1	NAG	C4-C5-C6-O6
5	J	6	MAN	O5-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	D	3	BMA	C4-C5-C6-O6
5	J	6	MAN	C4-C5-C6-O6
5	J	5	MAN	O5-C5-C6-O6
5	J	3	BMA	O5-C5-C6-O6
2	D	3	BMA	O5-C5-C6-O6
3	H	2	NAG	C4-C5-C6-O6
5	J	4	MAN	O5-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6
4	F	1	NAG	C3-C2-N2-C7
3	G	1	NAG	O5-C5-C6-O6
4	F	1	NAG	C1-C2-N2-C7
3	H	2	NAG	O5-C5-C6-O6


There are no ring outliers.


3 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	J	5	MAN	1	0
3	H	2	NAG	1	0
3	H	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

















5.6 Ligand geometry [i](#)

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	A	515	1	14,14,15	0.29	0	17,19,21	0.40	0
7	PEG	A	507	-	6,6,6	0.38	0	5,5,5	0.34	0
8	EDO	C	514	-	3,3,3	0.37	0	2,2,2	0.53	0
8	EDO	C	512	-	3,3,3	0.46	0	2,2,2	0.36	0
6	NAG	B	505	1	14,14,15	0.39	0	17,19,21	0.60	0
8	EDO	B	515	-	3,3,3	0.51	0	2,2,2	0.13	0
8	EDO	C	515	-	3,3,3	0.48	0	2,2,2	0.09	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	C	504	1	14,14,15	0.50	0	17,19,21	0.56	0
7	PEG	B	516	-	6,6,6	0.24	0	5,5,5	0.18	0
8	EDO	C	516	-	3,3,3	0.49	0	2,2,2	0.24	0
8	EDO	A	516	-	3,3,3	0.54	0	2,2,2	0.20	0
8	EDO	B	511	-	3,3,3	0.48	0	2,2,2	0.12	0
6	NAG	C	505	1	14,14,15	0.35	0	17,19,21	0.73	0
8	EDO	A	509	-	3,3,3	0.41	0	2,2,2	0.47	0
6	NAG	B	501	1	14,14,15	0.42	0	17,19,21	1.20	2 (11%)
6	NAG	B	508	1	14,14,15	0.56	0	17,19,21	0.50	0
8	EDO	A	508	-	3,3,3	0.49	0	2,2,2	0.37	0
8	EDO	B	514	-	3,3,3	0.51	0	2,2,2	0.22	0
8	EDO	B	510	-	3,3,3	0.35	0	2,2,2	0.49	0
6	NAG	B	504	1	14,14,15	0.39	0	17,19,21	0.58	0
6	NAG	B	513	1	14,14,15	0.64	0	17,19,21	0.64	0
6	NAG	C	501	1	14,14,15	0.54	0	17,19,21	0.67	0
8	EDO	B	509	-	3,3,3	0.46	0	2,2,2	0.44	0
8	EDO	B	512	-	3,3,3	0.42	0	2,2,2	0.56	0
6	NAG	A	506	1	14,14,15	0.32	0	17,19,21	0.33	0
8	EDO	C	513	-	3,3,3	0.57	0	2,2,2	0.27	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	A	515	1	-	2/6/23/26	0/1/1/1
7	PEG	A	507	-	-	2/4/4/4	-
8	EDO	C	514	-	-	0/1/1/1	-
8	EDO	C	512	-	-	0/1/1/1	-
6	NAG	B	505	1	-	1/6/23/26	0/1/1/1
8	EDO	B	515	-	-	0/1/1/1	-
8	EDO	C	515	-	-	1/1/1/1	-
6	NAG	C	504	1	-	2/6/23/26	0/1/1/1
7	PEG	B	516	-	-	1/4/4/4	-
8	EDO	C	516	-	-	1/1/1/1	-
8	EDO	A	516	-	-	1/1/1/1	-
8	EDO	B	511	-	-	0/1/1/1	-
6	NAG	C	505	1	-	4/6/23/26	0/1/1/1
8	EDO	A	509	-	-	0/1/1/1	-
6	NAG	B	501	1	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	B	508	1	-	0/6/23/26	0/1/1/1
8	EDO	A	508	-	-	1/1/1/1	-
8	EDO	B	514	-	-	1/1/1/1	-
8	EDO	B	510	-	-	0/1/1/1	-
6	NAG	B	504	1	-	2/6/23/26	0/1/1/1
6	NAG	B	513	1	-	4/6/23/26	0/1/1/1
6	NAG	C	501	1	-	4/6/23/26	0/1/1/1
8	EDO	B	509	-	-	0/1/1/1	-
8	EDO	B	512	-	-	0/1/1/1	-
6	NAG	A	506	1	-	3/6/23/26	0/1/1/1
8	EDO	C	513	-	-	1/1/1/1	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	501	NAG	C2-N2-C7	3.67	127.81	122.90
6	B	501	NAG	C1-C2-N2	2.57	114.48	110.43

There are no chirality outliers.

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	501	NAG	C1-C2-N2-C7
6	C	505	NAG	C1-C2-N2-C7
6	C	504	NAG	O5-C5-C6-O6
6	C	504	NAG	C4-C5-C6-O6
6	C	505	NAG	O5-C5-C6-O6
6	A	506	NAG	C8-C7-N2-C2
6	A	506	NAG	O7-C7-N2-C2
6	A	515	NAG	C8-C7-N2-C2
6	A	515	NAG	O7-C7-N2-C2
6	B	513	NAG	C8-C7-N2-C2
6	B	513	NAG	O7-C7-N2-C2
6	B	504	NAG	C4-C5-C6-O6
8	A	516	EDO	O1-C1-C2-O2
6	B	513	NAG	C4-C5-C6-O6
6	C	501	NAG	C4-C5-C6-O6
7	A	507	PEG	O2-C3-C4-O4
6	B	504	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	506	NAG	O5-C5-C6-O6
8	B	514	EDO	O1-C1-C2-O2
8	C	513	EDO	O1-C1-C2-O2
8	C	516	EDO	O1-C1-C2-O2
7	A	507	PEG	C1-C2-O2-C3
6	C	505	NAG	C4-C5-C6-O6
6	B	513	NAG	O5-C5-C6-O6
7	B	516	PEG	C1-C2-O2-C3
6	C	501	NAG	O5-C5-C6-O6
6	C	501	NAG	C3-C2-N2-C7
6	C	501	NAG	C1-C2-N2-C7
6	C	505	NAG	C3-C2-N2-C7
6	B	505	NAG	C4-C5-C6-O6
8	A	508	EDO	O1-C1-C2-O2
8	C	515	EDO	O1-C1-C2-O2

There are no ring outliers.

11 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	507	PEG	2	0
8	B	515	EDO	3	0
6	C	504	NAG	1	0
8	A	516	EDO	3	0
8	B	511	EDO	2	0
6	C	505	NAG	1	0
8	B	510	EDO	1	0
6	B	504	NAG	1	0
6	B	513	NAG	1	0
8	B	509	EDO	1	0
8	C	513	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	483/499 (96%)	0.11	21 (4%) 40 35	33, 59, 115, 141	0
1	B	486/499 (97%)	-0.12	5 (1%) 79 76	30, 54, 86, 103	0
1	C	479/499 (95%)	0.01	16 (3%) 49 45	30, 56, 104, 128	0
All	All	1448/1497 (96%)	-0.00	42 (2%) 53 49	30, 56, 105, 141	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	488	TYR	6.1
1	C	358	GLU	4.3
1	B	72	LEU	4.2
1	A	467	PHE	4.0
1	A	468	GLU	3.2
1	A	469	PHE	3.2
1	C	390	THR	3.1
1	C	391	GLN	3.0
1	A	494	GLU	3.0
1	B	492	SER	3.0
1	A	330	GLY	2.9
1	C	276	GLU	2.9
1	C	485	THR	2.9
1	A	493	GLU	2.9
1	C	2	SER	2.8
1	C	263	LEU	2.7
1	C	277	CYS	2.7
1	B	71	SER	2.7
1	A	479	GLU	2.7
1	A	472	LYS	2.6
1	A	483	ASN	2.6
1	A	358	GLU	2.6
1	C	73	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	480	SER	2.6
1	A	492	SER	2.5
1	A	481	VAL	2.5
1	B	263	LEU	2.4
1	A	485	THR	2.4
1	A	2	SER	2.4
1	A	322	ASN	2.3
1	C	483	ASN	2.1
1	B	277	CYS	2.1
1	A	362	GLY	2.1
1	C	392	PHE	2.1
1	C	453	ASN	2.1
1	C	481	VAL	2.1
1	A	390	THR	2.1
1	C	476	GLU	2.1
1	A	486	TYR	2.0
1	C	48	GLY	2.0
1	A	5	ILE	2.0
1	C	5	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	BMA	D	3	11/12	0.46	0.16	100,108,114,116	0
3	NAG	I	2	14/15	0.46	0.16	98,108,109,111	0
4	MAN	F	5	11/12	0.62	0.14	97,105,111,111	0
5	MAN	J	6	11/12	0.62	0.13	119,124,127,129	0
3	NAG	H	2	14/15	0.65	0.17	100,107,112,114	0
5	MAN	J	4	11/12	0.69	0.14	108,112,115,115	0
4	MAN	F	4	11/12	0.70	0.13	105,108,110,110	0
3	NAG	G	2	14/15	0.74	0.14	87,96,106,109	0
4	NAG	F	2	14/15	0.75	0.14	88,92,102,103	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	E	2	14/15	0.78	0.13	88,95,101,105	0
5	MAN	J	5	11/12	0.79	0.19	111,121,125,125	0
4	BMA	F	3	11/12	0.83	0.12	96,98,107,110	0
4	NAG	F	1	14/15	0.83	0.12	60,84,91,92	0
2	NAG	D	2	14/15	0.85	0.12	74,81,86,93	0
3	NAG	E	1	14/15	0.87	0.12	61,79,84,86	0
5	BMA	J	3	11/12	0.88	0.10	91,99,104,111	0
3	NAG	H	1	14/15	0.88	0.12	52,76,86,88	0
5	NAG	J	1	14/15	0.90	0.10	57,77,82,87	0
3	NAG	I	1	14/15	0.91	0.10	51,62,87,88	0
5	NAG	J	2	14/15	0.91	0.11	83,93,103,104	0
2	NAG	D	1	14/15	0.94	0.08	44,55,71,78	0
3	NAG	G	1	14/15	0.94	0.07	34,51,64,78	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain J:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	C	505	14/15	0.32	0.17	106,118,132,135	0
6	NAG	C	501	14/15	0.46	0.19	90,110,122,126	0
6	NAG	A	515	14/15	0.48	0.17	93,109,114,117	0
6	NAG	B	501	14/15	0.56	0.16	89,102,109,111	0
6	NAG	B	508	14/15	0.57	0.16	82,98,111,116	0
6	NAG	B	513	14/15	0.62	0.16	76,93,97,98	0
6	NAG	B	504	14/15	0.73	0.14	81,93,96,100	0
7	PEG	A	507	7/7	0.75	0.21	43,50,61,64	0
6	NAG	A	506	14/15	0.76	0.17	90,111,116,116	0
6	NAG	B	505	14/15	0.78	0.15	81,100,111,119	0
8	EDO	A	508	4/4	0.78	0.22	67,73,77,81	0
8	EDO	B	509	4/4	0.78	0.17	59,59,62,66	0
8	EDO	A	516	4/4	0.81	0.21	63,66,68,69	0
8	EDO	C	513	4/4	0.81	0.18	50,52,54,58	0
8	EDO	B	512	4/4	0.84	0.13	50,51,54,58	0
6	NAG	C	504	14/15	0.85	0.12	74,79,96,102	0
8	EDO	A	509	4/4	0.85	0.14	73,73,75,78	0
8	EDO	C	515	4/4	0.89	0.15	70,70,72,75	0
8	EDO	B	511	4/4	0.90	0.13	53,54,57,61	0
8	EDO	B	515	4/4	0.91	0.16	69,69,74,75	0
8	EDO	C	516	4/4	0.91	0.12	67,72,76,78	0
8	EDO	C	512	4/4	0.92	0.12	59,59,62,63	0
8	EDO	B	514	4/4	0.92	0.12	55,55,57,58	0
7	PEG	B	516	7/7	0.93	0.21	79,96,102,110	0
8	EDO	B	510	4/4	0.93	0.14	47,49,50,55	0
8	EDO	C	514	4/4	0.94	0.10	55,56,57,58	0

6.5 Other polymers ⓘ

There are no such residues in this entry.