



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 05:49 PM UTC

PDB ID : 1N5N / pdb_00001n5n
Title : Crystal Structure of Peptide Deformylase from *Pseudomonas aeruginosa*
Authors : Kreusch, A.; Spraggon, G.; Lee, C.C.; Klock, H.; McMullan, D.; Ng, K.; Shin, T.; Vincent, J.; Warner, I.; Ericson, C.; Lesley, S.A.
Deposited on : 2002-11-06
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	180	
1	B	180	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	A	301	-	X	-	-
3	GOL	A	303	-	X	-	-
3	GOL	B	302	-	X	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 2957 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptide deformylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	167	Total	C	N	O	S	0	0	0
			1347	849	235	256	7			
1	B	164	Total	C	N	O	S	0	0	0
			1328	838	231	252	7			

There are 26 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	expression tag	UNP Q9I7A8
A	-10	GLY	-	expression tag	UNP Q9I7A8
A	-9	SER	-	expression tag	UNP Q9I7A8
A	-8	ASP	-	expression tag	UNP Q9I7A8
A	-7	LYS	-	expression tag	UNP Q9I7A8
A	-6	ILE	-	expression tag	UNP Q9I7A8
A	-5	HIS	-	expression tag	UNP Q9I7A8
A	-4	HIS	-	expression tag	UNP Q9I7A8
A	-3	HIS	-	expression tag	UNP Q9I7A8
A	-2	HIS	-	expression tag	UNP Q9I7A8
A	-1	HIS	-	expression tag	UNP Q9I7A8
A	0	HIS	-	expression tag	UNP Q9I7A8
A	84	GLU	ASP	engineered mutation	UNP Q9I7A8
B	-11	MET	-	expression tag	UNP Q9I7A8
B	-10	GLY	-	expression tag	UNP Q9I7A8
B	-9	SER	-	expression tag	UNP Q9I7A8
B	-8	ASP	-	expression tag	UNP Q9I7A8
B	-7	LYS	-	expression tag	UNP Q9I7A8
B	-6	ILE	-	expression tag	UNP Q9I7A8
B	-5	HIS	-	expression tag	UNP Q9I7A8
B	-4	HIS	-	expression tag	UNP Q9I7A8
B	-3	HIS	-	expression tag	UNP Q9I7A8
B	-2	HIS	-	expression tag	UNP Q9I7A8
B	-1	HIS	-	expression tag	UNP Q9I7A8
B	0	HIS	-	expression tag	UNP Q9I7A8

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	84	GLU	ASP	engineered mutation	UNP Q9I7A8

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Zn 1 1	0	0
2	B	1	Total Zn 1 1	0	0

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	140	Total O 140 140	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	122	Total 122	O 122	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: Peptide deformylase



• Molecule 1: Peptide deformylase



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	68.61Å 73.56Å 76.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.87 – 1.80	Depositor
% Data completeness (in resolution range)	99.1 (41.87-1.80)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.196 , 0.244	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2957	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	2.20	36/1371 (2.6%)	1.86	17/1853 (0.9%)
1	B	2.22	37/1352 (2.7%)	2.02	33/1827 (1.8%)
All	All	2.21	73/2723 (2.7%)	1.94	50/3680 (1.4%)

All (73) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	67	LYS	CA-CB	9.00	1.66	1.53
1	A	9	PHE	CA-C	8.50	1.61	1.53
1	B	27	ALA	CA-C	8.18	1.63	1.52
1	A	48	ALA	CA-CB	8.17	1.66	1.53
1	A	161	GLU	N-CA	8.10	1.56	1.46
1	B	17	ILE	CG1-CD1	-7.69	1.21	1.51
1	B	31	LEU	CA-C	7.63	1.62	1.52
1	B	28	VAL	C-O	7.49	1.32	1.24
1	A	47	LEU	CA-C	7.43	1.61	1.52
1	B	85	MET	SD-CE	7.35	1.98	1.79
1	A	60	VAL	CA-C	7.33	1.61	1.52
1	B	102	VAL	N-CA	-7.30	1.37	1.46
1	B	100	GLU	CA-C	-7.25	1.43	1.52
1	B	104	ARG	N-CA	7.20	1.51	1.46
1	B	139	LEU	CA-C	7.18	1.62	1.52
1	A	110	ILE	CA-CB	7.10	1.63	1.54
1	A	27	ALA	CA-C	7.06	1.61	1.52
1	B	24	VAL	C-O	-7.03	1.15	1.24
1	B	85	MET	CG-SD	6.98	1.98	1.80
1	A	85	MET	SD-CE	-6.92	1.62	1.79
1	A	143	LEU	CA-C	-6.78	1.44	1.52
1	A	69	GLU	CA-CB	6.78	1.61	1.53
1	A	96	PRO	CA-C	-6.75	1.44	1.52
1	A	69	GLU	CA-C	6.57	1.60	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	35	MET	CA-C	-6.54	1.44	1.52
1	B	157	ARG	CZ-NH1	6.54	1.41	1.32
1	A	129	ALA	N-CA	6.50	1.54	1.46
1	A	49	ALA	CA-CB	6.35	1.63	1.53
1	A	90	GLU	CG-CD	6.32	1.67	1.52
1	B	59	VAL	C-O	6.23	1.30	1.24
1	B	7	LEU	N-CA	6.23	1.53	1.45
1	A	55	HIS	CA-C	-6.19	1.46	1.53
1	B	132	ILE	C-O	6.19	1.31	1.24
1	B	61	MET	CG-SD	6.16	1.96	1.80
1	A	61	MET	SD-CE	-6.04	1.64	1.79
1	A	149	SER	N-CA	5.90	1.53	1.45
1	B	32	ILE	CB-CG1	5.90	1.65	1.53
1	A	21	VAL	CA-CB	-5.89	1.47	1.54
1	B	9	PHE	CA-C	5.88	1.60	1.52
1	B	30	GLN	CA-C	5.84	1.60	1.52
1	A	20	PRO	CA-CB	5.81	1.61	1.53
1	B	24	VAL	CA-C	5.77	1.60	1.52
1	B	134	HIS	C-O	5.76	1.30	1.24
1	B	57	ARG	CA-C	-5.73	1.46	1.53
1	B	37	GLU	CG-CD	5.69	1.66	1.52
1	B	33	ASP	CA-C	5.66	1.60	1.52
1	A	29	ARG	CD-NE	5.65	1.54	1.46
1	B	62	ASP	CA-C	5.55	1.58	1.53
1	B	55	HIS	CA-C	-5.49	1.47	1.53
1	A	128	LEU	C-O	-5.48	1.17	1.24
1	B	114	ASP	C-O	-5.46	1.17	1.23
1	A	61	MET	CB-CG	-5.45	1.36	1.52
1	A	120	PHE	CE1-CZ	5.43	1.54	1.38
1	A	3	ILE	CA-CB	-5.43	1.47	1.54
1	A	57	ARG	CZ-NH2	-5.43	1.26	1.33
1	B	163	GLN	CA-C	-5.36	1.45	1.52
1	A	66	ASP	C-O	-5.36	1.16	1.24
1	B	71	ARG	CA-C	-5.35	1.46	1.52
1	A	59	VAL	CA-C	5.35	1.59	1.52
1	A	10	PRO	CA-CB	5.32	1.63	1.53
1	B	118	ASN	CA-C	5.31	1.60	1.52
1	A	115	ARG	CZ-NH1	5.26	1.40	1.32
1	A	48	ALA	N-CA	5.24	1.52	1.45
1	A	42	ALA	CA-CB	5.22	1.61	1.53
1	B	81	LEU	N-CA	5.21	1.52	1.46
1	B	103	ASP	N-CA	5.15	1.52	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	9	PHE	C-O	-5.13	1.17	1.24
1	B	47	LEU	CA-C	5.13	1.58	1.52
1	A	23	VAL	CA-CB	5.10	1.61	1.54
1	A	23	VAL	C-N	-5.08	1.28	1.33
1	B	128	LEU	CA-CB	5.08	1.61	1.53
1	B	64	SER	CA-CB	5.07	1.61	1.53
1	A	35	MET	C-O	5.01	1.30	1.24

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	88	TYR	N-CA-C	-13.44	88.95	110.32
1	B	157	ARG	NE-CZ-NH2	-10.90	109.39	119.20
1	B	11	ASP	CA-C-N	-9.31	110.19	119.87
1	B	11	ASP	C-N-CA	-9.31	110.19	119.87
1	B	83	GLU	N-CA-C	-9.14	101.66	113.17
1	B	157	ARG	NE-CZ-NH1	8.80	130.31	121.50
1	B	102	VAL	N-CA-C	-8.77	94.57	108.86
1	B	85	MET	N-CA-C	8.76	124.12	109.76
1	B	103	ASP	CA-C-N	-8.21	112.14	123.96
1	B	103	ASP	C-N-CA	-8.21	112.14	123.96
1	A	165	ARG	NE-CZ-NH1	-8.18	113.33	121.50
1	B	102	VAL	CB-CA-C	8.06	123.58	110.69
1	A	9	PHE	N-CA-C	-7.42	101.07	109.60
1	B	75	ASN	CA-C-O	7.30	125.51	120.47
1	B	11	ASP	CA-C-O	7.20	125.86	119.59
1	A	150	THR	N-CA-C	-6.83	104.20	112.54
1	A	86	ASP	N-CA-C	-6.75	99.19	109.85
1	A	52	VAL	N-CA-C	-6.52	104.99	111.77
1	B	40	TYR	CA-C-N	-6.38	110.44	121.66
1	B	40	TYR	C-N-CA	-6.38	110.44	121.66
1	A	61	MET	N-CA-CB	-6.37	101.03	111.66
1	B	157	ARG	CD-NE-CZ	6.24	133.14	124.40
1	B	121	GLU	CA-CB-CG	-6.20	101.70	114.10
1	A	83	GLU	N-CA-C	-5.93	106.05	113.28
1	B	90	GLU	CB-CA-C	-5.91	99.52	109.50
1	B	99	TYR	CA-CB-CG	-5.84	103.39	113.90
1	B	12	PRO	N-CA-C	5.77	121.13	114.03
1	B	72	VAL	CA-C-N	-5.77	114.64	122.77
1	B	72	VAL	C-N-CA	-5.77	114.64	122.77
1	A	108	VAL	CA-C-N	-5.66	115.24	122.77
1	A	108	VAL	C-N-CA	-5.66	115.24	122.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	89	GLN	N-CA-C	-5.64	100.10	109.46
1	B	5	ASN	CA-C-N	-5.48	116.03	122.93
1	B	5	ASN	C-N-CA	-5.48	116.03	122.93
1	B	88	TYR	CA-C-N	5.39	129.80	122.19
1	B	88	TYR	C-N-CA	5.39	129.80	122.19
1	B	13	ARG	N-CA-C	-5.39	106.66	113.18
1	A	67	LYS	CB-CA-C	5.33	118.88	111.63
1	A	45	ILE	CA-C-N	-5.32	114.89	121.38
1	A	45	ILE	C-N-CA	-5.32	114.89	121.38
1	A	102	VAL	N-CA-C	-5.31	100.59	108.45
1	B	68	SER	CA-C-N	-5.22	117.04	122.89
1	B	68	SER	C-N-CA	-5.22	117.04	122.89
1	A	136	CYS	N-CA-C	-5.19	105.62	111.28
1	B	75	ASN	CA-C-N	-5.15	115.27	120.31
1	B	75	ASN	C-N-CA	-5.15	115.27	120.31
1	A	143	LEU	CA-C-N	-5.06	112.26	120.72
1	A	143	LEU	C-N-CA	-5.06	112.26	120.72
1	B	62	ASP	CA-CB-CG	-5.06	107.54	112.60
1	A	110	ILE	CB-CA-C	-5.06	104.28	111.21

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1347	0	1339	12	0
1	B	1328	0	1324	24	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	12	0	8	2	0
3	B	6	0	7	8	0
4	A	140	0	0	7	0
4	B	122	0	0	14	0
All	All	2957	0	2678	41	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (41) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:302:GOL:O1	3:B:302:GOL:C1	1.63	1.41
1:B:165:ARG:HD3	4:B:502:HOH:O	1.57	1.03
1:B:101:ASN:HA	4:B:518:HOH:O	1.61	1.00
1:B:5:ASN:HB2	4:B:504:HOH:O	1.67	0.93
1:B:91:GLY:H	3:B:302:GOL:H31	1.35	0.89
1:B:85:MET:HG3	4:B:510:HOH:O	1.76	0.85
3:B:302:GOL:H32	4:B:511:HOH:O	1.79	0.81
1:B:102:VAL:O	4:B:496:HOH:O	2.00	0.79
1:B:87:GLN:HA	4:B:496:HOH:O	1.86	0.76
1:B:87:GLN:HG2	4:B:496:HOH:O	1.88	0.74
1:A:16:THR:HG21	4:A:532:HOH:O	1.88	0.72
1:B:88:TYR:O	4:B:518:HOH:O	2.10	0.69
1:A:13:ARG:O	1:A:16:THR:HG23	1.95	0.66
1:B:91:GLY:H	3:B:302:GOL:C3	2.08	0.61
3:B:302:GOL:C1	3:B:302:GOL:HO1	2.07	0.61
1:B:89:GLN:HA	4:B:518:HOH:O	2.01	0.59
1:B:111:LYS:HG2	1:B:121:GLU:HG2	1.85	0.59
1:A:69:GLU:OE1	4:A:503:HOH:O	2.17	0.58
1:B:91:GLY:N	3:B:302:GOL:H31	2.12	0.58
1:A:26:ASP:OD2	4:A:437:HOH:O	2.17	0.57
3:A:301:GOL:O3	4:A:528:HOH:O	2.18	0.56
1:B:74:ILE:HB	1:B:113:LEU:HB2	1.88	0.56
1:B:89:GLN:OE1	1:B:101:ASN:OD1	2.25	0.54
1:A:1:MET:CB	4:A:512:HOH:O	2.58	0.51
1:B:157:ARG:O	1:B:161:GLU:HG3	2.13	0.48
1:B:85:MET:CG	4:B:510:HOH:O	2.45	0.48
1:A:56:LYS:NZ	4:A:499:HOH:O	2.47	0.47
3:B:302:GOL:H12	4:B:473:HOH:O	2.16	0.45
1:B:111:LYS:HE2	1:B:121:GLU:OE2	2.17	0.44
1:A:67:LYS:NZ	4:A:526:HOH:O	2.50	0.44
1:B:9:PHE:CD1	1:B:10:PRO:HA	2.53	0.44
1:A:90:GLU:O	1:A:99:TYR:HA	2.18	0.44
1:A:95:VAL:N	1:A:96:PRO:CD	2.80	0.44
1:A:81:LEU:HD23	1:A:81:LEU:HA	1.84	0.43
1:B:165:ARG:C	4:B:430:HOH:O	2.61	0.43
1:A:73:PHE:HB3	1:A:76:PRO:HB3	2.01	0.43
1:B:3:ILE:HD13	1:B:3:ILE:HA	1.76	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:41:GLU:HG3	4:B:437:HOH:O	2.20	0.41
1:B:90:GLU:HA	3:B:302:GOL:H31	2.02	0.41
1:A:88:TYR:HE2	3:A:301:GOL:H11	1.85	0.41
1:B:160:LEU:HD23	1:B:160:LEU:HA	1.92	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	165/180 (92%)	164 (99%)	1 (1%)	0	100	100
1	B	162/180 (90%)	158 (98%)	4 (2%)	0	100	100
All	All	327/360 (91%)	322 (98%)	5 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	149/162 (92%)	142 (95%)	7 (5%)	23	11
1	B	148/162 (91%)	141 (95%)	7 (5%)	23	11
All	All	297/324 (92%)	283 (95%)	14 (5%)	23	11

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	PRO
1	A	16	THR
1	A	26	ASP
1	A	67	LYS
1	A	105	PRO
1	A	127	LEU
1	A	155	ARG
1	B	41	GLU
1	B	65	GLU
1	B	86	ASP
1	B	87	GLN
1	B	89	GLN
1	B	101	ASN
1	B	102	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	166	GLN
1	B	30	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	A	303	-	5,5,5	5.01	3 (60%)	5,5,5	2.34	2 (40%)
3	GOL	A	301	-	5,5,5	5.64	4 (80%)	5,5,5	2.50	1 (20%)
3	GOL	B	302	-	5,5,5	4.24	5 (100%)	5,5,5	3.88	4 (80%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	303	-	-	1/4/4/4	-
3	GOL	A	301	-	-	2/4/4/4	-
3	GOL	B	302	-	-	0/4/4/4	-

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301	GOL	C3-C2	-10.41	1.12	1.51
3	A	303	GOL	C3-C2	-8.67	1.18	1.51
3	A	301	GOL	O1-C1	-5.65	1.18	1.42
3	A	303	GOL	C1-C2	-5.61	1.30	1.51
3	B	302	GOL	O1-C1	5.03	1.63	1.42
3	B	302	GOL	C3-C2	4.79	1.70	1.51
3	B	302	GOL	C1-C2	4.25	1.68	1.51
3	B	302	GOL	O3-C3	4.09	1.59	1.42
3	A	303	GOL	O2-C2	3.94	1.54	1.43
3	A	301	GOL	O2-C2	3.03	1.52	1.43
3	A	301	GOL	O3-C3	-2.81	1.30	1.42
3	B	302	GOL	O2-C2	2.61	1.50	1.43

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	GOL	C3-C2-C1	5.48	131.90	111.80
3	A	301	GOL	O2-C2-C1	5.43	131.66	109.18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	GOL	O2-C2-C1	-4.93	88.77	109.18
3	A	303	GOL	O3-C3-C2	3.96	128.23	110.38
3	B	302	GOL	O3-C3-C2	-3.37	95.20	110.38
3	A	303	GOL	C3-C2-C1	3.13	123.29	111.80
3	B	302	GOL	O2-C2-C3	2.95	121.39	109.18

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	301	GOL	O1-C1-C2-O2
3	A	301	GOL	O2-C2-C3-O3
3	A	303	GOL	O2-C2-C3-O3

There are no ring outliers.

2 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	301	GOL	2	0
3	B	302	GOL	8	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.