



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 12:39 AM UTC

PDB ID : 1N7O / pdb_00001n7o
Title : Streptococcus pneumoniae Hyaluronate Lyase F343V Mutant
Authors : Nukui, M.; Taylor, K.B.; McPherson, D.T.; Shigenaga, M.; Jedrzejewski, M.J.
Deposited on : 2002-11-16
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4037 (1.50-1.50)
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	721	7% 83% 13% ..

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6366 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called hyaluronidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	721	Total	C	N	O	S	0	0	0
			5780	3634	968	1156	22			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	343	VAL	PHE	engineered mutation	UNP Q54873
A	731	VAL	GLY	SEE REMARK 999	UNP Q54873


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	586	Total	O	0	0
			586	586		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: hyaluronidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	84.07Å 103.35Å 101.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.50 20.00 – 1.50	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-1.50) 87.2 (20.00-1.50)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.22 (at 1.50Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.183 , 0.211 0.195 , 0.215	Depositor DCC
R_{free} test set	1243 reflections (1.01%)	wwPDB-VP
Wilson B-factor (Å ²)	19.3	Xtriage
Anisotropy	0.172	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 51.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.016 for -h,l,k	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6366	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.99% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.05	21/5898 (0.4%)	1.06	20/7967 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	7

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	652	THR	CA-C	15.05	1.73	1.52
1	A	566	LEU	CA-C	-14.82	1.37	1.53
1	A	458	MET	SD-CE	10.43	2.05	1.79
1	A	652	THR	CA-CB	-10.29	1.36	1.53
1	A	438	MET	SD-CE	-10.03	1.54	1.79
1	A	652	THR	C-O	-9.23	1.12	1.24
1	A	276	MET	SD-CE	-8.90	1.57	1.79
1	A	488	MET	SD-CE	8.01	1.99	1.79
1	A	649	ALA	CA-C	7.55	1.62	1.52
1	A	648	ASP	CA-C	-7.45	1.42	1.52
1	A	567	SER	N-CA	-6.79	1.37	1.45
1	A	652	THR	N-CA	6.74	1.54	1.46
1	A	766	ILE	CA-CB	6.74	1.62	1.54
1	A	652	THR	CB-OG1	6.43	1.54	1.43
1	A	566	LEU	C-O	6.25	1.31	1.23
1	A	612	VAL	CA-CB	6.18	1.60	1.54
1	A	223	ILE	CA-C	5.75	1.60	1.52
1	A	566	LEU	C-N	-5.69	1.26	1.33
1	A	652	THR	C-N	5.36	1.40	1.33
1	A	649	ALA	C-N	5.29	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	651	ALA	N-CA	5.19	1.52	1.46

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	652	THR	N-CA-C	12.93	138.34	110.80
1	A	567	SER	CA-C-N	12.79	143.37	122.39
1	A	567	SER	C-N-CA	12.79	143.37	122.39
1	A	566	LEU	CB-CA-C	-10.10	96.89	111.23
1	A	648	ASP	N-CA-C	-9.86	89.80	110.80
1	A	652	THR	N-CA-CB	-8.82	95.58	110.49
1	A	650	ASN	N-CA-C	-8.37	97.30	109.18
1	A	649	ALA	N-CA-C	7.49	126.76	110.80
1	A	567	SER	CA-C-O	-7.39	112.71	120.99
1	A	653	ALA	N-CA-C	7.25	120.09	109.07
1	A	567	SER	O-C-N	6.91	131.13	123.33
1	A	458	MET	CB-CG-SD	6.54	132.32	112.70
1	A	650	ASN	N-CA-CB	6.38	121.31	111.22
1	A	649	ALA	CA-C-O	-6.07	111.84	120.51
1	A	567	SER	N-CA-CB	-5.99	100.37	111.52
1	A	651	ALA	CA-C-O	-5.74	112.31	120.51
1	A	792	SER	CA-CB-OG	-5.65	99.81	111.10
1	A	649	ALA	CA-C-N	5.03	131.96	123.01
1	A	649	ALA	C-N-CA	5.03	131.96	123.01
1	A	652	THR	CA-CB-CG2	-5.01	101.99	110.50

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	220	ALA	Peptide
1	A	223	ILE	Peptide
1	A	567	SER	Mainchain,Peptide
1	A	647	ASP	Peptide
1	A	648	ASP	Peptide
1	A	652	THR	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5780	0	5594	145	0
2	A	586	0	0	57	0
All	All	6366	0	5594	145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:458:MET:CE	1:A:458:MET:SD	2.05	1.43
1:A:458:MET:HG2	2:A:1329:HOH:O	1.30	1.31
1:A:652:THR:HG21	2:A:1339:HOH:O	1.16	1.29
1:A:239:THR:HB	2:A:1413:HOH:O	1.29	1.28
1:A:649:ALA:O	2:A:1380:HOH:O	1.59	1.18
1:A:458:MET:CE	2:A:1329:HOH:O	1.92	1.18
1:A:458:MET:HE2	2:A:1329:HOH:O	1.43	1.16
1:A:567:SER:C	2:A:1331:HOH:O	1.95	1.10
1:A:458:MET:CG	2:A:1329:HOH:O	1.88	1.09
1:A:649:ALA:O	2:A:1332:HOH:O	1.71	1.05
1:A:552:LYS:HD2	1:A:567:SER:OG	1.59	1.03
1:A:483:HIS:HE1	2:A:1212:HOH:O	1.46	0.99
1:A:552:LYS:CD	1:A:567:SER:HB2	1.94	0.98
1:A:645:LYS:HA	1:A:651:ALA:HA	1.43	0.97
1:A:552:LYS:HD2	1:A:567:SER:CB	1.94	0.96
1:A:613:ASN:H	1:A:698:GLN:HE22	1.11	0.96
1:A:552:LYS:HA	1:A:567:SER:HB2	1.45	0.95
1:A:567:SER:O	2:A:1331:HOH:O	1.82	0.94
1:A:364:ARG:HD3	2:A:1137:HOH:O	1.71	0.91
1:A:650:ASN:HA	2:A:1332:HOH:O	1.71	0.91
1:A:458:MET:SD	2:A:1329:HOH:O	2.26	0.88
1:A:223:ILE:O	2:A:1347:HOH:O	1.90	0.87
1:A:567:SER:O	2:A:1330:HOH:O	1.97	0.83
1:A:652:THR:CG2	2:A:1349:HOH:O	2.30	0.78
1:A:364:ARG:CD	2:A:1137:HOH:O	2.29	0.78
1:A:267:ARG:HD3	2:A:1174:HOH:O	1.83	0.78
1:A:652:THR:HA	1:A:672:MET:HE3	1.67	0.77
1:A:552:LYS:HA	1:A:567:SER:CB	2.15	0.77
1:A:552:LYS:CA	1:A:567:SER:HB2	2.15	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:552:LYS:HD2	1:A:567:SER:HB2	1.62	0.73
1:A:645:LYS:HA	1:A:651:ALA:CA	2.17	0.72
1:A:189:GLN:HG3	2:A:1476:HOH:O	1.89	0.71
1:A:483:HIS:CE1	2:A:1212:HOH:O	2.29	0.70
1:A:650:ASN:HD21	1:A:832:GLN:HE22	1.38	0.69
1:A:649:ALA:HB1	2:A:1380:HOH:O	1.93	0.69
1:A:267:ARG:CD	2:A:1174:HOH:O	2.39	0.68
1:A:552:LYS:HD3	1:A:567:SER:HB2	1.76	0.68
1:A:557:ASN:HD22	1:A:557:ASN:C	2.02	0.67
1:A:874:ASN:C	1:A:874:ASN:HD22	2.02	0.67
1:A:225:LEU:HD12	1:A:276:MET:HE3	1.77	0.67
1:A:552:LYS:CD	1:A:567:SER:CB	2.59	0.67
1:A:544:LEU:CD1	1:A:651:ALA:HB3	2.25	0.66
1:A:544:LEU:HD13	1:A:651:ALA:HB3	1.76	0.66
1:A:720:GLU:HG3	2:A:1315:HOH:O	1.96	0.65
1:A:552:LYS:CB	1:A:567:SER:HB2	2.26	0.65
1:A:649:ALA:C	2:A:1380:HOH:O	2.21	0.65
1:A:652:THR:HA	1:A:672:MET:CE	2.27	0.64
1:A:863:LYS:NZ	1:A:865:GLY:O	2.25	0.64
1:A:431:ASP:OD1	1:A:434:LYS:HE2	1.97	0.63
1:A:647:ASP:O	1:A:650:ASN:O	2.15	0.63
1:A:649:ALA:C	2:A:1332:HOH:O	2.31	0.61
1:A:720:GLU:CG	2:A:1315:HOH:O	2.49	0.61
1:A:820:ASN:HD22	1:A:825:GLN:HG2	1.66	0.61
1:A:254:ASN:C	1:A:254:ASN:HD22	2.09	0.61
1:A:222:ARG:O	1:A:223:ILE:HG23	2.01	0.60
1:A:544:LEU:HD22	1:A:651:ALA:CB	2.32	0.60
1:A:652:THR:CG2	1:A:653:ALA:N	2.60	0.59
1:A:647:ASP:OD1	1:A:650:ASN:N	2.36	0.59
1:A:652:THR:CG2	2:A:1339:HOH:O	2.00	0.58
1:A:483:HIS:CE1	2:A:1311:HOH:O	2.56	0.58
1:A:648:ASP:HB3	2:A:1247:HOH:O	2.03	0.58
1:A:652:THR:HG21	2:A:1349:HOH:O	2.01	0.57
1:A:648:ASP:O	1:A:648:ASP:CG	2.47	0.57
1:A:650:ASN:O	1:A:651:ALA:HB2	2.04	0.57
1:A:222:ARG:C	1:A:223:ILE:HG13	2.30	0.56
1:A:889:LYS:N	1:A:889:LYS:HD2	2.20	0.56
1:A:855:LYS:HE2	1:A:886:VAL:HG12	1.87	0.56
1:A:650:ASN:CA	2:A:1332:HOH:O	2.44	0.55
1:A:557:ASN:ND2	1:A:560:LYS:H	2.05	0.55
1:A:645:LYS:HG3	1:A:651:ALA:HB2	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:354:GLY:HA3	1:A:377:ILE:HD11	1.89	0.55
1:A:225:LEU:HG	1:A:276:MET:CE	2.37	0.54
1:A:436:GLN:HA	2:A:1393:HOH:O	2.06	0.54
1:A:458:MET:CE	1:A:458:MET:CG	2.86	0.54
1:A:239:THR:CB	2:A:1413:HOH:O	2.12	0.54
1:A:228:LYS:HG3	1:A:229:PHE:CE2	2.44	0.53
1:A:652:THR:HG23	1:A:653:ALA:N	2.22	0.53
1:A:239:THR:HG21	1:A:293:ASP:OD2	2.08	0.53
1:A:889:LYS:H	1:A:889:LYS:CD	2.21	0.53
1:A:792:SER:HB2	2:A:1412:HOH:O	2.07	0.53
1:A:354:GLY:CA	1:A:377:ILE:HD11	2.38	0.53
1:A:282:ASN:HD22	1:A:284:GLU:H	1.55	0.53
1:A:521:LYS:CD	2:A:1353:HOH:O	2.57	0.53
1:A:177:ARG:HG3	1:A:422:VAL:HG13	1.90	0.53
1:A:223:ILE:HD12	1:A:224:TYR:H	1.75	0.52
1:A:225:LEU:HG	1:A:276:MET:HE2	1.91	0.52
1:A:224:TYR:HB3	2:A:1347:HOH:O	2.09	0.52
1:A:645:LYS:HA	1:A:651:ALA:CB	2.39	0.51
1:A:874:ASN:HD22	1:A:876:GLU:H	1.59	0.51
1:A:671:PHE:HB2	1:A:678:ALA:HB3	1.94	0.50
1:A:708:LYS:HE3	1:A:715:GLU:CD	2.36	0.50
1:A:439:TYR:CE2	2:A:1393:HOH:O	2.64	0.50
1:A:867:GLU:HG3	2:A:1268:HOH:O	2.10	0.50
1:A:521:LYS:HD2	2:A:1353:HOH:O	2.11	0.50
1:A:202:ASN:ND2	1:A:251:GLN:HE22	2.08	0.50
1:A:817:LEU:C	1:A:817:LEU:HD13	2.37	0.49
1:A:667:HIS:HE1	2:A:1225:HOH:O	1.95	0.49
1:A:225:LEU:CD1	1:A:276:MET:HE3	2.42	0.49
1:A:275:TRP:CE3	1:A:276:MET:HE2	2.47	0.49
1:A:867:GLU:HG2	2:A:1324:HOH:O	2.12	0.48
1:A:483:HIS:HE2	1:A:529:LEU:HB2	1.76	0.48
1:A:224:TYR:CA	2:A:1347:HOH:O	2.62	0.48
1:A:228:LYS:CD	2:A:1373:HOH:O	2.61	0.48
1:A:278:LYS:HG2	1:A:279:HIS:CD2	2.48	0.48
1:A:889:LYS:N	1:A:889:LYS:CD	2.75	0.48
1:A:867:GLU:CG	2:A:1324:HOH:O	2.62	0.47
1:A:228:LYS:HD3	2:A:1373:HOH:O	2.13	0.47
1:A:652:THR:HG23	1:A:653:ALA:H	1.80	0.46
1:A:850:GLN:HE22	1:A:863:LYS:CD	2.29	0.46
1:A:568:LEU:N	2:A:1331:HOH:O	2.31	0.46
1:A:222:ARG:NH2	1:A:271:ASP:HB3	2.31	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:648:ASP:HB2	2:A:1118:HOH:O	2.14	0.46
1:A:850:GLN:NE2	1:A:863:LYS:HD2	2.31	0.46
1:A:552:LYS:CG	1:A:567:SER:HB2	2.46	0.45
1:A:648:ASP:O	1:A:649:ALA:CB	2.65	0.45
1:A:267:ARG:HD2	2:A:1174:HOH:O	2.14	0.45
1:A:874:ASN:ND2	1:A:876:GLU:H	2.14	0.45
1:A:540:ARG:HG3	2:A:997:HOH:O	2.16	0.45
1:A:219:GLN:O	1:A:222:ARG:HA	2.17	0.45
1:A:364:ARG:HD2	2:A:1137:HOH:O	2.07	0.44
1:A:498:GLN:HB3	1:A:529:LEU:HD21	2.00	0.44
1:A:652:THR:CA	1:A:672:MET:HE3	2.44	0.44
1:A:850:GLN:HE22	1:A:863:LYS:HD2	1.82	0.44
1:A:420:LEU:HD13	1:A:435:MET:HE3	2.00	0.44
1:A:557:ASN:C	1:A:557:ASN:ND2	2.74	0.44
1:A:349:ASN:ND2	2:A:1076:HOH:O	2.50	0.43
1:A:649:ALA:CB	2:A:1380:HOH:O	2.58	0.43
1:A:439:TYR:CD2	2:A:1393:HOH:O	2.57	0.43
1:A:241:THR:HG21	1:A:276:MET:HE3	2.01	0.43
1:A:254:ASN:C	1:A:254:ASN:ND2	2.73	0.42
1:A:254:ASN:ND2	1:A:256:SER:H	2.17	0.42
1:A:650:ASN:O	1:A:651:ALA:CB	2.65	0.42
1:A:889:LYS:H	1:A:889:LYS:HE2	1.84	0.42
1:A:270:ARG:NH2	1:A:317:GLU:OE1	2.53	0.42
1:A:458:MET:CE	1:A:458:MET:HG2	2.49	0.42
1:A:483:HIS:NE2	1:A:525:LEU:O	2.52	0.42
1:A:889:LYS:H	1:A:889:LYS:CE	2.33	0.41
1:A:224:TYR:HA	2:A:1347:HOH:O	2.20	0.41
1:A:293:ASP:O	1:A:298:THR:HB	2.21	0.41
1:A:335:PHE:CZ	1:A:353:MET:HE2	2.55	0.41
1:A:242:TYR:CD2	1:A:298:THR:HG23	2.55	0.41
1:A:344:LYS:NZ	1:A:379:GLN:HE22	2.19	0.41
1:A:822:GLU:H	1:A:822:GLU:HG3	1.66	0.40
1:A:213:LEU:HB3	2:A:1421:HOH:O	2.20	0.40
1:A:568:LEU:CA	2:A:1331:HOH:O	2.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	719/721 (100%)	689 (96%)	24 (3%)	6 (1%)	16	4

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	649	ALA
1	A	651	ALA
1	A	652	THR
1	A	223	ILE
1	A	221	ASP
1	A	219	GLN

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	638/640 (100%)	596 (93%)	42 (7%)	15	1

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	171	LYS
1	A	177	ARG
1	A	222	ARG
1	A	223	ILE
1	A	228	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	232	TYR
1	A	252	VAL
1	A	254	ASN
1	A	278	LYS
1	A	282	ASN
1	A	319	LYS
1	A	320	LYS
1	A	337	LYS
1	A	364	ARG
1	A	383	LEU
1	A	404	TYR
1	A	432	LYS
1	A	458	MET
1	A	468	ASN
1	A	490	GLU
1	A	492	GLU
1	A	495	GLN
1	A	529	LEU
1	A	540	ARG
1	A	557	ASN
1	A	626	LYS
1	A	648	ASP
1	A	714	LYS
1	A	717	SER
1	A	720	GLU
1	A	748	LYS
1	A	774	GLU
1	A	780	LEU
1	A	792	SER
1	A	808	GLN
1	A	813	LEU
1	A	814	GLU
1	A	822	GLU
1	A	867	GLU
1	A	869	LYS
1	A	874	ASN
1	A	889	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	202	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	254	ASN
1	A	279	HIS
1	A	282	ASN
1	A	349	ASN
1	A	379	GLN
1	A	386	GLN
1	A	468	ASN
1	A	557	ASN
1	A	662	GLN
1	A	667	HIS
1	A	698	GLN
1	A	759	GLN
1	A	789	ASN
1	A	820	ASN
1	A	825	GLN
1	A	832	GLN
1	A	850	GLN
1	A	874	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	721/721 (100%)	0.41	47 (6%)	25 27	13, 21, 36, 65	0

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	567	SER	10.7
1	A	651	ALA	10.0
1	A	649	ALA	8.7
1	A	220	ALA	8.7
1	A	223	ILE	8.6
1	A	221	ASP	6.6
1	A	232	TYR	6.5
1	A	890	LEU	6.0
1	A	652	THR	5.9
1	A	219	GLN	5.7
1	A	650	ASN	5.5
1	A	222	ARG	5.4
1	A	224	TYR	5.1
1	A	648	ASP	4.7
1	A	566	LEU	4.6
1	A	170	VAL	4.6
1	A	434	LYS	4.4
1	A	218	SER	4.0
1	A	493	THR	3.5
1	A	867	GLU	3.5
1	A	171	LYS	3.3
1	A	215	SER	3.3
1	A	483	HIS	3.1
1	A	429	PRO	3.0
1	A	433	ASP	3.0
1	A	458	MET	2.8
1	A	705	ASN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	228	LYS	2.6
1	A	267	ARG	2.6
1	A	822	GLU	2.5
1	A	278	LYS	2.5
1	A	174	TYR	2.4
1	A	239	THR	2.3
1	A	341	ASN	2.3
1	A	340	ASP	2.3
1	A	849	ASN	2.3
1	A	430	ILE	2.3
1	A	392	GLN	2.2
1	A	431	ASP	2.2
1	A	492	GLU	2.1
1	A	342	PRO	2.1
1	A	229	PHE	2.1
1	A	217	SER	2.1
1	A	865	GLY	2.1
1	A	225	LEU	2.0
1	A	196	ASP	2.0
1	A	280	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.