



# wwPDB NMR Structure Validation Summary Report ⓘ

Apr 15, 2026 – 11:10 AM UTC

PDB ID : 5N7Y / pdb\_00005n7y  
BMRB ID : 34102  
Title : Solution structure of B. subtilis Sigma G inhibitor CsfB  
Authors : Martinez-Lumbreras, S.; Alfano, C.; Atkinson, A.; Isaacson, R.L.  
Deposited on : 2017-02-21

This is a wwPDB NMR Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
wwPDB-RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
wwPDB-ShiftChecker : v1.2  
BMRB Restraints Analysis : v1.2  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49

## 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 41%.

There are no overall percentile quality scores available for this entry.

The sequence quality summary graphics cannot be shown.

## 2 Ensemble composition and analysis

This entry contains 20 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

| Well-defined (core) protein residues |                         |                   |              |
|--------------------------------------|-------------------------|-------------------|--------------|
| Well-defined core                    | Residue range (total)   | Backbone RMSD (Å) | Medoid model |
| 1                                    | A:9-A:40, C:9-C:40 (64) | 0.37              | 1            |

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 1 single-model cluster was found.

| Cluster number        | Models                                 |
|-----------------------|----------------------------------------|
| 1                     | 1, 5, 8, 9, 10, 11, 12, 16, 17, 18, 19 |
| 2                     | 3, 6, 7, 14, 15, 20                    |
| 3                     | 4, 13                                  |
| Single-model clusters | 2                                      |

### 3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 1542 atoms, of which 760 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Anti-sigma-G factor Gin.

| Mol | Chain | Residues | Atoms |     |     |    |    |   | Trace |
|-----|-------|----------|-------|-----|-----|----|----|---|-------|
| 1   | A     | 49       | Total | C   | H   | N  | O  | S | 0     |
|     |       |          | 770   | 239 | 380 | 66 | 80 | 5 |       |
| 1   | C     | 49       | Total | C   | H   | N  | O  | S | 0     |
|     |       |          | 770   | 239 | 380 | 66 | 80 | 5 |       |

There are 2 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment        | Reference  |
|-------|---------|----------|--------|----------------|------------|
| A     | 0       | SER      | -      | expression tag | UNP P37534 |
| C     | 0       | SER      | -      | expression tag | UNP P37534 |

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).


| Mol | Chain | Residues | Atoms |    |
|-----|-------|----------|-------|----|
| 2   | A     | 1        | Total | Zn |
|     |       |          | 1     | 1  |
| 2   | C     | 1        | Total | Zn |
|     |       |          | 1     | 1  |

## 4 Residue-property plots


### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Anti-sigma-G factor Gin




- Molecule 1: Anti-sigma-G factor Gin




### 4.2 Residue scores for the representative (medoid) model from the NMR ensemble

The representative model is number 1. Colouring as in section 4.1 above.

- Molecule 1: Anti-sigma-G factor Gin



- Molecule 1: Anti-sigma-G factor Gin



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics*.

Of the 200 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

| Software name | Classification        | Version |
|---------------|-----------------------|---------|
| ARIA          | structure calculation | 2.3     |
| ARIA          | refinement            | 2.3     |

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

|                                              |                |
|----------------------------------------------|----------------|
| Chemical shift file(s)                       | working_cs.cif |
| Number of chemical shift lists               | 1              |
| Total number of shifts                       | 534            |
| Number of shifts mapped to atoms             | 534            |
| Number of unparsed shifts                    | 0              |
| Number of shifts with mapping errors         | 0              |
| Number of shifts with mapping warnings       | 0              |
| Assignment completeness (well-defined parts) | 41%            |

## 6 Model quality [i](#)

### 6.1 Standard geometry [i](#)

MolProbity failed to run properly - this section will have to be empty.

### 6.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section will have to be empty.

### 6.3 Torsion angles [i](#)

#### 6.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section will have to be empty.

#### 6.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section will have to be empty.

#### 6.3.3 RNA [i](#)

MolProbity failed to run properly - this section will have to be empty.

### 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

MolProbity failed to run properly - this section will have to be empty.

### 6.5 Carbohydrates [i](#)

MolProbity failed to run properly - this section will have to be empty.

### 6.6 Ligand geometry [i](#)

MolProbity failed to run properly - this section will have to be empty.

### 6.7 Other polymers [i](#)

MolProbity failed to run properly - this section will have to be empty.

## 6.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 41% for the well-defined parts and 41% for the entire structure.

### 7.1 Chemical shift list 1

File name: working\_cs.cif

Chemical shift list name: *GIN\_CS\_FINAL.tbl*

#### 7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

|                                         |     |
|-----------------------------------------|-----|
| Total number of shifts                  | 534 |
| Number of shifts mapped to atoms        | 534 |
| Number of unparsed shifts               | 0   |
| Number of shifts with mapping errors    | 0   |
| Number of shifts with mapping warnings  | 0   |
| Number of shift outliers (ShiftChecker) | 0   |

#### 7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

| Nucleus                | # values | Correction $\pm$ precision, ppm | Suggested action           |
|------------------------|----------|---------------------------------|----------------------------|
| $^{13}\text{C}_\alpha$ | 48       | $-0.73 \pm 0.11$                | Should be checked          |
| $^{13}\text{C}_\beta$  | 47       | $0.01 \pm 0.17$                 | None needed ( $< 0.5$ ppm) |
| $^{13}\text{C}'$       | 0        | —                               | None (insufficient data)   |
| $^{15}\text{N}$        | 44       | $-1.52 \pm 0.49$                | Should be applied          |

#### 7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 41%, i.e. 370 atoms were assigned a chemical shift out of a possible 906. 0 out of 8 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

|           | Total         | $^1\text{H}$  | $^{13}\text{C}$ | $^{15}\text{N}$ |
|-----------|---------------|---------------|-----------------|-----------------|
| Backbone  | 125/322 (39%) | 63/130 (48%)  | 32/128 (25%)    | 30/64 (47%)     |
| Sidechain | 223/514 (43%) | 149/332 (45%) | 72/160 (45%)    | 2/22 (9%)       |

*Continued on next page...*

Continued from previous page...

|          | Total         | <sup>1</sup> H | <sup>13</sup> C | <sup>15</sup> N |
|----------|---------------|----------------|-----------------|-----------------|
| Aromatic | 22/70 (31%)   | 11/34 (32%)    | 11/28 (39%)     | 0/8 (0%)        |
| Overall  | 370/906 (41%) | 223/496 (45%)  | 115/316 (36%)   | 32/94 (34%)     |


#### 7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

#### 7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:



## 8 NMR restraints analysis

### 8.1 Conformationally restricting restraints

The following table provides the summary of experimentally observed NMR restraints in different categories. Restraints are classified into different categories based on the sequence separation of the atoms involved.

| Description                                              | Value |
|----------------------------------------------------------|-------|
| Total distance restraints                                | 2540  |
| Intra-residue ( $ i-j =0$ )                              | 906   |
| Sequential ( $ i-j =1$ )                                 | 510   |
| Medium range ( $ i-j >1$ and $ i-j <5$ )                 | 276   |
| Long range ( $ i-j \geq 5$ )                             | 446   |
| Inter-chain                                              | 402   |
| Hydrogen bond restraints                                 | 0     |
| Disulfide bond restraints                                | 0     |
| Total dihedral-angle restraints                          | 64    |
| Number of unmapped restraints                            | 0     |
| Number of restraints per residue                         | 26.0  |
| Number of long range restraints per residue <sup>1</sup> | 4.5   |

<sup>1</sup>Long range hydrogen bonds and disulfide bonds are counted as long range restraints while calculating the number of long range restraints per residue

### 8.2 Residual restraint violations

This section provides the overview of the restraint violations analysis. The violations are binned as small, medium and large violations based on its absolute value. Average number of violations per model is calculated by dividing the total number of violations in each bin by the size of the ensemble.

#### 8.2.1 Average number of distance violations per model

Distance violations less than 0.1 Å are not included in the calculation.

| Bins (Å)         | Average number of violations per model | Max (Å) |
|------------------|----------------------------------------|---------|
| 0.1-0.2 (Small)  | 75.5                                   | 0.2     |
| 0.2-0.5 (Medium) | 88.5                                   | 0.5     |
| >0.5 (Large)     | 67.9                                   | 1.74    |

### 8.2.2 Average number of dihedral-angle violations per model [i](#)

Dihedral-angle violations less than 1° are not included in the calculation.

| Bins (°)           | Average number of violations per model | Max (°) |
|--------------------|----------------------------------------|---------|
| 1.0-10.0 (Small)   | 12.2                                   | 9.22    |
| 10.0-20.0 (Medium) | None                                   | None    |
| >20.0 (Large)      | None                                   | None    |

## 9 Distance violation analysis ⓘ


### 9.1 Summary of distance violations ⓘ

The following table shows the summary of distance violations in different restraint categories based on the sequence separation of the atoms involved. Each category is further sub-divided into three sub-categories based on the atoms involved. Violations less than 0.1 Å are not included in the statistics.

| Restraints type                                            | Count                | % <sup>1</sup>        | Violated <sup>3</sup> |                      |                      | Consistently Violated <sup>4</sup> |                     |                     |
|------------------------------------------------------------|----------------------|-----------------------|-----------------------|----------------------|----------------------|------------------------------------|---------------------|---------------------|
|                                                            |                      |                       | Count                 | % <sup>2</sup>       | % <sup>1</sup>       | Count                              | % <sup>2</sup>      | % <sup>1</sup>      |
| <a href="#">Intra-residue ( i-j =0)</a>                    | <a href="#">906</a>  | <a href="#">35.7</a>  | <a href="#">106</a>   | <a href="#">11.7</a> | <a href="#">4.2</a>  | <a href="#">18</a>                 | <a href="#">2.0</a> | <a href="#">0.7</a> |
| Backbone-Backbone                                          | 68                   | 2.7                   | 0                     | 0.0                  | 0.0                  | 0                                  | 0.0                 | 0.0                 |
| Backbone-Sidechain                                         | 504                  | 19.8                  | 60                    | 11.9                 | 2.4                  | 10                                 | 2.0                 | 0.4                 |
| Sidechain-Sidechain                                        | 334                  | 13.1                  | 46                    | 13.8                 | 1.8                  | 8                                  | 2.4                 | 0.3                 |
| <a href="#">Sequential ( i-j =1)</a>                       | <a href="#">510</a>  | <a href="#">20.1</a>  | <a href="#">106</a>   | <a href="#">20.8</a> | <a href="#">4.2</a>  | <a href="#">17</a>                 | <a href="#">3.3</a> | <a href="#">0.7</a> |
| Backbone-Backbone                                          | 150                  | 5.9                   | 14                    | 9.3                  | 0.6                  | 2                                  | 1.3                 | 0.1                 |
| Backbone-Sidechain                                         | 294                  | 11.6                  | 64                    | 21.8                 | 2.5                  | 11                                 | 3.7                 | 0.4                 |
| Sidechain-Sidechain                                        | 66                   | 2.6                   | 28                    | 42.4                 | 1.1                  | 4                                  | 6.1                 | 0.2                 |
| <a href="#">Medium range ( i-j &gt;1 &amp;  i-j &lt;5)</a> | <a href="#">276</a>  | <a href="#">10.9</a>  | <a href="#">54</a>    | <a href="#">19.6</a> | <a href="#">2.1</a>  | <a href="#">16</a>                 | <a href="#">5.8</a> | <a href="#">0.6</a> |
| Backbone-Backbone                                          | 74                   | 2.9                   | 2                     | 2.7                  | 0.1                  | 0                                  | 0.0                 | 0.0                 |
| Backbone-Sidechain                                         | 150                  | 5.9                   | 44                    | 29.3                 | 1.7                  | 16                                 | 10.7                | 0.6                 |
| Sidechain-Sidechain                                        | 52                   | 2.0                   | 8                     | 15.4                 | 0.3                  | 0                                  | 0.0                 | 0.0                 |
| <a href="#">Long range ( i-j ≥5)</a>                       | <a href="#">446</a>  | <a href="#">17.6</a>  | <a href="#">90</a>    | <a href="#">20.2</a> | <a href="#">3.5</a>  | <a href="#">8</a>                  | <a href="#">1.8</a> | <a href="#">0.3</a> |
| Backbone-Backbone                                          | 68                   | 2.7                   | 2                     | 2.9                  | 0.1                  | 0                                  | 0.0                 | 0.0                 |
| Backbone-Sidechain                                         | 214                  | 8.4                   | 46                    | 21.5                 | 1.8                  | 8                                  | 3.7                 | 0.3                 |
| Sidechain-Sidechain                                        | 164                  | 6.5                   | 42                    | 25.6                 | 1.7                  | 0                                  | 0.0                 | 0.0                 |
| <a href="#">Inter-chain</a>                                | <a href="#">402</a>  | <a href="#">15.8</a>  | <a href="#">151</a>   | <a href="#">37.6</a> | <a href="#">5.9</a>  | <a href="#">6</a>                  | <a href="#">1.5</a> | <a href="#">0.2</a> |
| Backbone-Backbone                                          | 0                    | 0.0                   | 0                     | 0.0                  | 0.0                  | 0                                  | 0.0                 | 0.0                 |
| Backbone-Sidechain                                         | 138                  | 5.4                   | 39                    | 28.3                 | 1.5                  | 2                                  | 1.4                 | 0.1                 |
| Sidechain-Sidechain                                        | 264                  | 10.4                  | 112                   | 42.4                 | 4.4                  | 4                                  | 1.5                 | 0.2                 |
| <a href="#">Hydrogen bond</a>                              | <a href="#">0</a>    | <a href="#">0.0</a>   | <a href="#">0</a>     | <a href="#">0.0</a>  | <a href="#">0.0</a>  | <a href="#">0</a>                  | <a href="#">0.0</a> | <a href="#">0.0</a> |
| <a href="#">Disulfide bond</a>                             | <a href="#">0</a>    | <a href="#">0.0</a>   | <a href="#">0</a>     | <a href="#">0.0</a>  | <a href="#">0.0</a>  | <a href="#">0</a>                  | <a href="#">0.0</a> | <a href="#">0.0</a> |
| <a href="#">Total</a>                                      | <a href="#">2540</a> | <a href="#">100.0</a> | <a href="#">507</a>   | <a href="#">20.0</a> | <a href="#">20.0</a> | <a href="#">65</a>                 | <a href="#">2.6</a> | <a href="#">2.6</a> |
| Backbone-Backbone                                          | 360                  | 14.2                  | 18                    | 5.0                  | 0.7                  | 2                                  | 0.6                 | 0.1                 |
| Backbone-Sidechain                                         | 1300                 | 51.2                  | 253                   | 19.5                 | 10.0                 | 47                                 | 3.6                 | 1.9                 |
| Sidechain-Sidechain                                        | 880                  | 34.6                  | 236                   | 26.8                 | 9.3                  | 16                                 | 1.8                 | 0.6                 |

<sup>1</sup> percentage calculated with respect to the total number of distance restraints, <sup>2</sup> percentage calculated with respect to the number of restraints in a particular restraint category, <sup>3</sup> violated in at least one model, <sup>4</sup> violated in all the models

### 9.1.1 Bar chart : Distribution of distance restraints and violations [i](#)



Violated and consistently violated restraints are shown using different hatch patterns in their respective categories. The hydrogen bonds and disulfied bonds are counted in their appropriate category on the x-axis

## 9.2 Distance violation statistics for each model [i](#)

The following table provides the distance violation statistics for each model in the ensemble. Violations less than 0.1 Å are not included in the statistics.

| Model ID | Number of violations |                 |                 |                 |                 |       | Mean (Å) | Max (Å) | SD <sup>6</sup> (Å) | Median (Å) |
|----------|----------------------|-----------------|-----------------|-----------------|-----------------|-------|----------|---------|---------------------|------------|
|          | IR <sup>1</sup>      | SQ <sup>2</sup> | MR <sup>3</sup> | LR <sup>4</sup> | IC <sup>5</sup> | Total |          |         |                     |            |
| 1        | 49                   | 64              | 24              | 48              | 72              | 257   | 0.39     | 1.67    | 0.27                | 0.35       |
| 2        | 47                   | 62              | 26              | 44              | 73              | 252   | 0.4      | 1.66    | 0.28                | 0.35       |
| 3        | 57                   | 58              | 26              | 45              | 56              | 242   | 0.39     | 1.28    | 0.29                | 0.3        |
| 4        | 40                   | 54              | 24              | 36              | 58              | 212   | 0.38     | 1.48    | 0.25                | 0.35       |
| 5        | 49                   | 59              | 29              | 36              | 58              | 231   | 0.37     | 1.43    | 0.27                | 0.26       |
| 6        | 47                   | 55              | 28              | 33              | 66              | 229   | 0.41     | 1.5     | 0.28                | 0.37       |
| 7        | 46                   | 59              | 26              | 38              | 80              | 249   | 0.38     | 1.52    | 0.27                | 0.31       |
| 8        | 41                   | 65              | 26              | 47              | 58              | 237   | 0.37     | 1.36    | 0.26                | 0.29       |
| 9        | 46                   | 71              | 24              | 38              | 61              | 240   | 0.42     | 1.59    | 0.28                | 0.34       |
| 10       | 46                   | 64              | 34              | 32              | 65              | 241   | 0.4      | 1.42    | 0.27                | 0.34       |

*Continued on next page...*


Continued from previous page...

| Model ID | Number of violations |                 |                 |                 |                 |       | Mean (Å) | Max (Å) | SD <sup>6</sup> (Å) | Median (Å) |
|----------|----------------------|-----------------|-----------------|-----------------|-----------------|-------|----------|---------|---------------------|------------|
|          | IR <sup>1</sup>      | SQ <sup>2</sup> | MR <sup>3</sup> | LR <sup>4</sup> | IC <sup>5</sup> | Total |          |         |                     |            |
| 11       | 48                   | 56              | 26              | 33              | 83              | 246   | 0.38     | 1.59    | 0.25                | 0.33       |
| 12       | 46                   | 67              | 28              | 42              | 60              | 243   | 0.39     | 1.31    | 0.27                | 0.31       |
| 13       | 54                   | 54              | 28              | 34              | 52              | 222   | 0.38     | 1.74    | 0.27                | 0.32       |
| 14       | 52                   | 64              | 30              | 44              | 51              | 241   | 0.39     | 1.3     | 0.27                | 0.34       |
| 15       | 48                   | 60              | 26              | 30              | 63              | 227   | 0.39     | 1.64    | 0.26                | 0.32       |
| 16       | 48                   | 54              | 26              | 44              | 57              | 229   | 0.38     | 1.47    | 0.25                | 0.3        |
| 17       | 46                   | 58              | 32              | 28              | 70              | 234   | 0.39     | 1.67    | 0.29                | 0.29       |
| 18       | 46                   | 61              | 29              | 37              | 64              | 237   | 0.4      | 1.51    | 0.31                | 0.3        |
| 19       | 43                   | 55              | 28              | 28              | 70              | 224   | 0.38     | 1.46    | 0.27                | 0.29       |
| 20       | 56                   | 54              | 24              | 38              | 65              | 237   | 0.4      | 1.48    | 0.28                | 0.34       |

<sup>1</sup>Intra-residue restraints, <sup>2</sup>Sequential restraints, <sup>3</sup>Medium range restraints, <sup>4</sup>Long range restraints,

<sup>5</sup>Inter-chain restraints, <sup>6</sup>Standard deviation

### 9.2.1 Bar graph : Distance Violation statistics for each model ⓘ



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right

### 9.3 Distance violation statistics for the ensemble ⓘ


Violation analysis may find that some restraints are violated in few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of the ensemble. In total, 2033(IR:800, SQ:404, MR:222, LR:356, IC:251) restraints are not violated in the ensemble.

| Number of violated restraints |                 |                 |                 |                 |       | Fraction of the ensemble |       |
|-------------------------------|-----------------|-----------------|-----------------|-----------------|-------|--------------------------|-------|
| IR <sup>1</sup>               | SQ <sup>2</sup> | MR <sup>3</sup> | LR <sup>4</sup> | IC <sup>5</sup> | Total | Count <sup>6</sup>       | %     |
| 20                            | 15              | 12              | 22              | 16              | 85    | 1                        | 5.0   |
| 6                             | 10              | 0               | 11              | 9               | 36    | 2                        | 10.0  |
| 11                            | 3               | 8               | 6               | 11              | 39    | 3                        | 15.0  |
| 3                             | 4               | 0               | 1               | 13              | 21    | 4                        | 20.0  |
| 4                             | 2               | 2               | 2               | 10              | 20    | 5                        | 25.0  |
| 6                             | 4               | 2               | 3               | 12              | 27    | 6                        | 30.0  |
| 4                             | 1               | 0               | 13              | 6               | 24    | 7                        | 35.0  |
| 5                             | 6               | 2               | 4               | 4               | 21    | 8                        | 40.0  |
| 3                             | 5               | 2               | 0               | 9               | 19    | 9                        | 45.0  |
| 0                             | 0               | 0               | 0               | 4               | 4     | 10                       | 50.0  |
| 5                             | 2               | 0               | 3               | 2               | 12    | 11                       | 55.0  |
| 3                             | 4               | 2               | 1               | 3               | 13    | 12                       | 60.0  |
| 4                             | 4               | 0               | 3               | 12              | 23    | 13                       | 65.0  |
| 2                             | 2               | 2               | 3               | 1               | 10    | 14                       | 70.0  |
| 0                             | 4               | 0               | 2               | 3               | 9     | 15                       | 75.0  |
| 6                             | 4               | 0               | 4               | 4               | 18    | 16                       | 80.0  |
| 4                             | 2               | 0               | 0               | 4               | 10    | 17                       | 85.0  |
| 0                             | 6               | 4               | 0               | 16              | 26    | 18                       | 90.0  |
| 2                             | 11              | 2               | 4               | 6               | 25    | 19                       | 95.0  |
| 18                            | 17              | 16              | 8               | 6               | 65    | 20                       | 100.0 |

<sup>1</sup>Intra-residue restraints, <sup>2</sup>Sequential restraints, <sup>3</sup>Medium range restraints, <sup>4</sup>Long range restraints,

<sup>5</sup>Inter-chain restraints, <sup>6</sup> Number of models with violations


### 9.3.1 Bar graph : Distance violation statistics for the ensemble [i](#)



## 9.4 Most violated distance restraints in the ensemble [i](#)

### 9.4.1 Histogram : Distribution of mean distance violations [i](#)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models in the ensemble



#### 9.4.2 Table: Most violated distance restraints [i](#)

The following table provides the mean and the standard deviation of the violations for the 10 worst performing restraints, sorted by number of violated models and the mean violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

| Key      | Atom-1          | Atom-2          | Models <sup>1</sup> | Mean (Å) | SD <sup>1</sup> (Å) | Median (Å) |
|----------|-----------------|-----------------|---------------------|----------|---------------------|------------|
| (2,2169) | 1:42:A:THR:HG22 | 1:22:C:ILE:HD12 | 20                  | 1.41     | 0.27                | 1.48       |
| (2,2169) | 1:42:A:THR:HG23 | 1:22:C:ILE:HD13 | 20                  | 1.41     | 0.27                | 1.48       |
| (2,2169) | 1:42:A:THR:HG21 | 1:22:C:ILE:HD12 | 20                  | 1.41     | 0.27                | 1.48       |
| (2,2169) | 1:42:A:THR:HG21 | 1:22:C:ILE:HD11 | 20                  | 1.41     | 0.27                | 1.48       |
| (2,2169) | 1:42:A:THR:HG23 | 1:22:C:ILE:HD12 | 20                  | 1.41     | 0.27                | 1.48       |
| (2,2169) | 1:42:A:THR:HG22 | 1:22:C:ILE:HD11 | 20                  | 1.41     | 0.27                | 1.48       |
| (2,2169) | 1:42:A:THR:HG23 | 1:22:C:ILE:HD11 | 20                  | 1.41     | 0.27                | 1.48       |
| (2,2169) | 1:42:A:THR:HG21 | 1:22:C:ILE:HD13 | 20                  | 1.41     | 0.27                | 1.48       |
| (2,2170) | 1:42:C:THR:HG22 | 1:22:A:ILE:HD12 | 20                  | 1.4      | 0.28                | 1.48       |
| (2,2170) | 1:42:C:THR:HG23 | 1:22:A:ILE:HD13 | 20                  | 1.4      | 0.28                | 1.48       |
| (2,2170) | 1:42:C:THR:HG21 | 1:22:A:ILE:HD12 | 20                  | 1.4      | 0.28                | 1.48       |
| (2,2170) | 1:42:C:THR:HG21 | 1:22:A:ILE:HD11 | 20                  | 1.4      | 0.28                | 1.48       |
| (2,2170) | 1:42:C:THR:HG23 | 1:22:A:ILE:HD12 | 20                  | 1.4      | 0.28                | 1.48       |
| (2,2170) | 1:42:C:THR:HG22 | 1:22:A:ILE:HD11 | 20                  | 1.4      | 0.28                | 1.48       |
| (2,2170) | 1:42:C:THR:HG23 | 1:22:A:ILE:HD11 | 20                  | 1.4      | 0.28                | 1.48       |
| (2,2170) | 1:42:C:THR:HG21 | 1:22:A:ILE:HD13 | 20                  | 1.4      | 0.28                | 1.48       |

*Continued on next page...*

*Continued from previous page...*


| Key      | Atom-1          | Atom-2          | Models <sup>1</sup> | Mean (Å) | SD <sup>1</sup> (Å) | Median (Å) |
|----------|-----------------|-----------------|---------------------|----------|---------------------|------------|
| (1,212)  | 1:29:C:ILE:HG22 | 1:33:C:CYS:HA   | 20                  | 0.95     | 0.06                | 0.94       |
| (1,212)  | 1:29:C:ILE:HG21 | 1:33:C:CYS:HA   | 20                  | 0.95     | 0.06                | 0.94       |
| (1,212)  | 1:29:C:ILE:HG23 | 1:33:C:CYS:HA   | 20                  | 0.95     | 0.06                | 0.94       |
| (1,211)  | 1:29:A:ILE:HG22 | 1:33:A:CYS:HA   | 20                  | 0.95     | 0.06                | 0.93       |
| (1,211)  | 1:29:A:ILE:HG21 | 1:33:A:CYS:HA   | 20                  | 0.95     | 0.06                | 0.93       |
| (1,211)  | 1:29:A:ILE:HG23 | 1:33:A:CYS:HA   | 20                  | 0.95     | 0.06                | 0.93       |
| (2,1983) | 1:37:A:VAL:HG22 | 1:39:A:SER:HA   | 20                  | 0.88     | 0.08                | 0.9        |
| (2,1983) | 1:37:A:VAL:HG23 | 1:39:A:SER:HA   | 20                  | 0.88     | 0.08                | 0.9        |
| (2,1983) | 1:37:A:VAL:HG21 | 1:39:A:SER:HA   | 20                  | 0.88     | 0.08                | 0.9        |
| (2,1984) | 1:37:C:VAL:HG22 | 1:39:C:SER:HA   | 20                  | 0.88     | 0.08                | 0.9        |
| (2,1984) | 1:37:C:VAL:HG23 | 1:39:C:SER:HA   | 20                  | 0.88     | 0.08                | 0.9        |
| (2,1984) | 1:37:C:VAL:HG21 | 1:39:C:SER:HA   | 20                  | 0.88     | 0.08                | 0.9        |
| (2,2023) | 1:38:A:ILE:HD12 | 1:39:C:SER:HA   | 20                  | 0.8      | 0.12                | 0.83       |
| (2,2023) | 1:38:A:ILE:HD11 | 1:39:C:SER:HA   | 20                  | 0.8      | 0.12                | 0.83       |
| (2,2023) | 1:38:A:ILE:HD13 | 1:39:C:SER:HA   | 20                  | 0.8      | 0.12                | 0.83       |
| (2,2024) | 1:38:C:ILE:HD12 | 1:39:A:SER:HA   | 20                  | 0.8      | 0.12                | 0.82       |
| (2,2024) | 1:38:C:ILE:HD11 | 1:39:A:SER:HA   | 20                  | 0.8      | 0.12                | 0.82       |
| (2,2024) | 1:38:C:ILE:HD13 | 1:39:A:SER:HA   | 20                  | 0.8      | 0.12                | 0.82       |
| (2,673)  | 1:39:A:SER:H    | 1:40:A:THR:HG23 | 20                  | 0.72     | 0.06                | 0.72       |
| (2,673)  | 1:39:A:SER:H    | 1:40:A:THR:HG22 | 20                  | 0.72     | 0.06                | 0.72       |
| (2,673)  | 1:39:A:SER:H    | 1:40:A:THR:HG21 | 20                  | 0.72     | 0.06                | 0.72       |
| (2,674)  | 1:39:C:SER:H    | 1:40:C:THR:HG23 | 20                  | 0.72     | 0.06                | 0.72       |

<sup>1</sup>Number of violated models, <sup>2</sup>Standard deviation

## 9.5 All violated distance restraints [i](#)

### 9.5.1 Histogram : Distribution of distance violations [i](#)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.



### 9.5.2 Table : All distance violations [i](#)

The following table provides the 10 worst performing restraints, sorted by the violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

| Key      | Atom-1          | Atom-2          | Model ID | Violation (Å) |
|----------|-----------------|-----------------|----------|---------------|
| (2,2166) | 1:38:C:ILE:HD11 | 1:42:A:THR:HG22 | 13       | 1.74          |
| (2,2165) | 1:38:A:ILE:HD11 | 1:42:C:THR:HG22 | 13       | 1.72          |
| (2,2170) | 1:42:C:THR:HG22 | 1:22:A:ILE:HD12 | 1        | 1.67          |
| (2,2170) | 1:42:C:THR:HG21 | 1:22:A:ILE:HD13 | 17       | 1.67          |
| (2,2169) | 1:42:A:THR:HG22 | 1:22:C:ILE:HD12 | 1        | 1.67          |
| (2,2169) | 1:42:A:THR:HG23 | 1:22:C:ILE:HD13 | 2        | 1.66          |
| (2,2170) | 1:42:C:THR:HG23 | 1:22:A:ILE:HD13 | 2        | 1.65          |
| (2,2169) | 1:42:A:THR:HG21 | 1:22:C:ILE:HD13 | 17       | 1.65          |
| (2,2170) | 1:42:C:THR:HG21 | 1:22:A:ILE:HD11 | 15       | 1.64          |
| (2,2169) | 1:42:A:THR:HG21 | 1:22:C:ILE:HD11 | 15       | 1.62          |

## 10 Dihedral-angle violation analysis [i](#)


### 10.1 Summary of dihedral-angle violations [i](#)

The following table provides the summary of dihedral-angle violations in different dihedral-angle types. Violations less than 1° are not included in the calculation.

| Angle type | Count | % <sup>1</sup> | Violated <sup>3</sup> |                |                | Consistently Violated <sup>4</sup> |                |                |
|------------|-------|----------------|-----------------------|----------------|----------------|------------------------------------|----------------|----------------|
|            |       |                | Count                 | % <sup>2</sup> | % <sup>1</sup> | Count                              | % <sup>2</sup> | % <sup>1</sup> |
| PSI        | 32    | 50.0           | 16                    | 50.0           | 25.0           | 3                                  | 9.4            | 4.7            |
| PHI        | 32    | 50.0           | 13                    | 40.6           | 20.3           | 2                                  | 6.2            | 3.1            |
| Total      | 64    | 100.0          | 29                    | 45.3           | 45.3           | 5                                  | 7.8            | 7.8            |

<sup>1</sup> percentage calculated with respect to total number of dihedral-angle restraints, <sup>2</sup> percentage calculated with respect to number of restraints in a particular dihedral-angle type, <sup>3</sup> violated in at least one model, <sup>4</sup> violated in all the models

#### 10.1.1 Bar chart : Distribution of dihedral-angles and violations [i](#)




Violated and consistently violated restraints are shown using different hatch patterns in their respective categories

## 10.2 Dihedral-angle violation statistics for each model

The following table provides the dihedral-angle violation statistics for each model in the ensemble. Violations less than 1° are not included in the statistics.

| Model ID | Number of violations |     |       | Mean (°) | Max (°) | SD (°) | Median (°) |
|----------|----------------------|-----|-------|----------|---------|--------|------------|
|          | PSI                  | PHI | Total |          |         |        |            |
| 1        | 4                    | 6   | 10    | 3.65     | 8.43    | 2.16   | 3.87       |
| 2        | 6                    | 6   | 12    | 3.52     | 8.46    | 2.14   | 2.42       |
| 3        | 6                    | 5   | 11    | 3.56     | 7.67    | 1.78   | 2.66       |
| 4        | 8                    | 7   | 15    | 2.78     | 6.92    | 1.59   | 2.88       |
| 5        | 5                    | 5   | 10    | 2.97     | 7.22    | 1.57   | 2.5        |
| 6        | 4                    | 6   | 10    | 3.95     | 8.97    | 2.05   | 3.5        |
| 7        | 6                    | 7   | 13    | 3.12     | 8.06    | 2.08   | 2.27       |
| 8        | 4                    | 5   | 9     | 3.25     | 7.66    | 1.95   | 2.76       |
| 9        | 7                    | 6   | 13    | 3.44     | 8.77    | 1.91   | 3.18       |
| 10       | 6                    | 7   | 13    | 3.05     | 6.25    | 1.67   | 2.48       |
| 11       | 8                    | 5   | 13    | 2.99     | 8.32    | 1.92   | 2.69       |
| 12       | 8                    | 5   | 13    | 3.17     | 7.54    | 1.79   | 2.22       |
| 13       | 9                    | 9   | 18    | 3.44     | 9.22    | 2.1    | 2.72       |
| 14       | 5                    | 7   | 12    | 3.47     | 8.6     | 2.15   | 2.71       |
| 15       | 8                    | 5   | 13    | 3.42     | 8.75    | 1.98   | 3.38       |
| 16       | 5                    | 4   | 9     | 3.51     | 6.61    | 1.66   | 3.51       |
| 17       | 7                    | 9   | 16    | 3.44     | 8.58    | 2.14   | 2.46       |
| 18       | 6                    | 6   | 12    | 3.02     | 6.35    | 1.77   | 2.62       |
| 19       | 4                    | 5   | 9     | 3.42     | 7.21    | 1.91   | 2.95       |
| 20       | 6                    | 6   | 12    | 3.75     | 8.3     | 2.0    | 3.16       |

### 10.2.1 Bar graph : Dihedral violation statistics for each model [i](#)



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right

### 10.3 Dihedral-angle violation statistics for the ensemble [i](#)

Violation analysis may find that some restraints are violated in very few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of ensemble.

| Number of violated restraints |     |       | Fraction of the ensemble |      |
|-------------------------------|-----|-------|--------------------------|------|
| PSI                           | PHI | Total | Count <sup>1</sup>       | %    |
| 1                             | 1   | 2     | 1                        | 5.0  |
| 3                             | 2   | 5     | 2                        | 10.0 |
| 1                             | 1   | 2     | 3                        | 15.0 |
| 3                             | 1   | 4     | 4                        | 20.0 |
| 2                             | 1   | 3     | 5                        | 25.0 |
| 0                             | 0   | 0     | 6                        | 30.0 |
| 0                             | 0   | 0     | 7                        | 35.0 |
| 0                             | 1   | 1     | 8                        | 40.0 |
| 2                             | 0   | 2     | 9                        | 45.0 |
| 0                             | 1   | 1     | 10                       | 50.0 |
| 0                             | 0   | 0     | 11                       | 55.0 |


*Continued on next page...*

*Continued from previous page...*

| Number of violated restraints |     |       | Fraction of the ensemble |       |
|-------------------------------|-----|-------|--------------------------|-------|
| PSI                           | PHI | Total | Count <sup>1</sup>       | %     |
| 1                             | 0   | 1     | 12                       | 60.0  |
| 0                             | 1   | 1     | 13                       | 65.0  |
| 0                             | 1   | 1     | 14                       | 70.0  |
| 0                             | 0   | 0     | 15                       | 75.0  |
| 0                             | 0   | 0     | 16                       | 80.0  |
| 0                             | 0   | 0     | 17                       | 85.0  |
| 0                             | 0   | 0     | 18                       | 90.0  |
| 0                             | 1   | 1     | 19                       | 95.0  |
| 3                             | 2   | 5     | 20                       | 100.0 |

<sup>1</sup> Number of models with violations

### 10.3.1 Bar graph : Dihedral-angle Violation statistics for the ensemble [i](#)




## 10.4 Most violated dihedral-angle restraints in the ensemble [i](#)

### 10.4.1 Histogram : Distribution of mean dihedral-angle violations [i](#)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models

in the ensemble



#### 10.4.2 Table: Most violated dihedral-angle restraints [i](#)

The following table provides the mean and the standard deviation of the violations for the 10 worst performing restraints, sorted by number of violated models and the mean violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint.


| Key    | Atom-1       | Atom-2        | Atom-3        | Atom-4       | Models <sup>1</sup> | Mean | SD <sup>2</sup> | Median |
|--------|--------------|---------------|---------------|--------------|---------------------|------|-----------------|--------|
| (1,50) | 1:34:A:GLU:C | 1:35:A:ARG:N  | 1:35:A:ARG:CA | 1:35:A:ARG:C | 20                  | 7.83 | 0.87            | 7.86   |
| (1,27) | 1:22:A:ILE:N | 1:22:A:ILE:CA | 1:22:A:ILE:C  | 1:23:A:HIS:N | 20                  | 4.8  | 0.86            | 4.94   |
| (1,49) | 1:35:A:ARG:N | 1:35:A:ARG:CA | 1:35:A:ARG:C  | 1:36:A:LYS:N | 20                  | 4.37 | 1.31            | 4.66   |
| (1,8)  | 1:10:A:THR:C | 1:11:A:CYS:N  | 1:11:A:CYS:CA | 1:11:A:CYS:C | 20                  | 2.99 | 0.75            | 2.87   |
| (1,45) | 1:33:A:CYS:N | 1:33:A:CYS:CA | 1:33:A:CYS:C  | 1:34:A:GLU:N | 20                  | 2.56 | 0.73            | 2.38   |
| (1,32) | 1:25:A:TYR:C | 1:26:A:THR:N  | 1:26:A:THR:CA | 1:26:A:THR:C | 19                  | 3.5  | 1.21            | 3.5    |
| (1,60) | 1:39:A:SER:C | 1:40:A:THR:N  | 1:40:A:THR:CA | 1:40:A:THR:C | 14                  | 2.1  | 0.78            | 2.06   |
| (1,44) | 1:31:A:LEU:C | 1:32:A:ASP:N  | 1:32:A:ASP:CA | 1:32:A:ASP:C | 13                  | 2.11 | 0.95            | 1.66   |
| (1,33) | 1:27:A:LYS:N | 1:27:A:LYS:CA | 1:27:A:LYS:C  | 1:28:A:PHE:N | 12                  | 2.08 | 0.77            | 2.2    |
| (1,36) | 1:27:A:LYS:C | 1:28:A:PHE:N  | 1:28:A:PHE:CA | 1:28:A:PHE:C | 10                  | 2.14 | 0.9             | 1.83   |

<sup>1</sup> Number of violated models, <sup>2</sup>Standard deviation, All angle values are in degree (°)

## 10.5 All violated dihedral-angle restraints [i](#)

### 10.5.1 Histogram : Distribution of violations [i](#)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.



### 10.5.2 Table: All violated dihedral-angle restraints [i](#)

The following table provides the list of violations for the 10 worst performing restraints, sorted by the violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint.

| Key    | Atom-1       | Atom-2        | Atom-3        | Atom-4       | Model ID | Violation (°) |
|--------|--------------|---------------|---------------|--------------|----------|---------------|
| (1,50) | 1:34:A:GLU:C | 1:35:A:ARG:N  | 1:35:A:ARG:CA | 1:35:A:ARG:C | 13       | 9.22          |
| (1,50) | 1:34:A:GLU:C | 1:35:A:ARG:N  | 1:35:A:ARG:CA | 1:35:A:ARG:C | 6        | 8.97          |
| (1,50) | 1:34:A:GLU:C | 1:35:A:ARG:N  | 1:35:A:ARG:CA | 1:35:A:ARG:C | 9        | 8.77          |
| (1,50) | 1:34:A:GLU:C | 1:35:A:ARG:N  | 1:35:A:ARG:CA | 1:35:A:ARG:C | 15       | 8.75          |
| (1,50) | 1:34:A:GLU:C | 1:35:A:ARG:N  | 1:35:A:ARG:CA | 1:35:A:ARG:C | 14       | 8.6           |
| (1,61) | 1:41:A:SER:N | 1:41:A:SER:CA | 1:41:A:SER:C  | 1:42:A:THR:N | 17       | 8.58          |
| (1,50) | 1:34:A:GLU:C | 1:35:A:ARG:N  | 1:35:A:ARG:CA | 1:35:A:ARG:C | 2        | 8.46          |
| (1,50) | 1:34:A:GLU:C | 1:35:A:ARG:N  | 1:35:A:ARG:CA | 1:35:A:ARG:C | 1        | 8.43          |
| (1,50) | 1:34:A:GLU:C | 1:35:A:ARG:N  | 1:35:A:ARG:CA | 1:35:A:ARG:C | 11       | 8.32          |
| (1,50) | 1:34:A:GLU:C | 1:35:A:ARG:N  | 1:35:A:ARG:CA | 1:35:A:ARG:C | 20       | 8.3           |