



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2026 – 09:44 PM UTC

PDB ID : 3N8V / pdb_00003n8v
Title : Crystal Structure of Unoccupied Cyclooxygenase-1
Authors : Sidhu, R.S.
Deposited on : 2010-05-28
Resolution : 3.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 3.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2469 (3.10-3.02)
Clashscore	190562	2569 (3.10-3.02)
Ramachandran outliers	187476	2424 (3.10-3.02)
Sidechain outliers	187428	2423 (3.10-3.02)
RSRZ outliers	180081	2469 (3.10-3.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	553	
1	B	553	
2	C	2	
2	F	2	
3	D	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	2	 100%
4	E	5	 100%
5	H	4	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	G	1	X	-	-	-

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 9500 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prostaglandin G/H synthase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	553	Total	C	N	O	S	5	0	0
			4447	2882	745	792	28			
1	B	553	Total	C	N	O	S	0	0	0
			4422	2869	741	785	27			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	92	LEU	MET	conflict	UNP P05979
B	92	LEU	MET	conflict	UNP P05979

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	F	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	G	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	E	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	H	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 6 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
6	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 7 is octyl beta-D-glucopyranoside (CCD ID: BOG) (formula: C₁₄H₂₈O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			20	14	6		
7	A	1	Total	C	O	0	0
			12	6	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	5	0
			20	14	6		
7	B	1	Total	C	O	0	0
			20	14	6		
7	B	1	Total	C	O	0	0
			20	14	6		

- Molecule 8 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	116	Total	O	0	0
			116	116		
9	B	108	Total	O	0	0
			108	108		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Prostaglandin G/H synthase 1




- Molecule 1: Prostaglandin G/H synthase 1



- Molecule 2: 2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  50% 50%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%

MAG1
MAG2

- Molecule 4: alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%

MAG1
MAG2
BMA3
MAN4
MAN5

- Molecule 5: beta-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-alpha-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%

MAG1
MAG2
BMA3
BMA4

4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	181.91Å 181.91Å 102.58Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	40.20 – 3.05 40.20 – 3.05	Depositor EDS
% Data completeness (in resolution range)	99.6 (40.20-3.05) 99.7 (40.20-3.05)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.36 (at 3.06Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.203 , 0.235 0.154 , 0.177	Depositor DCC
R_{free} test set	1501 reflections (4.06%)	wwPDB-VP
Wilson B-factor (Å ²)	66.5	Xtriage
Anisotropy	0.159	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 46.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.106 for h,-h-k,-l	Xtriage
Reported twinning fraction	0.512 for H, K, L 0.488 for -H-K, K, -L	Depositor
Outliers	0 of 36850 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9500	wwPDB-VP
Average B, all atoms (Å ²)	69.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, NDG, MAN, GOL, HEM, BMA, BOG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.42	0/4585	0.81	5/6236 (0.1%)
1	B	0.42	0/4560	0.79	0/6206
All	All	0.42	0/9145	0.80	5/12442 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	513	HIS	CA-C-N	7.87	129.68	119.84
1	A	513	HIS	C-N-CA	7.87	129.68	119.84
1	A	127	PRO	CA-C-N	5.34	125.29	119.78
1	A	127	PRO	C-N-CA	5.34	125.29	119.78
1	A	97	ARG	N-CA-C	5.30	120.10	113.43

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4447	0	4291	32	0
1	B	4422	0	4256	41	0
2	C	28	0	24	1	0
2	F	28	0	24	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	28	0	25	0	0
3	G	28	0	25	0	0
4	E	61	0	51	0	0
5	H	50	0	42	0	0
6	A	43	0	30	0	0
6	B	43	0	30	0	0
7	A	32	0	39	1	0
7	B	60	0	80	1	0
8	B	6	0	8	0	0
9	A	116	0	0	1	0
9	B	108	0	0	4	0
All	All	9500	0	8925	72	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:97:ARG:H	1:A:98:TRP:HB2	1.30	0.97
1:A:543:GLU:HB2	9:B:655:HOH:O	1.74	0.87
1:B:59:CYS:HB3	1:B:69:CYS:SG	2.24	0.77
1:A:97:ARG:N	1:A:98:TRP:HB2	2.00	0.76
1:A:388:HIS:HB3	1:A:440:ILE:HD13	1.74	0.69
1:A:97:ARG:H	1:A:98:TRP:CB	2.03	0.68
1:B:130:TYR:HB2	1:B:150:ARG:HB2	1.80	0.63
1:B:128:PRO:HB3	1:B:149:THR:HG21	1.83	0.61
1:A:209:PHE:HB2	1:A:377:ILE:HG13	1.83	0.61
1:B:384:LEU:HG	1:B:522:MET:HE2	1.83	0.60
1:B:172:PRO:HB3	1:B:494:LEU:HD12	1.84	0.60
1:A:384:LEU:HG	1:A:522:MET:HE2	1.83	0.59
1:A:344:VAL:HA	1:A:348:TYR:HB3	1.84	0.58
1:B:273:MET:HG2	1:B:290:GLU:HA	1.87	0.56
1:A:128:PRO:HB3	1:A:149:THR:HG21	1.88	0.54
1:A:413:MET:HE3	1:A:422:LEU:HD11	1.90	0.54
1:A:388:HIS:N	1:A:389:PRO:CD	2.71	0.54
1:B:150:ARG:HH22	1:B:460:LEU:HA	1.72	0.54
1:A:132:ILE:HD12	1:A:458:LEU:HD23	1.90	0.53
1:B:84:PRO:HG2	1:B:89:ILE:HD11	1.93	0.51
1:A:113:MET:HE2	1:A:360:LYS:O	2.11	0.50
1:B:287:VAL:HG11	1:B:302:ALA:HB1	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:163:MET:HE3	1:B:171:LEU:HD11	1.93	0.50
1:B:346:GLU:HG2	1:B:359:LEU:O	2.11	0.50
1:A:97:ARG:CA	1:A:98:TRP:HB2	2.42	0.50
1:B:181:PHE:HB3	1:B:509:LEU:HD21	1.95	0.49
1:B:266:VAL:HG23	1:B:284:GLN:HB3	1.95	0.48
1:B:344:VAL:HA	1:B:348:TYR:HB3	1.96	0.47
1:A:116:VAL:HG22	7:A:751:BOG:H2'2	1.96	0.47
1:B:388:HIS:N	1:B:389:PRO:CD	2.78	0.47
1:B:417:TYR:HB2	1:B:422:LEU:HD13	1.96	0.47
1:B:410:ASN:OD1	1:B:412:SER:N	2.48	0.47
1:B:344:VAL:O	1:B:348:TYR:HB3	2.15	0.47
1:B:577:TYR:CE2	1:B:583:PRO:HD3	2.50	0.47
1:A:150:ARG:HG2	1:A:152:LEU:O	2.15	0.46
1:A:97:ARG:HG2	1:A:356:PHE:CE1	2.51	0.46
1:B:387:TRP:HB3	1:B:434:ILE:HG12	1.97	0.46
1:A:290:GLU:H	1:A:290:GLU:CD	2.24	0.46
1:A:84:PRO:HG2	1:A:89:ILE:HD11	1.98	0.45
1:B:481:LEU:O	1:B:511:LYS:HG2	2.17	0.45
1:A:181:PHE:HB3	1:A:509:LEU:HD21	1.98	0.45
1:B:361:PHE:HB2	9:B:626:HOH:O	2.17	0.44
1:A:404:TYR:HE1	1:A:444:ILE:HD11	1.83	0.44
1:B:346:GLU:HG3	9:B:626:HOH:O	2.18	0.44
1:A:280:PRO:HA	1:A:281:PRO:HD3	1.92	0.43
1:A:484:GLU:HB3	9:A:654:HOH:O	2.18	0.43
1:A:507:LEU:HD22	1:A:522:MET:HE3	2.01	0.43
1:A:319:GLU:HG3	1:A:320:HIS:CD2	2.53	0.43
1:B:62:THR:HG23	1:B:64:TYR:H	1.84	0.43
1:B:205:PHE:O	1:B:208:GLN:HG2	2.18	0.43
1:A:542:PRO:O	1:B:61:ARG:NH1	2.51	0.43
1:B:410:ASN:OD1	1:B:411:THR:N	2.51	0.43
1:A:404:TYR:CE1	1:A:444:ILE:HD11	2.53	0.43
1:B:197:MET:SD	1:B:301:TYR:OH	2.73	0.42
1:B:464:ASN:HD21	1:B:498:ILE:HG13	1.83	0.42
1:B:34:ASN:HA	1:B:35:PRO:HD3	1.93	0.42
1:B:295:LEU:HA	1:B:296:PRO:HD3	1.93	0.42
1:B:116:VAL:HA	7:B:1751:BOG:H1'1	2.01	0.42
1:B:459:ARG:HD3	9:B:605:HOH:O	2.20	0.42
1:B:202:ALA:O	1:B:206:THR:HB	2.19	0.42
1:B:449:VAL:HG12	1:B:453:LYS:HE2	2.01	0.42
1:B:429:GLN:HA	1:B:430:PRO:HD3	1.89	0.42
2:C:1:NAG:H61	2:C:2:NDG:C7	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:482:THR:C	1:A:484:GLU:H	2.28	0.42
1:A:138:SER:HA	1:B:334:LEU:HD11	2.03	0.41
1:A:117:LEU:HB3	1:A:366:LEU:HD21	2.02	0.41
1:A:307:ARG:HD2	1:A:571:ASN:HB3	2.01	0.41
1:B:260:GLU:HB2	1:B:262:TYR:CE2	2.56	0.40
1:B:252:LEU:HD13	1:B:306:LEU:HD22	2.03	0.40
1:B:388:HIS:CE1	1:B:447:VAL:HG11	2.56	0.40
1:A:334:LEU:HA	1:A:337:ILE:HD12	2.04	0.40
1:B:404:TYR:O	1:B:408:LEU:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	551/553 (100%)	524 (95%)	26 (5%)	1 (0%)	43	70
1	B	551/553 (100%)	524 (95%)	27 (5%)	0	100	100
All	All	1102/1106 (100%)	1048 (95%)	53 (5%)	1 (0%)	48	75

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	514	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	478/488 (98%)	459 (96%)	19 (4%)	28	56
1	B	472/488 (97%)	450 (95%)	22 (5%)	23	51
All	All	950/976 (97%)	909 (96%)	41 (4%)	26	53

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	89	ILE
1	A	97	ARG
1	A	149	THR
1	A	206	THR
1	A	224	LEU
1	A	290	GLU
1	A	322	THR
1	A	380	GLU
1	A	385	TYR
1	A	390	LEU
1	A	411	THR
1	A	420	GLU
1	A	440	ILE
1	A	444	ILE
1	A	445	LEU
1	A	493	GLU
1	A	513	HIS
1	A	522	MET
1	A	561	THR
1	B	59	CYS
1	B	113	MET
1	B	117	LEU
1	B	132	ILE
1	B	145	VAL
1	B	149	THR
1	B	151	ILE
1	B	152	LEU
1	B	206	THR
1	B	244	LEU
1	B	252	LEU
1	B	289	GLN
1	B	306	LEU
1	B	322	THR
1	B	385	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	414	LEU
1	B	422	LEU
1	B	440	ILE
1	B	444	ILE
1	B	445	LEU
1	B	535	LEU
1	B	561	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	GLN
1	A	43	HIS
1	A	382	ASN
1	B	43	HIS
1	B	237	ASN
1	B	243	GLN
1	B	255	GLN
1	B	400	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

17 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	1,2	14,14,15	0.52	0	17,19,21	1.01	2 (11%)
2	NDG	C	2	2	14,14,15	0.45	0	17,19,21	1.32	1 (5%)
3	NAG	D	1	1,3	14,14,15	0.50	0	17,19,21	0.73	0
3	NAG	D	2	3	14,14,15	0.49	0	17,19,21	0.86	1 (5%)
4	NAG	E	1	4,1	14,14,15	0.48	0	17,19,21	1.14	1 (5%)
4	NDG	E	2	4	14,14,15	0.66	1 (7%)	17,19,21	1.71	4 (23%)
4	BMA	E	3	4	11,11,12	0.53	0	15,15,17	1.11	1 (6%)
4	MAN	E	4	4	11,11,12	0.50	0	15,15,17	1.55	1 (6%)
4	MAN	E	5	4	11,11,12	0.54	0	15,15,17	0.82	1 (6%)
2	NAG	F	1	1,2	14,14,15	0.59	0	17,19,21	1.18	2 (11%)
2	NDG	F	2	2	14,14,15	0.50	0	17,19,21	1.19	1 (5%)
3	NAG	G	1	1,3	14,14,15	0.55	0	17,19,21	0.85	1 (5%)
3	NAG	G	2	3	14,14,15	0.60	0	17,19,21	1.55	2 (11%)
5	NAG	H	1	1,5	14,14,15	1.36	1 (7%)	17,19,21	1.12	1 (5%)
5	NDG	H	2	5	14,14,15	0.49	0	17,19,21	1.55	2 (11%)
5	BMA	H	3	5	11,11,12	0.58	0	15,15,17	0.78	1 (6%)
5	BMA	H	4	5	11,11,12	0.57	0	15,15,17	1.43	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	0/6/23/26	0/1/1/1
2	NDG	C	2	2	-	1/6/23/26	0/1/1/1
3	NAG	D	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
4	NAG	E	1	4,1	-	2/6/23/26	0/1/1/1
4	NDG	E	2	4	-	2/6/23/26	0/1/1/1
4	BMA	E	3	4	-	2/2/19/22	1/1/1/1
4	MAN	E	4	4	-	2/2/19/22	1/1/1/1
4	MAN	E	5	4	-	2/2/19/22	0/1/1/1
2	NAG	F	1	1,2	-	2/6/23/26	0/1/1/1
2	NDG	F	2	2	-	0/6/23/26	0/1/1/1
3	NAG	G	1	1,3	1/1/5/7	2/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	H	1	1,5	-	2/6/23/26	0/1/1/1
5	NDG	H	2	5	-	3/6/23/26	0/1/1/1
5	BMA	H	3	5	-	2/2/19/22	0/1/1/1
5	BMA	H	4	5	-	1/2/19/22	1/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	1	NAG	O5-C1	-4.79	1.35	1.43
4	E	2	NDG	C1-C2	2.04	1.55	1.52

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	4	MAN	C1-O5-C5	5.12	119.04	112.19
2	C	2	NDG	C1-O5-C5	4.73	118.52	112.19
4	E	2	NDG	C1-O5-C5	4.59	118.34	112.19
5	H	4	BMA	C1-O5-C5	4.57	118.31	112.19
3	G	2	NAG	C4-C3-C2	4.33	117.36	111.02
5	H	2	NDG	C1-O5-C5	4.06	117.62	112.19
4	E	1	NAG	C1-O5-C5	3.88	117.39	112.19
3	G	2	NAG	C3-C4-C5	3.35	116.30	110.23
5	H	1	NAG	C4-C3-C2	3.24	115.76	111.02
4	E	3	BMA	C1-O5-C5	3.21	116.49	112.19
5	H	2	NDG	C2-N2-C7	2.99	126.91	122.90
2	F	2	NDG	C1-O5-C5	2.97	116.16	112.19
2	C	1	NAG	O4-C4-C5	2.60	115.72	109.32
4	E	2	NDG	C2-N2-C7	2.54	126.31	122.90
5	H	4	BMA	C1-C2-C3	2.32	113.02	109.64
2	F	1	NAG	C4-C3-C2	2.30	114.39	111.02
3	D	2	NAG	C1-O5-C5	2.29	115.26	112.19
2	C	1	NAG	C1-O5-C5	2.22	115.16	112.19
4	E	2	NDG	O4-C4-C5	2.21	114.76	109.32
4	E	2	NDG	C1-C2-N2	2.12	113.77	110.43
4	E	5	MAN	C1-O5-C5	2.08	114.98	112.19
2	F	1	NAG	O4-C4-C3	2.01	115.11	110.38
5	H	3	BMA	C1-O5-C5	2.01	114.87	112.19
3	G	1	NAG	O5-C1-C2	-2.00	108.19	111.29

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	G	1	NAG	C1

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	G	2	NAG	O5-C5-C6-O6
5	H	2	NDG	O5-C5-C6-O6
3	D	1	NAG	O5-C5-C6-O6
5	H	3	BMA	C4-C5-C6-O6
4	E	5	MAN	O5-C5-C6-O6
3	D	1	NAG	C4-C5-C6-O6
5	H	3	BMA	O5-C5-C6-O6
3	G	2	NAG	C4-C5-C6-O6
3	G	1	NAG	O5-C5-C6-O6
4	E	3	BMA	O5-C5-C6-O6
5	H	2	NDG	C4-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6
4	E	3	BMA	C4-C5-C6-O6
5	H	1	NAG	O5-C5-C6-O6
4	E	4	MAN	C4-C5-C6-O6
4	E	5	MAN	C4-C5-C6-O6
2	C	2	NDG	O5-C5-C6-O6
4	E	1	NAG	C4-C5-C6-O6
5	H	2	NDG	C3-C2-N2-C7
4	E	1	NAG	O5-C5-C6-O6
5	H	4	BMA	C4-C5-C6-O6
4	E	2	NDG	C3-C2-N2-C7
4	E	2	NDG	C1-C2-N2-C7
2	F	1	NAG	O5-C5-C6-O6
4	E	4	MAN	O5-C5-C6-O6
5	H	1	NAG	C4-C5-C6-O6
2	F	1	NAG	C4-C5-C6-O6


All (3) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	H	4	BMA	C1-C2-C3-C4-C5-O5
4	E	4	MAN	C1-C2-C3-C4-C5-O5
4	E	3	BMA	C1-C2-C3-C4-C5-O5


2 monomers are involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	2	NDG	1	0
2	C	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











Oligosaccharide Chain E





5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	GOL	B	851	-	5,5,5	0.37	0	5,5,5	0.24	0
7	BOG	A	751	-	20,20,20	0.51	0	25,25,25	0.70	0
6	HEM	A	801	-	50,50,50	2.05	11 (22%)	67,82,82	1.28	4 (5%)
7	BOG	A	755	-	12,12,20	0.53	0	17,17,25	0.90	1 (5%)
7	BOG	B	1751	-	20,20,20	0.56	0	25,25,25	0.55	0
6	HEM	B	1801	-	50,50,50	2.00	11 (22%)	67,82,82	1.32	4 (5%)
7	BOG	B	1752	-	20,20,20	0.57	1 (5%)	25,25,25	0.55	0
7	BOG	B	1750	-	20,20,20	2.35	1 (5%)	25,25,25	0.99	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	B	851	-	-	2/4/4/4	-
7	BOG	A	751	-	-	8/11/31/31	0/1/1/1
6	HEM	A	801	-	-	9/14/54/54	-
7	BOG	A	755	-	-	0/2/22/31	0/1/1/1
7	BOG	B	1751	-	-	7/11/31/31	0/1/1/1
6	HEM	B	1801	-	-	8/14/54/54	-
7	BOG	B	1752	-	-	4/11/31/31	0/1/1/1
7	BOG	B	1750	-	-	8/11/31/31	0/1/1/1

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	1750	BOG	C4'-C3'	-10.23	1.00	1.51
6	B	1801	HEM	C3D-C2D	8.07	1.54	1.36
6	A	801	HEM	C3D-C2D	8.04	1.54	1.36
6	A	801	HEM	FE-ND	6.22	2.14	1.94
6	B	1801	HEM	FE-ND	5.48	2.11	1.94
6	A	801	HEM	FE-NA	4.55	2.10	1.95
6	B	1801	HEM	FE-NA	4.37	2.09	1.95
6	A	801	HEM	FE-NB	4.11	2.07	1.94
6	B	1801	HEM	FE-NB	3.90	2.06	1.94
6	B	1801	HEM	FE-NC	3.22	2.05	1.95
6	A	801	HEM	FE-NC	3.18	2.05	1.95
6	B	1801	HEM	CAC-C3C	2.97	1.55	1.47
6	B	1801	HEM	CAB-C3B	2.92	1.55	1.47
6	A	801	HEM	CAB-C3B	2.90	1.55	1.47
6	A	801	HEM	CAC-C3C	2.89	1.55	1.47
6	B	1801	HEM	CMA-C3A	2.23	1.55	1.50
6	A	801	HEM	CMA-C3A	2.15	1.55	1.50
6	B	1801	HEM	CMB-C2B	2.15	1.55	1.50
6	A	801	HEM	CMD-C2D	2.11	1.55	1.50
6	B	1801	HEM	CMC-C2C	2.10	1.55	1.50
6	A	801	HEM	CMB-C2B	2.09	1.55	1.50
6	A	801	HEM	CMC-C2C	2.08	1.55	1.50
7	B	1752	BOG	O1-C1	2.02	1.43	1.40
6	B	1801	HEM	CMD-C2D	2.02	1.54	1.50

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	1801	HEM	C4D-ND-C1D	5.50	111.72	105.21
6	A	801	HEM	C4D-ND-C1D	5.48	111.69	105.21
7	B	1750	BOG	C4'-C3'-C2'	2.93	129.19	114.37
6	B	1801	HEM	C1B-NB-C4B	2.64	108.33	105.21
6	B	1801	HEM	C3B-C4B-NB	-2.55	107.64	109.47
6	A	801	HEM	C1B-NB-C4B	2.54	108.21	105.21
7	B	1750	BOG	C5'-C4'-C3'	-2.48	101.82	114.37
6	A	801	HEM	C3B-C4B-NB	-2.41	107.74	109.47
6	B	1801	HEM	C3B-C2B-C1B	2.24	108.09	106.41
6	A	801	HEM	C3B-C2B-C1B	2.11	107.99	106.41
7	A	755	BOG	C4-C3-C2	2.00	114.35	110.83

There are no chirality outliers.

All (46) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	801	HEM	C2A-CAA-CBA-CGA
6	A	801	HEM	C2B-C3B-CAB-CBB
6	A	801	HEM	C4B-C3B-CAB-CBB
6	A	801	HEM	C2C-C3C-CAC-CBC
7	B	1750	BOG	C2-C1-O1-C1'
7	B	1751	BOG	C2-C1-O1-C1'
7	B	1751	BOG	C2'-C1'-O1-C1
8	B	851	GOL	O1-C1-C2-C3
7	B	1750	BOG	O5-C5-C6-O6
7	B	1752	BOG	O1-C1'-C2'-C3'
7	B	1750	BOG	O5-C1-O1-C1'
7	B	1751	BOG	O5-C1-O1-C1'
7	B	1750	BOG	C4-C5-C6-O6
7	B	1751	BOG	O1-C1'-C2'-C3'
7	A	751	BOG	O1-C1'-C2'-C3'
7	B	1751	BOG	C1'-C2'-C3'-C4'
7	B	1751	BOG	C3'-C4'-C5'-C6'
7	B	1750	BOG	C3'-C4'-C5'-C6'
7	B	1750	BOG	C4'-C5'-C6'-C7'
7	B	1751	BOG	C2'-C3'-C4'-C5'
7	B	1750	BOG	C1'-C2'-C3'-C4'
7	A	751	BOG	C2'-C1'-O1-C1
7	B	1752	BOG	C2'-C1'-O1-C1
7	A	751	BOG	C5'-C6'-C7'-C8'
7	A	751	BOG	C3'-C4'-C5'-C6'

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
8	B	851	GOL	O1-C1-C2-O2
6	B	1801	HEM	C2B-C3B-CAB-CBB
6	B	1801	HEM	C2C-C3C-CAC-CBC
6	A	801	HEM	C4C-C3C-CAC-CBC
6	B	1801	HEM	C4C-C3C-CAC-CBC
7	A	751	BOG	C4-C5-C6-O6
7	B	1752	BOG	C3'-C4'-C5'-C6'
7	B	1750	BOG	C2'-C3'-C4'-C5'
6	B	1801	HEM	C4B-C3B-CAB-CBB
7	B	1752	BOG	C4'-C5'-C6'-C7'
6	B	1801	HEM	CAD-CBD-CGD-O1D
6	B	1801	HEM	CAA-CBA-CGA-O1A
6	A	801	HEM	CAD-CBD-CGD-O1D
6	B	1801	HEM	CAA-CBA-CGA-O2A
7	A	751	BOG	C1'-C2'-C3'-C4'
6	B	1801	HEM	CAD-CBD-CGD-O2D
6	A	801	HEM	CAD-CBD-CGD-O2D
7	A	751	BOG	O5-C1-O1-C1'
6	A	801	HEM	CAA-CBA-CGA-O2A
7	A	751	BOG	C2-C1-O1-C1'
6	A	801	HEM	CAA-CBA-CGA-O1A



There are no ring outliers.

2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	751	BOG	1	0
7	B	1751	BOG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand HEM B 1801



Ligand BOG B 1752





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	553/553 (100%)	-0.62	0 100 100	37, 69, 86, 95	1 (0%)
1	B	553/553 (100%)	-0.62	0 100 100	57, 68, 82, 92	0
All	All	1106/1106 (100%)	-0.62	0 100 100	37, 69, 84, 95	1 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MAN	E	5	11/12	0.90	0.08	61,62,62,62	0
5	BMA	H	4	11/12	0.90	0.08	62,62,63,63	0
4	MAN	E	4	11/12	0.92	0.06	60,60,61,62	0
4	NDG	E	2	14/15	0.93	0.08	54,55,56,56	0
5	BMA	H	3	11/12	0.93	0.07	59,60,61,62	0
2	NDG	C	2	14/15	0.93	0.07	57,58,59,59	0
2	NDG	F	2	14/15	0.94	0.08	57,58,59,59	0
5	NAG	H	1	14/15	0.95	0.07	48,50,52,52	0
3	NAG	G	2	14/15	0.95	0.06	54,55,55,55	0
4	BMA	E	3	11/12	0.95	0.06	58,58,59,60	0
3	NAG	G	1	14/15	0.96	0.06	49,51,52,53	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	F	1	14/15	0.96	0.06	50,53,54,56	0
4	NAG	E	1	14/15	0.96	0.06	47,49,50,52	0
5	NDG	H	2	14/15	0.96	0.05	54,55,56,57	0
2	NAG	C	1	14/15	0.96	0.06	50,52,54,56	0
3	NAG	D	2	14/15	0.96	0.05	55,56,57,57	0
3	NAG	D	1	14/15	0.97	0.05	50,52,53,54	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain C:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain H:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	BOG	A	755	12/20	0.92	0.08	86,87,91,92	0
7	BOG	B	1752	20/20	0.94	0.09	75,79,83,84	0
7	BOG	B	1750	20/20	0.95	0.08	20,80,84,84	5
7	BOG	A	751	20/20	0.96	0.10	75,79,84,85	0
8	GOL	B	851	6/6	0.96	0.14	68,69,69,69	0
6	HEM	A	801	43/43	0.97	0.08	67,72,76,78	0
7	BOG	B	1751	20/20	0.97	0.08	70,73,77,79	0
6	HEM	B	1801	43/43	0.98	0.08	66,71,76,77	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around BOG A 755:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG B 1752:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BOG B 1750:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG A 751:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG B 1751:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM B 1801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.