



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 06:55 PM EDT

PDB ID : 4N8U / pdb_00004n8u
Title : Two-Domain Laccase from Streptomyces viridochromogenes at 2.4 Å resolution AC629
Authors : Gabdulkhakov, A.; Tischenko, S.; Yurevich, L.; Lisov, A.; Leontievsky, A.
Deposited on : 2013-10-18
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	281	
1	B	281	
1	C	281	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6478 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Multicopper oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	275	Total	C	N	O	S	0	0	0
			2121	1330	389	395	7			
1	B	276	Total	C	N	O	S	0	0	0
			2130	1335	390	398	7			
1	C	275	Total	C	N	O	S	0	0	0
			2121	1330	389	395	7			

- Molecule 2 is COPPER (II) ION (CCD ID: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	Cu	0	0
			3	3		
2	B	3	Total	Cu	0	0
			3	3		
2	C	3	Total	Cu	0	0
			3	3		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Cl	0	0
			2	2		
3	B	2	Total	Cl	0	0
			2	2		
3	C	2	Total	Cl	0	0
			2	2		

- Molecule 4 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: TRS) (formula: C₄H₁₂NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			8	4	1	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	30	Total	O	0	0
			30	30		
5	B	31	Total	O	0	0
			31	31		
5	C	22	Total	O	0	0
			22	22		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Multicopper oxidase



• Molecule 1: Multicopper oxidase



• Molecule 1: Multicopper oxidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	48.72Å 79.60Å 204.05Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.95 – 2.40 42.95 – 2.40	Depositor EDS
% Data completeness (in resolution range)	97.6 (42.95-2.40) 97.5 (42.95-2.40)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.58 (at 2.39Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.4_1496)	Depositor
R, R_{free}	0.188 , 0.228 0.201 , 0.232	Depositor DCC
R_{free} test set	1561 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	20.4	Xtriage
Anisotropy	0.256	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 37.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	6478	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CL, CU, TRS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.66	0/2182	1.04	10/2965 (0.3%)
1	B	0.63	0/2191	1.01	11/2977 (0.4%)
1	C	0.65	0/2182	1.04	9/2965 (0.3%)
All	All	0.65	0/6555	1.03	30/8907 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	1
All	All	0	2

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	56	ALA	CA-C-N	-12.42	105.25	122.77
1	C	56	ALA	C-N-CA	-12.42	105.25	122.77
1	C	250	ASP	CA-C-N	8.88	129.11	119.87
1	C	250	ASP	C-N-CA	8.88	129.11	119.87
1	A	156	VAL	N-CA-C	8.06	122.22	113.43
1	A	250	ASP	CA-C-N	8.03	128.22	119.87
1	A	250	ASP	C-N-CA	8.03	128.22	119.87
1	B	311	HIS	CA-C-N	7.60	135.38	121.70
1	B	311	HIS	C-N-CA	7.60	135.38	121.70
1	B	190	ILE	CA-C-N	-6.14	115.58	123.19
1	B	190	ILE	C-N-CA	-6.14	115.58	123.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	172	GLY	CA-C-N	6.10	126.31	119.90
1	A	172	GLY	C-N-CA	6.10	126.31	119.90
1	B	203	HIS	CA-C-N	6.07	131.76	121.14
1	B	203	HIS	C-N-CA	6.07	131.76	121.14
1	C	294	GLY	CA-C-N	-5.79	113.07	122.34
1	C	294	GLY	C-N-CA	-5.79	113.07	122.34
1	A	86	ILE	CA-C-N	5.64	129.37	121.24
1	A	86	ILE	C-N-CA	5.64	129.37	121.24
1	B	86	ILE	CA-C-N	-5.47	115.49	122.77
1	B	86	ILE	C-N-CA	-5.47	115.49	122.77
1	C	310	GLY	N-CA-C	5.47	119.54	112.54
1	C	56	ALA	N-CA-C	5.35	117.53	111.11
1	B	183	LEU	CA-C-N	-5.30	115.12	120.85
1	B	183	LEU	C-N-CA	-5.30	115.12	120.85
1	B	156	VAL	N-CA-C	5.28	119.19	113.43
1	C	156	VAL	N-CA-C	5.20	115.73	111.62
1	A	183	LEU	CA-C-N	-5.16	115.28	120.85
1	A	183	LEU	C-N-CA	-5.16	115.28	120.85
1	A	97	SER	N-CA-C	5.16	115.86	108.74

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	204	SER	Mainchain
1	C	57	ASP	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2121	0	2013	44	0
1	B	2130	0	2019	52	0
1	C	2121	0	2013	43	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
2	C	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	1	0
4	B	8	0	12	4	0
5	A	30	0	0	3	0
5	B	31	0	0	2	0
5	C	22	0	0	0	0
All	All	6478	0	6057	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:54:LYS:HZ1	1:C:58:GLY:HA2	0.98	1.13
1:C:54:LYS:NZ	1:C:58:GLY:HA2	1.77	1.00
1:B:305:ASP:HB2	1:B:307:THR:HG22	1.43	0.99
1:C:54:LYS:HZ1	1:C:58:GLY:CA	1.76	0.98
1:C:54:LYS:NZ	1:C:58:GLY:CA	2.35	0.89
1:C:54:LYS:HZ3	1:C:58:GLY:C	1.92	0.78
1:A:81:GLY:H	1:A:131:THR:HG22	1.48	0.77
1:C:54:LYS:NZ	1:C:58:GLY:C	2.44	0.75
1:B:257:ASN:ND2	1:C:264:ASP:OD1	2.20	0.74
1:B:201:PRO:O	1:B:204:SER:HB3	1.89	0.72
1:A:173:PRO:HG3	1:A:189:THR:HG21	1.72	0.71
1:B:110:ASP:OD2	1:B:115:ASN:ND2	2.24	0.70
1:A:161:HIS:CE1	1:C:282:MET:HE1	2.27	0.69
1:A:160:GLU:H	1:A:160:GLU:CD	2.03	0.66
1:A:116:ARG:CZ	1:A:116:ARG:HB3	2.25	0.66
1:B:155:HIS:CE1	1:B:161:HIS:HA	2.33	0.64
1:A:113:LYS:HE3	1:A:156:VAL:HB	1.80	0.64
5:A:507:HOH:O	1:C:282:MET:HG3	1.97	0.64
1:C:280:ALA:N	3:C:405:CL:CL	2.62	0.63
4:B:404:TRS:N	5:B:521:HOH:O	2.31	0.62
1:B:167:ARG:HH12	4:B:404:TRS:H11	1.65	0.62
1:B:245:LEU:HD22	1:B:250:ASP:HB3	1.82	0.61
1:B:279:GLY:HA2	1:B:309:PRO:HD2	1.84	0.59
1:C:238:ALA:O	1:C:243:GLY:HA2	2.03	0.58
1:B:71:ILE:HD13	1:B:169:GLY:HA3	1.84	0.58
1:A:161:HIS:HE1	1:C:282:MET:HE1	1.69	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:47:HIS:O	1:C:48:LEU:HD23	2.04	0.57
1:B:45:VAL:HG22	1:B:83:THR:HB	1.86	0.57
1:C:49:LYS:HD2	1:C:51:TYR:CZ	2.39	0.57
1:C:131:THR:HG23	1:C:146:SER:HB2	1.85	0.57
1:A:228:HIS:CE1	1:A:295:MET:HE1	2.40	0.56
1:B:119:VAL:HG22	1:B:125:ARG:HB3	1.88	0.56
1:C:91:THR:HG22	1:C:91:THR:O	2.06	0.56
1:B:131:THR:HG23	1:B:146:SER:HB2	1.89	0.55
1:C:245:LEU:HD22	1:C:250:ASP:HB3	1.89	0.55
1:A:220:MET:HE1	1:A:260:VAL:HG21	1.88	0.55
1:B:81:GLY:H	1:B:131:THR:HG22	1.72	0.55
1:C:119:VAL:HG22	1:C:125:ARG:HB3	1.88	0.54
1:A:217:GLU:HB2	1:A:269:GLN:HG2	1.90	0.54
1:B:65:GLU:HB2	1:B:68:ARG:HB2	1.89	0.54
1:B:220:MET:HE2	1:B:266:PHE:HE1	1.72	0.54
1:C:75:LEU:HA	1:C:173:PRO:HG2	1.89	0.53
1:A:134:PRO:HB2	1:A:142:TRP:CZ2	2.44	0.53
1:B:200:GLN:HB3	1:B:204:SER:OG	2.08	0.53
1:C:72:PRO:HB3	1:C:171:TYR:CE1	2.43	0.53
1:B:65:GLU:OE1	1:B:68:ARG:HD3	2.09	0.53
1:A:304:LYS:HG3	5:A:530:HOH:O	2.08	0.52
1:A:111:GLY:H	1:A:117:SER:CB	2.22	0.52
1:B:152:TYR:HD1	1:B:174:VAL:HG23	1.75	0.52
1:B:215:ARG:HD3	1:B:269:GLN:OE1	2.11	0.51
1:B:284:HIS:HB3	1:B:296:VAL:HG22	1.92	0.51
1:B:305:ASP:HB2	1:B:307:THR:CG2	2.28	0.51
1:A:215:ARG:HD3	1:A:269:GLN:OE1	2.11	0.51
1:A:56:ALA:HB3	1:A:59:GLN:OE1	2.10	0.51
1:B:283:TYR:CE2	1:B:297:GLY:HA3	2.47	0.50
1:B:39:ALA:HB2	1:B:183:LEU:HD21	1.94	0.49
1:A:303:LYS:HD2	1:A:307:THR:HB	1.94	0.49
1:C:149:TYR:CD1	1:C:219:VAL:HG22	2.48	0.49
1:C:147:ALA:HA	1:C:176:VAL:HG12	1.95	0.49
1:B:111:GLY:H	1:B:117:SER:HB2	1.78	0.49
1:B:204:SER:OG	1:B:204:SER:O	2.30	0.49
1:A:229:THR:O	1:A:285:CYS:HA	2.14	0.48
1:B:231:HIS:CD2	1:B:232:MET:N	2.81	0.48
1:A:195:MET:HE1	1:A:290:HIS:NE2	2.29	0.48
1:A:200:GLN:HB3	1:A:204:SER:OG	2.13	0.48
1:B:80:GLU:HA	1:B:131:THR:CG2	2.43	0.48
1:B:229:THR:HG22	1:B:259:ILE:HA	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:87:GLU:HA	1:B:126:THR:HA	1.96	0.48
1:A:152:TYR:HD1	1:A:174:VAL:HG23	1.78	0.48
1:A:80:GLU:HA	1:A:131:THR:CG2	2.45	0.47
1:A:118:ASP:HB3	1:A:156:VAL:HG11	1.95	0.47
1:A:116:ARG:HB3	1:A:116:ARG:NH1	2.30	0.47
1:C:72:PRO:HB3	1:C:171:TYR:HE1	1.78	0.47
1:A:149:TYR:CD2	1:A:267:GLY:HA3	2.49	0.47
1:A:289:SER:O	1:A:293:MET:HB2	2.15	0.47
1:A:161:HIS:CG	1:C:291:SER:HB3	2.51	0.46
1:A:63:GLY:HA3	1:A:69:ALA:HA	1.96	0.46
1:B:253:GLN:HG2	1:B:255:ILE:HG23	1.97	0.46
1:C:44:GLU:HG3	1:C:45:VAL:N	2.31	0.46
1:C:244:LEU:HD21	1:C:269:GLN:HB2	1.98	0.46
1:A:303:LYS:HB2	1:A:307:THR:HB	1.98	0.46
1:A:131:THR:HG23	1:A:146:SER:HB2	1.97	0.45
1:A:118:ASP:OD1	1:A:118:ASP:N	2.46	0.45
1:C:149:TYR:O	1:C:265:SER:OG	2.27	0.45
1:C:101:HIS:CE1	1:C:263:ALA:HB1	2.52	0.45
1:A:52:ILE:O	1:A:91:THR:OG1	2.31	0.45
1:B:89:GLU:HG3	1:B:124:THR:HG22	1.99	0.44
1:B:238:ALA:O	1:B:243:GLY:HA2	2.16	0.44
1:B:41:ALA:HB2	1:B:179:LYS:HD3	1.99	0.44
1:C:155:HIS:CE1	1:C:161:HIS:HA	2.52	0.44
1:A:152:TYR:CZ	1:A:172:GLY:HA3	2.53	0.44
1:B:111:GLY:H	1:B:117:SER:CB	2.31	0.44
1:B:107:ILE:O	1:B:110:ASP:HB2	2.17	0.44
1:A:163:THR:HG23	1:C:288:GLN:HB3	2.00	0.44
1:B:184:PRO:HG3	1:B:217:GLU:OE1	2.18	0.44
1:C:149:TYR:HD1	1:C:219:VAL:HG22	1.82	0.44
1:A:228:HIS:HE1	1:A:295:MET:HE1	1.79	0.44
1:B:137:ARG:HD2	1:B:141:THR:OG1	2.17	0.44
1:C:215:ARG:NH1	1:C:269:GLN:OE1	2.44	0.44
1:C:57:ASP:N	1:C:57:ASP:OD1	2.50	0.43
1:A:257:ASN:ND2	1:B:263:ALA:HB3	2.34	0.43
1:A:195:MET:HA	1:A:295:MET:HE2	2.00	0.43
1:C:111:GLY:H	1:C:117:SER:CB	2.32	0.43
1:B:167:ARG:NH1	4:B:404:TRS:H11	2.33	0.43
1:B:155:HIS:ND1	1:B:161:HIS:HA	2.33	0.43
1:A:304:LYS:CG	5:A:530:HOH:O	2.65	0.43
1:C:282:MET:HB3	1:C:282:MET:HE2	1.78	0.43
1:A:290:HIS:HB3	1:A:295:MET:HE3	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:302:LYS:HE2	1:C:302:LYS:HB2	1.69	0.42
1:C:80:GLU:HA	1:C:131:THR:CG2	2.49	0.42
1:C:228:HIS:HB3	1:C:285:CYS:SG	2.60	0.42
1:B:201:PRO:O	1:B:204:SER:CB	2.62	0.42
1:C:220:MET:HE2	1:C:266:PHE:HE1	1.85	0.41
1:B:195:MET:HB2	4:B:404:TRS:H22	2.03	0.41
1:B:185:ASP:OD2	1:B:215:ARG:N	2.40	0.41
1:B:236:ARG:NH1	1:C:104:ASP:OD1	2.54	0.41
1:C:184:PRO:HA	1:C:215:ARG:HG2	2.03	0.41
1:C:137:ARG:NH1	1:C:141:THR:OG1	2.48	0.41
1:C:107:ILE:HD12	1:C:107:ILE:HA	1.91	0.41
1:B:37:ARG:HB2	1:B:183:LEU:HD12	2.03	0.41
1:A:53:GLU:OE1	1:A:67:GLY:N	2.47	0.41
1:A:105:TYR:HB2	1:A:109:SER:HB2	2.02	0.41
1:A:160:GLU:CD	1:A:160:GLU:N	2.76	0.41
1:B:47:HIS:C	1:B:48:LEU:HD23	2.46	0.41
1:B:95:PRO:O	1:B:156:VAL:HG12	2.20	0.41
1:A:82:ASP:O	1:A:131:THR:HB	2.21	0.40
1:B:111:GLY:N	1:B:117:SER:HB2	2.36	0.40
1:A:84:ALA:HB3	1:A:129:TRP:HB2	2.03	0.40
1:B:88:VAL:O	1:B:124:THR:HA	2.21	0.40
1:B:50:LEU:HD12	1:B:50:LEU:HA	1.87	0.40
1:B:226:TYR:HB3	5:B:525:HOH:O	2.21	0.40
1:A:75:LEU:HD13	1:A:173:PRO:HB2	2.04	0.40
1:B:290:HIS:CD2	1:B:290:HIS:N	2.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	273/281 (97%)	266 (97%)	7 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	274/281 (98%)	271 (99%)	3 (1%)	0	100	100
1	C	273/281 (97%)	265 (97%)	8 (3%)	0	100	100
All	All	820/843 (97%)	802 (98%)	18 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	218/221 (99%)	210 (96%)	8 (4%)	30	51
1	B	219/221 (99%)	213 (97%)	6 (3%)	39	62
1	C	218/221 (99%)	211 (97%)	7 (3%)	34	56
All	All	655/663 (99%)	634 (97%)	21 (3%)	34	56

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	ARG
1	A	68	ARG
1	A	83	THR
1	A	107	ILE
1	A	222	THR
1	A	229	THR
1	A	288	GLN
1	A	308	ILE
1	B	68	ARG
1	B	156	VAL
1	B	168	LYS
1	B	220	MET
1	B	282	MET
1	B	308	ILE
1	C	49	LYS
1	C	54	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	71	ILE
1	C	130	ARG
1	C	209	GLU
1	C	249	ASP
1	C	304	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	233	HIS
1	B	99	HIS
1	B	203	HIS
1	B	311	HIS
1	C	200	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 15 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	TRS	B	404	-	7,7,7	0.47	0	9,9,9	1.64	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TRS	B	404	-	-	7/9/9/9	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	404	TRS	O2-C2-C	3.18	119.75	110.88
4	B	404	TRS	C2-C-N	2.76	115.21	108.17

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	404	TRS	C2-C-C3-O3
4	B	404	TRS	C3-C-C2-O2
4	B	404	TRS	N-C-C2-O2
4	B	404	TRS	N-C-C3-O3
4	B	404	TRS	C2-C-C1-O1
4	B	404	TRS	C1-C-C2-O2
4	B	404	TRS	C1-C-C3-O3

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	404	TRS	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	275/281 (97%)	-0.32	1 (0%) 88 86	10, 18, 32, 46	0
1	B	276/281 (98%)	-0.27	2 (0%) 84 81	10, 19, 35, 66	0
1	C	275/281 (97%)	-0.23	0 100 100	10, 20, 37, 60	0
All	All	826/843 (97%)	-0.28	3 (0%) 88 86	10, 19, 35, 66	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	246	THR	2.9
1	B	311	HIS	2.8
1	A	57	ASP	2.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	TRS	B	404	8/8	0.85	0.12	21,31,38,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CL	A	404	1/1	0.90	0.16	48,48,48,48	0
3	CL	B	405	1/1	0.93	0.07	45,45,45,45	0
3	CL	A	405	1/1	0.93	0.07	46,46,46,46	0
3	CL	B	406	1/1	0.94	0.06	37,37,37,37	0
3	CL	C	405	1/1	0.95	0.10	37,37,37,37	0
3	CL	C	404	1/1	0.98	0.07	26,26,26,26	0
2	CU	C	402	1/1	0.98	0.03	34,34,34,34	0
2	CU	C	403	1/1	0.98	0.03	22,22,22,22	0
2	CU	B	401	1/1	0.99	0.02	18,18,18,18	0
2	CU	B	402	1/1	0.99	0.03	28,28,28,28	0
2	CU	B	403	1/1	0.99	0.02	16,16,16,16	0
2	CU	A	401	1/1	0.99	0.03	17,17,17,17	0
2	CU	A	402	1/1	0.99	0.02	20,20,20,20	0
2	CU	A	403	1/1	0.99	0.02	18,18,18,18	0
2	CU	C	401	1/1	1.00	0.01	20,20,20,20	0

6.5 Other polymers [i](#)

There are no such residues in this entry.