



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 06:44 AM UTC

PDB ID : 7N83 / pdb_00007n83
Title : Crystal Structure of SARS-CoV-2 NendoU in complex with Z2443429438
Authors : Godoy, A.S.; Douangamath, A.; Nakamura, A.M.; Dias, A.; Krojer, T.; Noske, G.D.; Gawiljuk, V.O.; Fernandes, R.S.; Fairhead, M.; Powell, A.; Dunnet, L.; Aimon, A.; Fearon, D.; Brandao-Neto, J.; Skyner, R.; von Delft, F.; Oliva, G.
Deposited on : 2021-06-12
Resolution : 1.91 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1188 (1.92-1.92)
Clashscore	190562	1209 (1.92-1.92)
Ramachandran outliers	187476	1195 (1.92-1.92)
Sidechain outliers	187428	1195 (1.92-1.92)
RSRZ outliers	180081	1188 (1.92-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	349	14% 92% 8%
1	B	349	15% 91% 9%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6393 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Uridylate-specific endoribonuclease.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	348	Total	C	N	O	S	0	1	0
			2757	1770	449	527	11			
1	B	348	Total	C	N	O	S	0	1	0
			2757	1770	449	527	11			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP P0DTD1
A	-1	ALA	-	expression tag	UNP P0DTD1
A	0	MET	-	expression tag	UNP P0DTD1
B	-2	GLY	-	expression tag	UNP P0DTD1
B	-1	ALA	-	expression tag	UNP P0DTD1
B	0	MET	-	expression tag	UNP P0DTD1

- Molecule 2 is CITRIC ACID (CCD ID: CIT) (formula: C₆H₈O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			13	6	7		
2	B	1	Total	C	O	0	0
			13	6	7		

- Molecule 3 is (3S)-1-(phenylsulfonyl)pyrrolidin-3-amine (CCD ID: WNM) (formula: C₁₀H₁₄N₂O₂S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			15	10	2	2	1		
3	A	1	Total	C	N	O	S	0	0
			15	10	2	2	1		
3	A	1	Total	C	N	O	S	0	0
			15	10	2	2	1		
3	A	1	Total	C	N	O	S	0	0
			15	10	2	2	1		
3	B	1	Total	C	N	O	S	0	0
			15	10	2	2	1		
3	B	1	Total	C	N	O	S	0	0
			15	10	2	2	1		
3	B	1	Total	C	N	O	S	0	0
			15	10	2	2	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	370	Total 370	O 370	0	0
4	B	378	Total 378	O 378	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Uridylate-specific endoribonuclease



- Molecule 1: Uridylate-specific endoribonuclease



4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	150.08Å 150.08Å 111.15Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	129.97 – 1.91 129.97 – 1.91	Depositor EDS
% Data completeness (in resolution range)	98.3 (129.97-1.91) 98.3 (129.97-1.91)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.99 (at 1.91Å)	Xtriage
Refinement program	BUSTER 2.10.3 (20-MAY-2020)	Depositor
R, R_{free}	0.208 , 0.232 0.235 , 0.263	Depositor DCC
R_{free} test set	5407 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	33.3	Xtriage
Anisotropy	0.264	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 41.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.025 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6393	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: WNM, CIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	1/2814 (0.0%)	1.02	4/3815 (0.1%)
1	B	0.71	0/2814	1.02	4/3815 (0.1%)
All	All	0.72	1/5628 (0.0%)	1.02	8/7630 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	104	MET	SD-CE	-9.30	1.56	1.79

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	339	GLU	N-CA-C	-5.87	104.87	112.68
1	A	339	GLU	N-CA-C	-5.80	104.96	112.68
1	A	235	ILE	N-CA-C	5.80	115.98	110.42
1	B	235	ILE	N-CA-C	5.76	115.95	110.42
1	A	15	PHE	CA-CB-CG	-5.47	108.33	113.80
1	A	279	PHE	N-CA-C	-5.17	100.08	108.41
1	B	279	PHE	N-CA-C	-5.08	100.24	108.41
1	B	15	PHE	CA-CB-CG	-5.06	108.74	113.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2757	0	2746	10	0
1	B	2757	0	2746	13	0
2	A	13	0	5	0	0
2	B	13	0	5	1	0
3	A	60	0	0	0	0
3	B	45	0	0	1	0
4	A	370	0	0	0	0
4	B	378	0	0	1	0
All	All	6393	0	5502	23	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (23) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:330:MET:HG2	1:B:344:LYS:HD2	1.68	0.75
1:B:316:LYS:NZ	4:B:501:HOH:O	2.31	0.63
1:A:127:VAL:HB	1:A:130:GLN:HG3	1.83	0.61
1:B:200:LEU:HD11	1:B:254:LEU:HB3	1.83	0.60
1:A:200:LEU:HD11	1:A:254:LEU:HB3	1.85	0.59
1:B:127:VAL:HB	1:B:130:GLN:HG3	1.88	0.54
1:A:12:LYS:HE3	1:A:18:GLN:HG3	1.92	0.52
1:A:212:ASP:O	1:A:216:LEU:HB2	2.11	0.51
1:B:246:GLY:HA2	2:B:401:CIT:O4	2.13	0.49
1:B:12:LYS:HE3	1:B:18:GLN:HG3	1.95	0.49
1:B:57:LEU:HD11	1:B:105:THR:HG21	1.96	0.48
1:A:71:ILE:HD13	1:A:323:ASP:HB3	1.95	0.48
1:B:71:ILE:HD13	1:B:323:ASP:HB3	1.95	0.48
1:A:266:GLU:HB3	1:A:279:PHE:HB3	1.98	0.46
1:A:57:LEU:HD11	1:A:105:THR:HG21	1.97	0.45
1:B:269:ILE:HD13	3:B:402:WNM:O08	2.18	0.44
1:A:27:ILE:CG2	1:A:32:TYR:CE1	3.01	0.43
1:A:67:PRO:HB3	1:A:178:TYR:OH	2.20	0.42
1:B:266:GLU:HB3	1:B:279:PHE:HB3	2.00	0.42
1:B:84:VAL:HG23	1:B:101:VAL:HG11	2.02	0.42
1:B:67:PRO:HB3	1:B:178:TYR:OH	2.20	0.41
1:B:148:VAL:HG11	1:B:151:LEU:HD12	2.01	0.41
1:A:27:ILE:HG23	1:A:32:TYR:HE1	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	347/349 (99%)	340 (98%)	7 (2%)	0	100	100
1	B	347/349 (99%)	339 (98%)	8 (2%)	0	100	100
All	All	694/698 (99%)	679 (98%)	15 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	310/309 (100%)	303 (98%)	7 (2%)	44	30
1	B	310/309 (100%)	304 (98%)	6 (2%)	50	37
All	All	620/618 (100%)	607 (98%)	13 (2%)	51	33

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28[A]	ASN
1	A	28[B]	ASN
1	A	188	GLN
1	A	226	LYS
1	A	260	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	319	LYS
1	A	326	GLU
1	B	28[A]	ASN
1	B	28[B]	ASN
1	B	34	LYS
1	B	149	LYS
1	B	260	GLU
1	B	345	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	4	ASN
1	A	82	ASN
1	A	163	ASN
1	A	187	GLN
1	A	199	ASN
1	A	309	GLN
1	A	346	GLN
1	B	82	ASN
1	B	163	ASN
1	B	234	HIS
1	B	309	GLN
1	B	346	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	WNM	A	402	-	16,16,16	5.49	9 (56%)	19,23,23	3.53	8 (42%)
3	WNM	B	404	-	16,16,16	5.30	9 (56%)	19,23,23	3.67	9 (47%)
2	CIT	B	401	-	12,12,12	1.75	4 (33%)	17,17,17	2.03	4 (23%)
3	WNM	A	403	-	16,16,16	5.35	9 (56%)	19,23,23	3.81	9 (47%)
3	WNM	A	405	-	16,16,16	5.52	9 (56%)	19,23,23	3.83	7 (36%)
3	WNM	B	402	-	16,16,16	5.47	9 (56%)	19,23,23	3.21	6 (31%)
2	CIT	A	401	-	12,12,12	1.12	2 (16%)	17,17,17	1.06	2 (11%)
3	WNM	A	404	-	16,16,16	5.62	9 (56%)	19,23,23	2.96	5 (26%)
3	WNM	B	403	-	16,16,16	5.45	9 (56%)	19,23,23	3.16	8 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	WNM	A	402	-	-	3/12/21/21	0/2/2/2
3	WNM	B	404	-	-	6/12/21/21	0/2/2/2
2	CIT	B	401	-	-	6/16/16/16	-
3	WNM	A	403	-	-	3/12/21/21	0/2/2/2
3	WNM	A	405	-	-	4/12/21/21	0/2/2/2
3	WNM	B	402	-	-	4/12/21/21	0/2/2/2
2	CIT	A	401	-	-	0/16/16/16	-
3	WNM	A	404	-	-	0/12/21/21	0/2/2/2
3	WNM	B	403	-	-	1/12/21/21	0/2/2/2

All (69) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	404	WNM	C06-N05	15.22	1.65	1.48
3	B	403	WNM	C06-N05	15.13	1.65	1.48
3	A	402	WNM	C06-N05	15.02	1.64	1.48
3	A	405	WNM	C06-N05	14.98	1.64	1.48
3	B	402	WNM	C06-N05	14.89	1.64	1.48
3	A	403	WNM	C06-N05	14.62	1.64	1.48
3	B	404	WNM	C06-N05	14.32	1.64	1.48
3	B	402	WNM	C06-C02	-9.11	1.36	1.52
3	A	402	WNM	C06-C02	-9.10	1.36	1.52
3	A	405	WNM	C06-C02	-9.03	1.36	1.52
3	B	404	WNM	C06-C02	-8.95	1.36	1.52
3	A	404	WNM	C06-C02	-8.82	1.37	1.52
3	A	403	WNM	C06-C02	-8.79	1.37	1.52
3	B	403	WNM	C06-C02	-8.60	1.37	1.52
3	A	405	WNM	S07-N05	7.56	1.74	1.63
3	A	404	WNM	S07-N05	7.15	1.73	1.63
3	B	402	WNM	S07-N05	7.06	1.73	1.63
3	A	403	WNM	S07-N05	6.86	1.73	1.63
3	A	402	WNM	S07-N05	6.85	1.73	1.63
3	B	403	WNM	S07-N05	6.70	1.72	1.63
3	B	404	WNM	S07-N05	6.70	1.72	1.63
3	B	404	WNM	C04-N05	-6.53	1.35	1.48
3	A	403	WNM	C04-N05	-6.51	1.35	1.48
3	A	404	WNM	C04-N05	-6.46	1.35	1.48
3	B	403	WNM	C04-N05	-6.45	1.35	1.48
3	A	402	WNM	C04-N05	-6.37	1.35	1.48
3	A	404	WNM	C10-S07	6.33	1.84	1.76
3	B	402	WNM	C04-N05	-6.31	1.36	1.48
3	A	405	WNM	C04-N05	-6.25	1.36	1.48
3	A	402	WNM	C10-S07	5.87	1.84	1.76
3	B	403	WNM	C10-S07	5.59	1.83	1.76
3	B	402	WNM	C10-S07	5.53	1.83	1.76
3	A	405	WNM	C10-S07	5.49	1.83	1.76
3	A	403	WNM	C10-S07	5.21	1.83	1.76
3	A	405	WNM	O09-S07	5.11	1.49	1.43
3	B	402	WNM	O09-S07	5.08	1.48	1.43
3	B	404	WNM	C10-S07	4.97	1.83	1.76
3	A	404	WNM	O09-S07	4.81	1.48	1.43
3	B	404	WNM	O09-S07	4.66	1.48	1.43
3	A	402	WNM	O09-S07	4.61	1.48	1.43
3	B	403	WNM	O09-S07	4.55	1.48	1.43
3	A	403	WNM	O09-S07	4.49	1.48	1.43
3	A	404	WNM	O08-S07	4.12	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	CIT	O5-C6	3.68	1.33	1.22
3	B	403	WNM	O08-S07	3.64	1.47	1.43
3	A	404	WNM	C03-C04	3.53	1.59	1.52
3	A	405	WNM	C03-C04	3.50	1.59	1.52
3	A	402	WNM	O08-S07	3.43	1.47	1.43
3	B	404	WNM	C03-C04	3.40	1.59	1.52
3	A	403	WNM	C03-C04	3.38	1.59	1.52
3	B	403	WNM	C03-C04	3.33	1.59	1.52
3	B	402	WNM	O08-S07	3.25	1.47	1.43
3	A	402	WNM	C03-C04	3.24	1.58	1.52
3	B	404	WNM	O08-S07	3.18	1.46	1.43
3	B	402	WNM	C03-C04	3.17	1.58	1.52
3	A	403	WNM	O08-S07	3.09	1.46	1.43
2	B	401	CIT	O4-C5	-3.02	1.20	1.30
3	A	405	WNM	O08-S07	2.98	1.46	1.43
2	B	401	CIT	O3-C5	2.87	1.31	1.22
2	A	401	CIT	O2-C1	-2.76	1.21	1.30
2	A	401	CIT	O1-C1	2.63	1.30	1.22
3	B	404	WNM	C03-C02	2.53	1.57	1.53
3	A	405	WNM	C03-C02	2.45	1.57	1.53
3	A	403	WNM	C03-C02	2.44	1.57	1.53
3	B	403	WNM	C03-C02	2.23	1.57	1.53
3	A	404	WNM	C03-C02	2.14	1.57	1.53
3	A	402	WNM	C03-C02	2.14	1.57	1.53
2	B	401	CIT	O6-C6	-2.09	1.22	1.30
3	B	402	WNM	C03-C02	2.02	1.56	1.53

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	403	WNM	O09-S07-O08	-12.27	100.44	119.59
3	A	405	WNM	O09-S07-O08	-12.09	100.73	119.59
3	B	404	WNM	O09-S07-O08	-11.76	101.24	119.59
3	A	402	WNM	O09-S07-O08	-11.58	101.52	119.59
3	B	403	WNM	O09-S07-O08	-10.35	103.44	119.59
3	B	402	WNM	O09-S07-O08	-10.27	103.57	119.59
3	A	404	WNM	O09-S07-O08	-9.41	104.90	119.59
3	A	405	WNM	O09-S07-N05	6.40	112.71	106.69
3	B	402	WNM	O09-S07-N05	5.38	111.75	106.69
3	B	403	WNM	O08-S07-N05	5.36	111.73	106.69
3	B	404	WNM	O09-S07-N05	5.31	111.69	106.69
3	A	402	WNM	O08-S07-N05	5.24	111.62	106.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	403	WNM	O09-S07-N05	5.10	111.49	106.69
3	A	403	WNM	O08-S07-N05	4.93	111.33	106.69
3	A	403	WNM	C06-N05-S07	4.90	127.08	119.59
3	A	405	WNM	C04-N05-S07	4.80	127.54	119.81
2	B	401	CIT	O5-C6-C3	-4.75	112.89	122.09
3	B	404	WNM	O08-S07-N05	4.73	111.14	106.69
3	A	404	WNM	O08-S07-N05	4.62	111.03	106.69
3	B	404	WNM	C06-N05-S07	4.53	126.51	119.59
2	B	401	CIT	O6-C6-C3	4.51	121.79	113.14
3	A	405	WNM	O09-S07-C10	4.45	113.64	108.10
3	B	404	WNM	C04-N05-S07	4.35	126.82	119.81
3	A	403	WNM	C04-N05-S07	4.31	126.75	119.81
3	A	402	WNM	C06-N05-S07	4.02	125.73	119.59
3	A	402	WNM	C04-N05-S07	4.02	126.28	119.81
3	A	404	WNM	O09-S07-N05	4.00	110.45	106.69
3	A	402	WNM	O09-S07-N05	3.86	110.32	106.69
3	B	402	WNM	C04-N05-S07	3.81	125.95	119.81
3	A	405	WNM	C06-N05-S07	3.81	125.41	119.59
3	A	405	WNM	O08-S07-N05	3.78	110.25	106.69
3	B	402	WNM	C06-N05-S07	3.72	125.28	119.59
3	B	403	WNM	O09-S07-N05	3.70	110.17	106.69
3	A	404	WNM	O09-S07-C10	3.56	112.53	108.10
3	B	402	WNM	C10-S07-N05	3.47	111.47	107.28
3	B	402	WNM	O08-S07-N05	3.28	109.77	106.69
2	B	401	CIT	O3-C5-C4	-3.18	113.94	122.95
3	B	403	WNM	O08-S07-C10	3.13	111.99	108.10
3	A	403	WNM	C10-S07-N05	3.06	110.97	107.28
3	B	404	WNM	O09-S07-C10	2.89	111.69	108.10
3	A	404	WNM	O08-S07-C10	2.88	111.69	108.10
3	A	402	WNM	C10-S07-N05	2.82	110.68	107.28
3	B	403	WNM	C06-N05-S07	2.79	123.85	119.59
2	B	401	CIT	O4-C5-C4	2.71	122.94	114.35
3	A	403	WNM	C03-C02-C06	2.61	106.36	102.20
3	A	405	WNM	C10-S07-N05	2.60	110.42	107.28
3	A	402	WNM	O08-S07-C10	2.57	111.30	108.10
2	A	401	CIT	O1-C1-C2	-2.53	115.78	122.95
3	A	403	WNM	O08-S07-C10	2.46	111.17	108.10
3	A	402	WNM	O09-S07-C10	2.41	111.10	108.10
3	A	403	WNM	O09-S07-C10	2.36	111.04	108.10
3	B	403	WNM	C03-C02-C06	2.34	105.94	102.20
2	A	401	CIT	O2-C1-C2	2.31	121.65	114.35
3	B	403	WNM	O09-S07-C10	2.30	110.96	108.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	404	WNM	C03-C02-C06	2.29	105.86	102.20
3	B	404	WNM	C10-S07-N05	2.26	110.01	107.28
3	B	404	WNM	O08-S07-C10	2.20	110.84	108.10
3	B	403	WNM	C04-N05-S07	2.01	123.04	119.81

There are no chirality outliers.

All (27) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	405	WNM	C04-N05-S07-O09
3	A	405	WNM	C06-N05-S07-O09
3	A	405	WNM	C06-N05-S07-C10
3	B	404	WNM	C04-N05-S07-O08
3	B	402	WNM	C06-N05-S07-O09
3	A	402	WNM	C06-N05-S07-O08
3	A	403	WNM	C04-N05-S07-O08
3	B	404	WNM	C04-N05-S07-C10
3	B	404	WNM	C04-N05-S07-O09
3	B	402	WNM	C06-N05-S07-C10
3	A	402	WNM	C04-N05-S07-O09
3	A	405	WNM	C06-N05-S07-O08
3	B	402	WNM	C06-N05-S07-O08
3	B	402	WNM	C04-N05-S07-O08
3	B	404	WNM	C11-C10-S07-O09
3	B	404	WNM	C15-C10-S07-O09
3	A	403	WNM	C04-N05-S07-C10
3	A	402	WNM	C06-N05-S07-C10
2	B	401	CIT	C1-C2-C3-O7
2	B	401	CIT	C1-C2-C3-C4
2	B	401	CIT	C2-C3-C6-O6
3	B	403	WNM	C04-N05-S07-O08
3	B	404	WNM	C06-N05-S07-O09
2	B	401	CIT	C3-C4-C5-O4
2	B	401	CIT	C4-C3-C6-O6
2	B	401	CIT	C3-C4-C5-O3
3	A	403	WNM	C06-N05-S07-O09


There are no ring outliers.

2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	401	CIT	1	0
3	B	402	WNM	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand WNM A 403








Ligand WNM A 404





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	348/349 (99%)	0.92	50 (14%) 6 8	17, 42, 71, 83	1 (0%)
1	B	348/349 (99%)	0.89	51 (14%) 6 7	17, 41, 60, 71	1 (0%)
All	All	696/698 (99%)	0.90	101 (14%) 6 8	17, 41, 68, 83	2 (0%)

All (101) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	345	LEU	7.8
1	B	28[A]	ASN	6.6
1	B	258	PHE	5.9
1	B	150	GLY	5.8
1	A	201	GLN	5.6
1	A	28[A]	ASN	5.1
1	A	313	VAL	5.1
1	A	259	LYS	5.0
1	A	344	LYS	4.7
1	A	346	GLN	4.4
1	B	201	GLN	4.4
1	A	-1	ALA	4.4
1	B	345	LEU	4.4
1	A	199	ASN	4.2
1	A	311	LEU	4.2
1	B	148	VAL	4.0
1	A	260	GLU	3.8
1	A	258	PHE	3.7
1	B	314	VAL	3.7
1	A	308	SER	3.6
1	A	314	VAL	3.5
1	B	115	ILE	3.5
1	B	199	ASN	3.5
1	B	346	GLN	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	36	ASP	3.5
1	B	259	LYS	3.4
1	B	313	VAL	3.4
1	B	137	ALA	3.4
1	B	186	VAL	3.3
1	B	151	LEU	3.3
1	B	117	ALA	3.3
1	B	260	GLU	3.2
1	A	216	LEU	3.1
1	A	309	GLN	3.1
1	A	230	TYR	3.1
1	B	147	SER	3.1
1	B	149	LYS	3.0
1	A	215	GLU	2.9
1	B	200	LEU	2.9
1	A	226	LYS	2.8
1	B	-1	ALA	2.8
1	B	116	CYS	2.8
1	A	227	LEU	2.8
1	A	225	TYR	2.8
1	A	96	ILE	2.8
1	B	114	THR	2.8
1	B	215	GLU	2.8
1	A	200	LEU	2.7
1	B	185	VAL	2.7
1	A	222	ILE	2.7
1	B	131	VAL	2.7
1	A	221	PHE	2.6
1	A	255	ALA	2.6
1	B	135	ARG	2.6
1	A	254	LEU	2.6
1	A	330	MET	2.6
1	A	37	GLY	2.5
1	A	214	LEU	2.5
1	A	265	LEU	2.5
1	A	336	GLY	2.5
1	B	136	ASN	2.5
1	B	152	GLN	2.5
1	B	118	PRO	2.5
1	A	334	LYS	2.5
1	A	331	LEU	2.5
1	B	96	ILE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	343	PRO	2.4
1	B	182	VAL	2.4
1	A	232	PHE	2.4
1	B	344	LYS	2.4
1	A	220	GLU	2.4
1	B	125	GLY	2.3
1	B	202	GLU	2.3
1	B	187	GLN	2.3
1	A	211	ILE	2.3
1	B	184	GLY	2.3
1	B	112	THR	2.3
1	B	226	LYS	2.3
1	A	147	SER	2.3
1	A	312	SER	2.3
1	A	27	ILE	2.2
1	B	127	VAL	2.2
1	B	221	PHE	2.2
1	A	316	LYS	2.2
1	A	115	ILE	2.2
1	B	222	ILE	2.2
1	B	337	HIS	2.2
1	A	317	VAL	2.2
1	B	173	LYS	2.2
1	B	227	LEU	2.1
1	A	203	PHE	2.1
1	B	0	MET	2.1
1	B	138	ARG	2.1
1	A	307	LYS	2.1
1	A	318	VAL	2.1
1	A	224	ARG	2.1
1	A	252	ILE	2.0
1	B	133	LEU	2.0
1	B	204	LYS	2.0
1	B	188	GLN	2.0
1	B	111	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	WNM	A	402	15/15	0.66	0.33	98,98,99,99	0
3	WNM	A	403	15/15	0.66	0.35	132,132,132,132	0
3	WNM	B	404	15/15	0.67	0.35	137,138,138,138	0
3	WNM	B	403	15/15	0.69	0.32	88,89,89,89	0
3	WNM	A	404	15/15	0.69	0.30	73,74,74,74	0
3	WNM	A	405	15/15	0.74	0.33	86,87,88,88	0
3	WNM	B	402	15/15	0.79	0.27	77,77,78,78	0
2	CIT	B	401	13/13	0.88	0.13	46,47,49,49	0
2	CIT	A	401	13/13	0.90	0.13	61,62,63,63	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around WNM A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around WNM A 403:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around WNM B 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around WNM B 403:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around WNM A 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around WNM A 405:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.