



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:25 PM UTC

PDB ID : 4N9I / pdb_00004n9i
Title : Crystal Structure of Transcription regulation protein CRP complexed with cGMP
Authors : Lee, B.-J.; Seok, S.-H.; Im, H.; Yoon, H.-J.
Deposited on : 2013-10-21
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	210	 73% 20% . .
1	B	210	 65% 27% . .
1	C	210	 74% 18% . . .
1	D	210	 70% 19% 7% .

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 6752 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Catabolite gene activator.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	202	Total	C	N	O	S	0	0	0
			1598	1011	281	297	9			
1	B	202	Total	C	N	O	S	0	0	0
			1598	1011	281	297	9			
1	C	202	Total	C	N	O	S	0	0	0
			1598	1011	281	297	9			
1	D	202	Total	C	N	O	S	0	0	0
			1598	1011	281	297	9			

- Molecule 2 is CYCLIC GUANOSINE MONOPHOSPHATE (CCD ID: PCG) (formula: C₁₀H₁₂N₅O₇P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	D	1	Total	C	N	O	P	0	0
			23	10	5	7	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	74	Total	O	0	0
			74	74		
3	B	60	Total	O	0	0
			60	60		
3	C	70	Total	O	0	0
			70	70		
3	D	64	Total	O	0	0
			64	64		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Catabolite gene activator




• Molecule 1: Catabolite gene activator




• Molecule 1: Catabolite gene activator



• Molecule 1: Catabolite gene activator





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	42.57Å 56.17Å 186.72Å 90.00° 90.18° 90.00°	Depositor
Resolution (Å)	42.57 – 2.19 42.57 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.3 (42.57-2.19) 98.4 (42.57-2.20)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	9.42 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.170 , 0.208 0.169 , 0.213	Depositor DCC
R_{free} test set	2225 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	29.6	Xtriage
Anisotropy	0.111	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 29.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.467 for h,-k,-l	Xtriage
Reported twinning fraction	0.549 for H, K, L 0.451 for h,-k,-l	Depositor
Outliers	0 of 45047 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6752	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PCG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.56	8/1623 (0.5%)	1.33	3/2186 (0.1%)
1	B	1.55	13/1623 (0.8%)	1.30	7/2186 (0.3%)
1	C	1.47	7/1623 (0.4%)	1.36	10/2186 (0.5%)
1	D	1.46	10/1623 (0.6%)	1.31	1/2186 (0.0%)
All	All	1.51	38/6492 (0.6%)	1.32	21/8744 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	164	GLN	N-CA	-7.04	1.37	1.46
1	A	121	ALA	CA-CB	6.80	1.64	1.53
1	D	139	VAL	CA-CB	6.77	1.62	1.54
1	A	135	ALA	N-CA	6.77	1.54	1.46
1	B	180	ARG	N-CA	6.46	1.54	1.46
1	A	205	VAL	CA-CB	-6.17	1.46	1.53
1	D	153	GLN	CA-C	6.02	1.61	1.53
1	B	145	GLN	CA-CB	5.99	1.63	1.53
1	B	161	ASP	CA-C	5.90	1.60	1.52
1	B	146	THR	C-O	-5.71	1.17	1.24
1	B	208	THR	CA-CB	5.67	1.65	1.53
1	C	62	SER	CA-C	-5.58	1.45	1.52
1	D	172	ILE	N-CA	-5.58	1.39	1.46
1	D	203	ILE	N-CA	-5.57	1.39	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	72	GLU	N-CA	5.50	1.53	1.46
1	C	50	LEU	CA-C	5.46	1.59	1.52
1	D	176	VAL	N-CA	-5.41	1.39	1.46
1	B	168	THR	N-CA	5.40	1.52	1.45
1	C	136	PHE	N-CA	-5.37	1.39	1.46
1	A	134	LEU	N-CA	-5.37	1.39	1.46
1	B	175	ILE	C-O	-5.33	1.18	1.24
1	B	143	ILE	CA-CB	-5.28	1.48	1.54
1	A	167	ILE	CA-CB	5.27	1.61	1.54
1	B	144	ALA	CA-CB	5.27	1.61	1.53
1	D	133	ASN	N-CA	-5.25	1.39	1.45
1	B	174	GLN	CA-C	5.21	1.59	1.52
1	D	186	ILE	C-O	-5.20	1.17	1.24
1	A	74	GLY	C-O	-5.16	1.17	1.24
1	B	205	VAL	N-CA	-5.16	1.40	1.46
1	A	85	TRP	CA-C	-5.14	1.46	1.52
1	C	192	ASP	N-CA	5.12	1.53	1.46
1	D	119	GLN	CA-C	5.12	1.59	1.52
1	D	149	ASN	CA-C	5.10	1.59	1.52
1	C	118	ALA	CA-CB	5.07	1.61	1.53
1	B	170	GLN	C-O	-5.05	1.18	1.24
1	C	196	ILE	CA-C	-5.05	1.47	1.52
1	B	62	SER	CA-C	5.03	1.58	1.52
1	C	88	ALA	N-CA	5.01	1.52	1.46

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	51	ILE	CB-CA-C	-7.90	100.37	111.19
1	C	102	PHE	N-CA-C	-7.76	102.90	111.36
1	D	131	VAL	CB-CA-C	-7.53	99.11	110.55
1	C	78	GLU	N-CA-C	7.02	120.76	111.28
1	C	183	VAL	N-CA-C	-6.53	104.16	110.42
1	C	78	GLU	CB-CA-C	-6.13	103.16	112.11
1	B	60	ILE	CB-CA-C	-6.02	103.27	111.33
1	B	62	SER	N-CA-C	6.01	117.28	108.14
1	C	153	GLN	CA-C-N	5.99	125.54	119.19
1	C	153	GLN	C-N-CA	5.99	125.54	119.19
1	A	111	ASP	N-CA-C	5.90	118.47	111.33
1	C	41	TYR	CA-C-N	-5.75	115.29	122.48
1	C	41	TYR	C-N-CA	-5.75	115.29	122.48
1	B	183	VAL	N-CA-C	5.72	115.92	110.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	153	GLN	CA-CB-CG	-5.70	102.70	114.10
1	A	176	VAL	CB-CA-C	-5.46	104.43	111.20
1	B	142	ARG	N-CA-C	5.46	117.31	111.36
1	B	42	ILE	N-CA-C	5.44	116.19	107.98
1	A	189	MET	N-CA-C	-5.30	105.50	111.28
1	C	94	VAL	N-CA-C	5.29	115.68	107.28
1	C	181	GLU	N-CA-C	-5.26	105.63	111.36

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	77	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1598	0	1635	27	0
1	B	1598	0	1635	37	0
1	C	1598	0	1635	23	0
1	D	1598	0	1635	41	0
2	A	23	0	11	0	0
2	B	23	0	11	0	0
2	C	23	0	10	0	0
2	D	23	0	11	0	0
3	A	74	0	0	0	0
3	B	60	0	0	1	0
3	C	70	0	0	0	0
3	D	64	0	0	5	0
All	All	6752	0	6583	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:101:LYS:HE2	1:B:104:GLN:OE1	1.54	1.08
1:D:77:GLU:HG2	1:D:80:GLN:HG2	1.37	1.07
1:D:106:ILE:HD12	1:D:113:LEU:HB2	1.39	1.04
1:B:106:ILE:HD12	1:B:113:LEU:HB2	1.40	1.02
1:A:35:LYS:HD3	1:A:35:LYS:H	1.24	1.01
1:D:77:GLU:HG2	1:D:80:GLN:CG	1.98	0.93
1:D:77:GLU:CG	1:D:80:GLN:HG2	2.00	0.92
1:B:51:ILE:HG22	1:B:52:LYS:H	1.35	0.88
1:D:201:LYS:N	3:D:452:HOH:O	2.07	0.86
1:B:50:LEU:HD12	1:B:85:TRP:HB2	1.55	0.85
1:B:51:ILE:HG22	1:B:52:LYS:N	1.92	0.84
1:D:102:PHE:CE2	1:D:106:ILE:HD11	2.15	0.82
1:A:168:THR:OG1	1:A:171:GLU:HG3	1.80	0.81
1:D:119:GLN:OE1	3:D:406:HOH:O	2.07	0.71
1:A:153:GLN:HB3	1:A:154:PRO:HD2	1.73	0.70
1:B:53:ASP:OD2	1:B:57:LYS:HB2	1.92	0.70
1:A:35:LYS:H	1:A:35:LYS:CD	2.04	0.69
1:B:50:LEU:CD1	1:B:85:TRP:HB2	2.22	0.69
1:D:127:THR:O	1:D:130:LYS:HE3	1.94	0.68
1:D:206:TYR:OH	3:D:442:HOH:O	2.10	0.68
1:D:26:LYS:N	1:D:26:LYS:HD3	2.12	0.64
1:D:106:ILE:CD1	1:D:113:LEU:HB2	2.23	0.63
1:A:166:LYS:HG2	1:A:201:LYS:HE2	1.80	0.63
1:A:159:HIS:CG	1:A:160:PRO:HD2	2.33	0.63
1:C:52:LYS:HZ2	1:C:52:LYS:HB3	1.64	0.63
1:A:97:ILE:HD11	1:A:101:LYS:HG2	1.82	0.61
1:B:51:ILE:CG2	1:B:52:LYS:H	2.12	0.61
1:D:54:GLU:OE2	1:D:54:GLU:HA	2.00	0.61
1:B:201:LYS:HD3	1:B:201:LYS:H	1.66	0.60
1:C:209:ARG:HH11	1:C:209:ARG:HG3	1.65	0.60
1:B:127:THR:O	1:B:130:LYS:HE3	2.04	0.58
1:D:163:MET:HG2	1:D:208:THR:O	2.04	0.57
1:C:159:HIS:CG	1:C:160:PRO:HD2	2.41	0.56
1:A:35:LYS:HD3	1:A:35:LYS:N	2.06	0.56
1:C:72:GLU:O	1:C:75:LEU:HB2	2.06	0.56
1:B:37:GLU:HA	1:B:99:TYR:CD2	2.41	0.56
1:D:77:GLU:HG3	1:D:80:GLN:HG2	1.88	0.55
1:C:166:LYS:HB3	1:C:201:LYS:CD	2.38	0.54
1:C:52:LYS:HB3	1:C:52:LYS:NZ	2.23	0.54
1:B:40:TYR:CD1	1:B:96:GLU:HG2	2.43	0.53
1:A:8:ASP:HB3	1:A:11:LEU:HD12	1.89	0.53
1:C:187:LEU:O	1:C:191:GLU:HG3	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:159:HIS:CG	1:B:160:PRO:HD2	2.44	0.53
1:C:52:LYS:HZ2	1:C:52:LYS:CB	2.22	0.53
1:D:149:ASN:O	1:D:153:GLN:NE2	2.42	0.52
1:A:128:SER:HB2	3:B:433:HOH:O	2.09	0.52
1:D:49:VAL:HG22	1:D:86:VAL:HG22	1.90	0.52
1:B:159:HIS:ND1	1:B:160:PRO:HD2	2.25	0.52
1:B:51:ILE:CG2	1:B:52:LYS:N	2.64	0.52
1:C:52:LYS:NZ	1:C:52:LYS:CB	2.73	0.52
1:B:206:TYR:O	1:B:208:THR:HG23	2.11	0.51
1:D:13:TRP:CH2	1:D:105:LEU:HD22	2.45	0.51
1:A:8:ASP:CB	1:A:11:LEU:HD12	2.41	0.51
1:C:209:ARG:HG3	1:C:209:ARG:NH1	2.26	0.51
1:D:50:LEU:C	1:D:50:LEU:HD12	2.36	0.51
1:C:30:ILE:HD11	1:C:40:TYR:CE2	2.47	0.50
1:B:52:LYS:HA	1:B:57:LYS:O	2.12	0.50
1:B:159:HIS:CE1	1:B:160:PRO:HD2	2.47	0.50
1:C:34:GLU:HB2	1:C:35:LYS:HE3	1.94	0.49
1:D:200:GLY:C	3:D:452:HOH:O	2.49	0.49
1:B:30:ILE:HG23	1:B:82:ARG:HG3	1.95	0.49
1:C:59:MET:HE3	1:C:61:LEU:CD2	2.43	0.48
1:B:15:LEU:HD23	1:B:15:LEU:HA	1.67	0.48
1:C:77:GLU:OE1	1:C:80:GLN:HG3	2.14	0.48
1:D:40:TYR:CD1	1:D:96:GLU:HG2	2.49	0.48
1:B:106:ILE:CD1	1:B:113:LEU:HB2	2.25	0.48
1:B:149:ASN:O	1:B:153:GLN:HG3	2.14	0.47
1:B:129:GLU:HG3	1:B:189:MET:SD	2.54	0.47
1:D:167:ILE:HG13	1:D:171:GLU:HB2	1.96	0.47
1:A:121:ALA:HB2	1:B:120:MET:HE1	1.97	0.47
1:A:102:PHE:O	1:A:106:ILE:HG13	2.15	0.46
1:C:88:ALA:HB1	1:C:90:THR:O	2.14	0.46
1:D:42:ILE:HD11	1:D:70:ILE:HD11	1.97	0.46
1:A:187:LEU:O	1:A:191:GLU:HG3	2.15	0.46
1:A:123:ARG:O	1:A:127:THR:CG2	2.63	0.46
1:A:123:ARG:O	1:A:127:THR:HG23	2.16	0.46
1:D:189:MET:C	1:D:189:MET:SD	2.99	0.46
1:D:55:GLU:OE2	1:D:55:GLU:HA	2.15	0.46
1:D:130:LYS:HB3	3:D:464:HOH:O	2.16	0.45
1:D:54:GLU:OE2	1:D:54:GLU:CA	2.64	0.45
1:D:77:GLU:HG3	1:D:77:GLU:O	2.14	0.45
1:B:29:LEU:HD21	1:B:94:VAL:HG21	1.99	0.45
1:B:189:MET:SD	1:B:189:MET:C	3.00	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:159:HIS:CD2	1:A:160:PRO:HD2	2.50	0.45
1:A:153:GLN:HB3	1:A:154:PRO:CD	2.45	0.45
1:A:114:MET:HB3	1:A:114:MET:HE3	1.77	0.44
1:C:35:LYS:O	1:C:35:LYS:HD2	2.17	0.44
1:B:153:GLN:HA	1:B:154:PRO:HD3	1.70	0.44
1:B:102:PHE:CE2	1:B:106:ILE:HD11	2.53	0.44
1:A:51:ILE:HG12	1:A:61:LEU:HD11	1.99	0.44
1:A:59:MET:HG3	1:B:185:ARG:CG	2.48	0.44
1:A:8:ASP:O	1:A:12:GLU:HG3	2.17	0.44
1:B:102:PHE:O	1:B:106:ILE:HG12	2.18	0.43
1:D:187:LEU:O	1:D:191:GLU:HB2	2.18	0.43
1:D:20:ILE:N	1:D:20:ILE:HD13	2.32	0.43
1:D:167:ILE:HG12	1:D:172:ILE:HG13	2.00	0.43
1:A:59:MET:HE3	1:A:61:LEU:HD21	2.01	0.42
1:A:23:TYR:HA	1:A:24:PRO:HD3	1.90	0.42
1:D:50:LEU:CD1	1:D:85:TRP:HB2	2.49	0.42
1:B:201:LYS:HD3	1:B:201:LYS:N	2.34	0.42
1:D:77:GLU:CG	1:D:80:GLN:CG	2.76	0.42
1:D:50:LEU:HD12	1:D:50:LEU:O	2.20	0.42
1:A:125:GLN:NE2	1:B:80:GLN:OE1	2.53	0.41
1:B:42:ILE:HG22	1:B:66:GLN:HA	2.01	0.41
1:B:44:LYS:O	1:B:92:CYS:HA	2.20	0.41
1:C:115:ARG:HA	1:C:115:ARG:HD3	1.93	0.41
1:D:21:HIS:CD2	1:D:96:GLU:OE2	2.73	0.41
1:D:26:LYS:N	1:D:26:LYS:CD	2.82	0.41
1:B:159:HIS:CG	1:B:160:PRO:CD	3.04	0.41
1:C:29:LEU:N	1:C:29:LEU:HD12	2.36	0.41
1:B:201:LYS:H	1:B:201:LYS:CD	2.33	0.41
1:C:42:ILE:HD11	1:C:70:ILE:HD11	2.03	0.41
1:D:180:ARG:HG3	1:D:181:GLU:N	2.34	0.41
1:D:153:GLN:HA	1:D:154:PRO:HD3	1.87	0.41
1:A:189:MET:C	1:A:189:MET:SD	3.04	0.40
1:D:31:HIS:HB2	1:D:34:GLU:CD	2.46	0.40
1:D:145:GLN:OE1	1:D:145:GLN:HA	2.21	0.40
1:C:166:LYS:HB3	1:C:201:LYS:HD3	2.01	0.40
1:A:60:ILE:O	1:B:185:ARG:NH2	2.55	0.40
1:C:62:SER:HA	1:D:131:VAL:HG13	2.04	0.40
1:C:121:ALA:HB2	1:D:120:MET:HE1	2.04	0.40
1:C:66:GLN:H	1:C:66:GLN:HG2	1.68	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	200/210 (95%)	199 (100%)	1 (0%)	0	100	100
1	B	200/210 (95%)	191 (96%)	8 (4%)	1 (0%)	24	27
1	C	200/210 (95%)	196 (98%)	2 (1%)	2 (1%)	12	11
1	D	200/210 (95%)	196 (98%)	3 (2%)	1 (0%)	24	27
All	All	800/840 (95%)	782 (98%)	14 (2%)	4 (0%)	24	27

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	79	GLY
1	C	79	GLY
1	C	80	GLN
1	D	55	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	174/181 (96%)	162 (93%)	12 (7%)	14	16
1	B	174/181 (96%)	158 (91%)	16 (9%)	8	9
1	C	174/181 (96%)	161 (92%)	13 (8%)	12	14
1	D	174/181 (96%)	158 (91%)	16 (9%)	8	9
All	All	696/724 (96%)	639 (92%)	57 (8%)	10	12

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	LYS
1	A	52	LYS
1	A	66	GLN
1	A	80	GLN
1	A	110	PRO
1	A	119	GLN
1	A	126	VAL
1	A	127	THR
1	A	138	ASP
1	A	166	LYS
1	A	171	GLU
1	A	194	ASN
1	B	11	LEU
1	B	37	GLU
1	B	54	GLU
1	B	57	LYS
1	B	66	GLN
1	B	77	GLU
1	B	97	ILE
1	B	100	LYS
1	B	119	GLN
1	B	164	GLN
1	B	185	ARG
1	B	188	LYS
1	B	197	SER
1	B	201	LYS
1	B	202	THR
1	B	208	THR
1	C	9	PRO
1	C	35	LYS
1	C	37	GLU
1	C	44	LYS
1	C	52	LYS
1	C	62	SER
1	C	66	GLN
1	C	75	LEU
1	C	77	GLU
1	C	119	GLN
1	C	125	GLN
1	C	152	LYS
1	C	201	LYS
1	D	10	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	11	LEU
1	D	26	LYS
1	D	35	LYS
1	D	54	GLU
1	D	66	GLN
1	D	70	ILE
1	D	77	GLU
1	D	153	GLN
1	D	167	ILE
1	D	176	VAL
1	D	180	ARG
1	D	188	LYS
1	D	191	GLU
1	D	201	LYS
1	D	208	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	164	GLN
1	A	193	GLN
1	A	199	HIS
1	B	32	GLN
1	B	66	GLN
1	B	125	GLN
1	B	164	GLN
1	C	145	GLN
1	D	65	ASN
1	D	153	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PCG	D	301	-	26,26,26	1.79	9 (34%)	39,41,41	1.96	12 (30%)
2	PCG	B	301	-	26,26,26	1.97	8 (30%)	39,41,41	2.07	15 (38%)
2	PCG	A	301	-	26,26,26	3.72	11 (42%)	39,41,41	2.35	16 (41%)
2	PCG	C	301	-	26,26,26	2.14	7 (26%)	39,41,41	2.52	13 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PCG	D	301	-	-	0/4/31/31	0/4/4/4
2	PCG	B	301	-	-	1/4/31/31	0/4/4/4
2	PCG	A	301	-	-	0/4/31/31	0/4/4/4
2	PCG	C	301	-	-	0/4/31/31	0/4/4/4

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	PCG	PA-O5'	14.69	1.74	1.57
2	A	301	PCG	O5'-C5'	-6.31	1.37	1.46
2	C	301	PCG	O3'-C3'	-5.05	1.36	1.44
2	C	301	PCG	PA-O5'	4.91	1.63	1.57
2	A	301	PCG	PA-O3'	4.63	1.65	1.57
2	C	301	PCG	PA-O3'	4.62	1.65	1.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	301	PCG	PA-O3'	4.36	1.65	1.57
2	B	301	PCG	C5-N7	-4.19	1.30	1.39
2	B	301	PCG	O3'-C3'	-4.14	1.38	1.44
2	B	301	PCG	O4'-C1'	3.89	1.51	1.42
2	A	301	PCG	O6-C6	3.64	1.30	1.23
2	A	301	PCG	C5-N7	-3.62	1.31	1.39
2	A	301	PCG	C3'-C4'	-3.59	1.43	1.52
2	C	301	PCG	O2'-C2'	-3.36	1.34	1.43
2	D	301	PCG	PA-O1A	-2.86	1.42	1.55
2	B	301	PCG	C5-C6	-2.84	1.34	1.44
2	B	301	PCG	O5'-C5'	-2.80	1.42	1.46
2	D	301	PCG	C5-N7	-2.66	1.33	1.39
2	D	301	PCG	O3'-C3'	-2.56	1.40	1.44
2	A	301	PCG	PA-O1A	-2.56	1.43	1.55
2	D	301	PCG	PA-O5'	2.55	1.60	1.57
2	C	301	PCG	O5'-C5'	-2.45	1.42	1.46
2	B	301	PCG	C5'-C4'	-2.45	1.47	1.51
2	A	301	PCG	C4-N9	-2.42	1.31	1.38
2	D	301	PCG	O4'-C1'	2.40	1.47	1.42
2	A	301	PCG	C2-N1	2.39	1.43	1.37
2	A	301	PCG	C5-C6	-2.35	1.35	1.44
2	C	301	PCG	C5-C6	-2.33	1.36	1.44
2	B	301	PCG	C4-N9	-2.30	1.32	1.38
2	D	301	PCG	C4-N9	-2.29	1.32	1.38
2	C	301	PCG	C5'-C4'	2.15	1.55	1.51
2	D	301	PCG	C6-N1	-2.15	1.34	1.38
2	A	301	PCG	O2'-C2'	2.08	1.48	1.43
2	D	301	PCG	C5-C6	-2.03	1.37	1.44
2	B	301	PCG	O2'-C2'	-2.01	1.38	1.43

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	PCG	O3'-C3'-C4'	-7.23	105.25	110.71
2	A	301	PCG	O3'-C3'-C2'	-6.09	109.63	115.61
2	D	301	PCG	O3'-C3'-C4'	-5.71	106.40	110.71
2	C	301	PCG	C5-C4-N3	-5.26	120.02	128.39
2	C	301	PCG	C2-N3-C4	5.14	121.16	112.30
2	C	301	PCG	C2'-C3'-C4'	-4.92	94.62	103.24
2	C	301	PCG	O1A-PA-O2A	4.83	123.41	108.56
2	A	301	PCG	N9-C8-N7	-4.79	104.52	113.40
2	D	301	PCG	C5'-C4'-C3'	-4.61	103.89	112.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	PCG	C2'-C3'-C4'	-4.56	95.26	103.24
2	B	301	PCG	C5-C4-N3	-4.38	121.42	128.39
2	C	301	PCG	C2-N1-C6	-4.20	117.49	125.11
2	B	301	PCG	C2-N3-C4	3.97	119.14	112.30
2	B	301	PCG	O3'-C3'-C2'	-3.89	111.79	115.61
2	B	301	PCG	C2-N1-C6	-3.82	118.18	125.11
2	B	301	PCG	C5'-C4'-C3'	-3.80	105.42	112.56
2	D	301	PCG	C2-N1-C6	-3.68	118.43	125.11
2	C	301	PCG	C3'-C2'-C1'	3.65	107.92	99.89
2	C	301	PCG	N9-C4-N3	3.51	132.97	125.95
2	A	301	PCG	C5-C4-N3	-3.48	122.85	128.39
2	D	301	PCG	C5-C4-N3	-3.43	122.93	128.39
2	A	301	PCG	C8-N7-C5	3.39	110.30	104.26
2	A	301	PCG	O3'-C3'-C4'	-3.26	108.25	110.71
2	A	301	PCG	O1A-PA-O2A	3.00	117.79	108.56
2	D	301	PCG	N9-C8-N7	-2.98	107.87	113.40
2	D	301	PCG	C2-N3-C4	2.90	117.30	112.30
2	B	301	PCG	O1A-PA-O2A	2.90	117.47	108.56
2	B	301	PCG	N9-C8-N7	-2.89	108.04	113.40
2	A	301	PCG	C8-N9-C4	2.86	111.39	106.03
2	A	301	PCG	C3'-C2'-C1'	2.82	106.09	99.89
2	B	301	PCG	O3'-C3'-C4'	-2.76	108.62	110.71
2	A	301	PCG	O4'-C1'-C2'	-2.75	100.72	106.62
2	B	301	PCG	C8-N7-C5	2.74	109.14	104.26
2	A	301	PCG	C2-N3-C4	2.73	117.01	112.30
2	C	301	PCG	C5-C6-N1	2.73	120.21	113.25
2	B	301	PCG	C5-C6-N1	2.69	120.09	113.25
2	A	301	PCG	C6-C5-C4	2.60	122.75	118.83
2	C	301	PCG	O6-C6-C5	-2.60	119.67	126.53
2	A	301	PCG	N2-C2-N1	2.56	122.16	116.76
2	A	301	PCG	N9-C4-N3	2.51	130.98	125.95
2	B	301	PCG	O6-C6-N1	-2.48	115.45	120.11
2	C	301	PCG	O2'-C2'-C3'	2.46	118.06	111.19
2	A	301	PCG	O2'-C2'-C3'	2.34	117.74	111.19
2	B	301	PCG	C4'-O4'-C1'	-2.34	104.31	109.47
2	A	301	PCG	O4'-C1'-N9	2.30	113.56	108.36
2	B	301	PCG	O5'-PA-O2A	-2.29	105.15	110.44
2	D	301	PCG	C5-C6-N1	2.23	118.94	113.25
2	B	301	PCG	C4-C5-N7	-2.23	107.14	110.67
2	D	301	PCG	O6-C6-N1	-2.19	116.00	120.11
2	D	301	PCG	O1A-PA-O2A	2.19	115.28	108.56
2	C	301	PCG	O4'-C1'-C2'	-2.14	102.04	106.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	301	PCG	C4'-O4'-C1'	-2.12	104.78	109.47
2	B	301	PCG	O5'-PA-O3'	2.09	108.50	105.70
2	D	301	PCG	C4-C5-N7	-2.08	107.37	110.67
2	D	301	PCG	C8-N7-C5	2.06	107.93	104.26
2	C	301	PCG	N9-C8-N7	-2.04	109.61	113.40

There are no chirality outliers.



All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	301	PCG	O4'-C1'-N9-C4

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	202/210 (96%)	-1.32	0 100 100	13, 26, 43, 62	0
1	B	202/210 (96%)	-1.17	0 100 100	12, 33, 56, 66	0
1	C	202/210 (96%)	-1.32	0 100 100	16, 27, 43, 64	0
1	D	202/210 (96%)	-1.16	0 100 100	16, 34, 57, 67	0
All	All	808/840 (96%)	-1.24	0 100 100	12, 29, 53, 67	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PCG	B	301	23/23	0.99	0.03	31,36,42,43	0
2	PCG	C	301	23/23	0.99	0.03	16,21,26,29	0
2	PCG	D	301	23/23	0.99	0.03	32,36,41,44	0
2	PCG	A	301	23/23	1.00	0.02	17,20,26,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around PCG C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PCG D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.