



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 04:02 PM UTC

PDB ID : 6N92 / pdb_00006n92
Title : Methylmalonyl-CoA decarboxylase in complex with 2-nitronate-propionyl-CoA
Authors : Stunkard, L.M.; Dixon, A.D.; Huth, T.J.; Lohman, J.R.
Deposited on : 2018-11-30
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	261	91%8%
1	B	261	3%88%10%
1	C	261	2%88%11%
1	D	261	3%88%11%
1	E	261	3%89%10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	261	 A horizontal bar chart showing the quality of chain F. The bar is divided into three segments: a small red segment at the beginning labeled '2%', a large green segment in the middle labeled '89%', and a small yellow segment at the end labeled '10%'. The segments are separated by thin white lines.

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 15563 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Methylmalonyl-CoA decarboxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	260	Total	C	N	O	S	0	20	0
			2152	1380	365	394	13			
1	B	260	Total	C	N	O	S	0	17	0
			2141	1374	361	393	13			
1	C	260	Total	C	N	O	S	0	18	0
			2139	1372	364	391	12			
1	D	260	Total	C	N	O	S	0	17	0
			2136	1372	358	393	13			
1	E	260	Total	C	N	O	S	0	16	0
			2128	1366	357	393	12			
1	F	260	Total	C	N	O	S	0	21	0
			2160	1391	364	392	13			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	ALA	SER	engineered mutation	UNP P52045
B	2	ALA	SER	engineered mutation	UNP P52045
C	2	ALA	SER	engineered mutation	UNP P52045
D	2	ALA	SER	engineered mutation	UNP P52045
E	2	ALA	SER	engineered mutation	UNP P52045
F	2	ALA	SER	engineered mutation	UNP P52045

- Molecule 2 is [1-[2-[3-[[[(2 {R})-4-[[[(2 {R}),3 {S},4 {R}),5 {R}]-5-(6-aminopurin-9-yl)-4-oxidan-yl-3-phosphonooxy-oxolan-2-yl]methoxy-oxidanyl-phosphoryl]oxy-oxidanyl-phosphoryl]oxy-3,3-dimethyl-2-oxidanyl-butanoyl]amino]propanoylamino]ethylsulfanyl]-1-oxidanylidene-propan-2-ylidene]-bis(oxidanidyl)azanum (CCD ID: KfV) (formula: C₂₄H₃₈N₈O₁₉P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			55	24	8	19	3	1		
2	B	1	Total	C	N	O	P	S	0	1
			87	35	13	32	6	1		
2	C	1	Total	C	N	O	P	S	0	0
			55	24	8	19	3	1		
2	C	1	Total	C	N	O	P		0	1
			31	10	5	13	3			
2	D	1	Total	C	N	O	P	S	0	1
			96	42	14	32	6	2		
2	E	1	Total	C	N	O	P	S	0	0
			55	24	8	19	3	1		
2	E	1	Total	C	N	O	P		0	1
			31	10	5	13	3			
2	F	1	Total	C	N	O	P	S	0	1
			110	48	16	38	6	2		
2	F	1	Total	C	N	O	P		0	1
			31	10	5	13	3			


- Molecule 3 is NICKEL (II) ION (CCD ID: NI) (formula: Ni).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ni	0	0
			1	1		
3	D	1	Total	Ni	0	0
			1	1		
3	F	1	Total	Ni	0	0
			1	1		

- Molecule 4 is POTASSIUM ION (CCD ID: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total K 1 1	0	0

- Molecule 5 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: C₈H₁₈O₅).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	1	Total C O 13 8 5	0	0

- Molecule 6 is IMIDAZOLE (CCD ID: IMD) (formula: C₃H₅N₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total	C	N	0	0
			5	3	2		
6	F	1	Total	C	N	0	0
			5	3	2		

- Molecule 7 is (2E)-2-(hydroxyimino)propanoic acid (CCD ID: KG7) (formula: C₃H₅NO₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	F	1	Total	C	N	O	0	0
			7	3	1	3		


- Molecule 8 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	367	Total	O	0	18
			382	382		
8	B	330	Total	O	0	14
			340	340		
8	C	353	Total	O	0	19
			367	367		
8	D	326	Total	O	0	10
			333	333		
8	E	332	Total	O	0	15
			342	342		
8	F	348	Total	O	0	19
			358	358		


- Molecule 1: Methylmalonyl-CoA decarboxylase




- Chain B:  3% 88% 10%




- Chain C: 




- Chain D: 



- Chain E:  3% 89% 10%



● Molecule 1: Methylmalonyl-CoA decarboxylase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	87.01Å 114.32Å 194.35Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.36 – 1.70 29.36 – 1.70	Depositor EDS
% Data completeness (in resolution range)	97.5 (29.36-1.70) 98.2 (29.36-1.70)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.86 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.8.0230	Depositor
R, R_{free}	0.151 , 0.184 0.163 , 0.192	Depositor DCC
R_{free} test set	10440 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	14.8	Xtriage
Anisotropy	0.015	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 56.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	15563	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: K, NI, Kfv, IMD, KG7, PG4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.06	1/2249 (0.0%)	1.15	0/3041
1	B	1.08	2/2233 (0.1%)	1.21	0/3020
1	C	1.07	1/2236 (0.0%)	1.17	1/3025 (0.0%)
1	D	1.12	1/2223 (0.0%)	1.21	2/3008 (0.1%)
1	E	1.06	1/2221 (0.0%)	1.22	1/3007 (0.0%)
1	F	1.06	1/2263 (0.0%)	1.18	2/3061 (0.1%)
All	All	1.08	7/13425 (0.1%)	1.19	6/18162 (0.0%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	226	GLU	CD-OE2	-7.68	1.10	1.25
1	C	226[A]	GLU	CD-OE2	-6.71	1.12	1.25
1	B	66	HIS	CE1-NE2	6.50	1.39	1.32
1	D	226	GLU	CD-OE2	-6.03	1.13	1.25
1	A	104	GLU	C-O	5.75	1.30	1.24
1	B	25	LEU	C-O	5.34	1.31	1.23
1	F	180	HIS	CE1-NE2	5.29	1.37	1.32

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	82	ASP	CB-CA-C	5.71	120.21	110.56
1	C	86	ARG	NE-CZ-NH2	5.44	124.10	119.20
1	F	82	ASP	CB-CA-C	5.40	119.86	110.94
1	F	83	ASP	CA-CB-CG	-5.29	107.31	112.60
1	E	258	PHE	CA-C-O	-5.16	114.99	120.92
1	D	257	ASN	CA-CB-CG	-5.12	107.48	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2152	0	2205	18	0
1	B	2141	0	2182	38	0
1	C	2139	0	2176	32	0
1	D	2136	0	2173	46	0
1	E	2128	0	2161	31	0
1	F	2160	0	2217	34	0
2	A	55	0	0	1	0
2	B	87	0	0	6	0
2	C	86	0	0	13	0
2	D	96	0	0	6	0
2	E	86	0	0	9	0
2	F	141	0	0	28	0
3	A	1	0	0	0	0
3	D	1	0	0	0	0
3	F	1	0	0	0	0
4	C	1	0	0	0	0
5	C	13	0	18	0	0
6	D	5	0	5	0	0
6	F	5	0	5	0	0
7	F	7	0	0	0	0
8	A	382	0	0	5	0
8	B	340	0	0	4	0
8	C	367	0	0	6	0
8	D	333	0	0	1	0
8	E	342	0	0	7	0
8	F	358	0	0	5	0
All	All	15563	0	13142	199	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (199) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:222[B]:MET:HE1	1:F:215[B]:VAL:CG1	1.57	1.34
2:F:303[A]:KFB:C5'	2:F:303[A]:KFB:O22	1.77	1.33
1:E:78:PRO:HD2	1:E:238[B]:TYR:CZ	1.81	1.15
1:E:130[A]:SER:OG	2:E:302[A]:KFB:N7	1.85	1.10
1:D:222[B]:MET:HG3	1:D:227[B]:PHE:CE2	1.88	1.08
1:F:222[A]:MET:HE3	1:F:227[A]:PHE:CE1	1.88	1.08
1:D:78:PRO:HD2	1:D:238[B]:TYR:CZ	1.88	1.07
2:F:301[A]:KFB:S	2:F:301[A]:KFB:OS4	2.13	1.05
1:F:71:LEU:HD23	1:F:247[B]:MET:SD	2.01	0.99
1:B:255:LYS:HE3	1:B:255:LYS:HA	1.46	0.97
1:D:222[B]:MET:CG	1:D:227[B]:PHE:CE2	2.49	0.95
1:D:222[B]:MET:CG	1:D:227[B]:PHE:CZ	2.51	0.94
1:D:222[B]:MET:HE1	1:F:215[B]:VAL:HG13	1.47	0.93
1:E:78:PRO:HD2	1:E:238[B]:TYR:OH	1.67	0.92
1:D:222[B]:MET:HE1	1:F:215[B]:VAL:HG11	1.50	0.92
1:D:222[B]:MET:CE	1:F:215[B]:VAL:CG1	2.46	0.91
1:D:78:PRO:HD2	1:D:238[B]:TYR:OH	1.70	0.90
1:F:108:TRP:CH2	2:F:303[A]:KFB:C4	2.55	0.89
1:B:71:LEU:HD23	1:B:247[A]:MET:SD	2.11	0.89
1:C:130[A]:SER:OG	2:C:303[A]:KFB:N7	2.04	0.89
2:C:303[A]:KFB:C4'	2:C:303[A]:KFB:O11	2.16	0.88
1:D:222[B]:MET:HG2	1:D:227[B]:PHE:CZ	2.09	0.86
1:A:36:LEU:HD23	1:A:88[B]:ILE:CD1	2.07	0.85
1:F:108:TRP:CZ3	2:F:303[A]:KFB:C8	2.58	0.85
1:D:222[B]:MET:SD	1:D:227[B]:PHE:CE1	2.71	0.84
2:F:301[B]:KFB:OP2	2:F:301[B]:KFB:CP4	2.24	0.84
2:F:301[B]:KFB:OS4	2:F:301[B]:KFB:CP1	2.27	0.82
2:F:301[A]:KFB:OP2	2:F:301[A]:KFB:CP8	2.25	0.80
1:F:222[A]:MET:CE	1:F:227[A]:PHE:CE1	2.65	0.80
1:B:182[A]:VAL:HG21	1:B:187:LEU:HA	1.63	0.80
1:D:78:PRO:CD	1:D:238[B]:TYR:CZ	2.64	0.80
1:C:231[A]:GLN:HE22	1:C:234:ARG:HH11	1.29	0.80
1:D:222[B]:MET:CE	1:F:215[B]:VAL:HG13	2.09	0.80
1:A:36:LEU:CD2	1:A:88[B]:ILE:HD11	2.12	0.79
1:E:108:TRP:CH2	2:E:302[A]:KFB:C4	2.66	0.79
2:C:303[A]:KFB:O11	2:C:303[A]:KFB:O4'	2.00	0.79
1:B:71:LEU:CD1	1:B:78:PRO:HG3	2.14	0.77
1:A:36:LEU:HD23	1:A:88[B]:ILE:HD11	1.67	0.77
1:B:222[A]:MET:HE3	1:B:227[A]:PHE:CE1	2.19	0.76
1:E:108:TRP:CZ3	2:E:302[A]:KFB:C8	2.68	0.76
1:F:108:TRP:CZ3	2:F:303[A]:KFB:N7	2.54	0.76
2:A:301:KFB:S	2:A:301:KFB:OS5	2.43	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:78:PRO:CD	1:E:238[B]:TYR:CZ	2.66	0.75
1:C:108:TRP:CH2	2:C:303[A]:KFB:C5	2.70	0.75
1:A:222[B]:MET:HE3	1:A:226[B]:GLU:HB3	1.70	0.73
1:D:222[B]:MET:HG3	1:D:227[B]:PHE:CD2	2.23	0.73
1:E:66:HIS:CD2	1:E:71:LEU:HD21	2.24	0.73
1:F:108:TRP:CH2	2:F:303[A]:KFB:C5	2.71	0.73
1:B:73:SER:HB3	1:B:247[B]:MET:HE1	1.71	0.72
1:B:71:LEU:CD2	1:B:247[A]:MET:SD	2.78	0.71
1:C:108:TRP:CZ3	2:C:303[A]:KFB:N7	2.59	0.71
1:D:222[B]:MET:HE1	1:F:215[B]:VAL:HG12	1.68	0.71
1:F:222[A]:MET:HE3	1:F:227[A]:PHE:CZ	2.26	0.71
1:C:108:TRP:CH2	2:C:303[A]:KFB:C4	2.75	0.69
1:E:130[A]:SER:CB	2:E:302[A]:KFB:N7	2.55	0.69
2:D:302[B]:KFB:OP2	2:D:302[B]:KFB:CP4	2.40	0.68
1:B:71:LEU:HD11	1:B:78:PRO:HG3	1.75	0.68
1:E:72:PRO:HD2	1:E:78:PRO:HB3	1.77	0.67
1:E:130[A]:SER:OG	2:E:302[A]:KFB:C5	2.42	0.67
2:F:301[B]:KFB:NP2	8:F:402:HOH:O	2.27	0.67
1:C:83:ASP:OD1	8:C:676[B]:HOH:O	2.14	0.66
1:B:66:HIS:O	2:B:301[B]:KFB:N6	2.28	0.66
1:E:197[B]:HIS:HD2	8:E:482:HOH:O	1.79	0.66
2:D:302[B]:KFB:CP8	2:D:302[B]:KFB:N7	2.59	0.66
1:E:222[B]:MET:HE3	1:E:226:GLU:HB3	1.78	0.66
1:F:196[B]:HIS:HD2	8:F:580:HOH:O	1.80	0.65
1:C:108:TRP:CZ3	2:C:303[A]:KFB:C8	2.81	0.63
1:A:66:HIS:HE1	1:A:83:ASP:OD2	1.82	0.63
1:C:7:ASN:ND2	8:C:532[B]:HOH:O	2.31	0.63
1:E:45:ARG:NH1	8:E:402:HOH:O	2.21	0.62
1:F:66:HIS:O	2:F:301[B]:KFB:N6	2.33	0.62
2:D:302[B]:KFB:CP8	2:D:302[B]:KFB:C8	2.77	0.62
1:F:108:TRP:CH2	2:F:303[A]:KFB:N9	2.67	0.62
1:C:77:ASP:H	1:D:235:ARG:HH12	1.47	0.62
1:D:78:PRO:CD	1:D:238[B]:TYR:CE1	2.84	0.61
1:D:222[B]:MET:SD	1:D:227[B]:PHE:CD1	2.93	0.60
2:F:301[A]:KFB:O22	2:F:301[A]:KFB:O11	2.18	0.60
1:D:222[B]:MET:SD	1:D:227[B]:PHE:CZ	2.95	0.59
1:B:68:ILE:HG22	2:B:301[B]:KFB:C2	2.33	0.59
1:C:227[B]:PHE:HE2	1:D:231[B]:GLN:HG2	1.68	0.58
1:E:78:PRO:CD	1:E:238[B]:TYR:CE1	2.87	0.57
1:B:226[A]:GLU:CD	1:B:229:ARG:HH21	2.12	0.57
1:E:196[B]:HIS:HE1	8:E:561:HOH:O	1.88	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:108:TRP:CZ3	2:E:302[A]:KfV:N7	2.74	0.56
1:D:156[B]:ILE:CD1	8:F:699:HOH:O	2.54	0.55
1:D:72:PRO:HD2	1:D:78:PRO:HB3	1.88	0.55
1:F:108:TRP:CH2	2:F:303[A]:KfV:C8	2.90	0.55
1:C:18[B]:GLU:CD	8:C:482:HOH:O	2.51	0.54
1:A:214:ARG:O	1:A:218[B]:GLU:HG3	2.08	0.53
1:C:77:ASP:N	1:D:235:ARG:HH12	2.06	0.53
1:E:108:TRP:CH2	2:E:302[A]:KfV:C5	2.91	0.53
1:D:66:HIS:O	2:D:302[A]:KfV:N6	2.41	0.53
1:E:78:PRO:HD2	1:E:238[B]:TYR:CE1	2.39	0.53
1:B:182[B]:VAL:CG1	1:B:186:GLU:HB2	2.39	0.53
1:E:108:TRP:CH2	2:E:302[A]:KfV:N9	2.77	0.53
1:C:78:PRO:HD2	1:C:238:TYR:OH	2.10	0.52
1:F:71:LEU:HD22	2:F:301[B]:KfV:OS1	2.09	0.52
1:C:227[B]:PHE:HE2	1:D:231[B]:GLN:CG	2.22	0.52
1:C:108:TRP:CZ3	2:C:303[A]:KfV:C5	2.93	0.52
1:B:71:LEU:HD23	1:B:247[A]:MET:CE	2.40	0.51
1:E:10[B]:THR:HG21	8:E:402:HOH:O	2.11	0.51
1:D:78:PRO:CD	1:D:238[B]:TYR:OH	2.53	0.51
1:E:78:PRO:CD	1:E:238[B]:TYR:OH	2.51	0.51
1:A:33:ILE:HG22	1:A:37:MET:HE2	1.92	0.51
1:D:54:ARG:HH12	1:D:188[A]:GLU:CD	2.18	0.51
1:B:227[B]:PHE:HE2	1:E:231[B]:GLN:CG	2.24	0.51
1:C:130[A]:SER:OG	2:C:303[A]:KfV:C5	2.58	0.51
1:D:233:MET:HE2	1:F:208:VAL:HG23	1.92	0.50
1:B:222[A]:MET:HE3	1:B:227[A]:PHE:CZ	2.46	0.50
2:F:301[B]:KfV:OS4	2:F:301[B]:KfV:S	2.70	0.50
1:A:235[A]:ARG:HD2	8:A:595:HOH:O	2.11	0.50
1:F:54:ARG:HH12	1:F:188[A]:GLU:CD	2.19	0.50
1:B:188[B]:GLU:CD	8:B:497:HOH:O	2.54	0.49
1:B:182[A]:VAL:CG2	1:B:187:LEU:HA	2.40	0.49
1:A:33:ILE:HD12	1:A:88[B]:ILE:HD12	1.94	0.49
1:E:209:ILE:HG21	1:F:161:ILE:HG21	1.93	0.49
1:C:227[B]:PHE:CE2	1:D:231[B]:GLN:HG2	2.46	0.49
1:D:67:ASP:HA	2:D:302[A]:KfV:N1	2.28	0.49
1:B:45[B]:ARG:NH1	8:B:421:HOH:O	2.46	0.48
1:C:76:ARG:NH2	1:D:239:ASP:OD2	2.47	0.48
1:C:231[A]:GLN:CG	1:D:227[A]:PHE:HE2	2.27	0.48
1:A:23:ARG:H	1:A:23:ARG:HD3	1.77	0.48
1:F:108:TRP:HH2	2:F:303[A]:KfV:C4	2.23	0.48
1:F:128:THR:OG1	2:F:303[A]:KfV:N1	2.46	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:136:LEU:HD23	1:B:247[A]:MET:SD	2.54	0.48
1:B:78:PRO:HD2	1:B:238:TYR:CZ	2.49	0.47
1:C:222[A]:MET:HE2	1:C:227[A]:PHE:CE1	2.49	0.47
1:F:108:TRP:HZ3	2:F:303[A]:KfV:C8	2.21	0.47
1:B:261:HIS:ND1	8:B:407:HOH:O	2.35	0.47
1:A:161:ILE:HG21	1:C:209:ILE:HG21	1.97	0.47
1:A:244:GLN:NE2	8:A:411:HOH:O	2.47	0.47
1:B:45[B]:ARG:NH2	1:B:47:GLU:OE2	2.45	0.47
1:E:70:GLU:OE1	8:E:401:HOH:O	2.21	0.47
1:C:222[A]:MET:HE3	1:C:226[A]:GLU:HB3	1.96	0.46
1:D:78:PRO:HD3	1:D:238[B]:TYR:CE1	2.50	0.46
1:C:78:PRO:HD2	1:C:238:TYR:CZ	2.50	0.46
1:A:60:LYS:NZ	8:A:410:HOH:O	2.45	0.46
1:D:49:ARG:NH1	8:D:409:HOH:O	2.42	0.46
2:F:303[A]:KfV:C5'	2:F:303[A]:KfV:P2	2.98	0.45
2:F:301[B]:KfV:OP2	2:F:301[B]:KfV:N7	2.49	0.45
1:A:36:LEU:HD23	1:A:88[B]:ILE:HD12	1.95	0.45
1:F:108:TRP:CZ3	2:F:303[A]:KfV:C5	2.97	0.45
1:D:71:LEU:HD23	1:D:247[A]:MET:SD	2.55	0.45
1:B:227[B]:PHE:HE2	1:E:231[B]:GLN:HG3	1.81	0.45
2:B:301[B]:KfV:C5'	2:B:301[B]:KfV:O22	2.64	0.45
2:C:301:KfV:S	2:C:301:KfV:OS4	2.74	0.45
1:B:68:ILE:H	2:B:301[B]:KfV:C2	2.29	0.45
1:F:28:LEU:HD22	1:F:33:ILE:HD11	1.99	0.45
1:C:108:TRP:HZ3	2:C:303[A]:KfV:C8	2.29	0.45
1:D:36:LEU:HG	1:D:88:ILE:HD11	1.99	0.45
1:D:161:ILE:HG21	1:F:209:ILE:HG21	1.98	0.45
1:A:218[A]:GLU:CD	8:A:455:HOH:O	2.59	0.44
1:C:36:LEU:HD23	1:C:88:ILE:HD13	1.98	0.44
1:F:37:MET:HG2	1:F:88:ILE:HD13	1.98	0.44
1:C:166:PRO:HG3	2:C:303[A]:KfV:C4	2.47	0.44
1:B:78:PRO:HD2	1:B:238:TYR:OH	2.17	0.44
1:A:226[A]:GLU:CD	8:A:404[A]:HOH:O	2.60	0.44
1:B:247[A]:MET:HE3	1:B:247[A]:MET:HB3	1.79	0.44
1:C:231[A]:GLN:HE21	1:D:231[A]:GLN:HE22	1.66	0.43
1:F:68[B]:ILE:HD11	2:F:301[B]:KfV:S	2.59	0.43
2:F:301[B]:KfV:CP5	8:F:402:HOH:O	2.66	0.43
1:E:255:LYS:HE3	1:E:255:LYS:HA	2.00	0.43
1:B:76:ARG:HD2	8:E:501:HOH:O	2.18	0.43
1:D:71:LEU:HB3	1:D:247[A]:MET:CE	2.48	0.43
1:D:222[B]:MET:HE3	1:D:222[B]:MET:HB3	1.89	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:209:ILE:HG21	1:E:161:ILE:HG21	2.01	0.43
1:E:218:GLU:OE1	8:E:403:HOH:O	2.21	0.43
1:B:71:LEU:HB3	1:B:247[A]:MET:HE1	2.00	0.43
1:D:156[B]:ILE:HD11	8:F:699:HOH:O	2.16	0.43
1:F:71:LEU:HD13	2:F:301[B]:KFV:OS1	2.19	0.43
1:E:68[B]:ILE:HG21	1:E:250:PHE:CD1	2.55	0.42
1:B:222[A]:MET:CE	1:B:227[A]:PHE:CE1	2.99	0.42
1:C:45[B]:ARG:NH1	8:C:414:HOH:O	2.44	0.42
1:F:233:MET:HE2	1:F:233:MET:HB3	1.84	0.42
1:B:28:LEU:HD22	1:B:33:ILE:HD11	2.01	0.42
1:B:36[A]:LEU:HD23	1:B:88:ILE:CD1	2.49	0.42
1:B:71:LEU:HD13	1:B:78:PRO:HG3	1.96	0.42
1:F:108:TRP:HH2	2:F:303[A]:KFV:N9	2.16	0.42
1:B:67:ASP:HA	2:B:301[B]:KFV:N1	2.35	0.42
1:B:182[B]:VAL:HG13	1:B:186:GLU:HB2	2.02	0.42
1:D:33:ILE:HG22	1:D:37:MET:HE2	2.02	0.41
1:E:66:HIS:HB2	2:E:301:KFV:CS1	2.50	0.41
2:F:301[B]:KFV:O22	2:F:301[B]:KFV:O11	2.39	0.41
1:C:140:TYR:HB3	1:C:145:ILE:HD11	2.03	0.41
1:C:84:PRO:HG3	8:C:424:HOH:O	2.20	0.41
1:A:235[A]:ARG:HG3	1:A:238:TYR:CE1	2.56	0.41
1:B:68:ILE:HD12	1:B:247[A]:MET:HE1	2.03	0.41
1:D:247[B]:MET:HE2	1:D:247[B]:MET:HB3	1.84	0.41
1:E:83[B]:ASP:HA	1:E:84:PRO:HD3	1.92	0.41
1:A:182[B]:VAL:HG12	1:A:186:GLU:HB2	2.03	0.40
1:C:28:LEU:HD22	1:C:33:ILE:HD11	2.02	0.40
1:C:166:PRO:HB3	2:C:303[A]:KFV:C5	2.50	0.40
1:B:70:GLU:OE1	8:B:403:HOH:O	2.22	0.40
8:C:579:HOH:O	1:D:235:ARG:HD2	2.21	0.40
1:D:66:HIS:HB2	2:D:302[B]:KFV:S	2.62	0.40
1:F:25:LEU:HD12	2:F:301[A]:KFV:C8	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	278/261 (106%)	267 (96%)	8 (3%)	3 (1%)	11	3
1	B	275/261 (105%)	266 (97%)	8 (3%)	1 (0%)	30	16
1	C	275/261 (105%)	264 (96%)	10 (4%)	1 (0%)	30	16
1	D	275/261 (105%)	266 (97%)	8 (3%)	1 (0%)	30	16
1	E	274/261 (105%)	265 (97%)	7 (3%)	2 (1%)	18	7
1	F	279/261 (107%)	270 (97%)	8 (3%)	1 (0%)	30	16
All	All	1656/1566 (106%)	1598 (96%)	49 (3%)	9 (0%)	24	12

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	74[A]	GLY
1	A	74[B]	GLY
1	E	74	GLY
1	A	132	THR
1	D	132	THR
1	B	132	THR
1	C	132	THR
1	E	132	THR
1	F	132	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	242/224 (108%)	238 (98%)	4 (2%)	53	38
1	B	240/224 (107%)	236 (98%)	4 (2%)	53	38
1	C	240/224 (107%)	234 (98%)	6 (2%)	42	24
1	D	240/224 (107%)	234 (98%)	6 (2%)	42	24
1	E	239/224 (107%)	233 (98%)	6 (2%)	42	24

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	F	244/224 (109%)	239 (98%)	5 (2%)	48 32
All	All	1445/1344 (108%)	1414 (98%)	31 (2%)	50 30

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	ARG
1	A	45[A]	ARG
1	A	45[B]	ARG
1	A	154	PHE
1	B	154	PHE
1	B	182[A]	VAL
1	B	182[B]	VAL
1	B	255	LYS
1	C	45[A]	ARG
1	C	45[B]	ARG
1	C	71	LEU
1	C	73	SER
1	C	154	PHE
1	C	253	LYS
1	D	68[A]	ILE
1	D	68[B]	ILE
1	D	71	LEU
1	D	73	SER
1	D	76	ARG
1	D	154	PHE
1	E	66	HIS
1	E	71	LEU
1	E	76	ARG
1	E	154	PHE
1	E	186	GLU
1	E	255	LYS
1	F	66	HIS
1	F	154	PHE
1	F	218[A]	GLU
1	F	218[B]	GLU
1	F	251	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	4	GLN
1	A	7	ASN
1	A	26	ASN
1	A	66	HIS
1	A	244	GLN
1	B	7	ASN
1	B	26	ASN
1	B	244	GLN
1	C	7	ASN
1	C	66	HIS
1	C	193	GLN
1	D	87	GLN
1	D	193	GLN
1	D	261	HIS
1	E	69	HIS
1	E	244	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 4 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	KG7	F	304	3	6,6,6	2.37	2 (33%)	7,7,7	2.39	5 (71%)
2	KFV	C	303[A]	-	32,33,57	1.66	5 (15%)	50,52,85	2.19	15 (30%)
5	PG4	C	304	4	12,12,12	0.38	0	11,11,11	0.29	0
2	KFV	D	302[B]	-	47,50,57	1.34	5 (10%)	69,75,85	2.01	19 (27%)
2	KFV	F	301[A]	-	51,57,57	1.53	7 (13%)	71,85,85	3.51	18 (25%)
6	IMD	D	303	-	5,5,5	0.17	0	5,5,5	0.54	0
2	KFV	F	303[A]	-	32,33,57	1.47	3 (9%)	50,52,85	1.75	13 (26%)
2	KFV	C	301	-	51,57,57	1.43	9 (17%)	71,85,85	2.76	24 (33%)
2	KFV	B	301[A]	-	51,57,57	1.58	11 (21%)	71,85,85	3.30	28 (39%)
2	KFV	E	302[A]	-	32,33,57	1.46	4 (12%)	50,52,85	1.83	14 (28%)
2	KFV	A	301	-	51,57,57	1.35	5 (9%)	71,85,85	1.71	15 (21%)
6	IMD	F	305	3	5,5,5	0.24	0	5,5,5	0.48	0
2	KFV	F	301[B]	-	51,57,57	1.19	4 (7%)	71,85,85	2.26	21 (29%)
2	KFV	B	301[B]	-	51,57,57	1.74	12 (23%)	71,85,85	3.53	26 (36%)
2	KFV	E	301	-	51,57,57	1.27	6 (11%)	71,85,85	3.01	20 (28%)
2	KFV	D	302[A]	-	47,50,57	1.20	7 (14%)	69,75,85	3.10	24 (34%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	KG7	F	304	3	-	0/6/6/6	-
2	KFV	C	303[A]	-	-	7/21/37/75	0/3/3/3
5	PG4	C	304	4	-	3/10/10/10	-
2	KFV	D	302[B]	-	-	21/48/64/75	0/3/3/3
2	KFV	F	301[A]	-	-	12/52/75/75	0/3/3/3
6	IMD	D	303	-	-	-	0/1/1/1
2	KFV	F	303[A]	-	-	6/21/37/75	0/3/3/3
2	KFV	C	301	-	-	7/52/75/75	0/3/3/3
2	KFV	B	301[A]	-	-	11/52/75/75	0/3/3/3
2	KFV	E	302[A]	-	-	3/21/37/75	0/3/3/3
2	KFV	A	301	-	-	0/52/75/75	0/3/3/3
6	IMD	F	305	3	-	-	0/1/1/1
2	KFV	F	301[B]	-	-	17/52/75/75	0/3/3/3
2	KFV	B	301[B]	-	-	15/52/75/75	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	KFV	E	301	-	-	5/52/75/75	0/3/3/3
2	KFV	D	302[A]	-	-	11/48/64/75	0/3/3/3

All (80) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	303[A]	KFV	C5-C4	6.21	1.50	1.39
2	F	303[A]	KFV	C5-C4	5.60	1.49	1.39
2	A	301	KFV	C5-C4	5.49	1.48	1.39
2	E	302[A]	KFV	C5-C4	5.16	1.48	1.39
2	E	301	KFV	C5-C4	5.00	1.48	1.39
2	B	301[A]	KFV	C5-C4	4.95	1.47	1.39
2	D	302[B]	KFV	C5-C4	4.91	1.47	1.39
2	B	301[B]	KFV	P1-O6	4.86	1.64	1.59
2	B	301[B]	KFV	CPB-CPA	4.86	1.60	1.52
2	F	301[A]	KFV	C5-C4	4.77	1.47	1.39
7	F	304	KG7	CS3-CS2	4.54	1.58	1.49
2	F	301[A]	KFV	P1-O6	4.52	1.64	1.59
2	F	301[B]	KFV	C5-C4	4.21	1.46	1.39
2	F	301[A]	KFV	P2-O6	4.09	1.63	1.59
2	C	301	KFV	C5-C4	4.06	1.46	1.39
2	B	301[B]	KFV	C5-C4	3.80	1.45	1.39
2	D	302[A]	KFV	C5-C4	3.60	1.45	1.39
2	A	301	KFV	C8-N7	3.58	1.38	1.31
2	B	301[A]	KFV	P1-O6	-3.47	1.55	1.59
2	B	301[A]	KFV	P2-O6	-3.42	1.55	1.59
2	D	302[B]	KFV	P2-O6	3.29	1.63	1.59
2	C	301	KFV	P3-O3'	3.27	1.65	1.59
2	F	301[B]	KFV	C4-N9	-3.20	1.31	1.37
2	A	301	KFV	P3-O3'	3.18	1.65	1.59
2	E	301	KFV	P2-O6	3.15	1.62	1.59
2	B	301[B]	KFV	P2-O6	3.11	1.62	1.59
2	F	303[A]	KFV	C5-C6	3.06	1.49	1.41
2	C	301	KFV	CS3-CS2	3.06	1.56	1.49
2	C	303[A]	KFV	C8-N7	2.99	1.37	1.31
2	B	301[A]	KFV	C8-N7	2.94	1.37	1.31
2	F	301[A]	KFV	C8-N7	2.86	1.37	1.31
2	E	302[A]	KFV	C8-N7	2.86	1.37	1.31
2	C	303[A]	KFV	C5-C6	2.85	1.48	1.41
2	E	302[A]	KFV	C5-C6	2.83	1.48	1.41
7	F	304	KG7	O-CS1	2.83	1.29	1.22
2	B	301[B]	KFV	C4-N9	-2.81	1.31	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	302[A]	KFV	P3-O3'	2.76	1.64	1.59
2	F	303[A]	KFV	C8-N7	2.74	1.36	1.31
2	D	302[B]	KFV	C4-N9	-2.67	1.32	1.37
2	E	301	KFV	P1-O6	2.67	1.62	1.59
2	F	301[A]	KFV	C4-N9	-2.62	1.32	1.37
2	B	301[B]	KFV	P2-O7	2.56	1.69	1.59
2	B	301[A]	KFV	C5-C6	2.53	1.48	1.41
2	B	301[A]	KFV	C5-N7	-2.52	1.34	1.39
2	F	301[A]	KFV	C5-C6	2.52	1.48	1.41
2	C	301	KFV	C4-N9	-2.52	1.32	1.37
2	D	302[A]	KFV	P1-O6	2.51	1.62	1.59
2	B	301[B]	KFV	C5-N7	-2.51	1.34	1.39
2	A	301	KFV	P1-O6	2.47	1.62	1.59
2	C	301	KFV	C5-C6	2.41	1.47	1.41
2	B	301[A]	KFV	CP8-CPA	2.38	1.58	1.53
2	B	301[B]	KFV	CP8-CPA	2.38	1.58	1.53
2	E	301	KFV	C8-N7	2.35	1.36	1.31
2	D	302[A]	KFV	C5-C6	2.34	1.47	1.41
2	C	303[A]	KFV	P1-O6	2.33	1.62	1.59
2	D	302[B]	KFV	C5-N7	-2.32	1.34	1.39
2	B	301[A]	KFV	CS3-CS2	2.31	1.54	1.49
2	B	301[B]	KFV	CS3-CS2	2.31	1.54	1.49
2	D	302[B]	KFV	C8-N7	2.28	1.36	1.31
2	D	302[A]	KFV	C8-N7	2.25	1.36	1.31
2	C	301	KFV	C5-N7	-2.25	1.35	1.39
2	E	301	KFV	C5-C6	2.22	1.47	1.41
2	F	301[A]	KFV	C5-N7	-2.18	1.35	1.39
2	C	303[A]	KFV	C5-N7	-2.18	1.35	1.39
2	F	301[B]	KFV	C5-C6	2.16	1.47	1.41
2	B	301[B]	KFV	C5-C6	2.15	1.47	1.41
2	F	301[B]	KFV	C8-N7	2.10	1.35	1.31
2	D	302[A]	KFV	CP3-NP1	2.10	1.38	1.33
2	D	302[A]	KFV	CP8-CPA	2.10	1.58	1.53
2	B	301[A]	KFV	OS1-CS1	2.09	1.26	1.22
2	B	301[B]	KFV	OS1-CS1	2.09	1.26	1.22
2	C	301	KFV	CPB-CPA	-2.09	1.49	1.52
2	C	301	KFV	O7-CPB	-2.09	1.37	1.43
2	A	301	KFV	C5-N7	-2.07	1.35	1.39
2	C	301	KFV	OS1-CS1	2.06	1.26	1.22
2	B	301[A]	KFV	OP3-CP7	2.06	1.46	1.42
2	B	301[B]	KFV	OP3-CP7	2.06	1.46	1.42
2	E	301	KFV	P3-O3'	2.05	1.63	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301[A]	KFV	C4-N9	-2.02	1.33	1.37
2	D	302[A]	KFV	C4-N9	-2.01	1.33	1.37

All (242) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301[A]	KFV	CP8-CPA-CP7	-16.14	81.26	108.77
2	B	301[B]	KFV	CP8-CPA-CP7	-16.14	81.26	108.77
2	F	301[A]	KFV	CP8-CPA-CP9	-12.97	83.35	109.20
2	F	301[A]	KFV	CP8-CPA-CPB	-12.89	86.95	108.22
2	D	302[A]	KFV	CP8-CPA-CPB	-12.73	87.21	108.22
2	C	301	KFV	CP8-CPA-CPB	-12.14	88.18	108.22
2	F	301[A]	KFV	CP8-CPA-CP7	-11.70	88.82	108.77
2	E	301	KFV	CP1-S-CS1	10.78	112.56	99.85
2	F	301[A]	KFV	CP1-S-CS1	10.77	112.54	99.85
2	E	301	KFV	CP8-CPA-CPB	-10.54	90.83	108.22
2	B	301[A]	KFV	CP8-CPA-CP9	-10.09	89.08	109.20
2	B	301[B]	KFV	CP8-CPA-CP9	-10.09	89.08	109.20
2	B	301[B]	KFV	CP8-CPA-CPB	-9.30	92.88	108.22
2	D	302[A]	KFV	CP9-CPA-CPB	9.09	123.23	108.22
2	F	301[A]	KFV	CP9-CPA-CP7	8.91	123.95	108.77
2	B	301[B]	KFV	O7-CPB-CPA	8.84	124.76	110.55
2	B	301[A]	KFV	CP9-CPA-CP7	8.63	123.48	108.77
2	B	301[B]	KFV	CP9-CPA-CP7	8.63	123.48	108.77
2	E	301	KFV	CP8-CPA-CP9	-8.53	92.20	109.20
2	D	302[A]	KFV	CP8-CPA-CP9	-8.25	92.75	109.20
2	E	301	KFV	CP9-CPA-CPB	8.22	121.80	108.22
2	F	301[B]	KFV	CP1-S-CS1	8.19	109.50	99.85
2	B	301[A]	KFV	CP8-CPA-CPB	-8.10	94.84	108.22
2	C	301	KFV	CP8-CPA-CP7	-7.94	95.23	108.77
2	C	301	KFV	CP9-CPA-CP7	7.24	121.10	108.77
2	E	301	KFV	CP8-CPA-CP7	-7.01	96.82	108.77
2	E	301	KFV	CP9-CPA-CP7	6.80	120.36	108.77
2	D	302[A]	KFV	CP8-CPA-CP7	-6.79	97.19	108.77
2	C	303[A]	KFV	C5-C4-N3	-6.71	117.48	126.72
2	C	301	KFV	CP8-CPA-CP9	-6.70	95.84	109.20
2	D	302[B]	KFV	CP5-CP4-CP3	-6.06	102.30	112.39
2	F	301[B]	KFV	C4-N9-C8	5.96	111.99	105.74
2	F	301[B]	KFV	C4'-O4'-C1'	-5.87	96.51	109.47
2	C	303[A]	KFV	N3-C4-N9	5.67	136.81	127.17
2	C	301	KFV	OP3-CP7-CPA	-5.49	97.45	110.18
2	D	302[A]	KFV	CP4-CP3-NP1	5.43	126.23	116.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301[A]	KFV	C5-C4-N3	-5.41	119.27	126.72
2	B	301[B]	KFV	C5-C4-N3	-5.31	119.41	126.72
2	B	301[B]	KFV	CP9-CPA-CPB	5.30	116.98	108.22
2	D	302[A]	KFV	OP1-CP3-CP4	-5.19	112.62	122.02
2	C	301	KFV	C5-C4-N3	-5.05	119.77	126.72
2	D	302[B]	KFV	C5-C4-N3	-5.00	119.83	126.72
2	D	302[B]	KFV	N3-C4-N9	4.88	135.47	127.17
2	E	302[A]	KFV	C5-C4-N3	-4.79	120.12	126.72
2	F	301[A]	KFV	C5-C4-N3	-4.78	120.14	126.72
2	D	302[A]	KFV	C4-N9-C8	4.77	110.74	105.74
2	D	302[B]	KFV	OP1-CP3-CP4	-4.73	113.45	122.02
2	F	301[A]	KFV	O6-P1-O12	-4.65	96.71	110.70
2	F	301[B]	KFV	N3-C2-N1	-4.62	121.59	128.58
2	A	301	KFV	C4-N9-C8	4.57	110.53	105.74
2	D	302[A]	KFV	C5-C4-N3	-4.52	120.50	126.72
2	E	301	KFV	C5-C4-N3	-4.48	120.54	126.72
2	A	301	KFV	O22-P2-O6	4.46	119.31	107.27
2	B	301[B]	KFV	N3-C4-N9	4.25	134.39	127.17
2	D	302[A]	KFV	CP1-CP2-NP1	4.21	121.85	112.31
2	B	301[A]	KFV	N3-C4-N9	4.18	134.28	127.17
2	D	302[B]	KFV	C4-N9-C8	4.17	110.11	105.74
2	C	301	KFV	N3-C4-N9	4.14	134.21	127.17
2	A	301	KFV	N3-C4-N9	4.13	134.20	127.17
2	F	303[A]	KFV	C5-C4-N3	-4.12	121.04	126.72
2	B	301[A]	KFV	CP4-CP5-NP2	4.12	120.77	112.00
2	B	301[B]	KFV	CP4-CP5-NP2	4.12	120.77	112.00
2	D	302[A]	KFV	N3-C4-N9	4.05	134.06	127.17
2	B	301[A]	KFV	OP3-CP7-CPA	-4.04	100.81	110.18
2	B	301[B]	KFV	OP3-CP7-CPA	-4.04	100.81	110.18
2	F	301[A]	KFV	CP9-CPA-CPB	4.00	114.82	108.22
2	F	301[B]	KFV	CP1-CP2-NP1	3.99	120.75	112.41
2	A	301	KFV	CP9-CPA-CP7	3.98	115.56	108.77
2	F	301[B]	KFV	CP5-CP4-CP3	-3.98	105.77	112.39
2	E	301	KFV	N3-C4-N9	3.97	133.92	127.17
2	E	301	KFV	OP3-CP7-CPA	-3.96	101.00	110.18
2	F	301[B]	KFV	CP8-CPA-CP7	-3.90	102.11	108.77
2	B	301[B]	KFV	C4-N9-C8	3.89	109.82	105.74
2	F	301[A]	KFV	N3-C4-N9	3.84	133.70	127.17
2	F	301[A]	KFV	N3-C2-N1	-3.83	122.79	128.58
2	E	302[A]	KFV	C4-C5-N7	-3.81	106.23	110.58
2	B	301[B]	KFV	C4-C5-N7	-3.78	106.26	110.58
2	F	303[A]	KFV	N3-C2-N1	-3.77	122.87	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	303[A]	KFV	C4-C5-N7	-3.76	106.28	110.58
2	C	303[A]	KFV	O4'-C1'-N9	3.76	115.30	108.09
2	F	301[B]	KFV	C4-N9-C1'	-3.71	117.95	126.63
2	D	302[B]	KFV	CP4-CP3-NP1	3.70	123.09	116.34
2	D	302[B]	KFV	CP7-CP6-NP2	-3.68	109.50	116.48
2	E	302[A]	KFV	N3-C2-N1	-3.66	123.04	128.58
2	C	303[A]	KFV	C2-N3-C4	3.63	120.70	111.83
2	B	301[A]	KFV	C2-N3-C4	3.61	120.65	111.83
2	D	302[A]	KFV	CP9-CPA-CP7	3.58	114.88	108.77
2	C	303[A]	KFV	O11-P1-O5'	-3.56	91.44	107.57
7	F	304	KG7	OS4-NS4-CS2	3.52	123.17	112.25
2	F	301[A]	KFV	C2-N3-C4	3.49	120.36	111.83
2	B	301[A]	KFV	O11-P1-O5'	3.49	123.40	107.57
2	B	301[A]	KFV	OP3-CP7-CP6	-3.49	94.82	109.38
2	B	301[B]	KFV	OP3-CP7-CP6	-3.49	94.82	109.38
2	B	301[B]	KFV	C2-N3-C4	3.48	120.34	111.83
2	D	302[A]	KFV	N9-C8-N7	-3.47	109.02	113.94
2	E	301	KFV	C4-N9-C8	3.45	109.36	105.74
2	E	302[A]	KFV	C2-N3-C4	3.45	120.25	111.83
2	B	301[A]	KFV	N3-C2-N1	-3.45	123.36	128.58
2	E	302[A]	KFV	N3-C4-N9	3.44	133.03	127.17
2	A	301	KFV	C5-C4-N3	-3.42	122.01	126.72
2	C	301	KFV	O32-P3-O31	3.41	120.60	107.80
2	F	303[A]	KFV	C4-N9-C8	3.40	109.31	105.74
2	A	301	KFV	O6-P2-O21	-3.40	100.47	110.70
2	F	303[A]	KFV	N3-C4-N9	3.40	132.95	127.17
2	D	302[A]	KFV	O11-P1-O6	3.36	116.35	107.27
2	F	301[B]	KFV	N3-C4-N9	3.32	132.81	127.17
2	D	302[A]	KFV	C4-C5-N7	-3.30	106.81	110.58
2	B	301[A]	KFV	CP5-CP4-CP3	-3.29	106.91	112.39
2	B	301[B]	KFV	CP5-CP4-CP3	-3.29	106.91	112.39
2	F	301[A]	KFV	C4-N9-C8	3.27	109.17	105.74
2	F	303[A]	KFV	C2-N3-C4	3.27	119.81	111.83
2	F	303[A]	KFV	C2-N1-C6	3.24	124.06	118.73
2	C	303[A]	KFV	O7-P2-O6	3.24	115.50	104.64
2	E	301	KFV	C2-N3-C4	3.21	119.67	111.83
2	E	301	KFV	O6-P2-O21	-3.21	101.04	110.70
2	B	301[A]	KFV	C4-C5-N7	-3.19	106.93	110.58
2	D	302[A]	KFV	C2-N3-C4	3.17	119.58	111.83
2	C	303[A]	KFV	O4'-C4'-C5'	3.16	119.44	109.33
2	C	303[A]	KFV	O4'-C1'-C2'	-3.15	99.87	106.62
2	E	301	KFV	N3-C2-N1	-3.15	123.81	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	303[A]	KFV	C4-C5-N7	-3.14	106.99	110.58
7	F	304	KG7	CS1-CS2-NS4	3.12	117.80	114.72
2	F	303[A]	KFV	C5-N7-C8	3.11	108.34	103.45
2	C	303[A]	KFV	N3-C2-N1	-3.10	123.89	128.58
2	F	301[B]	KFV	C2-N1-C6	3.09	123.81	118.73
2	C	301	KFV	C4-N9-C8	3.08	108.98	105.74
2	D	302[A]	KFV	N3-C2-N1	-3.08	123.91	128.58
2	B	301[B]	KFV	N9-C8-N7	-3.08	109.57	113.94
2	F	303[A]	KFV	C6-C5-N7	3.07	138.00	132.09
2	C	301	KFV	O6-P2-O21	-3.05	101.54	110.70
2	C	301	KFV	O7-CPB-CPA	-3.05	105.65	110.55
2	E	302[A]	KFV	O3'-C3'-C2'	-3.04	100.78	111.68
2	B	301[B]	KFV	O3'-C3'-C2'	-3.02	100.84	111.68
2	C	303[A]	KFV	P1-O5'-C5'	-3.01	104.12	121.35
2	F	301[A]	KFV	C4-C5-N7	-3.00	107.15	110.58
2	B	301[B]	KFV	C5-N7-C8	2.99	108.15	103.45
2	A	301	KFV	CP1-S-CS1	2.98	103.36	99.85
2	E	302[A]	KFV	C6-C5-N7	2.96	137.80	132.09
2	E	301	KFV	C4-C5-N7	-2.93	107.23	110.58
2	D	302[B]	KFV	C2-N3-C4	2.93	118.98	111.83
2	D	302[B]	KFV	N3-C2-N1	-2.92	124.16	128.58
2	D	302[B]	KFV	CP4-CP5-NP2	-2.90	105.82	112.00
2	E	302[A]	KFV	C2-N1-C6	2.90	123.49	118.73
2	F	301[B]	KFV	C2-N3-C4	2.89	118.90	111.83
2	D	302[A]	KFV	CP4-CP5-NP2	2.89	118.14	112.00
2	D	302[A]	KFV	C5-N7-C8	2.88	107.97	103.45
2	C	301	KFV	C4-C5-N7	-2.86	107.31	110.58
2	C	301	KFV	C2-N3-C4	2.84	118.78	111.83
2	F	301[B]	KFV	C2'-C1'-N9	2.83	120.33	113.30
2	C	301	KFV	CP2-NP1-CP3	2.82	128.07	122.82
2	E	302[A]	KFV	P3-O3'-C3'	2.82	130.95	123.43
2	C	303[A]	KFV	C5-N7-C8	2.81	107.86	103.45
2	B	301[A]	KFV	CP9-CPA-CPB	2.81	112.86	108.22
2	D	302[B]	KFV	CP5-NP2-CP6	-2.80	117.51	122.55
2	B	301[A]	KFV	CP1-S-CS1	2.79	103.13	99.85
2	B	301[B]	KFV	CP1-S-CS1	2.79	103.13	99.85
7	F	304	KG7	OS1-CS1-CS2	2.76	122.37	116.50
2	F	301[B]	KFV	C6-C5-N7	2.75	137.39	132.09
2	F	303[A]	KFV	N9-C8-N7	-2.74	110.05	113.94
2	E	301	KFV	C6-C5-N7	2.72	137.34	132.09
2	F	301[A]	KFV	CP7-CP6-NP2	2.71	121.62	116.48
2	A	301	KFV	N3-C2-N1	-2.69	124.51	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	302[A]	KFV	C4-N9-C8	2.67	108.55	105.74
2	B	301[B]	KFV	N3-C2-N1	-2.66	124.56	128.58
2	F	301[A]	KFV	CP2-NP1-CP3	-2.65	117.89	122.82
2	D	302[B]	KFV	P3-O3'-C3'	-2.62	116.44	123.43
2	F	301[B]	KFV	CP4-CP3-NP1	-2.61	111.58	116.34
2	F	301[A]	KFV	C2-N1-C6	2.57	122.96	118.73
2	F	301[B]	KFV	C6-C5-C4	-2.57	113.66	117.18
2	F	301[B]	KFV	N9-C8-N7	-2.57	110.30	113.94
2	D	302[A]	KFV	O32-P3-O31	2.55	117.35	107.80
2	F	301[B]	KFV	CP4-CP5-NP2	-2.54	106.59	112.00
2	C	303[A]	KFV	O2'-C2'-C1'	2.54	118.84	110.10
2	F	303[A]	KFV	C4-N9-C1'	-2.50	120.79	126.63
2	B	301[A]	KFV	C4-N9-C8	2.48	108.35	105.74
2	D	302[B]	KFV	N6-C6-N1	2.48	123.89	118.38
2	E	302[A]	KFV	O2'-C2'-C3'	-2.46	104.31	111.19
2	B	301[A]	KFV	CP7-CP6-NP2	2.45	121.14	116.48
2	B	301[B]	KFV	CP7-CP6-NP2	2.45	121.14	116.48
2	B	301[B]	KFV	C2'-C1'-N9	-2.45	107.22	113.30
2	B	301[A]	KFV	CS3-CS2-CS1	-2.44	113.84	118.35
2	B	301[B]	KFV	CS3-CS2-CS1	-2.44	113.84	118.35
2	C	301	KFV	N3-C2-N1	-2.41	124.94	128.58
2	C	301	KFV	CP4-CP5-NP2	2.40	117.12	112.00
2	C	303[A]	KFV	C5'-C4'-C3'	-2.40	106.39	114.38
2	F	301[B]	KFV	O6-P1-O12	-2.39	103.52	110.70
2	B	301[B]	KFV	C6-C5-N7	2.38	136.67	132.09
2	D	302[A]	KFV	O32-P3-O3'	2.37	115.10	105.85
2	C	301	KFV	O22-P2-O21	2.37	123.48	112.44
2	F	303[A]	KFV	O7-P2-O6	2.34	112.49	104.64
2	A	301	KFV	OP1-CP3-CP4	-2.33	117.79	122.02
2	D	302[A]	KFV	OP2-CP6-CP7	-2.33	114.38	120.89
7	F	304	KG7	O-CS1-CS2	-2.33	118.50	121.35
2	A	301	KFV	CP5-CP4-CP3	-2.33	108.52	112.39
2	C	301	KFV	C4'-O4'-C1'	2.32	114.59	109.47
2	F	303[A]	KFV	O6-P1-O12	-2.31	103.75	110.70
2	F	301[B]	KFV	C5-C4-N3	-2.30	123.55	126.72
2	C	301	KFV	N9-C8-N7	-2.30	110.67	113.94
2	B	301[A]	KFV	P1-O5'-C5'	2.30	134.51	121.35
2	B	301[B]	KFV	O4'-C1'-N9	2.28	112.47	108.09
2	E	302[A]	KFV	C5-N7-C8	2.27	107.02	103.45
2	C	301	KFV	CP9-CPA-CPB	2.27	111.97	108.22
2	C	301	KFV	C5-N7-C8	2.27	107.02	103.45
2	C	301	KFV	CS3-CS2-CS1	-2.26	114.17	118.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	301	KFV	CP2-NP1-CP3	2.26	127.02	122.82
2	B	301[A]	KFV	O4'-C4'-C5'	2.25	116.54	109.33
2	E	302[A]	KFV	O22-P2-O6	2.25	112.17	104.64
2	D	302[B]	KFV	CP1-CP2-NP1	2.24	117.39	112.31
2	E	301	KFV	OP1-CP3-NP1	2.24	127.42	123.03
2	F	301[A]	KFV	O5'-C5'-C4'	2.23	116.58	108.99
2	B	301[A]	KFV	O4'-C4'-C3'	-2.22	100.23	104.92
2	A	301	KFV	N9-C8-N7	-2.22	110.79	113.94
2	D	302[A]	KFV	C6-C5-N7	2.21	136.34	132.09
2	D	302[B]	KFV	C4-C5-N7	-2.19	108.08	110.58
2	A	301	KFV	C4-N9-C1'	-2.19	121.52	126.63
2	D	302[B]	KFV	N9-C8-N7	-2.16	110.88	113.94
2	F	301[B]	KFV	CP8-CPA-CPB	2.16	111.78	108.22
2	C	301	KFV	O11-P1-O5'	2.15	117.33	107.57
2	B	301[A]	KFV	C5-N7-C8	2.15	106.84	103.45
2	A	301	KFV	N6-C6-N1	2.15	123.17	118.38
2	D	302[A]	KFV	C4'-O4'-C1'	-2.14	104.73	109.47
2	E	302[A]	KFV	C4-N9-C1'	-2.14	121.63	126.63
2	D	302[B]	KFV	O4'-C4'-C5'	2.13	116.17	109.33
2	D	302[A]	KFV	O2'-C2'-C3'	2.12	117.13	111.19
2	C	301	KFV	N6-C6-N1	2.12	123.10	118.38
2	B	301[A]	KFV	OP2-CP6-NP2	-2.11	118.51	122.98
2	B	301[B]	KFV	OP2-CP6-NP2	-2.11	118.51	122.98
2	B	301[A]	KFV	O6-P1-O12	-2.10	104.38	110.70
2	D	302[B]	KFV	C1'-N9-C8	-2.10	122.43	127.09
2	E	301	KFV	C5-N7-C8	2.10	106.75	103.45
2	F	301[A]	KFV	C6-C5-N7	2.09	136.11	132.09
2	B	301[A]	KFV	C6-C5-N7	2.07	136.08	132.09
2	D	302[B]	KFV	O6-P1-O12	-2.07	104.48	110.70
2	A	301	KFV	C2-N3-C4	2.05	116.84	111.83
2	F	301[B]	KFV	CP2-NP1-CP3	2.05	126.64	122.82
2	B	301[A]	KFV	O2'-C2'-C3'	2.04	116.90	111.19
2	C	303[A]	KFV	O5'-C5'-C4'	2.04	115.95	108.99
2	B	301[A]	KFV	C2-N1-C6	2.04	122.08	118.73
2	E	301	KFV	OP1-CP3-CP4	-2.02	118.36	122.02
7	F	304	KG7	OS1-CS1-O	-2.01	119.12	123.90
2	A	301	KFV	C2-N1-C6	2.01	122.02	118.73
2	E	301	KFV	N9-C8-N7	-2.00	111.09	113.94

There are no chirality outliers.

All (118) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	301[A]	KFV	C5'-O5'-P1-O11
2	B	301[A]	KFV	C5'-O5'-P1-O6
2	B	301[A]	KFV	CP7-CPA-CPB-O7
2	B	301[A]	KFV	OP3-CP7-CPA-CPB
2	B	301[A]	KFV	CP6-CP7-CPA-CPB
2	B	301[A]	KFV	OP3-CP7-CPA-CP9
2	B	301[A]	KFV	CP6-CP7-CPA-CP9
2	B	301[B]	KFV	CPB-O7-P2-O6
2	B	301[B]	KFV	CPB-O7-P2-O21
2	B	301[B]	KFV	CPB-O7-P2-O22
2	B	301[B]	KFV	CP9-CPA-CPB-O7
2	B	301[B]	KFV	CP8-CPA-CPB-O7
2	B	301[B]	KFV	OP3-CP7-CPA-CPB
2	B	301[B]	KFV	CP6-CP7-CPA-CPB
2	B	301[B]	KFV	OP3-CP7-CPA-CP9
2	B	301[B]	KFV	CP6-CP7-CPA-CP9
2	C	301	KFV	C5'-O5'-P1-O11
2	C	301	KFV	C5'-O5'-P1-O12
2	C	301	KFV	C5'-O5'-P1-O6
2	C	301	KFV	CP7-CPA-CPB-O7
2	C	301	KFV	OP3-CP7-CPA-CP9
2	C	301	KFV	CP6-CP7-CPA-CP9
2	D	302[A]	KFV	P1-O6-P2-O7
2	D	302[A]	KFV	CP7-CPA-CPB-O7
2	D	302[A]	KFV	OP3-CP7-CPA-CP9
2	D	302[A]	KFV	CP6-CP7-CPA-CP9
2	D	302[A]	KFV	S-CP1-CP2-NP1
2	D	302[B]	KFV	C5'-O5'-P1-O11
2	D	302[B]	KFV	C5'-O5'-P1-O6
2	D	302[B]	KFV	CP8-CPA-CPB-O7
2	D	302[B]	KFV	CP7-CPA-CPB-O7
2	D	302[B]	KFV	OP3-CP7-CPA-CPB
2	D	302[B]	KFV	CP6-CP7-CPA-CPB
2	D	302[B]	KFV	OP3-CP7-CPA-CP9
2	D	302[B]	KFV	CP6-CP7-CPA-CP9
2	D	302[B]	KFV	OP3-CP7-CPA-CP8
2	D	302[B]	KFV	CP6-CP7-CPA-CP8
2	D	302[B]	KFV	CP7-CP6-NP2-CP5
2	D	302[B]	KFV	S-CP1-CP2-NP1
2	E	301	KFV	CP8-CPA-CPB-O7
2	E	301	KFV	CP7-CPA-CPB-O7
2	E	301	KFV	OP3-CP7-CPA-CP9
2	E	301	KFV	CP6-CP7-CPA-CP9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	E	302[A]	KFV	C2'-C1'-N9-C8
2	F	301[A]	KFV	C5'-O5'-P1-O11
2	F	301[A]	KFV	C5'-O5'-P1-O12
2	F	301[A]	KFV	C5'-O5'-P1-O6
2	F	301[A]	KFV	CPA-CPB-O7-P2
2	F	301[A]	KFV	CP8-CPA-CPB-O7
2	F	301[A]	KFV	CP7-CPA-CPB-O7
2	F	301[A]	KFV	OP3-CP7-CPA-CPB
2	F	301[A]	KFV	CP6-CP7-CPA-CPB
2	F	301[A]	KFV	CS2-CS1-S-CP1
2	F	301[B]	KFV	O4'-C4'-C5'-O5'
2	F	301[B]	KFV	C4'-C5'-O5'-P1
2	F	301[B]	KFV	CP1-CP2-NP1-CP3
2	F	301[B]	KFV	S-CP1-CP2-NP1
2	F	301[B]	KFV	OS1-CS1-S-CP1
2	F	301[B]	KFV	CS2-CS1-S-CP1
2	F	303[A]	KFV	C2'-C1'-N9-C8
2	D	302[B]	KFV	CP4-CP5-NP2-CP6
2	F	301[B]	KFV	CP4-CP5-NP2-CP6
2	D	302[B]	KFV	O4'-C4'-C5'-O5'
2	C	303[A]	KFV	C4'-C5'-O5'-P1
2	C	303[A]	KFV	C3'-C4'-C5'-O5'
2	E	302[A]	KFV	C2'-C1'-N9-C4
2	F	303[A]	KFV	C2'-C1'-N9-C4
2	D	302[A]	KFV	C4'-C3'-O3'-P3
2	F	301[B]	KFV	C3'-C4'-C5'-O5'
2	C	303[A]	KFV	O4'-C4'-C5'-O5'
2	D	302[B]	KFV	C3'-C4'-C5'-O5'
2	D	302[A]	KFV	C2'-C3'-O3'-P3
2	F	303[A]	KFV	O4'-C4'-C5'-O5'
2	C	303[A]	KFV	C3'-O3'-P3-O33
5	C	304	PG4	O3-C5-C6-O4
2	F	303[A]	KFV	C3'-C4'-C5'-O5'
2	B	301[B]	KFV	C2'-C3'-O3'-P3
2	D	302[A]	KFV	NP2-CP6-CP7-OP3
2	B	301[B]	KFV	P2-O6-P1-O5'
2	E	301	KFV	P1-O6-P2-O7
2	F	303[A]	KFV	P2-O6-P1-O5'
2	B	301[B]	KFV	C4'-C3'-O3'-P3
2	F	301[A]	KFV	CP6-CP7-CPA-CP8
2	B	301[A]	KFV	C3'-C4'-C5'-O5'
2	C	303[A]	KFV	P2-O6-P1-O12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	302[A]	KFV	OP2-CP6-CP7-OP3
2	B	301[A]	KFV	CP8-CPA-CPB-O7
2	D	302[A]	KFV	CP8-CPA-CPB-O7
2	D	302[B]	KFV	CP9-CPA-CPB-O7
2	F	301[B]	KFV	CP9-CPA-CPB-O7
2	F	301[B]	KFV	CP8-CPA-CPB-O7
2	B	301[B]	KFV	C3'-O3'-P3-O33
2	C	301	KFV	CP2-CP1-S-CS1
2	F	301[A]	KFV	CP2-CP1-S-CS1
2	B	301[A]	KFV	C5'-O5'-P1-O12
2	C	303[A]	KFV	C5'-O5'-P1-O12
2	F	301[A]	KFV	OS1-CS1-S-CP1
2	B	301[B]	KFV	P1-O6-P2-O22
2	F	301[B]	KFV	OP2-CP6-CP7-CPA
5	C	304	PG4	C8-C7-O4-C6
2	D	302[A]	KFV	C3'-O3'-P3-O31
2	E	302[A]	KFV	C3'-O3'-P3-O32
2	F	301[B]	KFV	C3'-O3'-P3-O31
2	B	301[A]	KFV	O4'-C4'-C5'-O5'
5	C	304	PG4	O1-C1-C2-O2
2	F	301[B]	KFV	NP2-CP6-CP7-CPA
2	D	302[B]	KFV	C3'-O3'-P3-O33
2	D	302[B]	KFV	C4'-C5'-O5'-P1
2	C	303[A]	KFV	P2-O6-P1-O11
2	F	301[B]	KFV	P1-O6-P2-O21
2	F	301[B]	KFV	P1-O6-P2-O22
2	F	301[B]	KFV	C3'-O3'-P3-O32
2	D	302[B]	KFV	CPA-CPB-O7-P2
2	F	303[A]	KFV	C3'-O3'-P3-O33
2	D	302[B]	KFV	OP2-CP6-NP2-CP5
2	D	302[B]	KFV	CP1-CP2-NP1-CP3
2	F	301[B]	KFV	CP7-CPA-CPB-O7
2	B	301[B]	KFV	P1-O6-P2-O21

There are no ring outliers.

11 monomers are involved in 63 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	303[A]	KFV	12	0
2	D	302[B]	KFV	4	0
2	F	301[A]	KFV	4	0
2	F	303[A]	KFV	13	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	301	KFV	1	0
2	E	302[A]	KFV	8	0
2	A	301	KFV	1	0
2	F	301[B]	KFV	11	0
2	B	301[B]	KFV	6	0
2	E	301	KFV	1	0
2	D	302[A]	KFV	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand KFV C 303 (A)




Ligand KFV D 302 (B)





Ligand KFV F 301 (A)




Ligand KFV F 303 (A)







Ligand KFV E 302 (A)




Ligand KFV A 301




Ligand KFV F 301 (B)



Ligand KFV B 301 (B)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	260/261 (99%)	-0.53	1 (0%)	88 90	5, 12, 25, 46	20 (7%)
1	B	260/261 (99%)	-0.28	8 (3%)	51 55	5, 14, 33, 86	17 (6%)
1	C	260/261 (99%)	-0.38	6 (2%)	61 65	5, 13, 29, 90	17 (6%)
1	D	260/261 (99%)	-0.23	9 (3%)	47 52	5, 14, 32, 89	17 (6%)
1	E	260/261 (99%)	-0.29	8 (3%)	51 55	6, 14, 36, 102	16 (6%)
1	F	260/261 (99%)	-0.36	4 (1%)	72 76	5, 14, 32, 59	21 (8%)
All	All	1560/1566 (99%)	-0.34	36 (2%)	61 65	5, 13, 32, 102	108 (6%)

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	71	LEU	6.3
1	C	71	LEU	5.7
1	C	72	PRO	5.2
1	E	73	SER	5.1
1	D	71	LEU	4.7
1	B	72	PRO	4.5
1	E	72	PRO	4.5
1	E	74	GLY	4.1
1	D	68[A]	ILE	4.0
1	B	75	GLY	3.7
1	B	71	LEU	3.7
1	B	73	SER	3.6
1	D	72	PRO	3.6
1	F	73	SER	3.5
1	A	23	ARG	3.4
1	F	68[A]	ILE	3.3
1	C	74	GLY	3.2
1	C	73	SER	3.1
1	D	76	ARG	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	75	GLY	2.9
1	B	74	GLY	2.9
1	C	76	ARG	2.9
1	E	76	ARG	2.9
1	B	76	ARG	2.8
1	D	75	GLY	2.8
1	E	75	GLY	2.6
1	D	74	GLY	2.6
1	D	261	HIS	2.5
1	D	73	SER	2.5
1	F	251	LEU	2.4
1	E	68[A]	ILE	2.3
1	F	66	HIS	2.3
1	B	68	ILE	2.2
1	D	78	PRO	2.2
1	E	2	ALA	2.1
1	B	23	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	KFV	C	303[A]	31/55	0.74	0.20	25,34,42,47	31
2	KFV	F	303[A]	31/55	0.78	0.18	23,28,45,46	31
5	PG4	C	304	13/13	0.82	0.15	38,47,54,56	0
2	KFV	F	301[A]	55/55	0.83	0.14	15,27,36,40	55
2	KFV	F	301[B]	55/55	0.83	0.14	19,31,43,53	55
2	KFV	B	301[B]	55/55	0.83	0.15	24,32,38,46	32

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	KFV	B	301[A]	55/55	0.83	0.15	23,34,46,48	32
2	KFV	E	302[A]	31/55	0.84	0.14	20,27,35,37	31
6	IMD	F	305	5/5	0.86	0.15	38,39,42,43	0
2	KFV	E	301	55/55	0.87	0.13	23,39,57,57	0
2	KFV	D	302[B]	48/55	0.88	0.11	13,19,31,33	48
2	KFV	D	302[A]	48/55	0.88	0.11	24,31,43,47	48
2	KFV	C	301	55/55	0.90	0.10	24,31,43,53	0
6	IMD	D	303	5/5	0.91	0.16	25,29,30,33	0
7	KG7	F	304	7/7	0.92	0.11	18,21,24,26	0
2	KFV	A	301	55/55	0.93	0.09	15,25,40,46	0
4	K	C	302	1/1	0.96	0.13	48,48,48,48	0
3	NI	A	302	1/1	0.97	0.04	23,23,23,23	0
3	NI	D	301	1/1	0.98	0.04	22,22,22,22	0
3	NI	F	302	1/1	0.99	0.07	22,22,22,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Kfv C 303 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Kfv F 303 (A):

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Kfv F 301 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Kfv F 301 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Kfv B 301 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Kfv B 301 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Kfv E 302 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Kfv E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Kfv D 302 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around KFV D 302 (A):

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around KFV C 301:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around KFV A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.