



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 12:34 PM UTC

PDB ID : 4NB4 / pdb_00004nb4
Title : Pantothenamide-bound Pantothenate kinase from *Staphylococcus aureus*
Authors : Hughes, S.J.; Antoshchenko, T.; Smil, D.; Park, H.W.
Deposited on : 2013-10-22
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	285	
1	B	285	
1	C	285	
1	D	285	
1	E	285	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	285	 84%8%8%
1	G	285	 86%7%7%
1	H	285	 88%6%6%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 17249 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Type II pantothenate kinase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	265	Total	C	N	O	S	0	3	0
			2067	1308	358	395	6			
1	B	265	Total	C	N	O	S	0	3	0
			2061	1302	356	397	6			
1	C	265	Total	C	N	O	S	0	0	0
			2034	1289	350	389	6			
1	D	265	Total	C	N	O	S	0	2	0
			2053	1301	351	395	6			
1	E	259	Total	C	N	O	S	0	1	0
			1988	1258	342	382	6			
1	F	262	Total	C	N	O	S	0	1	0
			2016	1276	348	386	6			
1	G	265	Total	C	N	O	S	0	2	0
			2052	1299	354	393	6			
1	H	267	Total	C	N	O	S	0	1	0
			2053	1299	352	395	7			

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	B	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	C	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	D	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	E	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	F	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	G	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	H	1	Total 27	C 10	N 5	O 10	P 2	0	0

- Molecule 3 is N-[2-(1,3-benzodioxol-5-yl)ethyl]-N 3 -[(2R)-2-hydroxy-3,3-dimethyl-4-(phosphonoxy)butanoyl]-beta-alaninamide (CCD ID: SH3) (formula: $C_{18}H_{27}N_2O_9P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			30	18	2	9	1		
3	A	1	Total	C	N	O	P	0	0
			30	18	2	9	1		
3	C	1	Total	C	N	O	P	0	0
			30	18	2	9	1		
3	C	1	Total	C	N	O	P	0	0
			30	18	2	9	1		
3	F	1	Total	C	N	O	P	0	0
			30	18	2	9	1		
3	F	1	Total	C	N	O	P	0	0
			30	18	2	9	1		
3	G	1	Total	C	N	O	P	0	0
			30	18	2	9	1		
3	H	1	Total	C	N	O	P	0	0
			30	18	2	9	1		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		
4	B	1	Total	Mg	0	0
			1	1		
4	C	1	Total	Mg	0	0
			1	1		
4	D	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	1	Total 1	Mg 1	0	0
4	F	1	Total 1	Mg 1	0	0
4	G	1	Total 1	Mg 1	0	0
4	H	1	Total 1	Mg 1	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	58	Total 58	O 58	0	0
5	B	83	Total 83	O 83	0	0
5	C	58	Total 58	O 58	0	0
5	D	42	Total 42	O 42	0	0
5	E	40	Total 40	O 40	0	0
5	F	31	Total 31	O 31	0	0
5	G	71	Total 71	O 71	0	0
5	H	78	Total 78	O 78	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Type II pantothenate kinase

Chain A: 





- Molecule 1: Type II pantothenate kinase

Chain B: 



- Molecule 1: Type II pantothenate kinase

Chain C: 



- Molecule 1: Type II pantothenate kinase

Chain D: 




- Molecule 1: Type II pantothenate kinase

Chain E: 




- Molecule 1: Type II pantothenate kinase

Chain F:  84% 8% 8%




- Molecule 1: Type II pantothenate kinase

Chain G:  86% 7% 7%



- Molecule 1: Type II pantothenate kinase

Chain H:  88% 6% 6%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	103.01Å 70.74Å 143.12Å 90.00° 90.64° 90.00°	Depositor
Resolution (Å)	39.91 – 2.25 39.91 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.3 (39.91-2.25) 96.3 (39.91-2.25)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.83 (at 2.24Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.230 , 0.284 (Not available) , 0.247	Depositor DCC
R_{free} test set	4896 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	20.6	Xtriage
Anisotropy	0.049	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 7.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.23$	Xtriage
Estimated twinning fraction	0.185 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	17249	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ADP, SH3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/2102	0.74	1/2844 (0.0%)
1	B	0.46	0/2096	0.75	0/2839
1	C	0.46	0/2067	0.73	0/2795
1	D	0.48	1/2089 (0.0%)	0.72	0/2832
1	E	0.45	0/2020	0.74	0/2733
1	F	0.42	0/2051	0.71	0/2779
1	G	0.48	1/2087 (0.0%)	0.72	0/2826
1	H	0.46	0/2088	0.75	0/2828
All	All	0.46	2/16600 (0.0%)	0.73	1/22476 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	234	ARG	C-O	-5.54	1.17	1.24
1	G	266	GLU	C-O	-5.21	1.17	1.24

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	20	ASN	CB-CA-C	-6.23	98.02	110.42

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2067	0	2053	9	0
1	B	2061	0	2034	8	0
1	C	2034	0	2025	2	0
1	D	2053	0	2035	11	0
1	E	1988	0	1973	13	0
1	F	2016	0	1996	16	0
1	G	2052	0	2035	11	0
1	H	2053	0	2038	14	0
2	A	27	0	12	1	0
2	B	27	0	12	0	0
2	C	27	0	12	0	0
2	D	27	0	12	0	0
2	E	27	0	12	0	0
2	F	27	0	12	0	0
2	G	27	0	12	0	0
2	H	27	0	12	0	0
3	A	60	0	52	0	0
3	C	60	0	52	0	0
3	F	60	0	53	0	0
3	G	30	0	26	0	0
3	H	30	0	26	1	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
5	A	58	0	0	0	0
5	B	83	0	0	0	0
5	C	58	0	0	0	0
5	D	42	0	0	0	0
5	E	40	0	0	0	0
5	F	31	0	0	0	0
5	G	71	0	0	0	0
5	H	78	0	0	2	0
All	All	17249	0	16494	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:46:LYS:HG2	1:H:266:GLU:OE2	1.47	1.13
1:H:46:LYS:HG2	1:H:266:GLU:CD	1.83	1.02
1:E:46:LYS:HE3	1:E:266:GLU:OE2	1.62	0.99
1:E:46:LYS:CE	1:E:266:GLU:OE2	2.36	0.73
1:D:93:ILE:HD13	1:D:211:VAL:HG13	1.75	0.69
1:A:48:CYS:SG	1:A:266:GLU:HG3	2.35	0.67
1:G:205:THR:HG22	1:G:209:ILE:HD13	1.81	0.62
1:A:209:ILE:HD11	1:A:241:THR:HA	1.83	0.60
1:B:1:MET:HE2	1:B:42:GLN:HG2	1.83	0.59
1:H:48:CYS:SG	1:H:266:GLU:HB2	2.42	0.59
1:G:157:ARG:NH2	1:G:170:ASP:OD1	2.37	0.58
1:E:117:ILE:HD11	1:F:203:VAL:HG22	1.88	0.56
1:D:114:VAL:CG2	1:D:211:VAL:HG21	2.35	0.55
1:H:46:LYS:CG	1:H:266:GLU:OE2	2.39	0.55
1:E:113:ARG:HD3	1:F:167:ILE:HD11	1.89	0.54
1:F:80:ILE:HD11	1:F:264:TYR:CD2	2.42	0.54
1:E:114:VAL:CG2	1:E:211:VAL:HG21	2.38	0.53
1:F:78:LEU:HD13	1:F:223:ILE:HG21	1.93	0.51
1:E:125:GLN:HB3	1:F:180:LEU:HD11	1.93	0.50
1:H:151:THR:HG23	1:H:152:ILE:HG13	1.94	0.50
1:E:126:GLY:HA3	1:F:176:PHE:O	2.12	0.49
1:D:93:ILE:HD12	1:D:212:ALA:HA	1.93	0.49
1:F:199:VAL:O	1:F:203:VAL:HG23	2.12	0.49
1:F:265:LEU:C	1:F:265:LEU:HD12	2.38	0.49
1:G:180:LEU:HD23	1:G:183:LEU:HD21	1.94	0.49
1:B:1:MET:HE3	1:B:3:VAL:HG22	1.95	0.48
1:H:38:TRP:O	1:H:42:GLN:HG2	2.14	0.48
1:E:114:VAL:HG21	1:E:211:VAL:HG21	1.96	0.48
1:D:167:ILE:HG22	1:D:171:LEU:HD12	1.97	0.47
1:H:70:GLU:HG2	5:H:439:HOH:O	2.15	0.47
1:C:180:LEU:HD11	1:D:125:GLN:HB3	1.97	0.47
1:E:113:ARG:CD	1:F:167:ILE:HD11	2.44	0.47
1:G:73:ALA:O	1:G:261:GLY:HA3	2.15	0.47
1:G:199:VAL:O	1:G:203:VAL:HG23	2.14	0.47
1:A:209:ILE:HD13	1:A:220:ILE:CD1	2.44	0.46
1:G:16:GLN:HB2	1:G:23:THR:HB	1.97	0.46
1:E:188:THR:CG2	1:E:191:ASN:CG	2.88	0.46
1:B:209:ILE:HD13	1:B:244:ARG:HG3	1.98	0.46
1:H:46:LYS:HE2	1:H:266:GLU:OE1	2.16	0.46
1:D:78:LEU:HD11	1:D:221:VAL:HG11	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:176:PHE:O	1:H:126:GLY:HA3	2.16	0.46
1:G:237:VAL:CG2	1:G:250:TYR:OH	2.64	0.46
1:H:151:THR:HG21	5:H:435:HOH:O	2.15	0.46
1:G:209:ILE:HD11	1:G:241:THR:HA	1.99	0.45
1:E:180:LEU:HD11	1:F:125:GLN:HB3	1.98	0.45
1:A:18:GLN:O	1:A:19:ASP:HB2	2.17	0.44
1:D:234:ARG:NH1	1:D:250[B]:TYR:CE1	2.85	0.44
1:A:266:GLU:O	1:A:267:LYS:HG2	2.18	0.43
1:B:11:LEU:HD22	1:B:26:THR:CG2	2.47	0.43
1:F:225:SER:HA	1:F:228[B]:HIS:CE1	2.53	0.43
1:F:32:ILE:HD13	1:F:56:VAL:HG11	2.01	0.43
1:D:167:ILE:CG2	1:D:171:LEU:HD12	2.49	0.43
1:D:73:ALA:O	1:D:261:GLY:HA3	2.19	0.43
1:G:48:CYS:SG	1:G:266:GLU:HB2	2.59	0.43
1:D:144:ALA:HB1	1:D:197:ILE:HD12	2.01	0.43
1:D:114:VAL:HG21	1:D:211:VAL:HG21	1.99	0.42
1:F:234:ARG:HD3	1:F:250:TYR:CE2	2.53	0.42
1:C:103:LEU:HD11	1:C:207:MET:HB3	2.01	0.42
1:F:78:LEU:HD11	1:F:221:VAL:HG11	2.02	0.42
1:A:19:ASP:O	1:A:20:ASN:HB2	2.18	0.42
1:E:237:VAL:HG23	1:E:250:TYR:OH	2.20	0.42
1:B:33:ASP:O	1:B:37:GLU:HG2	2.20	0.41
1:F:144:ALA:HB1	1:F:197:ILE:HD12	2.02	0.41
1:E:57:ILE:O	1:E:61:ILE:HB	2.20	0.41
1:A:10:THR:HG21	2:A:301:ADP:H3'	2.02	0.41
1:A:157[A]:ARG:NH2	1:A:170:ASP:OD1	2.53	0.41
1:G:144:ALA:HB2	1:G:193:LEU:HB3	2.03	0.41
1:H:102:SER:HB2	3:H:302:SH3:OAM	2.20	0.41
1:B:265:LEU:HD23	1:B:265:LEU:HA	1.87	0.41
1:H:144:ALA:HB1	1:H:197:ILE:HD12	2.03	0.41
1:B:78:LEU:HD11	1:B:221:VAL:HG11	2.03	0.40
1:A:199:VAL:O	1:A:203:VAL:HG23	2.21	0.40
1:F:76:GLN:HG2	1:F:264:TYR:CD1	2.56	0.40
1:H:78:LEU:HD11	1:H:221:VAL:HG11	2.04	0.40
1:B:133:GLN:HB3	1:H:247:LYS:HE2	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	264/285 (93%)	257 (97%)	7 (3%)	0	100	100
1	B	264/285 (93%)	258 (98%)	6 (2%)	0	100	100
1	C	259/285 (91%)	254 (98%)	5 (2%)	0	100	100
1	D	265/285 (93%)	259 (98%)	6 (2%)	0	100	100
1	E	254/285 (89%)	248 (98%)	6 (2%)	0	100	100
1	F	259/285 (91%)	247 (95%)	12 (5%)	0	100	100
1	G	263/285 (92%)	256 (97%)	7 (3%)	0	100	100
1	H	266/285 (93%)	262 (98%)	4 (2%)	0	100	100
All	All	2094/2280 (92%)	2041 (98%)	53 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	219/233 (94%)	217 (99%)	2 (1%)	70	79
1	B	218/233 (94%)	217 (100%)	1 (0%)	81	87
1	C	215/233 (92%)	214 (100%)	1 (0%)	81	87
1	D	217/233 (93%)	213 (98%)	4 (2%)	51	63
1	E	210/233 (90%)	206 (98%)	4 (2%)	50	61
1	F	213/233 (91%)	211 (99%)	2 (1%)	70	79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	217/233 (93%)	216 (100%)	1 (0%)	81	87
1	H	217/233 (93%)	214 (99%)	3 (1%)	59	70
All	All	1726/1864 (93%)	1708 (99%)	18 (1%)	65	77

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	42	GLN
1	A	178	HIS
1	B	178	HIS
1	C	178	HIS
1	D	43	GLN
1	D	93	ILE
1	D	178	HIS
1	D	244	ARG
1	E	49	LEU
1	E	61	ILE
1	E	157	ARG
1	E	178	HIS
1	F	41	GLN
1	F	178	HIS
1	G	178	HIS
1	H	178	HIS
1	H	243	LEU
1	H	266	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (40) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	GLN
1	A	40	ASN
1	A	133	GLN
1	A	219	ASN
1	B	66	GLN
1	B	133	GLN
1	B	219	ASN
1	C	62	ASN
1	C	66	GLN
1	C	96	ASN
1	C	150	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	158	HIS
1	C	219	ASN
1	C	228	HIS
1	D	76	GLN
1	D	125	GLN
1	D	178	HIS
1	D	228	HIS
1	E	16	GLN
1	E	125	GLN
1	E	219	ASN
1	E	229	ASN
1	F	40	ASN
1	F	42	GLN
1	F	87	HIS
1	F	109	GLN
1	F	150	ASN
1	F	181	HIS
1	G	21	GLN
1	G	43	GLN
1	G	76	GLN
1	G	125	GLN
1	G	158	HIS
1	G	182	HIS
1	H	16	GLN
1	H	60	ASN
1	H	66	GLN
1	H	87	HIS
1	H	150	ASN
1	H	181	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 24 ligands modelled in this entry, 8 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SH3	A	303	4	29,31,31	1.41	7 (24%)	41,44,44	1.37	5 (12%)
2	ADP	D	301	4	28,29,29	1.47	4 (14%)	43,45,45	1.99	8 (18%)
2	ADP	H	301	4	28,29,29	1.44	4 (14%)	43,45,45	1.92	10 (23%)
3	SH3	F	303	4	29,31,31	1.34	5 (17%)	41,44,44	1.18	4 (9%)
3	SH3	G	302	4	29,31,31	1.27	5 (17%)	41,44,44	1.25	5 (12%)
2	ADP	A	301	4	28,29,29	1.40	3 (10%)	43,45,45	1.97	9 (20%)
2	ADP	B	301	4	28,29,29	1.42	4 (14%)	43,45,45	1.90	7 (16%)
2	ADP	F	301	4	28,29,29	1.45	5 (17%)	43,45,45	1.80	7 (16%)
3	SH3	C	302	4	29,31,31	1.28	6 (20%)	41,44,44	1.32	5 (12%)
2	ADP	C	301	4	28,29,29	1.42	3 (10%)	43,45,45	1.88	10 (23%)
3	SH3	H	302	4	29,31,31	1.33	5 (17%)	41,44,44	1.78	6 (14%)
2	ADP	G	301	4	28,29,29	1.41	3 (10%)	43,45,45	1.96	10 (23%)
3	SH3	A	302	4	29,31,31	1.33	5 (17%)	41,44,44	1.04	4 (9%)
3	SH3	C	303	4	29,31,31	1.36	4 (13%)	41,44,44	1.15	2 (4%)
2	ADP	E	301	4	28,29,29	1.45	5 (17%)	43,45,45	1.89	8 (18%)
3	SH3	F	302	4	29,31,31	1.32	5 (17%)	41,44,44	1.11	5 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SH3	A	303	4	-	1/29/35/35	0/2/2/2
2	ADP	D	301	4	-	2/16/32/32	0/3/3/3
2	ADP	H	301	4	-	2/16/32/32	0/3/3/3
3	SH3	F	303	4	-	1/29/35/35	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SH3	G	302	4	-	1/29/35/35	0/2/2/2
2	ADP	A	301	4	-	3/16/32/32	0/3/3/3
2	ADP	B	301	4	-	2/16/32/32	0/3/3/3
2	ADP	F	301	4	-	5/16/32/32	0/3/3/3
3	SH3	C	302	4	-	2/29/35/35	0/2/2/2
2	ADP	C	301	4	-	2/16/32/32	0/3/3/3
3	SH3	H	302	4	-	3/29/35/35	0/2/2/2
2	ADP	G	301	4	-	2/16/32/32	0/3/3/3
3	SH3	A	302	4	-	1/29/35/35	0/2/2/2
3	SH3	C	303	4	-	1/29/35/35	0/2/2/2
2	ADP	E	301	4	-	2/16/32/32	0/3/3/3
3	SH3	F	302	4	-	1/29/35/35	0/2/2/2

All (73) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	301	ADP	C5-C4	4.88	1.47	1.39
2	H	301	ADP	C5-C4	4.87	1.47	1.39
2	C	301	ADP	C5-C4	4.78	1.47	1.39
2	E	301	ADP	C5-C4	4.78	1.47	1.39
2	F	301	ADP	C5-C4	4.77	1.47	1.39
2	A	301	ADP	C5-C4	4.67	1.47	1.39
2	G	301	ADP	C5-C4	4.67	1.47	1.39
2	B	301	ADP	C5-C4	4.55	1.47	1.39
3	F	302	SH3	CAU-CAV	-3.66	1.41	1.51
3	A	303	SH3	CAU-CAV	-3.64	1.41	1.51
3	F	303	SH3	CAU-CAV	-3.56	1.41	1.51
3	A	302	SH3	CAU-CAV	-3.54	1.41	1.51
3	C	303	SH3	CAU-CAV	-3.47	1.41	1.51
3	C	302	SH3	CAU-CAV	-3.41	1.42	1.51
3	H	302	SH3	CAU-CAV	-3.30	1.42	1.51
3	G	302	SH3	CAU-CAV	-3.28	1.42	1.51
2	G	301	ADP	C5-N7	-2.84	1.33	1.39
3	C	303	SH3	CBD-CBC	-2.82	1.34	1.38
2	B	301	ADP	C5-N7	-2.81	1.34	1.39
2	D	301	ADP	C5-C6	2.81	1.48	1.41
3	A	303	SH3	CBD-CBC	-2.81	1.34	1.38
3	A	302	SH3	CAX-CAY	-2.80	1.33	1.39
3	G	302	SH3	CAX-CAY	-2.80	1.33	1.39
3	A	302	SH3	CBD-CBC	-2.74	1.34	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	ADP	C5-N7	-2.72	1.34	1.39
3	F	303	SH3	CAX-CAY	-2.70	1.34	1.39
3	C	303	SH3	CAX-CAY	-2.68	1.34	1.39
2	F	301	ADP	C5-N7	-2.65	1.34	1.39
3	C	302	SH3	CAX-CAY	-2.65	1.34	1.39
3	G	302	SH3	CBD-CBC	-2.65	1.34	1.38
2	H	301	ADP	C5-N7	-2.65	1.34	1.39
3	F	302	SH3	CAX-CAY	-2.63	1.34	1.39
2	F	301	ADP	C5-C6	2.63	1.48	1.41
2	E	301	ADP	C5-N7	-2.60	1.34	1.39
3	A	302	SH3	OAZ-CBA	2.59	1.48	1.43
2	C	301	ADP	C5-N7	-2.58	1.34	1.39
2	H	301	ADP	C5-C6	2.56	1.48	1.41
3	H	302	SH3	CAX-CAY	-2.54	1.34	1.39
2	A	301	ADP	C5-C6	2.53	1.48	1.41
2	C	301	ADP	C5-C6	2.51	1.48	1.41
2	D	301	ADP	C5-N7	-2.51	1.34	1.39
3	A	303	SH3	CAY-CBC	-2.48	1.32	1.39
2	E	301	ADP	C5-C6	2.43	1.47	1.41
3	A	303	SH3	CAX-CAY	-2.43	1.34	1.39
3	F	303	SH3	CBD-CBC	-2.42	1.34	1.38
3	H	302	SH3	CBD-CBC	-2.41	1.34	1.38
2	G	301	ADP	C5-C6	2.41	1.47	1.41
2	B	301	ADP	C5-C6	2.34	1.47	1.41
3	C	302	SH3	CBD-CBC	-2.34	1.34	1.38
3	F	302	SH3	CBD-CBC	-2.32	1.34	1.38
3	F	303	SH3	CAY-CBC	-2.30	1.33	1.39
3	C	303	SH3	CAY-CBC	-2.29	1.33	1.39
3	C	302	SH3	CAY-CBC	-2.28	1.33	1.39
3	H	302	SH3	CAY-CBC	-2.26	1.33	1.39
2	E	301	ADP	PA-O3A	2.26	1.61	1.59
3	A	303	SH3	OAZ-CBA	2.23	1.47	1.43
3	F	302	SH3	CAY-CBC	-2.22	1.33	1.39
3	A	303	SH3	PAB-OAD	2.21	1.63	1.54
3	H	302	SH3	CAP-CAQ	2.19	1.55	1.51
3	C	302	SH3	PAB-OAC	2.19	1.62	1.54
3	G	302	SH3	CAY-CBC	-2.18	1.33	1.39
2	F	301	ADP	C8-N7	2.17	1.35	1.31
3	F	302	SH3	PAB-OAC	2.16	1.62	1.54
2	H	301	ADP	C8-N7	2.15	1.35	1.31
2	B	301	ADP	C8-N7	2.14	1.35	1.31
2	D	301	ADP	C8-N7	2.12	1.35	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	302	SH3	OAZ-CBA	2.12	1.47	1.43
3	A	303	SH3	PAB-OAC	2.11	1.62	1.54
3	F	303	SH3	OAZ-CBA	2.11	1.47	1.43
2	E	301	ADP	C8-N7	2.10	1.35	1.31
3	A	302	SH3	CAY-CBC	-2.03	1.34	1.39
2	F	301	ADP	PA-O3A	2.01	1.61	1.59
3	C	302	SH3	PAB-OAD	2.00	1.62	1.54

All (105) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	301	ADP	C5-C4-N3	-6.72	117.46	126.72
2	A	301	ADP	C5-C4-N3	-6.63	117.59	126.72
2	B	301	ADP	C5-C4-N3	-6.60	117.64	126.72
2	H	301	ADP	C5-C4-N3	-6.58	117.66	126.72
2	E	301	ADP	C5-C4-N3	-6.42	117.87	126.72
2	G	301	ADP	C5-C4-N3	-6.42	117.88	126.72
3	H	302	SH3	CAO-NAN-CAL	6.27	133.81	122.55
2	F	301	ADP	C5-C4-N3	-6.14	118.26	126.72
2	C	301	ADP	C5-C4-N3	-6.04	118.40	126.72
2	B	301	ADP	N3-C4-N9	5.59	136.67	127.17
2	G	301	ADP	N3-C4-N9	5.57	136.64	127.17
2	A	301	ADP	N3-C4-N9	5.52	136.55	127.17
2	E	301	ADP	N3-C4-N9	5.51	136.53	127.17
2	D	301	ADP	N3-C4-N9	5.39	136.33	127.17
2	H	301	ADP	N3-C4-N9	5.33	136.23	127.17
2	C	301	ADP	N3-C4-N9	5.12	135.88	127.17
3	H	302	SH3	CAJ-CAL-NAN	4.88	125.75	116.48
3	A	303	SH3	OAZ-CBA-OB	-4.84	100.49	108.09
2	F	301	ADP	N3-C4-N9	4.75	135.24	127.17
3	C	303	SH3	OAZ-CBA-OB	-4.69	100.73	108.09
3	C	302	SH3	OAZ-CBA-OB	-4.67	100.76	108.09
2	D	301	ADP	C2-N3-C4	4.33	122.40	111.83
2	A	301	ADP	C2-N3-C4	4.12	121.89	111.83
2	H	301	ADP	C2-N3-C4	4.11	121.86	111.83
2	B	301	ADP	C2-N3-C4	4.00	121.60	111.83
2	E	301	ADP	C2-N3-C4	3.99	121.56	111.83
2	D	301	ADP	N3-C2-N1	-3.98	122.55	128.58
3	H	302	SH3	OAZ-CBA-OB	-3.93	101.92	108.09
2	G	301	ADP	C2-N3-C4	3.92	121.41	111.83
3	F	303	SH3	OAZ-CBA-OB	-3.89	101.99	108.09
2	H	301	ADP	N3-C2-N1	-3.87	122.73	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	ADP	C2-N3-C4	3.79	121.08	111.83
2	F	301	ADP	C2-N3-C4	3.79	121.08	111.83
2	A	301	ADP	N3-C2-N1	-3.76	122.89	128.58
2	E	301	ADP	N3-C2-N1	-3.74	122.92	128.58
3	F	302	SH3	OAZ-CBA-OB	-3.74	102.23	108.09
2	B	301	ADP	N3-C2-N1	-3.66	123.05	128.58
2	C	301	ADP	N3-C2-N1	-3.60	123.12	128.58
2	G	301	ADP	N3-C2-N1	-3.57	123.17	128.58
3	G	302	SH3	OAZ-CBA-OB	-3.53	102.56	108.09
2	D	301	ADP	C4-C5-N7	-3.41	106.68	110.58
2	F	301	ADP	N3-C2-N1	-3.40	123.43	128.58
2	F	301	ADP	C4-C5-N7	-3.27	106.84	110.58
3	H	302	SH3	CAP-CAO-NAN	-3.21	105.18	112.00
2	A	301	ADP	C4-C5-N7	-3.19	106.94	110.58
3	C	302	SH3	OAE-PAB-OAA	3.17	115.01	106.44
2	H	301	ADP	C4-C5-N7	-3.17	106.96	110.58
3	A	303	SH3	OAE-PAB-OAA	3.05	114.68	106.44
3	G	302	SH3	CAO-CAP-CAQ	-3.04	107.33	112.39
3	H	302	SH3	OAM-CAL-NAN	-3.02	116.59	122.98
2	C	301	ADP	C4-C5-N7	-2.94	107.22	110.58
2	G	301	ADP	C4-C5-N7	-2.86	107.31	110.58
3	C	302	SH3	CAO-CAP-CAQ	-2.77	107.78	112.39
3	A	302	SH3	OAZ-CBA-OB	-2.75	103.78	108.09
3	F	302	SH3	CAU-CAT-NAS	-2.69	104.22	111.96
3	F	303	SH3	CAU-CAT-NAS	-2.67	104.28	111.96
3	C	303	SH3	OAE-PAB-OAA	2.65	113.61	106.44
2	E	301	ADP	C4-C5-N7	-2.61	107.60	110.58
3	G	302	SH3	CAU-CAT-NAS	-2.59	104.51	111.96
3	G	302	SH3	CAT-CAU-CAV	-2.58	107.01	112.83
2	D	301	ADP	C5-N7-C8	2.58	107.50	103.45
2	A	301	ADP	C5-N7-C8	2.55	107.46	103.45
3	A	302	SH3	OAE-PAB-OAA	2.55	113.33	106.44
2	C	301	ADP	C4-N9-C8	2.54	108.40	105.74
2	B	301	ADP	C4-C5-N7	-2.53	107.68	110.58
3	A	302	SH3	CAT-CAU-CAV	-2.53	107.14	112.83
3	F	303	SH3	OAE-PAB-OAA	2.53	113.27	106.44
2	H	301	ADP	C5-N7-C8	2.52	107.41	103.45
2	A	301	ADP	C1'-N9-C8	-2.50	121.54	127.09
2	F	301	ADP	C5-N7-C8	2.49	107.37	103.45
2	C	301	ADP	C1'-N9-C8	-2.49	121.56	127.09
2	G	301	ADP	C4-N9-C8	2.49	108.35	105.74
3	F	302	SH3	OAE-PAB-OAA	2.48	113.14	106.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	302	SH3	OAE-PAB-OAA	2.46	113.08	106.44
2	G	301	ADP	C1'-N9-C8	-2.45	121.66	127.09
3	A	303	SH3	CAO-CAP-CAQ	-2.42	108.37	112.39
2	C	301	ADP	C5-N7-C8	2.39	107.21	103.45
2	G	301	ADP	C5-N7-C8	2.38	107.19	103.45
2	E	301	ADP	C4-N9-C8	2.35	108.21	105.74
3	A	303	SH3	CAT-CAU-CAV	-2.33	107.57	112.83
3	C	302	SH3	CAT-CAU-CAV	-2.31	107.62	112.83
2	D	301	ADP	O2A-PA-O3A	2.29	113.47	107.27
2	A	301	ADP	C4-N9-C8	2.28	108.14	105.74
3	F	302	SH3	CAO-CAP-CAQ	-2.28	108.60	112.39
2	E	301	ADP	C5-N7-C8	2.27	107.02	103.45
2	G	301	ADP	O3B-PB-O2B	2.27	116.31	107.80
2	D	301	ADP	O4'-C1'-N9	2.22	112.36	108.09
2	B	301	ADP	C4-N9-C8	2.22	108.07	105.74
3	H	302	SH3	CAO-CAP-CAQ	2.21	116.07	112.39
3	C	302	SH3	CAU-CAT-NAS	-2.20	105.64	111.96
2	B	301	ADP	C5-N7-C8	2.18	106.88	103.45
2	E	301	ADP	C1'-N9-C8	-2.18	122.26	127.09
3	A	303	SH3	CAU-CAT-NAS	-2.13	105.83	111.96
2	F	301	ADP	O3B-PB-O2B	2.12	115.77	107.80
2	H	301	ADP	C1'-N9-C8	-2.12	122.39	127.09
3	A	302	SH3	CAU-CAT-NAS	-2.11	105.89	111.96
2	H	301	ADP	C4-N9-C8	2.10	107.94	105.74
2	C	301	ADP	C2-N1-C6	2.09	122.17	118.73
2	G	301	ADP	N6-C6-N1	2.08	123.02	118.38
3	F	303	SH3	CAO-CAP-CAQ	-2.08	108.93	112.39
2	H	301	ADP	C2-N1-C6	2.08	122.14	118.73
2	H	301	ADP	O3B-PB-O2B	2.08	115.59	107.80
2	A	301	ADP	O3A-PB-O1B	-2.07	100.15	111.04
2	C	301	ADP	O3A-PB-O1B	-2.06	100.20	111.04
3	F	302	SH3	CAT-CAU-CAV	-2.02	108.28	112.83

There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	301	ADP	C2'-C1'-N9-C4
2	H	301	ADP	C2'-C1'-N9-C8
2	H	301	ADP	C2'-C1'-N9-C4
3	A	302	SH3	NAS-CAT-CAU-CAV
3	A	303	SH3	NAS-CAT-CAU-CAV

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	302	SH3	NAS-CAT-CAU-CAV
3	C	303	SH3	NAS-CAT-CAU-CAV
3	F	302	SH3	NAS-CAT-CAU-CAV
3	F	303	SH3	NAS-CAT-CAU-CAV
3	G	302	SH3	NAS-CAT-CAU-CAV
3	H	302	SH3	CAJ-CAL-NAN-CAO
3	H	302	SH3	NAS-CAT-CAU-CAV
3	H	302	SH3	OAM-CAL-NAN-CAO
2	B	301	ADP	C2'-C1'-N9-C8
2	E	301	ADP	C2'-C1'-N9-C4
2	C	301	ADP	C2'-C1'-N9-C8
2	E	301	ADP	C2'-C1'-N9-C8
2	C	301	ADP	C2'-C1'-N9-C4
2	D	301	ADP	C2'-C1'-N9-C4
2	F	301	ADP	C2'-C1'-N9-C8
2	A	301	ADP	C2'-C1'-N9-C4
2	G	301	ADP	C2'-C1'-N9-C4
2	D	301	ADP	C2'-C1'-N9-C8
2	F	301	ADP	C2'-C1'-N9-C4
2	A	301	ADP	C2'-C1'-N9-C8
2	G	301	ADP	C2'-C1'-N9-C8
2	F	301	ADP	PB-O3A-PA-O2A
3	C	302	SH3	CAF-OAE-PAB-OAA
2	A	301	ADP	PB-O3A-PA-O1A
2	F	301	ADP	PB-O3A-PA-O1A
2	F	301	ADP	O4'-C1'-N9-C8



There are no ring outliers.



2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	ADP	1	0
3	H	302	SH3	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.








Ligand SH3 G 302




Ligand ADP A 301







Ligand SH3 C 302




Ligand ADP C 301




Ligand SH3 H 302




Ligand ADP G 301




Ligand SH3 A 302



Ligand SH3 C 303





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	265/285 (92%)	-1.35	0 100 100	5, 18, 33, 53	4 (1%)
1	B	265/285 (92%)	-1.41	0 100 100	8, 15, 30, 38	3 (1%)
1	C	265/285 (92%)	-1.34	0 100 100	11, 20, 34, 53	0
1	D	265/285 (92%)	-1.25	0 100 100	12, 26, 48, 65	2 (0%)
1	E	259/285 (90%)	-1.25	0 100 100	14, 26, 41, 48	1 (0%)
1	F	262/285 (91%)	-1.18	0 100 100	11, 31, 53, 56	1 (0%)
1	G	265/285 (92%)	-1.41	0 100 100	7, 16, 30, 44	2 (0%)
1	H	267/285 (93%)	-1.37	0 100 100	8, 16, 34, 43	1 (0%)
All	All	2113/2280 (92%)	-1.32	0 100 100	5, 20, 41, 65	14 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	MG	E	302	1/1	0.98	0.03	25,25,25,25	0
4	MG	F	304	1/1	0.98	0.05	22,22,22,22	0
2	ADP	F	301	27/27	0.99	0.03	22,25,33,34	0
3	SH3	A	302	30/30	0.99	0.03	12,13,14,14	0
3	SH3	A	303	30/30	0.99	0.03	12,13,14,14	0
3	SH3	C	302	30/30	0.99	0.03	13,15,17,17	0
3	SH3	C	303	30/30	0.99	0.03	16,19,21,21	0
3	SH3	F	302	30/30	0.99	0.03	14,16,16,16	0
3	SH3	F	303	30/30	0.99	0.03	20,23,31,32	0
3	SH3	G	302	30/30	0.99	0.03	7,8,10,10	0
3	SH3	H	302	30/30	0.99	0.03	12,12,13,13	0
4	MG	D	302	1/1	0.99	0.02	19,19,19,19	0
2	ADP	D	301	27/27	0.99	0.03	15,16,17,18	0
2	ADP	E	301	27/27	0.99	0.03	16,17,18,18	0
4	MG	H	303	1/1	0.99	0.01	9,9,9,9	0
2	ADP	C	301	27/27	1.00	0.02	10,10,11,11	0
4	MG	A	304	1/1	1.00	0.02	8,8,8,8	0
4	MG	B	302	1/1	1.00	0.01	11,11,11,11	0
4	MG	C	304	1/1	1.00	0.01	13,13,13,13	0
2	ADP	G	301	27/27	1.00	0.02	7,8,9,9	0
2	ADP	H	301	27/27	1.00	0.03	12,12,13,13	0
2	ADP	A	301	27/27	1.00	0.02	12,12,13,13	0
4	MG	G	303	1/1	1.00	0.01	2,2,2,2	0
2	ADP	B	301	27/27	1.00	0.02	9,9,10,10	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ADP F 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SH3 A 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SH3 A 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SH3 C 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SH3 C 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SH3 F 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SH3 F 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SH3 G 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SH3 H 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP C 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP G 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP H 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP A 301:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ADP B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.