



wwPDB EM Validation Summary Report ⓘ

Jun 18, 2026 – 02:34 pm BST

PDB ID : 7NBU / pdb_00007nbu
EMDB ID : EMD-12261
Title : Structure of the HigB1 toxin mutant K95A from Mycobacterium tuberculosis (Rv1955) and its target, the cspA mRNA, on the E. coli Ribosome.
Authors : Giudice, E.; Mansour, M.; Chat, S.; D'Urso, G.; Gillet, R.; Genevoux, P.
Deposited on : 2021-01-27
Resolution : 3.11 Å(reported)
Based on initial model : 7K00

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	14465 (2.61 - 3.61)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1539	
2	B	224	
3	C	206	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	205	
5	E	156	
6	F	103	
7	G	153	
8	H	129	
9	I	127	
10	J	98	
11	K	117	
12	L	123	
13	M	115	
14	N	100	
15	O	88	
16	P	81	
17	Q	79	
18	R	66	
19	S	84	
20	T	86	
21	U	70	
22	V	77	
23	W	2	
24	X	10	
25	Y	121	
26	a	2904	
27	b	120	
28	c	271	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	d	209	
30	e	201	
31	f	177	
32	g	176	
33	h	41	
34	i	142	
35	j	123	
36	k	144	
37	l	148	
38	Z	54	
39	m	118	
40	n	116	
41	o	114	
42	p	117	
43	q	103	
44	r	110	
45	s	93	
46	t	102	
47	u	94	
48	v	84	
49	w	77	
50	x	62	
51	y	58	
52	z	56	
53	0	51	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	1	46	
55	2	64	
56	3	38	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
58	FME	V	101	-	-	X	-

2 Entry composition

There are 59 unique types of molecules in this entry. The entry contains 144938 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1539	Total	C	N	O	P	0	0
			33023	14736	6046	10702	1539		

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	224	Total	C	N	O	S	0	0
			1753	1109	315	321	8		

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	156	Total	C	N	O	S	0	0
			1152	717	217	212	6		

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	103	Total	C	N	O	S	0	0
			839	530	151	151	7		

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	153	Total	C	N	O	S	0	0
			1203	750	231	218	4		

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	117	Total	C	N	O	S	0	0
			877	540	173	161	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	119	IAS	ASN	conflict	UNP P0A7R9

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	123	Total	C	N	O	S	0	0
			957	591	196	165	5		

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	115	Total	C	N	O	S	0	0
			891	552	179	157	3		

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	O	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	P	81	Total	C	N	O	S	0	0
			643	403	127	112	1		

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Q	79	Total	C	N	O	S	0	0
			641	406	120	112	3		

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	R	66	Total	C	N	O	S	0	0
			544	345	102	96	1		

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	84	Total	C	N	O	S	0	0
			668	427	127	112	2		

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	T	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 21 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	U	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 22 is a RNA chain called P-site fMet-tRNA(fMet).

Mol	Chain	Residues	Atoms						AltConf	Trace
22	V	77	Total	C	N	O	P	S	0	0
			1643	733	297	535	77	1		

- Molecule 23 is a RNA chain called E-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	W	2	Total	C	N	O	P	0	0
			42	19	8	13	2		

- Molecule 24 is a RNA chain called cspA mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	X	10	Total	C	N	O	P	0	0
			211	95	38	68	10		

- Molecule 25 is a protein called Probable endoribonuclease HigB1.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Y	121	Total	C	N	O	S	0	0
			992	645	180	165	2		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Y	95	ALA	LYS	engineered mutation	UNP P9WJA5
Y	126	LEU	-	expression tag	UNP P9WJA5
Y	127	GLU	-	expression tag	UNP P9WJA5

- Molecule 26 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	a	2900	Total	C	N	O	P	0	0
			62275	27789	11458	20128	2900		

- Molecule 27 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	b	120	Total	C	N	O	P	0	0
			2569	1144	468	837	120		

- Molecule 28 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	c	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 29 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	d	209	Total	C	N	O	S	0	0
			1566	980	288	294	4		

- Molecule 30 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	e	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 31 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	f	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 32 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	g	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 33 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	h	41	Total	C	N	O	S	0	0
			303	194	54	54	1		

- Molecule 34 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	i	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 35 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	j	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 36 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	k	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 37 is a protein called 50S ribosomal protein L16,50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	l	148	Total	C	N	O	S	0	0
			1179	735	237	196	11		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	81	4D4	-	linker	UNP P0ADY7
1	82	MS6	-	linker	UNP P0ADY7

- Molecule 38 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Z	54	Total	C	N	O	S	0	0
			418	274	67	75	2		

- Molecule 39 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	m	118	Total	C	N	O	S	0	0
			945	585	194	161	5		

- Molecule 40 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	n	116	Total	C	N	O		0	0
			892	552	178	162			

- Molecule 41 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	o	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 42 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	p	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 43 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	q	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 44 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	r	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 45 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	s	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 46 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
46	t	102	Total	C	N	O		
			779	492	146	141	0	0

- Molecule 47 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms				AltConf	Trace
47	u	94	Total	C	N	O	S	
			753	479	137	134	3	0

- Molecule 48 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms				AltConf	Trace
48	v	84	Total	C	N	O	S	
			634	391	129	113	1	0

- Molecule 49 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms				AltConf	Trace
49	w	77	Total	C	N	O	S	
			625	388	129	106	2	0

- Molecule 50 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms				AltConf	Trace
50	x	62	Total	C	N	O	S	
			501	308	98	94	1	0

- Molecule 51 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				AltConf	Trace
51	y	58	Total	C	N	O	S	
			449	281	87	79	2	0

- Molecule 52 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms				AltConf	Trace
52	z	56	Total	C	N	O	S	
			444	269	94	80	1	0

- Molecule 53 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
53	0	51	Total	C	N	O	0	0
			417	269	76	72		

- Molecule 54 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	1	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 55 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	2	64	Total	C	N	O	S	0	0
			504	323	105	74	2		


- Molecule 56 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	3	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 57 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
57	A	71	Total	Mg	0
			71	71	
57	a	234	Total	Mg	0
			234	234	
57	b	2	Total	Mg	0
			2	2	
57	c	3	Total	Mg	0
			3	3	
57	d	1	Total	Mg	0
			1	1	
57	m	1	Total	Mg	0
			1	1	
57	z	1	Total	Mg	0
			1	1	

- Molecule 58 is N-FORMYLMETHIONINE (CCD ID: FME) (formula: C₆H₁₁NO₃S).



Mol	Chain	Residues	Atoms					AltConf
58	V	1	Total	C	N	O	S	0
			10	6	1	2	1	


- Molecule 59 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
59	1	1	Total	Zn	0
			1	1	
59	3	1	Total	Zn	0
			1	1	

3 Residue-property plots



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 16S ribosomal RNA







• Molecule 2: 30S ribosomal protein S2








• Molecule 3: 30S ribosomal protein S3




• Molecule 4: 30S ribosomal protein S4




• Molecule 5: 30S ribosomal protein S5





• Molecule 6: 30S ribosomal protein S6








• Molecule 7: 30S ribosomal protein S7





• Molecule 8: 30S ribosomal protein S8




• Molecule 9: 30S ribosomal protein S9





• Molecule 10: 30S ribosomal protein S10




• Molecule 11: 30S ribosomal protein S11




- Molecule 12: 30S ribosomal protein S12





- Molecule 13: 30S ribosomal protein S13



- Molecule 14: 30S ribosomal protein S14



- Molecule 15: 30S ribosomal protein S15



- Molecule 16: 30S ribosomal protein S16






- Molecule 17: 30S ribosomal protein S17





- Molecule 18: 30S ribosomal protein S18





- Molecule 19: 30S ribosomal protein S19




- Molecule 20: 30S ribosomal protein S20



- Molecule 21: 30S ribosomal protein S21



- Molecule 22: P-site fMet-tRNA(fMet)







• Molecule 23: E-site tRNA




• Molecule 24: cspA mRNA



• Molecule 25: Probable endoribonuclease HigB1



• Molecule 26: 23S ribosomal RNA







G2815	A2733	U2552	C2462	G2382	A2212	G2148	A2080	U1993	G1903	G1799	A1717
G2816	U2743	G2553	C2467	G2383	U2213	U2149	U2081	U1996	G1906	C1800	U1720
U2817	G2474	U2554	U2468	G2384	C2214	C2150	A2082	C1997	U1911	A1801	G1721
G2818	G2475	U2555	A2469	C2385	G2215	U2151	U2086	C2006	A1912	A1802	A1722
A2820	G2476	C2556	G2470	A2388	G2216	G2152	U2087	G2010	A1913	A1803	A1723
A2821	U2473	C2557	U2477	G2389	U2219	C2153	G2093	G2011	A1914	A1808	G1724
G2822	U2474	U2562	U2478	U2390	U2220	A2154	A2094	A2014	C1915	A1809	C1725
A2823	C2475	A2566	A2476	U2391	A2225	U2155	A2095	A2015	A1916	A1810	G1726
C2830	G2477	C2567	U2477	U2392	G2228	G2156	U2099	A2016	U1917	A1811	A1727
U2833	A2478	U2568	A2478	C2393	U2229	U2157	G2100	U2017	A1918	C1816	C1728
G2834	G2481	G2569	G2481	U2394	G2230	A2158	A2101	A2020	A1919	U1729	U1729
A2835	U2482	A2572	U2482	U2395	U2231	G2159	G2102	C2021	C1920	U1817	U1730
U2836	C2483	C2573	G2483	U2396	G2232	C2160	C2103	U2022	C1924	U1827	G1731
A2837	G2484	G2574	U2484	U2397	U2233	G2161	C2104	U2023	U1925	G1828	C1734
G2838	C2485	C2575	G2485	U2405	G2234	G2162	U2105	G2024	A1927	G1735	G1735
U2845	U2491	G2576	U2491	G2399	G2238	A2163	U2106	C2025	A1928	U1736	U1736
G2846	U2492	C2579	U2492	U2406	U2240	C2164	G2107	G2026	G1929	G1737	G1737
U2847	U2493	G2580	G2493	A2407	U2241	C2165	A2108	G2027	U1931	G1738	G1738
G2848	G2494	G2581	G2494	A2411	G2242	U2166	U2109	A2030	A1932	A1739	A1739
U2849	G2495	G2582	G2495	A2412	G2243	U2167	G2110	A2031	G1933	A1744	A1744
A2850	C2496	U2585	C2496	G2413	U2244	G2168	G2111	G2032	U1936	A1745	A1745
A2851	U2497	U2586	U2497	U2419	U2245	A2169	U2112	A2033	A1937	G1842	A1746
G2852	C2498	C2587	C2498	G2425	G2246	G2170	G2113	A2037	A1938	U1747	U1747
U2857	U2499	G2591	U2499	A2424	U2247	A2171	U2114	U2038	A1939	C1843	C1748
A2860	G2502	G2592	G2502	A2426	U2249	A2172	G2115	U2039	U1940	C1844	A1749
U2861	U2503	U2595	U2503	G2427	G2250	U2172	G2116	G2040	C1941	A1847	G1750
G2862	G2504	G2596	G2504	G2428	G2251	A2173	G2117	U2041	C1942	A1848	U1751
U2865	U2505	A2598	U2505	G2429	G2252	C2174	A2117	A2042	U1943	A1853	C1752
G2866	A2506	U2599	A2506	A2430	U2262	C2175	U2118	C2043	A1952	A1854	G1753
U2867	G2513	G2602	G2513	A2431	C2263	A2176	U2119	C2047	A1953	G1756	G1756
A2868	U2514	U2603	U2514	A2432	A2266	C2177	A2120	G2048	G1954	A1757	A1757
U2872	C2515	U2604	C2515	A2433	A2267	G2178	G2121	G2049	U1955	U1758	U1758
A2873	G2516	A2605	G2516	A2434	A2268	C2179	G2122	A2052	U1956	A1759	A1759
U2879	U2517	U2609	U2517	A2435	A2269	U2180	G2123	C2055	C1962	G1764	G1764
G2880	C2518	C2610	C2518	U2441	G2271	U2181	G2124	C2056	U1963	C1771	C1771
U2881	G2519	G2611	G2519	G2442	U2272	U2182	G2125	G2060	G1964	A1772	A1772
A2882	U2520	U2612	U2520	C2443	A2273	U2183	A2126	A2061	G1965	A1773	A1773
U2883	C2521	U2613	C2521	G2444	A2274	A2184	G2127	A2062	C1966	U1778	U1778
G2884	G2522	U2614	G2522	G2445	G2275	U2185	U2128	C2063	C1967	A1783	A1783
U2889	U2523	A2615	U2523	A2448	C2283	U2186	G2129	C2064	U1971	A1784	A1784
A2890	G2524	G2616	G2524	U2449	A2284	U2187	C2130	C2065	G1972	A1785	A1785
G2891	C2525	C2617	C2525	C2452	C2285	U2188	U2130	G2069	G1975	A1786	A1786
U2892	U2526	U2618	U2526	A2453	C2286	U2189	U2131	C2070	A1980	A1884	A1884
A2893	G2527	G2619	G2527	G2454	A2287	G2190	U2132	C2071	G1981	A1885	A1885
G2894	A2528	C2620	A2528	C2455	A2288	A2191	G2133	C2072	A1982	A1889	A1889
U2895	U2529	U2621	U2529	C2456	G2289	U2192	A2134	C2073	U1983	A1890	A1890
A2896	G2530	G2622	G2530	C2457	U2291	G2193	A2135	U2074	U1984	A1891	A1891
U2897	C2531	C2623	C2531	G2458	U2292	U2194	A2136	U2075	U1991	A1900	A1900
G2898	U2532	U2624	U2532	U2459	G2293	C2196	G2137	U2079	G1992	A1901	A1901
A2899	G2533	A2625	G2533	U2460	G2294	U2197	U2137	C1902		C1902	C1902
U2900	A2534	C2626	A2534	A2461		A2198	U2138				
G2901	U2535	U2627	U2535		U2202	U2202	U2139				
C2902	G2536	G2628	C2536		U2203	U2203	G2140				
C2903	A2537	C2629	A2537		G2204	G2204	G2141				
C2904	U2538	U2630	U2538		C2208	C2208	A2142				
C2905	G2539	G2631	G2539		G2209	G2209	C2143				
C2906	A2540	C2632	A2540		U2210	U2210	G2144				
C2907	U2541	U2633	U2541		A2211	A2211	C2145				
C2908	G2542	G2634	G2542				G2146				
C2909	U2543	A2635	U2543				A2147				
C2910	G2544	C2636	G2544								
C2911	A2545	U2637	A2545								
C2912	U2546	G2638	U2546								
C2913	G2547	C2639	G2547								
C2914	U2548	U2640	U2548								
C2915	A2549	A2461	A2549								





- Molecule 27: 5S ribosomal RNA





- Molecule 28: 50S ribosomal protein L2




- Molecule 29: 50S ribosomal protein L3




- Molecule 30: 50S ribosomal protein L4




- Molecule 31: 50S ribosomal protein L5




• Molecule 32: 50S ribosomal protein L6




• Molecule 33: 50S ribosomal protein L9




• Molecule 34: 50S ribosomal protein L13




• Molecule 35: 50S ribosomal protein L14




- Molecule 36: 50S ribosomal protein L15




- Molecule 37: 50S ribosomal protein L16, 50S ribosomal protein L31




- Molecule 38: 50S ribosomal protein L16




- Molecule 39: 50S ribosomal protein L17



- Molecule 40: 50S ribosomal protein L18





- Molecule 41: 50S ribosomal protein L19








- Molecule 42: 50S ribosomal protein L20





- Molecule 43: 50S ribosomal protein L21




- Molecule 44: 50S ribosomal protein L22



- Molecule 45: 50S ribosomal protein L23



- Molecule 46: 50S ribosomal protein L24





- Molecule 47: 50S ribosomal protein L25







- Molecule 48: 50S ribosomal protein L27





- Molecule 49: 50S ribosomal protein L28




- Molecule 50: 50S ribosomal protein L29




- Molecule 51: 50S ribosomal protein L30




- Molecule 52: 50S ribosomal protein L32




- Molecule 53: 50S ribosomal protein L33




- Molecule 54: 50S ribosomal protein L34



• Molecule 55: 50S ribosomal protein L35



• Molecule 56: 50S ribosomal protein L36



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	13877	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	52	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	120000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	19.049	Depositor
Minimum map value	-4.324	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	4.5	Depositor
Map size (Å)	457.216, 457.216, 457.216	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.893, 0.893, 0.893	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, FME, 2MG, G7M, 3TD, 2MA, OMU, UR3, 5MC, 1MG, D2T, MS6, ZN, 4OC, H2U, 4SU, MA6, OMC, 5MU, 6MZ, IAS, OMG, PSU, MEQ, 4D4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.33	0/36693	0.34	1/57234 (0.0%)
2	B	0.23	0/1784	0.41	0/2403
3	C	0.27	0/1651	0.43	0/2225
4	D	0.34	0/1665	0.50	0/2227
5	E	0.29	0/1165	0.38	0/1568
6	F	0.28	0/858	0.48	0/1160
7	G	0.23	0/1219	0.42	0/1635
8	H	0.30	0/989	0.48	0/1326
9	I	0.28	0/1034	0.46	0/1375
10	J	0.27	0/796	0.49	0/1077
11	K	0.38	1/884 (0.1%)	0.42	0/1191
12	L	0.29	0/960	0.46	0/1286
13	M	0.26	0/900	0.44	0/1204
14	N	0.28	0/817	0.40	0/1088
15	O	0.26	0/722	0.36	0/964
16	P	0.30	0/653	0.46	0/877
17	Q	0.27	0/650	0.42	0/871
18	R	0.29	0/553	0.42	0/742
19	S	0.27	0/685	0.44	0/922
20	T	0.27	0/676	0.39	0/895
21	U	0.20	0/597	0.42	0/792
22	V	0.27	0/1746	0.30	0/2721
23	W	0.16	0/46	0.25	0/69
24	X	0.28	0/235	0.39	0/363
25	Y	0.45	0/1020	0.69	0/1377
26	a	0.37	1/69174 (0.0%)	0.36	4/107911 (0.0%)
27	b	0.30	0/2872	0.32	0/4478
28	c	0.35	0/2121	0.42	0/2852
29	d	0.35	0/1576	0.40	0/2119
30	e	0.42	0/1571	0.52	0/2113
31	f	0.27	0/1434	0.43	0/1926

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	g	0.24	0/1343	0.41	0/1816
33	h	0.25	0/306	0.55	0/413
34	i	0.34	0/1152	0.37	0/1551
35	j	0.34	0/955	0.39	0/1279
36	k	0.33	0/1062	0.42	0/1413
37	l	0.29	0/1178	0.46	1/1569 (0.1%)
38	Z	0.32	0/426	0.35	0/573
39	m	0.35	0/958	0.45	0/1281
40	n	0.30	0/902	0.46	0/1209
41	o	0.32	0/929	0.42	0/1242
42	p	0.38	0/960	0.39	0/1278
43	q	0.33	0/829	0.47	0/1107
44	r	0.33	0/864	0.44	0/1156
45	s	0.31	0/744	0.45	0/994
46	t	0.29	0/787	0.41	0/1051
47	u	0.30	0/766	0.46	0/1025
48	v	0.35	0/642	0.40	0/848
49	w	0.34	0/635	0.42	0/848
50	x	0.26	0/502	0.41	0/667
51	y	0.35	0/453	0.46	0/605
52	z	0.33	0/450	0.39	0/599
53	0	0.29	0/424	0.38	0/565
54	1	0.38	0/380	0.43	0/498
55	2	0.37	0/513	0.44	0/676
56	3	0.31	0/303	0.38	0/397
All	All	0.34	2/156209 (0.0%)	0.38	6/233651 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
37	l	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	K	117	PRO	C-N	6.17	1.42	1.33
26	a	1734	C	C1'-N1	5.09	1.56	1.48

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	a	1100	C	C4'-C3'-O3'	-5.57	104.65	113.00
37	l	36	VAL	N-CA-C	-5.32	107.64	112.96
1	A	110	C	C3'-C2'-O2'	5.15	118.42	110.70
26	a	372	G	C4'-C3'-O3'	5.04	116.96	109.40
26	a	1060	U	C4'-C3'-O3'	-5.04	105.44	113.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
37	l	81	4D4	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	33023	0	16642	548	0
2	B	1753	0	1780	39	0
3	C	1624	0	1696	32	0
4	D	1643	0	1707	51	0
5	E	1152	0	1196	27	0
6	F	839	0	833	31	0
7	G	1203	0	1254	24	0
8	H	979	0	1031	27	0
9	I	1022	0	1070	46	0
10	J	786	0	828	31	0
11	K	877	0	884	24	0
12	L	957	0	1017	16	0
13	M	891	0	952	30	0
14	N	805	0	844	27	0
15	O	714	0	734	10	0
16	P	643	0	661	18	0
17	Q	641	0	682	23	0
18	R	544	0	565	18	0
19	S	668	0	693	33	0
20	T	670	0	719	13	0
21	U	589	0	629	9	0
22	V	1643	0	839	25	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
23	W	42	0	23	1	0
24	X	211	0	109	2	0
25	Y	992	0	1005	45	0
26	a	62275	0	31338	927	0
27	b	2569	0	1301	27	0
28	c	2082	0	2154	40	0
29	d	1566	0	1618	24	0
30	e	1552	0	1619	26	0
31	f	1410	0	1444	38	0
32	g	1323	0	1371	41	0
33	h	303	0	327	9	0
34	i	1129	0	1162	24	0
35	j	946	0	1023	26	0
36	k	1053	0	1129	17	0
37	l	1179	0	1221	45	0
38	Z	418	0	440	18	0
39	m	945	0	989	29	0
40	n	892	0	923	13	0
41	o	917	0	962	18	0
42	p	947	0	1019	15	0
43	q	816	0	839	10	0
44	r	857	0	922	16	0
45	s	738	0	807	10	0
46	t	779	0	831	21	0
47	u	753	0	780	19	0
48	v	634	0	653	18	0
49	w	625	0	652	14	0
50	x	501	0	531	14	0
51	y	449	0	488	10	0
52	z	444	0	458	12	0
53	0	417	0	451	12	0
54	1	377	0	418	6	0
55	2	504	0	572	17	0
56	3	302	0	340	4	0
57	A	71	0	0	0	0
57	a	234	0	0	0	0
57	b	2	0	0	0	0
57	c	3	0	0	0	0
57	d	1	0	0	0	0
57	m	1	0	0	0	0
57	z	1	0	0	0	0
58	V	10	0	10	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
59	3	1	0	0	0	0
59	1	1	0	0	0	0
All	All	144938	0	97185	2359	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 2359 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:95:GLU:HG2	4:D:186:PRO:HG3	1.33	1.09
32:g:90:VAL:O	32:g:160:LYS:HA	1.67	0.94
9:I:5:GLN:HE21	9:I:22:LYS:HE3	1.33	0.94
26:a:1847:A:HO2'	26:a:1848:A:H8	1.00	0.92
9:I:99:ARG:HG2	9:I:104:VAL:HG21	1.54	0.90

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	222/224 (99%)	200 (90%)	21 (10%)	1 (0%)	24	55
3	C	204/206 (99%)	191 (94%)	11 (5%)	2 (1%)	12	39
4	D	203/205 (99%)	194 (96%)	9 (4%)	0	100	100
5	E	154/156 (99%)	147 (96%)	7 (4%)	0	100	100
6	F	101/103 (98%)	96 (95%)	5 (5%)	0	100	100
7	G	151/153 (99%)	142 (94%)	9 (6%)	0	100	100
8	H	127/129 (98%)	116 (91%)	11 (9%)	0	100	100
9	I	125/127 (98%)	121 (97%)	4 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	J	96/98 (98%)	89 (93%)	6 (6%)	1 (1%)	12	39
11	K	113/117 (97%)	105 (93%)	8 (7%)	0	100	100
12	L	120/123 (98%)	108 (90%)	11 (9%)	1 (1%)	16	45
13	M	113/115 (98%)	107 (95%)	6 (5%)	0	100	100
14	N	98/100 (98%)	97 (99%)	1 (1%)	0	100	100
15	O	86/88 (98%)	83 (96%)	3 (4%)	0	100	100
16	P	79/81 (98%)	71 (90%)	8 (10%)	0	100	100
17	Q	77/79 (98%)	73 (95%)	4 (5%)	0	100	100
18	R	64/66 (97%)	62 (97%)	2 (3%)	0	100	100
19	S	82/84 (98%)	77 (94%)	5 (6%)	0	100	100
20	T	84/86 (98%)	83 (99%)	1 (1%)	0	100	100
21	U	68/70 (97%)	67 (98%)	1 (2%)	0	100	100
25	Y	119/121 (98%)	99 (83%)	18 (15%)	2 (2%)	7	28
28	c	269/271 (99%)	258 (96%)	11 (4%)	0	100	100
29	d	206/209 (99%)	196 (95%)	10 (5%)	0	100	100
30	e	199/201 (99%)	190 (96%)	9 (4%)	0	100	100
31	f	175/177 (99%)	158 (90%)	17 (10%)	0	100	100
32	g	174/176 (99%)	158 (91%)	14 (8%)	2 (1%)	11	36
33	h	39/41 (95%)	34 (87%)	5 (13%)	0	100	100
34	i	140/142 (99%)	136 (97%)	4 (3%)	0	100	100
35	j	121/123 (98%)	115 (95%)	6 (5%)	0	100	100
36	k	142/144 (99%)	132 (93%)	10 (7%)	0	100	100
37	l	143/148 (97%)	131 (92%)	12 (8%)	0	100	100
38	Z	52/54 (96%)	50 (96%)	2 (4%)	0	100	100
39	m	116/118 (98%)	111 (96%)	5 (4%)	0	100	100
40	n	114/116 (98%)	109 (96%)	5 (4%)	0	100	100
41	o	112/114 (98%)	108 (96%)	4 (4%)	0	100	100
42	p	115/117 (98%)	111 (96%)	4 (4%)	0	100	100
43	q	101/103 (98%)	95 (94%)	6 (6%)	0	100	100
44	r	108/110 (98%)	103 (95%)	5 (5%)	0	100	100
45	s	91/93 (98%)	83 (91%)	7 (8%)	1 (1%)	11	36

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
46	t	100/102 (98%)	83 (83%)	17 (17%)	0	100	100
47	u	92/94 (98%)	88 (96%)	4 (4%)	0	100	100
48	v	82/84 (98%)	74 (90%)	8 (10%)	0	100	100
49	w	75/77 (97%)	72 (96%)	3 (4%)	0	100	100
50	x	60/62 (97%)	58 (97%)	2 (3%)	0	100	100
51	y	56/58 (97%)	55 (98%)	1 (2%)	0	100	100
52	z	54/56 (96%)	53 (98%)	1 (2%)	0	100	100
53	0	49/51 (96%)	49 (100%)	0	0	100	100
54	1	44/46 (96%)	43 (98%)	1 (2%)	0	100	100
55	2	62/64 (97%)	59 (95%)	2 (3%)	1 (2%)	7	29
56	3	36/38 (95%)	35 (97%)	1 (3%)	0	100	100
All	All	5613/5720 (98%)	5275 (94%)	327 (6%)	11 (0%)	44	71

5 of 11 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	164	ILE
12	L	16	VAL
32	g	47	ASP
32	g	61	GLY
10	J	57	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	186/186 (100%)	186 (100%)	0	100	100
3	C	170/170 (100%)	170 (100%)	0	100	100
4	D	172/172 (100%)	170 (99%)	2 (1%)	63	76
5	E	119/119 (100%)	119 (100%)	0	100	100
6	F	90/90 (100%)	90 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	G	126/126 (100%)	126 (100%)	0	100	100
8	H	104/104 (100%)	104 (100%)	0	100	100
9	I	105/105 (100%)	105 (100%)	0	100	100
10	J	86/86 (100%)	86 (100%)	0	100	100
11	K	89/89 (100%)	89 (100%)	0	100	100
12	L	102/102 (100%)	102 (100%)	0	100	100
13	M	93/93 (100%)	93 (100%)	0	100	100
14	N	83/83 (100%)	83 (100%)	0	100	100
15	O	76/76 (100%)	76 (100%)	0	100	100
16	P	65/65 (100%)	65 (100%)	0	100	100
17	Q	73/73 (100%)	73 (100%)	0	100	100
18	R	57/57 (100%)	57 (100%)	0	100	100
19	S	72/72 (100%)	72 (100%)	0	100	100
20	T	65/65 (100%)	65 (100%)	0	100	100
21	U	60/60 (100%)	60 (100%)	0	100	100
25	Y	100/100 (100%)	96 (96%)	4 (4%)	28	57
28	c	216/216 (100%)	216 (100%)	0	100	100
29	d	163/163 (100%)	163 (100%)	0	100	100
30	e	165/165 (100%)	164 (99%)	1 (1%)	78	81
31	f	148/148 (100%)	148 (100%)	0	100	100
32	g	137/137 (100%)	137 (100%)	0	100	100
33	h	32/32 (100%)	32 (100%)	0	100	100
34	i	116/116 (100%)	116 (100%)	0	100	100
35	j	104/104 (100%)	104 (100%)	0	100	100
36	k	103/103 (100%)	103 (100%)	0	100	100
37	l	123/123 (100%)	123 (100%)	0	100	100
38	Z	43/43 (100%)	43 (100%)	0	100	100
39	m	98/98 (100%)	98 (100%)	0	100	100
40	n	86/86 (100%)	86 (100%)	0	100	100
41	o	99/99 (100%)	99 (100%)	0	100	100
42	p	89/89 (100%)	89 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
43	q	84/84 (100%)	84 (100%)	0	100	100
44	r	93/93 (100%)	93 (100%)	0	100	100
45	s	80/80 (100%)	80 (100%)	0	100	100
46	t	83/83 (100%)	83 (100%)	0	100	100
47	u	78/78 (100%)	78 (100%)	0	100	100
48	v	62/62 (100%)	62 (100%)	0	100	100
49	w	67/67 (100%)	67 (100%)	0	100	100
50	x	54/54 (100%)	54 (100%)	0	100	100
51	y	48/48 (100%)	48 (100%)	0	100	100
52	z	47/47 (100%)	47 (100%)	0	100	100
53	0	46/46 (100%)	46 (100%)	0	100	100
54	1	38/38 (100%)	38 (100%)	0	100	100
55	2	51/51 (100%)	51 (100%)	0	100	100
56	3	34/34 (100%)	34 (100%)	0	100	100
All	All	4680/4680 (100%)	4673 (100%)	7 (0%)	87	90

5 of 7 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
25	Y	24	VAL
25	Y	71	GLU
30	e	176	ASP
25	Y	103	THR
25	Y	19	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 33 such sidechains are listed below:

Mol	Chain	Res	Type
45	s	70	HIS
50	x	27	ASN
55	2	31	HIS
11	K	109	ASN
10	J	58	ASN

5.3.3 RNA

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	1538/1539 (99%)	278 (18%)	20 (1%)
22	V	76/77 (98%)	13 (17%)	1 (1%)
23	W	1/2 (50%)	1 (100%)	0
24	X	9/10 (90%)	6 (66%)	0
26	a	2898/2904 (99%)	581 (20%)	0
27	b	119/120 (99%)	18 (15%)	0
All	All	4641/4652 (99%)	897 (19%)	21 (0%)

5 of 897 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	4	U
1	A	7	A
1	A	9	G
1	A	22	G
1	A	31	G

5 of 21 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	1256	A
1	A	1399	C
22	V	20	G
1	A	1432	G
1	A	1347	G

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

44 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
26	2MG	a	2445	26	23,26,27	1.36	3 (13%)	32,38,41	2.21	7 (21%)
26	PSU	a	2580	26	18,21,22	1.45	2 (11%)	22,30,33	2.06	4 (18%)
1	2MG	A	1516	1	23,26,27	1.33	4 (17%)	32,38,41	2.35	9 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
26	OMU	a	2552	57,26	19,22,23	2.80	8 (42%)	26,31,34	1.82	4 (15%)
1	PSU	A	516	57,1	18,21,22	1.50	3 (16%)	22,30,33	1.97	3 (13%)
12	D2T	L	89	12	7,9,10	1.36	0	6,11,13	2.59	4 (66%)
11	IAS	K	119	11	6,7,8	1.11	0	6,8,10	1.38	1 (16%)
26	PSU	a	746	26	18,21,22	1.33	2 (11%)	22,30,33	1.97	4 (18%)
29	MEQ	d	150	29	8,9,10	0.95	0	5,10,12	1.14	1 (20%)
22	4SU	V	8	22	18,21,22	3.71	7 (38%)	26,30,33	2.35	6 (23%)
26	OMG	a	2251	22,26	23,26,27	1.26	3 (13%)	33,38,41	1.98	6 (18%)
22	PSU	V	56	22	18,21,22	1.46	3 (16%)	22,30,33	1.81	3 (13%)
1	2MG	A	1207	1	23,26,27	1.33	4 (17%)	32,38,41	2.28	6 (18%)
26	6MZ	a	1618	26	22,25,26	2.63	5 (22%)	30,36,39	2.48	12 (40%)
37	4D4	l	81	37	9,11,12	1.91	2 (22%)	8,13,15	1.86	2 (25%)
26	PSU	a	1911	26	18,21,22	1.09	2 (11%)	22,30,33	1.89	5 (22%)
26	PSU	a	1917	26	18,21,22	1.54	3 (16%)	22,30,33	1.93	5 (22%)
26	PSU	a	2605	26	18,21,22	1.44	3 (16%)	22,30,33	1.89	4 (18%)
1	MA6	A	1519	1	23,26,27	1.63	5 (21%)	34,38,41	2.37	13 (38%)
1	2MG	A	966	1	23,26,27	1.31	4 (17%)	32,38,41	2.35	8 (25%)
1	MA6	A	1518	1	23,26,27	1.49	3 (13%)	34,38,41	2.61	16 (47%)
26	2MG	a	1835	26	23,26,27	1.31	4 (17%)	32,38,41	2.26	6 (18%)
26	PSU	a	2504	26	18,21,22	1.54	2 (11%)	22,30,33	2.02	5 (22%)
26	5MC	a	1962	26	18,22,23	3.53	7 (38%)	26,32,35	1.11	1 (3%)
26	5MU	a	1939	26	19,22,23	1.50	6 (31%)	28,32,35	2.16	8 (28%)
26	H2U	a	2449	26	18,21,22	2.69	5 (27%)	21,30,33	2.11	5 (23%)
26	OMC	a	2498	57,26	19,22,23	3.13	8 (42%)	26,31,34	0.71	0
1	4OC	A	1402	1	20,23,24	3.02	8 (40%)	26,32,35	0.92	2 (7%)
26	5MU	a	747	26	19,22,23	1.49	4 (21%)	28,32,35	2.13	10 (35%)
26	6MZ	a	2030	26	22,25,26	2.67	5 (22%)	30,36,39	2.49	12 (40%)
26	PSU	a	2604	26	18,21,22	1.44	2 (11%)	22,30,33	2.00	4 (18%)
26	G7M	a	2069	26	23,26,27	1.52	4 (17%)	35,39,42	1.87	6 (17%)
22	H2U	V	21	22	18,21,22	2.92	5 (27%)	21,30,33	1.98	5 (23%)
1	5MC	A	967	1	18,22,23	3.58	7 (38%)	26,32,35	1.04	1 (3%)
22	5MU	V	55	22	19,22,23	1.46	6 (31%)	28,32,35	1.74	7 (25%)
1	G7M	A	527	1	23,26,27	1.51	3 (13%)	35,39,42	1.91	6 (17%)
1	5MC	A	1407	1	18,22,23	3.51	7 (38%)	26,32,35	1.01	1 (3%)
26	1MG	a	745	26	22,26,27	1.11	2 (9%)	33,39,42	1.91	8 (24%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
26	PSU	a	955	26	18,21,22	1.10	2 (11%)	22,30,33	1.86	4 (18%)
37	MS6	l	82	37,38	5,7,8	0.70	0	2,7,9	1.50	0
1	UR3	A	1498	1	19,22,23	2.78	7 (36%)	26,32,35	1.40	2 (7%)
26	PSU	a	2457	26	18,21,22	1.56	3 (16%)	22,30,33	1.93	5 (22%)
26	3TD	a	1915	26	18,22,23	4.33	7 (38%)	22,32,35	1.73	4 (18%)
26	2MA	a	2503	57,26	22,25,26	1.49	4 (18%)	33,37,40	2.33	10 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
26	2MG	a	2445	26	-	2/9/27/28	0/3/3/3
26	PSU	a	2580	26	-	1/7/25/26	0/2/2/2
1	2MG	A	1516	1	-	0/9/27/28	0/3/3/3
26	OMU	a	2552	57,26	-	3/9/27/28	0/2/2/2
1	PSU	A	516	57,1	-	0/7/25/26	0/2/2/2
12	D2T	L	89	12	-	3/7/12/14	-
11	IAS	K	119	11	-	2/7/7/8	-
26	PSU	a	746	26	-	2/7/25/26	0/2/2/2
29	MEQ	d	150	29	-	2/8/9/11	-
22	4SU	V	8	22	-	0/7/25/26	0/2/2/2
26	OMG	a	2251	22,26	-	1/9/27/28	0/3/3/3
22	PSU	V	56	22	-	0/7/25/26	0/2/2/2
1	2MG	A	1207	1	-	2/9/27/28	0/3/3/3
26	6MZ	a	1618	26	-	4/9/27/28	0/3/3/3
37	4D4	l	81	37	-	2/11/12/14	-
26	PSU	a	1911	26	-	0/7/25/26	0/2/2/2
26	PSU	a	1917	26	-	0/7/25/26	0/2/2/2
26	PSU	a	2605	26	-	0/7/25/26	0/2/2/2
1	MA6	A	1519	1	-	5/11/29/30	0/3/3/3
1	2MG	A	966	1	-	0/9/27/28	0/3/3/3
1	MA6	A	1518	1	-	2/11/29/30	0/3/3/3
26	2MG	a	1835	26	-	2/9/27/28	0/3/3/3
26	PSU	a	2504	26	-	2/7/25/26	0/2/2/2
26	5MC	a	1962	26	-	2/7/25/26	0/2/2/2
26	5MU	a	1939	26	-	2/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
26	H2U	a	2449	26	-	0/7/38/39	0/2/2/2
26	OMC	a	2498	57,26	-	2/9/27/28	0/2/2/2
1	4OC	A	1402	1	-	1/9/29/30	0/2/2/2
26	5MU	a	747	26	-	1/7/25/26	0/2/2/2
26	6MZ	a	2030	26	-	2/9/27/28	0/3/3/3
26	PSU	a	2604	26	-	2/7/25/26	0/2/2/2
26	G7M	a	2069	26	-	2/7/25/26	0/3/3/3
22	H2U	V	21	22	-	7/7/38/39	0/2/2/2
1	5MC	A	967	1	-	2/7/25/26	0/2/2/2
22	5MU	V	55	22	-	0/7/25/26	0/2/2/2
1	G7M	A	527	1	-	1/7/25/26	0/3/3/3
1	5MC	A	1407	1	-	0/7/25/26	0/2/2/2
26	1MG	a	745	26	-	0/7/25/26	0/3/3/3
26	PSU	a	955	26	-	0/7/25/26	0/2/2/2
37	MS6	l	82	37,38	-	2/4/6/8	-
1	UR3	A	1498	1	-	2/7/25/26	0/2/2/2
26	PSU	a	2457	26	-	0/7/25/26	0/2/2/2
26	3TD	a	1915	26	-	6/7/25/26	0/2/2/2
26	2MA	a	2503	57,26	-	3/7/25/26	0/3/3/3

The worst 5 of 174 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	a	1915	3TD	C6-C5	12.38	1.49	1.35
26	a	2030	6MZ	C6-N6	10.90	1.46	1.34
26	a	1618	6MZ	C6-N6	10.79	1.45	1.34
1	A	1407	5MC	C6-C5	9.32	1.49	1.34
22	V	21	H2U	C2-N1	9.24	1.48	1.35

The worst 5 of 235 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	a	2503	2MA	C5-C4-N3	-8.12	118.06	127.19
22	V	8	4SU	C4-N3-C2	-7.93	119.64	127.34
1	A	966	2MG	C2-N3-C4	7.72	121.61	112.04
26	a	1835	2MG	C2-N3-C4	7.66	121.53	112.04
1	A	1516	2MG	C2-N3-C4	7.52	121.36	112.04

There are no chirality outliers.

5 of 72 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1207	2MG	N1-C2-N2-CM2
1	A	1207	2MG	N3-C2-N2-CM2
1	A	1498	UR3	O4'-C1'-N1-C6
1	A	1498	UR3	O4'-C1'-N1-C2
1	A	1518	MA6	C5-C6-N6-C9

There are no ring outliers.

11 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	1516	2MG	1	0
26	a	2552	OMU	2	0
12	L	89	D2T	2	0
29	d	150	MEQ	2	0
37	l	81	4D4	1	0
1	A	1518	MA6	1	0
26	a	2498	OMC	1	0
1	A	1402	4OC	2	0
26	a	2030	6MZ	1	0
26	a	955	PSU	1	0
26	a	1915	3TD	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 316 ligands modelled in this entry, 315 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
58	FME	V	101	22	8,9,10	0.97	0	7,9,11	0.80	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	FME	V	101	22	-	5/7/9/11	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
58	V	101	FME	O1-CN-N-CA
58	V	101	FME	O-C-CA-CB
58	V	101	FME	CA-CB-CG-SD
58	V	101	FME	N-CA-CB-CG
58	V	101	FME	CB-CG-SD-CE

There are no ring outliers.

1 monomer is involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
58	V	101	FME	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
37	1	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	1	82:MS6	C	83:MET	N	78.87


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-12261. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 267




Y Index: 271




Z Index: 226


6.3.2 Raw map



X Index: 268



Y Index: 275




Z Index: 245


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 4.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_12261_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 959 nm³; this corresponds to an approximate mass of 867 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.322 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.322 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.11	-	-
Author-provided FSC curve	3.10	3.64	3.15
Unmasked-calculated*	4.22	7.45	4.43

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.22 differs from the reported value 3.11 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-12261 and PDB model 7NBU. Per-residue inclusion information can be found in section [3](#) on page [16](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 4.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (4.5).

9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (4.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8200	 0.5210
0	 0.7430	 0.5470
1	 0.9490	 0.5690
2	 0.9230	 0.5710
3	 0.8770	 0.5800
A	 0.8640	 0.5130
B	 0.4110	 0.4710
C	 0.6620	 0.5210
D	 0.5910	 0.5040
E	 0.7560	 0.5430
F	 0.5990	 0.5010
G	 0.5350	 0.4760
H	 0.6710	 0.5300
I	 0.6120	 0.5060
J	 0.4970	 0.4690
K	 0.7420	 0.5280
L	 0.7770	 0.5360
M	 0.6000	 0.5090
N	 0.7120	 0.5230
O	 0.6970	 0.5200
P	 0.7100	 0.5320
Q	 0.6910	 0.5180
R	 0.6270	 0.4990
S	 0.5840	 0.4960
T	 0.6790	 0.5120
U	 0.4360	 0.4590
V	 0.9110	 0.4830
W	 0.5480	 0.4440
X	 0.5880	 0.4280
Y	 0.5760	 0.3740
Z	 0.7990	 0.5380
a	 0.8850	 0.5260
b	 0.8270	 0.5210
c	 0.9030	 0.5710
d	 0.7950	 0.5660



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
e	 0.6910	 0.5320
f	 0.5720	 0.4840
g	 0.4830	 0.4830
h	 0.5030	 0.4950
i	 0.8230	 0.5620
j	 0.8270	 0.5550
k	 0.7550	 0.5500
l	 0.6410	 0.5180
m	 0.8710	 0.5620
n	 0.6310	 0.5180
o	 0.7590	 0.5580
p	 0.8570	 0.5660
q	 0.6750	 0.5430
r	 0.8190	 0.5490
s	 0.7360	 0.5300
t	 0.6190	 0.5250
u	 0.6500	 0.5320
v	 0.8380	 0.5610
w	 0.8420	 0.5530
x	 0.6120	 0.5010
y	 0.7670	 0.5470
z	 0.8110	 0.5590