



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 15, 2026 – 01:12 AM UTC

PDB ID : 5NCQ / pdb_00005ncq
Title : Structure of the (SR) Ca²⁺-ATPase bound to a Tetrahydrocarbazole and TNP-ATP
Authors : Bublitz, M.; Kjellerup, L.; O'Hanlon Cohrt, K.; Gordon, S.; Mortensen, A.L.; Clausen, J.D.; Pallin, D.; Hansen, J.B.; Brown, W.D.; Fuglsang, A.; Winther, A.-M.L.
Deposited on : 2017-03-06
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	994	3% 80% 18%

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 7765 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sarcoplasmic/endoplasmic reticulum calcium ATPase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	984	Total	C	N	O	S	0	0	0
			7596	4830	1272	1437	57			

- Molecule 2 is SPIRO(2,4,6-TRINITROBENZENE[1,2A]-2O',3O'-METHYLENE-ADENIN E-TRIPHOSPHATE (CCD ID: 128) (formula: C₁₆H₁₆N₈O₁₉P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			46	16	8	19	3		

- Molecule 3 is POTASSIUM ION (CCD ID: K) (formula: K).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	K	0	0
			1	1		

- Molecule 4 is 1,2-DIOLEOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PCW) (formula: $C_{44}H_{85}NO_8P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			36	26	1	8	1		
4	A	1	Total	C	N	O	P	0	0
			48	38	1	8	1		

- Molecule 5 is (1 {S})- {N}-[(4-bromophenyl)methyl]-7-(trifluoromethoxy)-2,3,4,9-tetrahydro-1 {H}-carbazol-1-amine (CCD ID: 8T8) (formula: $C_{20}H_{18}BrF_3N_2O$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	Br	C	F	N	O	0	1
			36	2	27	3	3	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total	O	0	0
			2	2		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	125.62Å 224.63Å 57.05Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	56.16 – 3.00 56.16 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.3 (56.16-3.00) 99.5 (56.16-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.90 (at 3.01Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.213 , 0.267 0.219 , 0.266	Depositor DCC
R_{free} test set	1648 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	72.8	Xtriage
Anisotropy	0.735	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 58.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	7765	wwPDB-VP
Average B, all atoms (Å ²)	92.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 8T8, PCW, K, 128

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.14	0/7732	0.37	0/10481

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7596	0	7705	112	1
2	A	46	0	13	0	0
3	A	1	0	0	0	0
4	A	84	0	115	4	0
5	A	36	0	0	0	0
6	A	2	0	0	0	0
All	All	7765	0	7833	112	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:448:LEU:HG	1:A:452:MET:HE2	1.67	0.77
1:A:413:LEU:HG	1:A:564:LEU:HD12	1.71	0.70
1:A:196:ASP:HB3	1:A:199:ALA:HB2	1.74	0.69
1:A:472:ASN:HB3	1:A:476:ARG:HH22	1.59	0.68
1:A:28:GLN:O	1:A:32:HIS:ND1	2.27	0.67
1:A:25:THR:HG22	1:A:27:ASP:H	1.61	0.65
1:A:450:GLU:HB3	1:A:467:ARG:HH12	1.61	0.65
1:A:756:ASN:HB3	1:A:808:GLY:HA2	1.77	0.65
1:A:116:ILE:HA	1:A:334:ARG:HH21	1.63	0.63
1:A:861:ASP:OD2	1:A:966:GLN:NE2	2.31	0.62
1:A:62:VAL:HG13	1:A:98:LEU:HD11	1.82	0.60
1:A:24:LEU:HD12	1:A:149:ASP:HB3	1.86	0.58
1:A:326:MET:HG3	1:A:749:GLU:HG2	1.87	0.57
1:A:447:THR:HG22	1:A:451:LYS:HE2	1.87	0.57
1:A:907:ILE:HG23	1:A:977:VAL:HG11	1.88	0.56
1:A:795:VAL:HA	1:A:799:THR:OG1	2.06	0.56
1:A:347:VAL:HG11	1:A:691:LEU:HD13	1.87	0.55
1:A:110:ARG:HA	1:A:113:GLU:HB2	1.89	0.55
1:A:944:HIS:O	1:A:947:ILE:HG22	2.06	0.55
1:A:947:ILE:HD11	1:A:957:PHE:CG	2.41	0.55
1:A:412:GLU:OE2	1:A:529:ARG:NH1	2.38	0.55
1:A:844:VAL:HG22	1:A:907:ILE:HG21	1.89	0.55
1:A:108:GLN:OE1	1:A:111:ASN:HB2	2.08	0.54
1:A:48:SER:HB3	1:A:51:GLU:HB2	1.89	0.54
1:A:75:LEU:HD23	1:A:297:LYS:HG3	1.90	0.54
1:A:298:ILE:HD13	1:A:779:ALA:HB2	1.89	0.53
1:A:235:ILE:HD12	1:A:726:VAL:HG22	1.91	0.53
1:A:606:GLU:HG3	1:A:741:SER:OG	2.09	0.53
1:A:913:LEU:HD22	1:A:927:PRO:HB3	1.90	0.52
1:A:856:PHE:CZ	1:A:891:PHE:HA	2.45	0.52
1:A:671:ARG:HB2	1:A:694:TYR:CE2	2.45	0.51
1:A:97:ILE:HD12	1:A:793:LEU:HD13	1.92	0.51
1:A:947:ILE:HD11	1:A:957:PHE:CD2	2.45	0.51
1:A:308:PRO:O	1:A:310:GLY:N	2.42	0.51
1:A:944:HIS:O	1:A:948:LEU:HG	2.10	0.51
1:A:757:MET:HA	1:A:760:PHE:CE2	2.46	0.51
1:A:369:ILE:HD12	1:A:528:VAL:HB	1.92	0.50
1:A:377:CYS:HB2	1:A:541:VAL:HG22	1.93	0.50
1:A:60:LEU:HD21	1:A:261:SER:HB2	1.92	0.50
1:A:363:VAL:HG11	1:A:448:LEU:HD22	1.94	0.49
1:A:298:ILE:O	1:A:302:LEU:N	2.41	0.49
1:A:415:THR:HA	1:A:475:ILE:HD13	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:802:LEU:HB2	1:A:803:PRO:HD3	1.94	0.49
1:A:102:ALA:O	1:A:106:VAL:HG23	2.13	0.49
1:A:495:SER:HB3	1:A:514:VAL:HG22	1.94	0.49
1:A:659:ASP:OD1	1:A:683:HIS:NE2	2.46	0.48
1:A:122:TYR:CG	1:A:179:ILE:HD11	2.49	0.48
1:A:502:LYS:HE2	1:A:505:ARG:NH1	2.29	0.48
1:A:524:ARG:HD3	1:A:585:MET:HE2	1.94	0.48
1:A:122:TYR:CD1	1:A:179:ILE:HD11	2.48	0.48
1:A:623:MET:HE1	1:A:635:ILE:HG22	1.96	0.47
1:A:319:LEU:HD22	1:A:339:VAL:HG21	1.97	0.47
1:A:969:MET:HA	1:A:972:LYS:HD2	1.96	0.47
1:A:877:THR:HG1	1:A:880:HIS:HE2	1.63	0.47
1:A:858:TYR:HB3	4:A:1003:PCW:H41	1.96	0.47
1:A:724:THR:HG23	1:A:727:ALA:H	1.81	0.46
1:A:307:ILE:HG22	1:A:309:GLU:H	1.81	0.46
1:A:33:LEU:HD11	1:A:38:HIS:CD2	2.49	0.46
1:A:950:VAL:HG12	1:A:952:PRO:HD2	1.97	0.46
1:A:334:ARG:NH1	1:A:731:SER:O	2.48	0.45
1:A:850:GLY:HA3	4:A:1003:PCW:H152	1.98	0.45
1:A:854:TRP:HB2	4:A:1003:PCW:H131	1.97	0.45
1:A:625:THR:OG1	1:A:627:ASP:OD2	2.32	0.45
1:A:985:LYS:O	1:A:989:ARG:HG2	2.17	0.45
1:A:412:GLU:OE1	1:A:529:ARG:HD2	2.17	0.45
1:A:522:ILE:HG22	1:A:542:LYS:HE2	1.99	0.45
1:A:604:ARG:HB2	1:A:607:VAL:HG13	1.98	0.45
1:A:836:ARG:HG3	1:A:984:LEU:HD13	1.97	0.45
1:A:984:LEU:O	1:A:987:ILE:HG12	2.16	0.45
1:A:352:LYS:HA	1:A:356:LEU:HD12	1.99	0.45
1:A:529:ARG:HH22	1:A:568:ASP:CG	2.24	0.45
1:A:113:GLU:C	1:A:115:ALA:H	2.25	0.44
1:A:411:VAL:HG22	1:A:454:VAL:HB	1.99	0.44
1:A:832:TRP:HE1	1:A:987:ILE:HD11	1.83	0.44
1:A:49:LEU:O	1:A:53:VAL:HG23	2.17	0.44
1:A:19:SER:HB3	1:A:22:THR:HB	1.99	0.43
1:A:94:ILE:HD13	1:A:793:LEU:HD11	2.00	0.43
1:A:203:ASP:O	1:A:205:LYS:N	2.51	0.43
1:A:502:LYS:C	1:A:504:SER:H	2.26	0.43
1:A:529:ARG:NH2	1:A:568:ASP:OD2	2.52	0.43
1:A:799:THR:O	1:A:909:MET:HE1	2.19	0.43
1:A:354:GLY:HA2	1:A:359:ASN:HB2	1.99	0.43
1:A:427:PHE:CE1	1:A:464:LYS:HB3	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:948:LEU:HB2	1:A:949:TYR:HD1	1.84	0.42
1:A:490:ASP:OD1	1:A:491:ARG:N	2.52	0.42
1:A:264:ILE:HD11	1:A:306:ALA:HB3	2.00	0.42
1:A:867:TYR:CE1	4:A:1004:PCW:H121	2.54	0.42
1:A:342:LEU:HD12	1:A:716:ILE:HD13	2.01	0.42
1:A:793:LEU:O	1:A:797:LEU:HB2	2.20	0.42
1:A:90:GLU:O	1:A:94:ILE:HG12	2.20	0.42
1:A:810:ASN:HD21	1:A:916:LEU:HA	1.83	0.42
1:A:867:TYR:CZ	1:A:871:THR:HG21	2.54	0.42
1:A:129:VAL:HG12	1:A:151:VAL:HG22	2.01	0.41
1:A:350:SER:HA	1:A:701:THR:OG1	2.19	0.41
1:A:165:ILE:HG12	1:A:208:LEU:HG	2.00	0.41
1:A:459:VAL:HB	1:A:467:ARG:HD3	2.02	0.41
1:A:768:ASN:O	1:A:772:VAL:HG23	2.20	0.41
1:A:917:SER:HB2	1:A:925:MET:CE	2.50	0.41
1:A:321:LEU:HD12	1:A:809:PHE:CZ	2.55	0.41
1:A:402:ILE:HD13	1:A:402:ILE:HA	1.96	0.41
1:A:334:ARG:NH1	1:A:729:THR:O	2.54	0.41
1:A:419:LEU:HD11	1:A:479:MET:HB2	2.03	0.41
1:A:673:ALA:HB1	1:A:676:PHE:HE1	1.86	0.41
1:A:811:PRO:HA	1:A:812:PRO:HD3	1.90	0.41
1:A:889:GLU:O	1:A:892:GLU:N	2.52	0.41
1:A:416:ILE:HG21	1:A:564:LEU:HB3	2.03	0.40
1:A:472:ASN:HB3	1:A:476:ARG:NH2	2.33	0.40
1:A:1:MET:HB2	1:A:15:TYR:CE1	2.56	0.40
1:A:352:LYS:HD2	1:A:635:ILE:HD13	2.01	0.40
1:A:701:THR:HA	1:A:718:ILE:O	2.22	0.40
1:A:260:LEU:HD11	1:A:306:ALA:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198:ARG:NH1	1:A:394:GLU:OE1[1_556]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	980/994 (99%)	940 (96%)	40 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	832/840 (99%)	827 (99%)	5 (1%)	78	88

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	101	ASN
1	A	309	GLU
1	A	606	GLU
1	A	696	GLU
1	A	880	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	101	ASN
1	A	213	ASN
1	A	472	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	990	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	PCW	A	1003	-	35,35,53	0.98	0	41,43,61	0.89	0
2	128	A	1001	-	42,50,50	0.94	2 (4%)	55,80,80	0.99	2 (3%)
5	8T8	A	1005[B]	-	29,30,30	0.91	0	40,44,44	1.01	2 (5%)
5	8T8	A	1005[A]	-	29,30,30	0.83	0	40,44,44	0.92	2 (5%)
4	PCW	A	1004	-	47,47,53	0.95	0	53,55,61	0.82	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PCW	A	1003	-	-	19/39/39/57	-
2	128	A	1001	-	-	8/26/80/80	0/5/5/5
5	8T8	A	1005[B]	-	-	3/10/20/20	0/4/4/4
5	8T8	A	1005[A]	-	-	4/10/20/20	0/4/4/4
4	PCW	A	1004	-	-	19/51/51/57	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	128	PB-O3B	2.43	1.62	1.59
2	A	1001	128	PA-O3A	2.05	1.61	1.59

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1005[A]	8T8	CAL-CAN-CAZ	3.48	115.55	110.97
5	A	1005[B]	8T8	CAL-CAN-CAZ	3.48	115.55	110.97
2	A	1001	128	O4'-C1'-N9	2.73	113.33	108.09
5	A	1005[A]	8T8	CAM-CAV-CAW	-2.12	119.56	122.07
5	A	1005[B]	8T8	CAM-CAV-CAW	-2.12	119.56	122.07
2	A	1001	128	O3G-PG-O3B	2.04	111.47	104.64

There are no chirality outliers.

All (53) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1001	128	C5'-O5'-PA-O2A
2	A	1001	128	C5'-O5'-PA-O3A
2	A	1001	128	O4'-C4'-C5'-O5'
4	A	1003	PCW	O4P-C4-C5-N
4	A	1003	PCW	C5-C4-O4P-P
4	A	1003	PCW	C4-O4P-P-O3P
4	A	1004	PCW	O4P-C4-C5-N
4	A	1004	PCW	C1-O3P-P-O2P
4	A	1004	PCW	C1-O3P-P-O4P
4	A	1004	PCW	C4-O4P-P-O1P
4	A	1004	PCW	C4-O4P-P-O3P
5	A	1005[A]	8T8	CAW-CAZ-NAP-CAO
4	A	1004	PCW	C12-C11-O3-C3
4	A	1004	PCW	O11-C11-O3-C3
2	A	1001	128	C3'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	A	1003	PCW	C11-C12-C13-C14
4	A	1003	PCW	C12-C11-O3-C3
4	A	1004	PCW	C11-C12-C13-C14
4	A	1003	PCW	C31-C32-C33-C34
5	A	1005[A]	8T8	CAT-CAO-NAP-CAZ
5	A	1005[A]	8T8	CAN-CAZ-NAP-CAO
4	A	1003	PCW	O11-C11-O3-C3
4	A	1003	PCW	C35-C36-C37-C38
4	A	1004	PCW	C16-C17-C18-C19
4	A	1003	PCW	C32-C33-C34-C35
4	A	1003	PCW	C33-C34-C35-C36
4	A	1003	PCW	C15-C16-C17-C18
4	A	1004	PCW	C42-C43-C44-C45
4	A	1003	PCW	C34-C35-C36-C37
4	A	1003	PCW	C16-C17-C18-C19
4	A	1004	PCW	O3P-C1-C2-O2
4	A	1003	PCW	C13-C14-C15-C16
4	A	1004	PCW	C41-C42-C43-C44
4	A	1004	PCW	C14-C15-C16-C17
4	A	1003	PCW	C1-C2-C3-O3
4	A	1004	PCW	O3P-C1-C2-C3
4	A	1003	PCW	C4-O4P-P-O2P
4	A	1003	PCW	C36-C37-C38-C39
5	A	1005[B]	8T8	CAN-CAZ-NAP-CAO
4	A	1004	PCW	C39-C40-C41-C42
4	A	1003	PCW	O2-C2-C3-O3
4	A	1004	PCW	O2-C2-C3-O3
2	A	1001	128	PG-O3B-PB-O1B
2	A	1001	128	PB-O3A-PA-O5'
5	A	1005[B]	8T8	CAW-CAZ-NAP-CAO
2	A	1001	128	PB-O3B-PG-O1G
4	A	1004	PCW	C4-C5-N-C8
2	A	1001	128	PG-O3B-PB-O2B
4	A	1003	PCW	C14-C15-C16-C17
5	A	1005[A]	8T8	FAA-CBA-OAR-CAU
5	A	1005[B]	8T8	FAA-CBA-OAR-CAU
4	A	1004	PCW	C4-C5-N-C6
4	A	1004	PCW	C4-C5-N-C7

There are no ring outliers.


2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1003	PCW	3	0
4	A	1004	PCW	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand 128 A 1001




Bond lengths



Bond angles




Torsions





Rings

Ligand 8T8 A 1005 (B)



Ligand 8T8 A 1005 (A)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	984/994 (98%)	0.01	30 (3%)	52 30	50, 81, 158, 285	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	45	GLU	3.9
1	A	120	LYS	3.9
1	A	289	ILE	3.9
1	A	122	TYR	3.7
1	A	504	SER	3.5
1	A	288	TRP	3.5
1	A	118	ALA	3.4
1	A	277	GLY	3.3
1	A	119	LEU	3.2
1	A	112	ALA	3.1
1	A	117	GLU	2.9
1	A	121	GLU	2.8
1	A	116	ILE	2.8
1	A	44	GLU	2.7
1	A	149	ASP	2.6
1	A	238	GLN	2.5
1	A	78	PHE	2.5
1	A	521	VAL	2.4
1	A	111	ASN	2.4
1	A	294	TYR	2.4
1	A	454	VAL	2.3
1	A	84	THR	2.3
1	A	240	ALA	2.3
1	A	239	MET	2.2
1	A	43	ALA	2.2
1	A	96	LEU	2.1
1	A	456	ASN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	114	ASN	2.1
1	A	92	PHE	2.0
1	A	531	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	K	A	1002	1/1	0.83	0.14	135,135,135,135	0
5	8T8	A	1005[A]	27/27	0.86	0.20	91,97,108,130	9
5	8T8	A	1005[B]	27/27	0.86	0.20	91,97,108,126	9
2	128	A	1001	46/46	0.88	0.13	74,103,136,146	0
4	PCW	A	1004	48/54	0.89	0.21	70,86,103,105	0
4	PCW	A	1003	36/54	0.93	0.15	68,88,116,117	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 8T8 A 1005 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8T8 A 1005 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 128 A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PCW A 1004:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around PCW A 1003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.