



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 04:53 PM UTC

PDB ID : 1ND2 / pdb_00001nd2
Title : The structure of Rhinovirus 16
Authors : Zhang, Y.; Simpson, A.A.; Bator, C.M.; Chakravarty, S.; Pevear, D.C.;
Skochko, G.A.; Tull, T.M.; Diana, G.; Rossmann, M.G.
Deposited on : 2002-12-06
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	285	 80% 19% .
2	B	261	 81% 15% . .
3	C	238	 84% 16%
4	D	68	 28% 13% . 57%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 6858 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called coat protein VP1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	285	Total	C	N	O	S	0	0	0
			2287	1442	397	437	11			

- Molecule 2 is a protein called coat protein VP2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	252	Total	C	N	O	S	0	0	0
			1977	1252	343	372	10			

- Molecule 3 is a protein called coat protein VP3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	238	Total	C	N	O	S	0	0	0
			1845	1186	298	346	15			


- Molecule 4 is a protein called coat protein VP4.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	D	29	Total	C	N	O	0	0	0
			224	138	41	45			

- Molecule 5 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Zn	0	0
			1	1		

- Molecule 6 is MYRISTIC ACID (CCD ID: MYR) (formula: C₁₄H₂₈O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			16	14	2		
6	D	1	Total	C	O	0	0
			15	14	1		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	169	Total	O	0	0
			169	169		
7	B	174	Total	O	0	0
			174	174		
7	C	142	Total	O	0	0
			142	142		
7	D	8	Total	O	0	0
			8	8		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: coat protein VP1




• Molecule 2: coat protein VP2



• Molecule 3: coat protein VP3



• Molecule 4: coat protein VP4



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α , β , γ	360.37Å 343.63Å 332.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.50	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-2.50)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	unknown	Depositor
R, R_{free}	0.202 , 0.206	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6858	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MYR, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/2349	0.89	12/3204 (0.4%)
2	B	0.36	0/2029	0.91	5/2770 (0.2%)
3	C	0.40	0/1897	0.91	8/2596 (0.3%)
4	D	0.34	0/226	0.95	1/301 (0.3%)
All	All	0.37	0/6501	0.90	26/8871 (0.3%)

There are no bond length outliers.

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	186	ALA	N-CA-C	7.73	122.28	113.01
1	A	184	LEU	N-CA-C	7.18	122.14	113.23
1	A	185	SER	N-CA-C	6.53	118.98	110.43
1	A	243	THR	N-CA-C	6.33	120.38	110.32
1	A	192	MET	N-CA-C	-6.32	104.27	112.23
1	A	104	ALA	N-CA-C	6.19	118.54	111.11
1	A	102	GLU	N-CA-C	6.00	120.67	113.23
4	D	29	ILE	N-CA-C	5.92	116.82	108.36
1	A	212	ASN	N-CA-C	5.87	119.58	111.55
2	B	134	THR	N-CA-C	-5.78	100.72	109.85
3	C	58	THR	N-CA-C	-5.61	102.98	110.55
2	B	50	ILE	N-CA-C	5.48	120.57	113.07
1	A	221	ILE	N-CA-C	-5.42	100.52	108.54
1	A	119	ASP	N-CA-C	-5.34	102.62	110.52
2	B	105	GLY	N-CA-C	-5.33	103.38	112.64
2	B	127	ILE	N-CA-C	5.30	113.67	107.89
3	C	89	ILE	N-CA-C	5.30	118.48	111.17
1	A	98	ILE	N-CA-C	5.15	117.04	109.63
1	A	270	VAL	N-CA-C	5.14	118.26	111.17
3	C	152	HIS	N-CA-C	5.13	116.09	108.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	C	161	SER	N-CA-C	5.13	118.80	112.54
2	B	163	GLU	N-CA-C	5.12	116.55	111.07
3	C	237	THR	N-CA-C	5.09	117.28	109.95
3	C	162	THR	N-CA-C	5.06	117.65	109.40
3	C	97	THR	N-CA-C	-5.04	103.88	110.53
1	A	81	VAL	N-CA-C	5.01	115.12	108.11

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2287	0	2201	34	0
2	B	1977	0	1920	29	0
3	C	1845	0	1826	18	0
4	D	224	0	211	9	0
5	A	1	0	0	0	0
6	A	16	0	27	4	0
6	D	15	0	27	2	0
7	A	169	0	0	1	0
7	B	174	0	0	4	0
7	C	142	0	0	2	0
7	D	8	0	0	0	0
All	All	6858	0	6212	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:112:MET:HE3	1:A:251:PRO:HG3	1.50	0.91
2:B:173:ASN:HD21	2:B:179:LEU:HA	1.42	0.84
1:A:122:ILE:HG12	6:A:6001:MYR:H112	1.59	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:MET:HB2	1:A:177:PRO:HG2	1.67	0.77
2:B:255:ARG:HG3	2:B:255:ARG:HH11	1.51	0.73
3:C:176:ARG:HG2	3:C:184:SER:HB2	1.71	0.72
1:A:122:ILE:CG1	6:A:6001:MYR:H112	2.20	0.71
2:B:260:VAL:O	2:B:261:GLN:HB2	1.91	0.71
1:A:213:ASP:O	1:A:214:MET:HE2	1.95	0.65
1:A:124:MET:HE2	1:A:236:ILE:HD12	1.80	0.64
1:A:24:HIS:HB3	1:A:25:PRO:HD2	1.82	0.61
4:D:1:GLY:O	4:D:29:ILE:HA	2.01	0.60
3:C:185:SER:HB2	7:C:5170:HOH:O	2.02	0.59
3:C:19:MET:HE3	3:C:19:MET:HA	1.85	0.59
2:B:173:ASN:ND2	2:B:179:LEU:HA	2.18	0.57
1:A:38:GLU:HA	2:B:189:PHE:HB2	1.85	0.57
1:A:60:GLN:CD	1:A:60:GLN:H	2.13	0.56
1:A:13:GLU:HA	1:A:61:THR:HG21	1.86	0.56
1:A:263:ASN:HA	2:B:133:ALA:HB1	1.87	0.55
3:C:2:LEU:HD12	3:C:3:PRO:HD2	1.88	0.55
1:A:170:TRP:CD1	1:A:177:PRO:HD3	2.42	0.54
4:D:4:VAL:HG22	4:D:27:PHE:CD1	2.43	0.54
2:B:255:ARG:HG3	2:B:255:ARG:NH1	2.22	0.54
2:B:211:ASP:OD2	2:B:216:HIS:HD2	1.91	0.53
2:B:12:ARG:HG3	2:B:12:ARG:HH11	1.74	0.53
3:C:90:ALA:HB3	3:C:178:THR:O	2.10	0.51
2:B:193:ARG:HD3	7:B:5510:HOH:O	2.10	0.51
1:A:106:ILE:HG13	1:A:107:ARG:N	2.25	0.51
3:C:83:PHE:C	3:C:83:PHE:CD1	2.88	0.51
1:A:124:MET:HE2	1:A:236:ILE:CD1	2.41	0.50
2:B:159:GLN:NE2	7:B:5313:HOH:O	2.42	0.50
4:D:43:LEU:O	4:D:44:ASP:HB3	2.12	0.50
1:A:250:PRO:HB2	2:B:177:THR:HB	1.93	0.50
1:A:46:GLN:HB3	1:A:47:PRO:HD2	1.94	0.50
1:A:145:VAL:HG13	1:A:149:ALA:HB3	1.94	0.49
2:B:215:ARG:NH1	7:B:5439:HOH:O	2.45	0.49
1:A:77:ILE:HG22	1:A:106:ILE:CD1	2.43	0.49
2:B:129:GLU:OE1	2:B:216:HIS:HE1	1.95	0.48
2:B:162:ASN:OD1	2:B:163:GLU:N	2.46	0.48
2:B:162:ASN:HB3	2:B:165:GLN:HE21	1.77	0.48
3:C:81:GLU:HB2	3:C:192:TRP:CZ3	2.49	0.48
2:B:171:TRP:CD2	3:C:63:GLY:HA2	2.48	0.48
1:A:82:LEU:HD12	1:A:140:MET:HE1	1.95	0.47
4:D:43:LEU:O	4:D:44:ASP:CB	2.62	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:26:TYR:CE2	4:D:28:ASN:HB2	2.49	0.47
2:B:154:ARG:NE	2:B:159:GLN:HG3	2.30	0.47
2:B:171:TRP:CE2	3:C:63:GLY:HA2	2.49	0.47
3:C:26:PRO:O	3:C:27:TRP:HB2	2.14	0.47
1:A:170:TRP:CH2	1:A:172:HIS:HA	2.51	0.46
2:B:232:ASN:HD22	2:B:232:ASN:N	2.13	0.46
7:A:5019:HOH:O	3:C:222:ARG:HG3	2.16	0.46
4:D:1:GLY:HA2	6:D:4000:MYR:O2	2.16	0.45
3:C:212:PHE:CD1	3:C:212:PHE:N	2.85	0.45
1:A:60:GLN:CD	1:A:60:GLN:N	2.75	0.45
2:B:30:ASN:ND2	2:B:31:ALA:H	2.14	0.45
2:B:231:SER:C	2:B:232:ASN:HD22	2.24	0.45
2:B:43:THR:OG1	2:B:45:GLN:HG2	2.17	0.44
3:C:44:ILE:O	3:C:48:GLN:HG3	2.17	0.44
1:A:248:PRO:HD3	3:C:40:VAL:CG2	2.47	0.44
4:D:1:GLY:N	6:D:4000:MYR:O2	2.48	0.44
1:A:54:ARG:HG3	1:A:56:VAL:HG23	2.00	0.43
1:A:183:PHE:CZ	1:A:185:SER:HB3	2.54	0.43
3:C:166:VAL:O	3:C:168:PRO:HD3	2.17	0.43
4:D:5:SER:HB2	4:D:26:TYR:HB3	2.00	0.43
1:A:44:LYS:HA	1:A:44:LYS:HD3	1.60	0.43
4:D:4:VAL:HG22	4:D:27:PHE:CE1	2.54	0.43
1:A:25:PRO:HD3	1:A:52:GLU:OE1	2.19	0.43
1:A:250:PRO:HA	1:A:251:PRO:HD3	1.90	0.43
3:C:132:ALA:O	3:C:189:ILE:HA	2.19	0.43
3:C:118:MET:HE2	3:C:210:LEU:HD12	2.01	0.42
3:C:158:GLY:HA2	7:C:5548:HOH:O	2.19	0.42
1:A:147:PRO:HD3	1:A:215:GLY:CA	2.49	0.42
1:A:182:PRO:O	1:A:183:PHE:C	2.63	0.42
1:A:197:TYR:CE2	1:A:206:TYR:HB2	2.54	0.42
2:B:165:GLN:HE21	2:B:165:GLN:HB2	1.54	0.42
2:B:48:THR:HG23	2:B:49:ALA:N	2.36	0.41
2:B:23:ILE:HG21	2:B:109:HIS:CD2	2.56	0.41
1:A:134:HIS:ND1	1:A:228:HIS:CE1	2.89	0.41
1:A:190:TYR:CG	6:A:6001:MYR:H41	2.55	0.41
2:B:52:LYS:HA	2:B:53:PRO:HD3	1.89	0.41
1:A:212:ASN:HD22	6:A:6001:MYR:C2	2.34	0.41
2:B:13:ILE:HD11	7:B:5464:HOH:O	2.21	0.40
2:B:13:ILE:HG22	2:B:14:ILE:N	2.35	0.40
1:A:77:ILE:HG22	1:A:106:ILE:HD11	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	283/285 (99%)	275 (97%)	8 (3%)	0	100	100
2	B	250/261 (96%)	232 (93%)	17 (7%)	1 (0%)	30	49
3	C	236/238 (99%)	225 (95%)	10 (4%)	1 (0%)	30	49
4	D	25/68 (37%)	24 (96%)	1 (4%)	0	100	100
All	All	794/852 (93%)	756 (95%)	36 (4%)	2 (0%)	36	55

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	161	GLU
3	C	180	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	256/256 (100%)	252 (98%)	4 (2%)	55	79
2	B	221/228 (97%)	217 (98%)	4 (2%)	51	77
3	C	210/210 (100%)	205 (98%)	5 (2%)	43	70
4	D	23/59 (39%)	22 (96%)	1 (4%)	26	51
All	All	710/753 (94%)	696 (98%)	14 (2%)	48	75

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	VAL
1	A	172	HIS
1	A	219	SER
1	A	265	LYS
2	B	45	GLN
2	B	115	SER
2	B	116	LYS
2	B	165	GLN
3	C	87	VAL
3	C	124	ASN
3	C	129	VAL
3	C	180	PRO
3	C	182	THR
4	D	3	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1	ASN
1	A	12	ASN
1	A	57	GLN
1	A	89	ASN
1	A	97	ASN
1	A	165	ASN
1	A	171	GLN
1	A	174	GLN
2	B	30	ASN
2	B	45	GLN
2	B	55	GLN
2	B	119	GLN
2	B	159	GLN
2	B	165	GLN
2	B	173	ASN
2	B	216	HIS
2	B	232	ASN
2	B	236	ASN
3	C	29	HIS
3	C	59	GLN
3	C	205	ASN
3	C	230	HIS
4	D	25	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	MYR	D	4000	-	14,14,15	1.18	1 (7%)	13,13,15	0.91	0
6	MYR	A	6001	-	15,15,15	1.36	1 (6%)	15,15,15	1.27	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MYR	D	4000	-	-	7/12/12/13	-
6	MYR	A	6001	-	-	9/13/13/13	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	6001	MYR	C2-C1	3.74	1.59	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	4000	MYR	O2-C1	-3.62	1.23	1.42

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	6001	MYR	C13-C12-C11	-3.16	87.51	115.25
6	A	6001	MYR	O2-C1-O1	-2.33	117.33	123.33
6	A	6001	MYR	O2-C1-C2	2.32	121.34	114.00

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	6001	MYR	C1-C2-C3-C4
6	D	4000	MYR	C9-C10-C11-C12
6	A	6001	MYR	C10-C11-C12-C13
6	A	6001	MYR	C5-C6-C7-C8
6	D	4000	MYR	O2-C1-C2-C3
6	D	4000	MYR	C11-C10-C9-C8
6	A	6001	MYR	C6-C7-C8-C9
6	A	6001	MYR	C3-C4-C5-C6
6	D	4000	MYR	C11-C12-C13-C14
6	D	4000	MYR	C6-C7-C8-C9
6	A	6001	MYR	C11-C12-C13-C14
6	D	4000	MYR	C4-C5-C6-C7
6	D	4000	MYR	C1-C2-C3-C4
6	A	6001	MYR	C2-C3-C4-C5
6	A	6001	MYR	O1-C1-C2-C3
6	A	6001	MYR	O2-C1-C2-C3

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	D	4000	MYR	2	0
6	A	6001	MYR	4	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.