



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 12:38 PM UTC

PDB ID : 5ND6 / pdb_00005nd6
Title : Crystal structure of apo transketolase from Chlamydomonas reinhardtii
Authors : Fermani, S.; Zaffagnini, M.; Francia, F.; Pasquini, M.
Deposited on : 2017-03-07
Resolution : 1.58 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1094 (1.58-1.58)
Clashscore	190562	1105 (1.58-1.58)
Ramachandran outliers	187476	1082 (1.58-1.58)
Sidechain outliers	187428	1081 (1.58-1.58)
RSRZ outliers	180081	1094 (1.58-1.58)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	693	3% 87% 8% ...
1	B	693	4% 86% 10% ...

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11118 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transketolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	669	Total	C	N	O	S	0	4	0
			5132	3250	884	965	33			
1	B	670	Total	C	N	O	S	0	4	0
			5141	3255	888	965	33			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	26	MET	-	initiating methionine	UNP A8IAN1
A	27	HIS	-	expression tag	UNP A8IAN1
A	28	HIS	-	expression tag	UNP A8IAN1
A	29	HIS	-	expression tag	UNP A8IAN1
A	30	HIS	-	expression tag	UNP A8IAN1
A	31	HIS	-	expression tag	UNP A8IAN1
A	32	HIS	-	expression tag	UNP A8IAN1
A	33	HIS	-	expression tag	UNP A8IAN1
A	34	MET	-	expression tag	UNP A8IAN1
A	35	ALA	-	expression tag	UNP A8IAN1
B	26	MET	-	initiating methionine	UNP A8IAN1
B	27	HIS	-	expression tag	UNP A8IAN1
B	28	HIS	-	expression tag	UNP A8IAN1
B	29	HIS	-	expression tag	UNP A8IAN1
B	30	HIS	-	expression tag	UNP A8IAN1
B	31	HIS	-	expression tag	UNP A8IAN1
B	32	HIS	-	expression tag	UNP A8IAN1
B	33	HIS	-	expression tag	UNP A8IAN1
B	34	MET	-	expression tag	UNP A8IAN1
B	35	ALA	-	expression tag	UNP A8IAN1

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	430	Total	O	0	0
			430	430		
3	B	411	Total	O	0	0
			411	411		

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	165.21Å 74.31Å 133.72Å 90.00° 119.30° 90.00°	Depositor
Resolution (Å)	116.60 – 1.58 116.60 – 1.58	Depositor EDS
% Data completeness (in resolution range)	98.2 (116.60-1.58) 98.2 (116.60-1.58)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.69 (at 1.58Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.159 , 0.192 0.165 , 0.200	Depositor DCC
R_{free} test set	9518 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	19.5	Xtriage
Anisotropy	0.094	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 32.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11118	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.79% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.36	13/5270 (0.2%)	1.17	3/7151 (0.0%)
1	B	1.44	21/5280 (0.4%)	1.20	10/7163 (0.1%)
All	All	1.40	34/10550 (0.3%)	1.19	13/14314 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
All	All	0	4

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	241	SER	CA-C	7.71	1.63	1.52
1	B	367	ALA	N-CA	7.59	1.55	1.46
1	B	85	ALA	C-O	-7.58	1.17	1.24
1	A	428	GLY	CA-C	-7.34	1.44	1.52
1	B	240	ILE	CA-C	7.07	1.60	1.52
1	A	85	ALA	C-O	-6.73	1.18	1.24
1	B	428	GLY	CA-C	-6.44	1.45	1.52
1	A	180	VAL	N-CA	-6.37	1.39	1.46
1	B	562	ASN	N-CA	-6.28	1.38	1.46
1	B	240	ILE	CA-CB	6.09	1.61	1.55
1	A	344	VAL	N-CA	6.03	1.53	1.46
1	B	693	PRO	CA-C	5.92	1.59	1.52
1	B	692	ALA	CA-C	-5.87	1.45	1.52
1	A	438	LEU	N-CA	5.83	1.53	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	501	SER	N-CA	5.80	1.53	1.46
1	B	91	LEU	N-CA	-5.74	1.39	1.46
1	A	632	ARG	N-CA	-5.61	1.39	1.46
1	B	240	ILE	N-CA	5.61	1.53	1.46
1	B	344	VAL	N-CA	5.58	1.53	1.46
1	B	149	THR	C-O	-5.39	1.17	1.23
1	A	179	ALA	N-CA	5.36	1.52	1.46
1	B	631	VAL	N-CA	5.35	1.52	1.46
1	B	124	SER	N-CA	5.34	1.52	1.46
1	B	695	PRO	C-O	5.34	1.30	1.24
1	A	278	LEU	CA-C	-5.33	1.45	1.52
1	B	129	THR	N-CA	-5.32	1.39	1.46
1	A	605	VAL	CA-C	-5.30	1.46	1.52
1	B	285	ALA	N-CA	5.24	1.52	1.46
1	A	296	LYS	CA-CB	5.24	1.59	1.53
1	B	709	VAL	N-CA	5.21	1.52	1.46
1	A	383	LEU	N-CA	5.19	1.52	1.46
1	A	486	THR	C-O	-5.12	1.18	1.24
1	A	240	ILE	CA-C	5.11	1.59	1.52
1	B	170	GLN	C-O	-5.06	1.18	1.24

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	240	ILE	N-CA-C	13.97	127.17	107.88
1	B	50	ILE	N-CA-C	7.28	117.38	108.06
1	A	249	SER	N-CA-C	7.15	126.03	110.80
1	A	248	ILE	CB-CA-C	6.78	120.89	111.19
1	B	433	LEU	CA-CB-CG	6.27	138.25	116.30
1	B	240	ILE	CA-C-O	5.84	125.87	120.96
1	B	242	ILE	N-CA-C	5.67	119.32	112.80
1	B	495	ARG	NE-CZ-NH1	-5.52	115.98	121.50
1	B	95	VAL	N-CA-C	5.40	116.21	111.56
1	B	240	ILE	CB-CA-C	-5.34	104.38	111.80
1	B	372	LYS	N-CA-C	5.25	118.84	112.23
1	B	501	SER	N-CA-C	-5.09	105.62	111.07
1	A	521	GLU	N-CA-C	5.07	118.56	112.38

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	239	LYS	Peptide
1	A	89	TYR	Sidechain
1	B	240	ILE	Peptide
1	B	432	ASP	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5132	0	5038	38	0
1	B	5141	0	5048	31	1
2	A	4	0	6	0	0
3	A	430	0	0	4	0
3	B	411	0	0	7	0
All	All	11118	0	10092	66	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:242:ILE:HD13	1:A:312:HIS:CD2	1.98	0.97
1:A:248:ILE:HD11	1:B:458:ARG:HG3	1.66	0.75
1:B:417:ASN:HD21	1:B:442:LYS:H	1.39	0.70
1:A:267:HIS:HD2	3:A:1045:HOH:O	1.73	0.69
1:A:476:HIS:HD2	1:A:478:SER:OG	1.78	0.67
1:A:238:ASN:OD1	1:A:241:SER:OG	2.08	0.64
1:B:56:GLU:OE2	3:B:801:HOH:O	2.14	0.64
1:A:243:ASP:OD1	1:B:433:LEU:HB3	1.98	0.63
1:B:229:GLY:O	3:B:802:HOH:O	2.15	0.63
1:B:476:HIS:HD2	1:B:478:SER:OG	1.82	0.61
1:B:438:LEU:HA	3:B:805:HOH:O	2.00	0.60
1:B:409:ARG:HD3	3:B:921:HOH:O	2.01	0.60
1:B:267:HIS:HD2	3:B:1012:HOH:O	1.85	0.59
1:A:417:ASN:HD21	1:A:442:LYS:H	1.52	0.57
1:A:242:ILE:HD13	1:A:312:HIS:NE2	2.20	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:193:ASP:OD2	1:B:372:LYS:NZ	2.38	0.56
1:A:674:LYS:CE	3:A:1295:HOH:O	2.54	0.56
1:A:242:ILE:HD12	1:A:245:HIS:HA	1.89	0.55
1:B:155:ASN:HD21	1:B:504[A]:SER:HB2	1.72	0.55
1:B:437:ASN:O	3:B:804:HOH:O	2.18	0.55
1:B:663:SER:OG	1:B:682:HIS:HD2	1.89	0.55
1:A:245:HIS:O	1:A:246:THR:HG22	2.08	0.53
1:A:433:LEU:HB3	1:A:437:ASN:OD1	2.08	0.53
1:A:674:LYS:HE2	3:A:1295:HOH:O	2.09	0.53
1:A:712:ALA:O	1:A:715:THR:HG22	2.09	0.52
1:A:663:SER:OG	1:A:682:HIS:HD2	1.92	0.52
1:A:155:ASN:HD21	1:A:504:SER:HB2	1.75	0.51
1:A:245:HIS:HB3	1:A:248:ILE:HG23	1.92	0.51
1:A:208:ASP:OD2	1:A:241:SER:OG	2.29	0.50
1:A:242:ILE:HG13	1:A:243:ASP:OD1	2.12	0.50
1:A:240:ILE:HG22	1:A:240:ILE:O	2.11	0.50
1:B:200:HIS:NE2	1:B:476:HIS:HE1	2.10	0.49
1:B:562:ASN:HD21	1:B:565:ARG:HH11	1.59	0.49
1:A:674:LYS:HE3	3:A:1295:HOH:O	2.13	0.48
1:A:200:HIS:NE2	1:A:476:HIS:HE1	2.11	0.48
1:A:437:ASN:O	1:A:438:LEU:HB2	2.12	0.48
1:B:239:LYS:C	1:B:240:ILE:HG12	2.39	0.47
1:A:245:HIS:CG	1:A:248:ILE:HD13	2.49	0.47
1:A:340:VAL:HB	1:A:345:TYR:CE2	2.50	0.46
1:B:562:ASN:ND2	1:B:565:ARG:HE	2.14	0.46
1:A:409:ARG:NH1	1:A:436:SER:O	2.49	0.46
1:B:245:HIS:CE1	3:B:1051:HOH:O	2.68	0.46
1:B:335:TYR:CE2	1:B:341:PRO:HG3	2.51	0.46
1:B:97:LYS:NZ	1:B:199:ASP:O	2.49	0.45
1:A:97:LYS:HE3	1:A:107:ASN:O	2.15	0.45
1:A:660:ALA:HB1	1:A:715:THR:HG23	1.98	0.45
1:B:598:LYS:NZ	1:B:630:ASN:HD21	2.15	0.45
1:B:246:THR:C	1:B:248:ILE:H	2.25	0.45
1:B:712:ALA:O	1:B:715:THR:HG22	2.17	0.45
1:B:89:TYR:CD2	1:B:89:TYR:C	2.94	0.44
1:B:240:ILE:HG23	1:B:245:HIS:HA	2.00	0.44
1:A:242:ILE:HA	1:A:243:ASP:HA	1.64	0.43
1:A:433:LEU:HB3	1:A:437:ASN:CG	2.42	0.43
1:A:437:ASN:O	1:A:438:LEU:CB	2.66	0.43
1:B:242:ILE:O	1:B:242:ILE:HG22	2.19	0.42
1:A:77:HIS:CD2	1:A:316:GLY:HA2	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:195:LYS:HE2	1:B:368:GLU:OE1	2.19	0.42
1:A:212:MET:HE1	1:A:244:GLY:N	2.35	0.41
1:A:274:ASP:OD2	1:A:277:GLY:HA3	2.19	0.41
1:A:155:ASN:H	1:A:155:ASN:HD22	1.68	0.41
1:A:429:GLY:O	1:A:484:CYS:HA	2.21	0.41
1:B:77:HIS:CD2	1:B:316:GLY:HA2	2.55	0.41
1:B:429:GLY:HA3	1:B:457:LEU:O	2.21	0.40
1:B:274:ASP:OD2	1:B:277:GLY:HA3	2.21	0.40
1:A:248:ILE:CD1	1:B:458:ARG:HG3	2.44	0.40
1:A:245:HIS:HB3	1:A:248:ILE:HG12	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:710:GLU:OE2	1:B:710:GLU:OE2[2_555]	2.09	0.11

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	671/693 (97%)	645 (96%)	20 (3%)	6 (1%)	14	3
1	B	672/693 (97%)	651 (97%)	19 (3%)	2 (0%)	36	20
All	All	1343/1386 (97%)	1296 (96%)	39 (3%)	8 (1%)	21	7

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	240	ILE
1	A	242	ILE
1	A	246	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	249	SER
1	B	433	LEU
1	A	239	LYS
1	A	438	LEU
1	B	247	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	538/548 (98%)	528 (98%)	10 (2%)	50	21
1	B	539/548 (98%)	525 (97%)	14 (3%)	40	11
All	All	1077/1096 (98%)	1053 (98%)	24 (2%)	45	15

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50	ILE
1	A	242	ILE
1	A	248	ILE
1	A	331	LEU
1	A	354	ARG
1	A	436	SER
1	A	573	ARG
1	A	598	LYS
1	A	636	PHE
1	A	717	GLN
1	B	49	SER
1	B	91	LEU
1	B	185	LEU
1	B	239	LYS
1	B	240	ILE
1	B	245	HIS
1	B	248	ILE
1	B	313	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	314	VAL
1	B	329	LYS
1	B	331	LEU
1	B	388	LEU
1	B	391	ASN
1	B	636	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	102	ASN
1	A	155	ASN
1	A	174	ASN
1	A	267	HIS
1	A	307	ASN
1	A	312	HIS
1	A	398	HIS
1	A	417	ASN
1	A	476	HIS
1	A	682	HIS
1	B	102	ASN
1	B	155	ASN
1	B	245	HIS
1	B	267	HIS
1	B	307	ASN
1	B	417	ASN
1	B	471	ASN
1	B	476	HIS
1	B	562	ASN
1	B	575	ASN
1	B	630	ASN
1	B	682	HIS
1	B	718	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	A	801	-	3,3,3	0.64	0	2,2,2	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	801	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	EDO	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	669/693 (96%)	0.15	24 (3%)	46 57	12, 22, 45, 175	4 (0%)
1	B	670/693 (96%)	0.23	30 (4%)	38 50	10, 23, 46, 128	4 (0%)
All	All	1339/1386 (96%)	0.19	54 (4%)	42 54	10, 22, 45, 175	8 (0%)

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	244	GLY	11.8
1	B	242	ILE	10.0
1	A	242	ILE	9.9
1	B	240	ILE	9.6
1	A	240	ILE	8.9
1	A	437	ASN	8.5
1	B	433	LEU	8.4
1	B	437	ASN	8.0
1	B	241	SER	7.5
1	B	434	ALA	7.4
1	A	433	LEU	7.3
1	A	241	SER	6.9
1	B	435	PRO	6.8
1	A	434	ALA	6.8
1	A	243	ASP	6.7
1	A	435	PRO	6.6
1	A	245	HIS	6.5
1	A	248	ILE	6.3
1	B	246	THR	6.2
1	A	246	THR	5.9
1	B	436	SER	5.8
1	B	244	GLY	5.5
1	B	245	HIS	5.4
1	B	248	ILE	5.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	436	SER	4.8
1	B	243	ASP	4.6
1	A	432	ASP	3.8
1	B	239	LYS	3.7
1	B	432	ASP	3.7
1	B	247	ASP	3.5
1	A	247	ASP	3.4
1	B	50	ILE	3.1
1	B	49	SER	3.0
1	B	718	HIS	2.9
1	A	312	HIS	2.8
1	B	312	HIS	2.8
1	A	300	LEU	2.7
1	B	249	SER	2.6
1	A	438	LEU	2.5
1	B	304	GLY	2.4
1	B	438	LEU	2.4
1	A	49	SER	2.4
1	B	329	LYS	2.4
1	A	50	ILE	2.3
1	A	325	ALA	2.2
1	B	601	VAL	2.1
1	A	321	PRO	2.1
1	A	600	GLY	2.1
1	B	300	LEU	2.1
1	B	335	TYR	2.1
1	A	599	ALA	2.0
1	B	52	ARG	2.0
1	B	398	HIS	2.0
1	B	309	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDO	A	801	4/4	0.78	0.15	46,47,47,48	0

6.5 Other polymers

There are no such residues in this entry.