



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 12:55 PM UTC

PDB ID : 1NE7 / pdb_00001ne7
Title : HUMAN GLUCOSAMINE-6-PHOSPHATE DEAMINASE ISOMERASE AT
1.75 Å RESOLUTION COMPLEXED WITH N-ACETYL-GLUCOSAMINE
-6-PHOSPHATE AND 2-DEOXY-2-AMINO-GLUCITOL-6-PHOSPHATE
Authors : Arreola, R.; Valderrama, B.; Morante, M.L.; Horjales, E.
Deposited on : 2002-12-10
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.








Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	289	7% 80% 16% • •
1	B	289	5% 75% 18% • 5%
1	C	289	3% 76% 18% • 5%
1	D	289	3% 82% 12% • 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	289	
1	F	289	
2	G	2	
2	H	2	
2	I	2	
2	J	2	
2	K	2	
2	L	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SO4	A	2296[B]	-	-	-	X

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 16013 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucosamine-6-phosphate isomerase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	281	Total	C	N	O	S	21	7	0
			2294	1480	382	419	13			
1	B	274	Total	C	N	O	S	5	3	0
			2203	1425	364	400	14			
1	C	274	Total	C	N	O	S	7	8	0
			2244	1451	372	406	15			
1	D	274	Total	C	N	O	S	4	7	0
			2231	1443	369	406	13			
1	E	274	Total	C	N	O	S	17	7	0
			2237	1446	372	405	14			
1	F	274	Total	C	N	O	S	9	6	0
			2227	1438	371	405	13			

- Molecule 2 is an oligosaccharide called alpha-D-glucopyranose-(1-1)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	G	2	Total	C	O	0	0	0
			23	12	11			
2	H	2	Total	C	O	0	0	0
			23	12	11			
2	I	2	Total	C	O	0	0	0
			23	12	11			
2	J	2	Total	C	O	0	0	0
			23	12	11			
2	K	2	Total	C	O	0	0	0
			23	12	11			
2	L	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 3 is 2-acetamido-2-deoxy-6-O-phosphono-alpha-D-glucopyranose (CCD ID: 16G) (formula: $C_8H_{16}NO_9P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			19	8	1	9	1		
3	B	1	Total	C	N	O	P	0	0
			19	8	1	9	1		
3	C	1	Total	C	N	O	P	0	0
			19	8	1	9	1		
3	D	1	Total	C	N	O	P	0	0
			19	8	1	9	1		
3	E	1	Total	C	N	O	P	0	0
			19	8	1	9	1		
3	F	1	Total	C	N	O	P	0	0
			19	8	1	9	1		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	1
			5	4	1		
4	B	1	Total	O	S	0	1
			5	4	1		
4	C	1	Total	O	S	0	1
			5	4	1		
4	C	1	Total	O	S	0	1
			5	4	1		
4	D	1	Total	O	S	0	1
			5	4	1		
4	E	1	Total	O	S	0	1
			5	4	1		
4	F	1	Total	O	S	0	1
			5	4	1		

- Molecule 5 is 2-DEOXY-2-AMINO GLUCITOL-6-PHOSPHATE (CCD ID: AGP) (formula: $C_6H_{16}NO_8P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	3	1
			16	6	1	8	1		
5	B	1	Total	C	N	O	P	2	1
			16	6	1	8	1		
5	C	1	Total	C	N	O	P	2	1
			16	6	1	8	1		
5	D	1	Total	C	N	O	P	2	1
			16	6	1	8	1		
5	E	1	Total	C	N	O	P	2	1
			16	6	1	8	1		
5	F	1	Total	C	N	O	P	0	1
			16	6	1	8	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	376	Total	O	0	0
			376	376		
6	B	364	Total	O	0	0
			364	364		
6	C	406	Total	O	0	0
			406	406		
6	D	366	Total	O	0	0
			366	366		
6	E	305	Total	O	0	0
			305	305		
6	F	377	Total	O	0	0
			377	377		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glucosamine-6-phosphate isomerase




- Molecule 1: Glucosamine-6-phosphate isomerase




- Molecule 1: Glucosamine-6-phosphate isomerase





- Molecule 1: Glucosamine-6-phosphate isomerase







- Molecule 1: Glucosamine-6-phosphate isomerase



- Molecule 1: Glucosamine-6-phosphate isomerase



- Molecule 2: alpha-D-glucopyranose-(1-1)-alpha-D-glucopyranose



- Molecule 2: alpha-D-glucopyranose-(1-1)-alpha-D-glucopyranose



- Molecule 2: alpha-D-glucopyranose-(1-1)-alpha-D-glucopyranose



GLC1
GLC2

- Molecule 2: alpha-D-glucopyranose-(1-1)-alpha-D-glucopyranose

Chain J:  100%GLC1
GLC2

- Molecule 2: alpha-D-glucopyranose-(1-1)-alpha-D-glucopyranose

Chain K:  100%GLC1
GLC2

- Molecule 2: alpha-D-glucopyranose-(1-1)-alpha-D-glucopyranose

Chain L:  100%GLC1
GLC2

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	109.88Å 110.89Å 180.88Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.97 – 1.75 19.97 – 1.75	Depositor EDS
% Data completeness (in resolution range)	94.3 (19.97-1.75) 94.2 (19.97-1.75)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.86 (at 1.75Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.193 , 0.217 0.203 , 0.225	Depositor DCC
R_{free} test set	20802 reflections (9.91%)	wwPDB-VP
Wilson B-factor (Å ²)	20.5	Xtriage
Anisotropy	0.041	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 59.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.013 for k,h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	16013	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 16G, GLC, SO4, AGP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/2351	0.89	11/3178 (0.3%)
1	B	0.34	0/2259	0.90	13/3057 (0.4%)
1	C	0.35	0/2300	0.89	9/3111 (0.3%)
1	D	0.35	0/2288	0.89	12/3096 (0.4%)
1	E	0.33	0/2293	0.89	14/3101 (0.5%)
1	F	0.33	0/2283	0.88	7/3088 (0.2%)
All	All	0.34	0/13774	0.89	66/18631 (0.4%)

There are no bond length outliers.

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	178	LEU	N-CA-C	7.44	119.39	111.28
1	A	225	THR	N-CA-C	7.36	121.35	112.38
1	F	225	THR	N-CA-C	7.35	121.35	112.38
1	D	225	THR	N-CA-C	7.14	121.09	112.38
1	C	225	THR	N-CA-C	6.97	120.88	112.38
1	E	188	VAL	N-CA-C	-6.75	102.58	110.21
1	D	144	ILE	N-CA-C	-6.72	98.77	108.17
1	E	72	ASP	N-CA-C	6.62	117.32	108.38
1	A	144	ILE	N-CA-C	-6.54	99.01	108.17
1	E	144	ILE	N-CA-C	-6.54	99.02	108.17
1	E	225	THR	N-CA-C	6.53	120.83	112.34
1	B	144	ILE	N-CA-C	-6.41	99.19	108.17
1	B	225	THR	N-CA-C	6.30	120.53	112.34
1	F	144	ILE	N-CA-C	-6.27	99.39	108.17
1	F	94	PHE	N-CA-C	6.26	118.90	111.33
1	B	72	ASP	N-CA-C	6.18	116.72	108.38
1	C	144	ILE	N-CA-C	-6.06	99.68	108.17
1	C	94	PHE	N-CA-C	6.05	118.37	111.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	188	VAL	N-CA-C	-6.01	103.42	110.21
1	D	188	VAL	N-CA-C	-5.99	103.44	110.21
1	C	72	ASP	N-CA-C	5.96	116.43	108.38
1	D	72	ASP	N-CA-C	5.93	116.39	108.38
1	E	94	PHE	N-CA-C	5.87	118.15	111.11
1	F	186	LEU	N-CA-C	-5.81	100.23	109.76
1	B	188	VAL	N-CA-C	-5.78	103.68	110.21
1	B	94	PHE	N-CA-C	5.75	118.29	111.33
1	F	72	ASP	N-CA-C	5.75	116.14	108.38
1	D	27	PHE	N-CA-C	-5.73	105.17	111.82
1	B	245	LEU	N-CA-C	5.73	119.08	111.75
1	D	94	PHE	N-CA-C	5.66	118.18	111.33
1	A	94	PHE	N-CA-C	5.64	117.88	111.11
1	A	27	PHE	N-CA-C	-5.63	105.29	111.82
1	E	230	GLN	N-CA-C	-5.61	105.69	112.54
1	E	27	PHE	N-CA-C	-5.56	105.37	111.82
1	C	186	LEU	N-CA-C	-5.45	100.82	109.76
1	F	245	LEU	N-CA-C	5.44	117.97	111.71
1	C	219	GLY	N-CA-C	5.43	120.91	112.60
1	D	86	HIS	N-CA-C	-5.42	105.27	111.07
1	A	72	ASP	N-CA-C	5.36	115.61	108.38
1	C	245	LEU	N-CA-C	5.35	118.60	111.75
1	E	97	ILE	N-CA-C	5.34	115.34	108.82
1	A	173	PHE	N-CA-C	5.29	119.60	113.20
1	E	219	GLY	N-CA-C	5.29	120.34	112.41
1	D	186	LEU	N-CA-C	-5.27	100.65	109.24
1	E	245	LEU	N-CA-C	5.27	118.50	111.75
1	B	186	LEU	N-CA-C	-5.27	100.65	109.24
1	E	145	ALA	CB-CA-C	-5.26	110.52	116.63
1	A	245	LEU	N-CA-C	5.24	118.46	111.75
1	F	84	SER	N-CA-C	-5.24	103.61	110.53
1	C	86	HIS	N-CA-C	-5.24	105.47	111.07
1	D	219	GLY	N-CA-C	5.23	121.14	112.66
1	D	39	LEU	N-CA-C	5.22	118.08	109.58
1	E	256	LYS	N-CA-C	-5.21	105.78	111.82
1	C	27	PHE	N-CA-C	-5.20	105.69	111.36
1	B	230	GLN	N-CA-C	-5.19	106.21	112.54
1	A	280	SER	N-CA-C	5.16	117.72	110.14
1	B	86	HIS	N-CA-C	-5.16	105.57	111.14
1	D	245	LEU	N-CA-C	5.14	118.33	111.75
1	B	39	LEU	N-CA-C	5.08	117.87	109.58
1	E	86	HIS	N-CA-C	-5.05	105.67	111.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	230	GLN	N-CA-C	-5.03	106.40	112.54
1	B	145	ALA	CB-CA-C	-5.03	110.80	116.63
1	A	39	LEU	N-CA-C	5.02	117.76	109.58
1	B	39	LEU	CA-C-N	5.01	126.11	119.84
1	B	39	LEU	C-N-CA	5.01	126.11	119.84
1	A	86	HIS	N-CA-C	-5.00	105.74	111.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2294	0	2284	32	0
1	B	2203	0	2189	45	0
1	C	2244	0	2234	43	0
1	D	2231	0	2217	31	0
1	E	2237	0	2228	37	0
1	F	2227	0	2213	32	0
2	G	23	0	16	0	0
2	H	23	0	16	0	0
2	I	23	0	16	0	0
2	J	23	0	16	0	0
2	K	23	0	16	0	0
2	L	23	0	16	0	0
3	A	19	0	14	0	0
3	B	19	0	14	0	0
3	C	19	0	14	0	0
3	D	19	0	14	0	0
3	E	19	0	14	0	0
3	F	19	0	14	0	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
4	C	10	0	0	0	0
4	D	5	0	0	0	0
4	E	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	F	5	0	0	0	0
5	A	16	0	14	1	0
5	B	16	0	13	0	0
5	C	16	0	14	0	0
5	D	16	0	14	0	0
5	E	16	0	14	0	0
5	F	16	0	14	5	0
6	A	376	0	0	2	0
6	B	364	0	0	4	0
6	C	406	0	0	1	0
6	D	366	0	0	3	0
6	E	305	0	0	1	0
6	F	377	0	0	7	0
All	All	16013	0	13628	219	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (219) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:F:7298[A]:AGP:H61	6:F:7673:HOH:O	1.47	1.12
5:A:2298[A]:AGP:O3	6:A:4587:HOH:O	1.68	1.10
1:A:7:GLU:HB3	1:A:11:GLN:HE22	1.25	1.00
1:E:7:GLU:HB3	1:E:11:GLN:HE22	1.36	0.90
1:F:250:LYS:HB2	1:F:250:LYS:HZ2	1.38	0.88
1:A:7:GLU:HB3	1:A:11:GLN:NE2	1.90	0.85
1:B:235:THR:HB	6:B:3593:HOH:O	1.78	0.84
1:B:147:ASN:HD22	1:B:158:ARG:HH22	1.26	0.83
1:A:280:SER:O	1:A:281:GLN:HG2	1.79	0.82
1:D:135:VAL:HG13	1:D:202[B]:LEU:HD21	1.62	0.81
1:F:53:ILE:HG22	1:F:57:LYS:HE2	1.63	0.81
5:F:7298[A]:AGP:O3P	6:F:7673:HOH:O	2.00	0.80
1:C:8:HIS:CD2	1:C:10:SER:H	2.00	0.80
1:B:81:HIS:HD2	1:B:83:GLU:H	1.30	0.78
1:C:7:GLU:HB3	1:C:11:GLN:NE2	1.98	0.77
1:C:140:PRO:HG2	1:C:165:ASP:OD1	1.85	0.76
1:A:217:GLU:OE1	1:A:248:LYS:HG3	1.86	0.75
1:C:7:GLU:HB3	1:C:11:GLN:HE22	1.49	0.74
1:C:8:HIS:H	1:C:11:GLN:HE21	1.37	0.72
1:E:71[B]:MET:HG2	1:E:134:PHE:CE1	2.24	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:164:MET:O	1:C:168:LEU:HD13	1.89	0.72
1:F:180:LYS:HE2	1:F:180:LYS:O	1.91	0.71
1:B:100:HIS:HD2	1:B:102:GLU:H	1.38	0.70
1:D:202[B]:LEU:N	1:D:202[B]:LEU:HD22	2.07	0.69
1:B:81:HIS:CD2	1:B:83:GLU:H	2.10	0.69
1:A:177:GLU:HB2	1:A:180:LYS:HG3	1.73	0.69
1:B:71[B]:MET:HG2	1:B:134:PHE:CE1	2.27	0.69
1:A:132:GLU:HA	1:A:197:ARG:HD2	1.73	0.69
1:E:119:ASP:O	1:E:123:GLU:HG2	1.93	0.69
1:E:71[B]:MET:HG2	1:E:134:PHE:HE1	1.58	0.69
1:F:20:ILE:HD13	6:F:7675:HOH:O	1.92	0.68
1:C:190:VAL:O	1:C:194[B]:MET:HG3	1.94	0.67
1:F:250:LYS:HZ2	1:F:250:LYS:CB	2.07	0.67
1:E:135:VAL:HG13	1:E:202[B]:LEU:HD21	1.77	0.66
1:B:132:GLU:HA	1:B:197:ARG:HH11	1.61	0.66
1:E:7:GLU:HA	1:E:241:GLU:HG2	1.77	0.66
1:E:171:ALA:HB2	1:E:178:LEU:HD23	1.77	0.65
1:A:129:GLY:O	1:A:197:ARG:NH2	2.30	0.65
1:B:40:PRO:HB3	1:B:71[B]:MET:HE2	1.78	0.65
1:D:7:GLU:HB3	1:D:11:GLN:OE1	1.96	0.65
1:C:71[B]:MET:HG2	1:C:134:PHE:CE1	2.32	0.64
1:C:273:LYS:O	1:C:274:GLU:HB2	1.97	0.64
1:E:135:VAL:CG1	1:E:202[B]:LEU:HD21	2.28	0.64
1:E:217:GLU:OE1	1:E:248:LYS:HG3	1.97	0.64
1:A:164:MET:O	1:A:168:LEU:HD13	1.98	0.64
1:F:183:THR:HG22	1:F:184:MET:HG3	1.80	0.64
1:C:8:HIS:H	1:C:11:GLN:NE2	1.95	0.64
1:C:8:HIS:HD2	1:C:10:SER:HB3	1.63	0.64
1:F:203:ILE:HD13	1:F:212:LEU:HG	1.81	0.63
1:A:216:ILE:O	1:B:223:MET:HE2	1.99	0.62
1:B:217:GLU:OE1	1:B:248:LYS:HG3	2.00	0.61
1:B:177:GLU:HB2	1:B:180:LYS:CG	2.31	0.61
1:D:164:MET:O	1:D:168:LEU:HD13	2.01	0.61
1:D:135:VAL:CG1	1:D:202[B]:LEU:HD21	2.29	0.61
1:D:171:ALA:HB2	1:D:178:LEU:HD23	1.83	0.60
5:F:7298[A]:AGP:P	6:F:7673:HOH:O	2.59	0.60
1:F:274:GLU:CD	1:F:274:GLU:H	2.10	0.59
1:D:167[A]:ILE:HG22	1:D:178:LEU:HD22	1.83	0.59
1:E:40:PRO:HB3	1:E:71[A]:MET:HE3	1.84	0.59
1:D:164:MET:HB3	6:D:7452:HOH:O	2.03	0.59
1:C:40:PRO:HB3	1:C:71[A]:MET:HE3	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:164:MET:O	1:B:168:LEU:HD13	2.03	0.58
1:A:169:ALA:O	1:A:172[B]:ARG:HD3	2.03	0.58
1:B:129:GLY:O	1:B:197:ARG:NH2	2.37	0.58
1:F:177:GLU:HB2	1:F:180:LYS:HB2	1.86	0.58
1:B:100:HIS:CD2	1:B:102:GLU:H	2.19	0.58
1:F:7:GLU:HG2	1:F:8:HIS:CE1	2.40	0.57
1:F:183:THR:HA	6:F:7592:HOH:O	2.05	0.57
5:F:7298[A]:AGP:O3	6:F:7322:HOH:O	2.17	0.57
1:C:194[B]:MET:HE1	1:C:228:ALA:O	2.04	0.56
1:B:71[B]:MET:HG2	1:B:134:PHE:HE1	1.70	0.56
1:F:120:ALA:O	1:F:124[B]:LYS:HG3	2.06	0.56
1:D:153:LEU:HD22	1:D:228:ALA:HB2	1.88	0.55
1:B:175:ASP:OD2	1:B:180:LYS:HE2	2.08	0.54
1:D:168:LEU:HA	1:D:178:LEU:HD21	1.88	0.54
1:E:203[A]:ILE:O	1:E:239[A]:CYS:HA	2.08	0.54
1:A:197:ARG:HH11	1:A:197:ARG:HG3	1.73	0.53
1:C:71[B]:MET:HG2	1:C:134:PHE:HE1	1.71	0.53
1:A:171:ALA:O	1:A:176:GLY:HA2	2.09	0.52
1:A:83:GLU:HG3	1:A:173:PHE:O	2.09	0.52
1:A:138:ILE:HG22	1:A:203[A]:ILE:HG12	1.92	0.52
1:D:168:LEU:HA	1:D:178:LEU:CD2	2.40	0.51
1:C:203[A]:ILE:O	1:C:239[A]:CYS:HA	2.11	0.51
1:A:143:HIS:HD2	1:A:143:HIS:O	1.93	0.51
1:E:7:GLU:HB3	1:E:11:GLN:NE2	2.15	0.51
1:F:120:ALA:O	1:F:124[A]:LYS:HG3	2.10	0.51
1:B:71[B]:MET:CG	1:B:134:PHE:HE1	2.24	0.51
1:B:147:ASN:ND2	1:B:158:ARG:HH22	2.01	0.51
1:A:7:GLU:CB	1:A:11:GLN:HE22	2.11	0.51
1:B:260:LEU:HG	6:B:3651:HOH:O	2.12	0.50
1:D:202[B]:LEU:HD22	1:D:202[B]:LEU:H	1.77	0.50
1:F:162:LEU:HB2	1:F:167[A]:ILE:HD11	1.93	0.50
1:E:143:HIS:HD2	1:E:143:HIS:O	1.94	0.50
1:B:249:VAL:HG21	1:F:252:VAL:HG21	1.93	0.50
1:B:132:GLU:OE1	1:B:197:ARG:HD2	2.12	0.49
1:E:202[B]:LEU:HD22	1:E:202[B]:LEU:N	2.27	0.49
1:C:249:VAL:HG21	1:E:252:VAL:HG21	1.94	0.49
1:F:143:HIS:HD2	1:F:143:HIS:O	1.95	0.49
1:A:197:ARG:HG3	1:A:197:ARG:NH1	2.26	0.49
1:B:177:GLU:HB2	1:B:180:LYS:HG3	1.94	0.49
1:B:252:VAL:HG21	1:F:249:VAL:HG21	1.94	0.49
1:D:203:ILE:CD1	1:D:212:LEU:HG	2.43	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:34:TYR:CG	1:E:67:LYS:HE3	2.48	0.48
1:A:169:ALA:O	1:A:172[B]:ARG:NH1	2.46	0.48
1:C:203[B]:ILE:O	1:C:239[B]:CYS:HA	2.14	0.48
1:B:147:ASN:HD21	1:B:158:ARG:HH12	1.61	0.48
1:F:1:MET:HE1	1:F:216:ILE:HD12	1.96	0.48
1:F:6:LEU:HD22	1:F:6:LEU:N	2.29	0.48
1:C:159:VAL:HG22	1:C:186:LEU:CD2	2.44	0.48
1:C:267:ASP:HB3	6:C:4692:HOH:O	2.13	0.48
1:D:203:ILE:HD13	1:D:212:LEU:HG	1.95	0.48
1:A:252:VAL:HG21	1:D:249:VAL:HG21	1.96	0.47
1:B:174:PHE:HB3	1:B:180:LYS:HB3	1.97	0.47
1:E:120:ALA:O	1:E:124:LYS:HG3	2.14	0.47
1:D:203:ILE:O	1:D:239[B]:CYS:HB3	2.15	0.47
1:E:100:HIS:HB3	1:E:102:GLU:CD	2.39	0.47
1:C:149:PRO:HB3	1:C:223:MET:HE3	1.96	0.47
1:E:71[A]:MET:HE1	1:E:136:GLY:HA2	1.96	0.47
1:E:143:HIS:C	1:E:143:HIS:CD2	2.93	0.47
1:A:203[A]:ILE:HD13	1:A:212:LEU:HG	1.96	0.47
1:D:167[B]:ILE:HG22	1:D:178:LEU:HD22	1.96	0.47
1:B:273:LYS:O	1:B:274:GLU:HG2	2.15	0.47
1:B:143:HIS:C	1:B:143:HIS:CD2	2.92	0.46
1:D:202[B]:LEU:N	1:D:202[B]:LEU:CD2	2.78	0.46
1:B:143:HIS:HD2	1:B:143:HIS:O	1.97	0.46
1:E:126:LYS:HG2	6:E:6598:HOH:O	2.15	0.46
1:E:153:LEU:HD21	1:E:222:HIS:HA	1.96	0.46
1:A:167:ILE:HG22	1:A:178:LEU:HD22	1.97	0.46
1:C:203[B]:ILE:HD12	1:C:203[B]:ILE:N	2.31	0.46
1:C:7:GLU:CB	1:C:11:GLN:HE22	2.23	0.46
1:C:252:VAL:HG21	1:E:249:VAL:HG21	1.98	0.46
1:F:53:ILE:HG22	1:F:57:LYS:CE	2.39	0.46
1:C:8:HIS:CG	1:C:9:TYR:N	2.83	0.46
1:C:8:HIS:HD2	1:C:10:SER:CB	2.29	0.46
1:C:40:PRO:HB3	1:C:71[B]:MET:HE2	1.98	0.46
1:F:143:HIS:C	1:F:143:HIS:CD2	2.93	0.46
1:C:153:LEU:HD22	1:C:228:ALA:HB2	1.96	0.45
1:D:53:ILE:CG2	1:D:57:LYS:HE2	2.46	0.45
1:F:88:PHE:CD1	1:F:88:PHE:C	2.94	0.45
1:B:6:LEU:N	1:B:6:LEU:HD22	2.31	0.45
1:E:171:ALA:CB	1:E:178:LEU:HD23	2.45	0.45
1:D:45:PRO:HD3	6:D:7586:HOH:O	2.16	0.45
1:F:71:MET:SD	5:F:7298[A]:AGP:H12	2.57	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:203:ILE:CD1	1:F:212:LEU:HG	2.45	0.45
1:C:143:HIS:C	1:C:143:HIS:CD2	2.94	0.45
1:C:177:GLU:HB2	1:C:180:LYS:HG3	1.98	0.45
1:D:126:LYS:HA	6:D:7444:HOH:O	2.16	0.45
1:A:143:HIS:C	1:A:143:HIS:CD2	2.94	0.45
1:E:167:ILE:HG22	1:E:178:LEU:HD22	1.99	0.44
1:C:46:LEU:HG	1:C:50:LYS:HE3	1.99	0.44
1:C:143:HIS:HD2	1:C:143:HIS:O	1.99	0.44
1:F:159:VAL:HG22	1:F:186:LEU:CD2	2.46	0.44
1:D:203:ILE:O	1:D:239[A]:CYS:HA	2.17	0.44
1:A:183:THR:HG22	1:A:184:MET:HG3	2.00	0.44
6:B:3450:HOH:O	1:C:223:MET:HE2	2.18	0.43
1:A:88:PHE:CD1	1:A:88:PHE:C	2.96	0.43
1:B:6:LEU:O	1:B:240:ASP:HA	2.18	0.43
1:C:217:GLU:OE1	1:C:248:LYS:HG3	2.19	0.43
1:B:203:ILE:HD13	1:B:212:LEU:HG	2.00	0.43
1:D:40:PRO:HD3	1:D:135:VAL:O	2.19	0.43
1:D:159:VAL:HG22	1:D:186:LEU:CD2	2.48	0.43
1:F:174:PHE:HB3	1:F:180:LYS:HB3	1.99	0.43
1:D:143:HIS:HD2	1:D:143:HIS:O	2.01	0.43
1:E:90:TRP:HA	1:E:94:PHE:HB2	1.99	0.43
1:B:159:VAL:HG22	1:B:186:LEU:CD2	2.49	0.43
1:F:180:LYS:HE2	1:F:180:LYS:CA	2.48	0.43
1:D:143:HIS:C	1:D:143:HIS:CD2	2.96	0.43
1:E:3:LEU:HB3	1:E:255:PHE:CG	2.54	0.43
1:A:203[A]:ILE:O	1:A:239[A]:CYS:HA	2.18	0.43
1:B:260:LEU:HB3	6:B:3373:HOH:O	2.19	0.42
1:B:147:ASN:HD21	1:B:189:GLY:HA2	1.84	0.42
1:B:217:GLU:CD	1:B:248:LYS:HG3	2.44	0.42
1:B:7:GLU:HA	1:B:241:GLU:HG2	2.00	0.42
1:C:171:ALA:HB2	1:C:178:LEU:HD23	2.01	0.42
1:E:203[B]:ILE:O	1:E:239[B]:CYS:HA	2.19	0.42
1:E:203[B]:ILE:HD12	1:E:203[B]:ILE:N	2.34	0.42
1:C:40:PRO:CB	1:C:71[B]:MET:HE2	2.50	0.42
1:C:11:GLN:HE21	1:C:11:GLN:HB2	1.66	0.42
1:C:88:PHE:CD1	1:C:88:PHE:C	2.97	0.42
1:E:239[A]:CYS:HB2	1:E:243:ALA:HB3	2.02	0.42
1:A:203[B]:ILE:O	1:A:239[B]:CYS:HA	2.20	0.42
1:D:88:PHE:CD1	1:D:88:PHE:C	2.98	0.42
1:A:153:LEU:HD21	1:A:222:HIS:HA	2.02	0.41
1:A:159:VAL:HG22	1:A:186:LEU:CD2	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:153:LEU:HD21	1:B:222:HIS:HA	2.01	0.41
1:F:168:LEU:HD12	1:F:178:LEU:HD21	2.01	0.41
1:B:131:ILE:C	1:B:197:ARG:NH1	2.78	0.41
1:D:203:ILE:O	1:D:239[B]:CYS:HA	2.18	0.41
1:B:71[B]:MET:HG2	1:B:134:PHE:CZ	2.54	0.41
1:B:88:PHE:CD1	1:B:88:PHE:C	2.98	0.41
1:B:120:ALA:O	1:B:124:LYS:HG3	2.20	0.41
1:E:77:LEU:HD23	1:E:77:LEU:HA	1.95	0.41
1:A:178:LEU:C	1:A:180:LYS:H	2.29	0.41
1:E:88:PHE:CD1	1:E:88:PHE:C	2.99	0.41
1:A:3:LEU:HB3	1:A:255:PHE:CG	2.55	0.41
1:C:77:LEU:HD22	1:C:81:HIS:CD2	2.55	0.41
1:A:264:LYS:HE3	6:A:4535:HOH:O	2.21	0.41
1:E:6:LEU:N	1:E:6:LEU:HD22	2.35	0.41
1:C:201:ILE:HG22	1:C:203[B]:ILE:HD11	2.03	0.41
1:D:46:LEU:HD12	1:D:46:LEU:HA	1.94	0.41
1:F:83:GLU:HG3	1:F:173:PHE:O	2.21	0.41
1:C:153:LEU:HD21	1:C:222:HIS:HA	2.03	0.41
1:D:3:LEU:HB3	1:D:255:PHE:CG	2.56	0.41
1:E:6:LEU:O	1:E:240:ASP:HA	2.21	0.41
1:E:203[A]:ILE:HD13	1:E:212:LEU:HG	2.03	0.41
1:B:203:ILE:O	1:B:239[B]:CYS:HA	2.21	0.41
1:E:44:THR:HB	1:E:45:PRO:HD3	2.02	0.41
1:F:146:PHE:HB2	1:F:187:THR:HB	2.02	0.41
1:F:203:ILE:O	1:F:239[B]:CYS:HB3	2.20	0.41
1:C:32:GLU:OE1	1:C:32:GLU:HA	2.21	0.40
1:C:71[A]:MET:HE1	1:C:136:GLY:HA2	2.03	0.40
1:D:164:MET:SD	1:D:168:LEU:HD11	2.60	0.40
1:F:11:GLN:HG3	6:F:7603:HOH:O	2.21	0.40
1:A:7:GLU:HG3	1:A:8:HIS:CD2	2.55	0.40
1:B:83:GLU:HG3	1:B:173:PHE:O	2.22	0.40
1:B:203:ILE:O	1:B:239[A]:CYS:HA	2.21	0.40
1:E:172[B]:ARG:HA	1:E:176:GLY:HA2	2.04	0.40
1:B:147:ASN:ND2	1:B:158:ARG:HH12	2.19	0.40
1:C:3:LEU:HB3	1:C:255:PHE:CG	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	286/289 (99%)	276 (96%)	8 (3%)	2 (1%)	18	7
1	B	275/289 (95%)	266 (97%)	8 (3%)	1 (0%)	30	15
1	C	280/289 (97%)	273 (98%)	6 (2%)	1 (0%)	30	15
1	D	279/289 (96%)	272 (98%)	6 (2%)	1 (0%)	30	15
1	E	279/289 (96%)	269 (96%)	9 (3%)	1 (0%)	30	15
1	F	278/289 (96%)	270 (97%)	7 (2%)	1 (0%)	30	15
All	All	1677/1734 (97%)	1626 (97%)	44 (3%)	7 (0%)	30	15

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	179	THR
1	F	40	PRO
1	A	40	PRO
1	D	40	PRO
1	E	40	PRO
1	C	40	PRO
1	B	40	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	248/249 (100%)	244 (98%)	4 (2%)	55	38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	237/249 (95%)	232 (98%)	5 (2%)	47	27
1	C	242/249 (97%)	238 (98%)	4 (2%)	53	36
1	D	241/249 (97%)	238 (99%)	3 (1%)	63	49
1	E	241/249 (97%)	237 (98%)	4 (2%)	53	36
1	F	240/249 (96%)	235 (98%)	5 (2%)	47	27
All	All	1449/1494 (97%)	1424 (98%)	25 (2%)	51	36

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	PRO
1	A	123	GLU
1	A	143	HIS
1	A	212	LEU
1	B	37	LEU
1	B	40	PRO
1	B	143	HIS
1	B	164	MET
1	B	212	LEU
1	C	37	LEU
1	C	40	PRO
1	C	143	HIS
1	C	212	LEU
1	D	40	PRO
1	D	143	HIS
1	D	212	LEU
1	E	40	PRO
1	E	126	LYS
1	E	143	HIS
1	E	212	LEU
1	F	40	PRO
1	F	143	HIS
1	F	180	LYS
1	F	212	LEU
1	F	250	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	GLN
1	A	58	ASN
1	A	103	ASN
1	A	110	ASN
1	B	11	GLN
1	B	26	GLN
1	B	58	ASN
1	B	81	HIS
1	B	100	HIS
1	B	110	ASN
1	B	147	ASN
1	C	8	HIS
1	C	11	GLN
1	C	58	ASN
1	C	100	HIS
1	C	170	ASN
1	D	58	ASN
1	D	170	ASN
1	E	8	HIS
1	E	11	GLN
1	E	28	ASN
1	E	58	ASN
1	E	170	ASN
1	F	11	GLN
1	F	28	ASN
1	F	58	ASN
1	F	86	HIS
1	F	110	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

12 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GLC	G	1	2	12,12,12	3.11	5 (41%)	17,17,17	3.13	6 (35%)
2	GLC	G	2	2	11,11,12	3.35	5 (45%)	15,15,17	1.54	2 (13%)
2	GLC	H	1	2	12,12,12	3.10	5 (41%)	17,17,17	3.12	6 (35%)
2	GLC	H	2	2	11,11,12	3.29	4 (36%)	15,15,17	1.51	2 (13%)
2	GLC	I	1	2	12,12,12	3.10	6 (50%)	17,17,17	3.15	6 (35%)
2	GLC	I	2	2	11,11,12	3.30	5 (45%)	15,15,17	1.51	2 (13%)
2	GLC	J	1	2	12,12,12	3.12	6 (50%)	17,17,17	3.16	6 (35%)
2	GLC	J	2	2	11,11,12	3.33	4 (36%)	15,15,17	1.56	2 (13%)
2	GLC	K	1	2	12,12,12	3.10	6 (50%)	17,17,17	3.15	5 (29%)
2	GLC	K	2	2	11,11,12	3.35	5 (45%)	15,15,17	1.57	2 (13%)
2	GLC	L	1	2	12,12,12	3.14	6 (50%)	17,17,17	3.15	6 (35%)
2	GLC	L	2	2	11,11,12	3.32	5 (45%)	15,15,17	1.52	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	G	1	2	-	0/2/22/22	0/1/1/1
2	GLC	G	2	2	-	0/2/19/22	0/1/1/1
2	GLC	H	1	2	-	1/2/22/22	0/1/1/1
2	GLC	H	2	2	-	0/2/19/22	0/1/1/1
2	GLC	I	1	2	-	0/2/22/22	0/1/1/1
2	GLC	I	2	2	-	2/2/19/22	0/1/1/1
2	GLC	J	1	2	-	0/2/22/22	0/1/1/1
2	GLC	J	2	2	-	0/2/19/22	0/1/1/1
2	GLC	K	1	2	-	0/2/22/22	0/1/1/1
2	GLC	K	2	2	-	0/2/19/22	0/1/1/1
2	GLC	L	1	2	-	1/2/22/22	0/1/1/1
2	GLC	L	2	2	-	0/2/19/22	0/1/1/1

All (62) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	2	GLC	O2-C2	-9.00	1.24	1.43
2	K	2	GLC	O2-C2	-8.98	1.24	1.43
2	J	2	GLC	O2-C2	-8.92	1.24	1.43
2	L	2	GLC	O2-C2	-8.91	1.24	1.43
2	I	2	GLC	O2-C2	-8.87	1.24	1.43
2	H	2	GLC	O2-C2	-8.76	1.25	1.43
2	L	1	GLC	O3-C3	-7.60	1.24	1.43
2	H	1	GLC	O3-C3	-7.51	1.24	1.43
2	G	1	GLC	O3-C3	-7.48	1.24	1.43
2	K	1	GLC	O3-C3	-7.44	1.24	1.43
2	J	1	GLC	O3-C3	-7.41	1.24	1.43
2	I	1	GLC	O3-C3	-7.36	1.24	1.43
2	J	1	GLC	O1-C1	4.75	1.54	1.39
2	L	1	GLC	O1-C1	4.67	1.54	1.39
2	I	1	GLC	O1-C1	4.67	1.54	1.39
2	G	1	GLC	O1-C1	4.65	1.54	1.39
2	K	1	GLC	O1-C1	4.63	1.54	1.39
2	H	1	GLC	O1-C1	4.51	1.53	1.39
2	I	2	GLC	O6-C6	-4.36	1.24	1.42
2	G	2	GLC	O6-C6	-4.35	1.24	1.42
2	J	2	GLC	O6-C6	-4.34	1.24	1.42
2	H	2	GLC	O6-C6	-4.34	1.24	1.42
2	K	2	GLC	O6-C6	-4.33	1.24	1.42
2	L	1	GLC	O6-C6	-4.32	1.24	1.42
2	H	1	GLC	O6-C6	-4.29	1.24	1.42
2	I	1	GLC	O6-C6	-4.28	1.24	1.42
2	K	1	GLC	O6-C6	-4.28	1.24	1.42
2	L	2	GLC	O6-C6	-4.27	1.24	1.42
2	J	1	GLC	O6-C6	-4.27	1.24	1.42
2	G	1	GLC	O6-C6	-4.19	1.24	1.42
2	G	1	GLC	C4-C5	2.82	1.59	1.53
2	J	1	GLC	C4-C5	2.76	1.58	1.53
2	I	1	GLC	C4-C3	2.71	1.59	1.52
2	K	2	GLC	C2-C3	2.69	1.56	1.52
2	K	1	GLC	C4-C5	2.66	1.58	1.53
2	H	2	GLC	C2-C3	2.66	1.56	1.52
2	J	1	GLC	C4-C3	2.65	1.59	1.52
2	I	1	GLC	C4-C5	2.65	1.58	1.53
2	G	2	GLC	C2-C3	2.63	1.56	1.52
2	L	1	GLC	C4-C3	2.61	1.59	1.52
2	H	1	GLC	C4-C5	2.61	1.58	1.53
2	G	1	GLC	C4-C3	2.60	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	L	1	GLC	C4-C5	2.59	1.58	1.53
2	K	1	GLC	C4-C3	2.54	1.58	1.52
2	J	2	GLC	C2-C3	2.54	1.56	1.52
2	H	1	GLC	C4-C3	2.51	1.58	1.52
2	L	2	GLC	C4-C5	2.40	1.58	1.53
2	I	2	GLC	C2-C3	2.38	1.56	1.52
2	I	2	GLC	C4-C5	2.34	1.58	1.53
2	H	2	GLC	C4-C5	2.33	1.58	1.53
2	K	2	GLC	C4-C5	2.31	1.58	1.53
2	L	2	GLC	O5-C1	2.27	1.47	1.43
2	K	2	GLC	C4-C3	2.25	1.58	1.52
2	G	2	GLC	C4-C5	2.24	1.57	1.53
2	J	2	GLC	C4-C5	2.23	1.57	1.53
2	L	2	GLC	C2-C3	2.17	1.55	1.52
2	J	1	GLC	C3-C2	2.16	1.57	1.52
2	L	1	GLC	C3-C2	2.10	1.57	1.52
2	I	1	GLC	C3-C2	2.07	1.57	1.52
2	K	1	GLC	C3-C2	2.05	1.57	1.52
2	G	2	GLC	O5-C1	2.05	1.47	1.43
2	I	2	GLC	C4-C3	2.01	1.57	1.52

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	J	1	GLC	O1-C1-C2	7.39	130.44	108.98
2	K	1	GLC	O1-C1-C2	7.36	130.34	108.98
2	L	1	GLC	O1-C1-C2	7.31	130.20	108.98
2	G	1	GLC	O1-C1-C2	7.24	129.99	108.98
2	I	1	GLC	O1-C1-C2	7.23	129.98	108.98
2	H	1	GLC	O1-C1-C2	7.23	129.96	108.98
2	L	1	GLC	O2-C2-C3	7.01	126.91	110.38
2	I	1	GLC	O2-C2-C3	6.97	126.81	110.38
2	J	1	GLC	O2-C2-C3	6.96	126.77	110.38
2	G	1	GLC	O2-C2-C3	6.91	126.68	110.38
2	H	1	GLC	O2-C2-C3	6.91	126.68	110.38
2	K	1	GLC	O2-C2-C3	6.88	126.59	110.38
2	I	1	GLC	O2-C2-C1	-6.07	95.23	109.25
2	K	1	GLC	O2-C2-C1	-6.06	95.26	109.25
2	J	1	GLC	O2-C2-C1	-5.89	95.65	109.25
2	L	1	GLC	O2-C2-C1	-5.88	95.68	109.25
2	H	1	GLC	O2-C2-C1	-5.85	95.73	109.25
2	G	1	GLC	O2-C2-C1	-5.80	95.86	109.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	J	2	GLC	C1-O5-C5	4.38	118.06	112.19
2	G	2	GLC	C1-O5-C5	4.36	118.02	112.19
2	K	2	GLC	C1-O5-C5	4.23	117.85	112.19
2	L	2	GLC	C1-O5-C5	4.21	117.83	112.19
2	H	2	GLC	C1-O5-C5	4.19	117.80	112.19
2	I	2	GLC	C1-O5-C5	4.17	117.77	112.19
2	H	1	GLC	O1-C1-O5	-3.95	98.67	110.41
2	J	1	GLC	O1-C1-O5	-3.84	99.02	110.41
2	G	1	GLC	O1-C1-O5	-3.83	99.02	110.41
2	K	1	GLC	O1-C1-O5	-3.82	99.06	110.41
2	I	1	GLC	O1-C1-O5	-3.80	99.12	110.41
2	L	1	GLC	O1-C1-O5	-3.76	99.25	110.41
2	L	2	GLC	O6-C6-C5	2.68	120.47	111.33
2	G	1	GLC	O6-C6-C5	2.44	119.65	111.33
2	K	2	GLC	O6-C6-C5	2.43	119.62	111.33
2	J	2	GLC	O6-C6-C5	2.42	119.57	111.33
2	H	2	GLC	O6-C6-C5	2.40	119.50	111.33
2	G	2	GLC	O6-C6-C5	2.37	119.39	111.33
2	L	1	GLC	O6-C6-C5	2.36	119.37	111.33
2	K	1	GLC	O6-C6-C5	2.35	119.34	111.33
2	H	1	GLC	O6-C6-C5	2.34	119.30	111.33
2	I	2	GLC	O6-C6-C5	2.32	119.23	111.33
2	J	1	GLC	O6-C6-C5	2.30	119.15	111.33
2	I	1	GLC	O6-C6-C5	2.25	119.01	111.33
2	L	1	GLC	C1-C2-C3	-2.24	105.79	110.36
2	I	1	GLC	C1-C2-C3	-2.14	105.99	110.36
2	H	1	GLC	C1-C2-C3	-2.14	105.99	110.36
2	G	1	GLC	C1-C2-C3	-2.13	106.00	110.36
2	J	1	GLC	C1-C2-C3	-2.00	106.27	110.36

There are no chirality outliers.


All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	I	2	GLC	C4-C5-C6-O6
2	I	2	GLC	O5-C5-C6-O6
2	H	1	GLC	C4-C5-C6-O6
2	L	1	GLC	C4-C5-C6-O6


There are no ring outliers.

No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




Oligosaccharide Chain H




Oligosaccharide Chain I




Oligosaccharide Chain J



Oligosaccharide Chain K





5.6 Ligand geometry [i](#)

19 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	SO4	B	3296[B]	-	4,4,4	0.59	0	6,6,6	0.22	0
3	16G	C	3299	-	19,19,19	2.12	7 (36%)	27,28,28	2.39	4 (14%)
5	AGP	C	4298[A]	-	15,15,15	1.24	2 (13%)	16,21,21	2.70	3 (18%)
3	16G	E	5299	-	19,19,19	2.19	7 (36%)	27,28,28	2.44	5 (18%)
3	16G	B	2299	-	19,19,19	2.16	7 (36%)	27,28,28	2.40	6 (22%)
5	AGP	F	7298[A]	-	15,15,15	1.19	1 (6%)	16,21,21	3.96	4 (25%)
5	AGP	A	2298[A]	-	15,15,15	1.01	0	16,21,21	1.21	2 (12%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	16G	F	6299	-	19,19,19	2.12	5 (26%)	27,28,28	2.43	5 (18%)
4	SO4	F	7296[B]	-	4,4,4	0.54	0	6,6,6	0.22	0
4	SO4	A	2296[B]	-	4,4,4	0.60	0	6,6,6	0.22	0
4	SO4	C	4297[B]	-	4,4,4	0.63	0	6,6,6	0.19	0
4	SO4	C	4296[B]	-	4,4,4	0.59	0	6,6,6	0.22	0
3	16G	D	7299	-	19,19,19	2.14	7 (36%)	27,28,28	2.34	6 (22%)
4	SO4	D	5296[B]	-	4,4,4	0.61	0	6,6,6	0.22	0
3	16G	A	4299	-	19,19,19	2.12	5 (26%)	27,28,28	2.41	5 (18%)
5	AGP	D	5298[A]	-	15,15,15	1.08	0	16,21,21	1.57	2 (12%)
4	SO4	E	6296[B]	-	4,4,4	0.59	0	6,6,6	0.22	0
5	AGP	E	6298[A]	-	15,15,15	1.19	1 (6%)	16,21,21	3.72	3 (18%)
5	AGP	B	3298[A]	-	15,15,15	1.18	1 (6%)	16,21,21	1.58	2 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	16G	C	3299	-	-	0/10/30/30	0/1/1/1
3	16G	A	4299	-	-	0/10/30/30	0/1/1/1
5	AGP	C	4298[A]	-	-	11/20/20/20	-
3	16G	E	5299	-	-	0/10/30/30	0/1/1/1
3	16G	B	2299	-	-	0/10/30/30	0/1/1/1
5	AGP	F	7298[A]	-	-	10/20/20/20	-
5	AGP	A	2298[A]	-	-	14/20/20/20	-
5	AGP	E	6298[A]	-	-	6/20/20/20	-
3	16G	F	6299	-	-	0/10/30/30	0/1/1/1
5	AGP	B	3298[A]	-	-	11/20/20/20	-
5	AGP	D	5298[A]	-	-	10/20/20/20	-
3	16G	D	7299	-	-	0/10/30/30	0/1/1/1

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	5299	16G	O6-C6	-5.38	1.24	1.44
3	B	2299	16G	O6-C6	-5.34	1.24	1.44
3	C	3299	16G	O6-C6	-5.30	1.24	1.44
3	A	4299	16G	O6-C6	-5.30	1.24	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	7299	16G	O6-C6	-5.21	1.24	1.44
3	F	6299	16G	O6-C6	-5.17	1.25	1.44
3	E	5299	16G	O1-C1	4.37	1.53	1.39
3	F	6299	16G	O1-C1	4.30	1.53	1.39
3	B	2299	16G	O1-C1	4.18	1.52	1.39
3	A	4299	16G	O1-C1	4.05	1.52	1.39
3	C	3299	16G	O1-C1	4.01	1.52	1.39
3	D	7299	16G	O1-C1	3.99	1.52	1.39
3	B	2299	16G	C8-C7	3.43	1.57	1.50
3	D	7299	16G	C8-C7	3.43	1.57	1.50
3	E	5299	16G	C8-C7	3.34	1.57	1.50
3	A	4299	16G	C8-C7	3.33	1.57	1.50
3	F	6299	16G	C8-C7	3.30	1.57	1.50
3	C	3299	16G	C8-C7	3.20	1.57	1.50
3	A	4299	16G	C4-C5	2.80	1.59	1.53
3	D	7299	16G	C4-C5	2.72	1.58	1.53
3	B	2299	16G	C4-C5	2.71	1.58	1.53
3	E	5299	16G	C4-C5	2.71	1.58	1.53
3	C	3299	16G	C4-C5	2.68	1.58	1.53
3	F	6299	16G	C4-C5	2.62	1.58	1.53
5	C	4298[A]	AGP	C6-C5	2.53	1.55	1.51
3	D	7299	16G	P-O2P	-2.34	1.46	1.54
3	D	7299	16G	C4-C3	2.34	1.58	1.52
5	E	6298[A]	AGP	C6-C5	2.32	1.55	1.51
5	C	4298[A]	AGP	C5-C4	2.27	1.57	1.53
3	B	2299	16G	P-O2P	-2.15	1.46	1.54
3	E	5299	16G	P-O2P	-2.14	1.46	1.54
3	E	5299	16G	P-O6	2.13	1.67	1.60
5	F	7298[A]	AGP	C6-C5	2.12	1.54	1.51
3	C	3299	16G	P-O2P	-2.12	1.46	1.54
3	B	2299	16G	C4-C3	2.09	1.57	1.52
3	F	6299	16G	P-O2P	-2.09	1.47	1.54
3	D	7299	16G	P-O6	2.08	1.66	1.60
5	B	3298[A]	AGP	C4-C3	2.08	1.57	1.53
3	C	3299	16G	P-O6	2.05	1.66	1.60
3	C	3299	16G	C4-C3	2.04	1.57	1.52
3	A	4299	16G	P-O2P	-2.02	1.47	1.54
3	E	5299	16G	C4-C3	2.02	1.57	1.52
3	B	2299	16G	P-O6	2.01	1.66	1.60

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	6298[A]	AGP	O3-C3-C2	-13.98	81.34	110.00
5	F	7298[A]	AGP	O3-C3-C2	-11.97	85.47	110.00
3	E	5299	16G	O1-C1-C2	9.05	128.03	109.22
3	F	6299	16G	O1-C1-C2	9.04	128.00	109.22
3	B	2299	16G	O1-C1-C2	8.90	127.71	109.22
3	A	4299	16G	O1-C1-C2	8.68	127.25	109.22
3	C	3299	16G	O1-C1-C2	8.64	127.17	109.22
5	F	7298[A]	AGP	O1-C1-C2	8.40	129.75	111.55
3	D	7299	16G	O1-C1-C2	8.38	126.62	109.22
5	C	4298[A]	AGP	O3-C3-C4	-7.36	92.27	109.46
5	C	4298[A]	AGP	O3-C3-C2	-6.29	97.12	110.00
3	A	4299	16G	O7-C7-C8	-5.54	112.19	122.05
3	E	5299	16G	O7-C7-C8	-5.45	112.35	122.05
3	C	3299	16G	O7-C7-C8	-5.40	112.44	122.05
3	F	6299	16G	O7-C7-C8	-5.36	112.51	122.05
3	D	7299	16G	O7-C7-C8	-5.28	112.65	122.05
3	B	2299	16G	O7-C7-C8	-5.26	112.69	122.05
5	D	5298[A]	AGP	O3-C3-C2	-4.30	101.18	110.00
5	F	7298[A]	AGP	O3-C3-C4	-4.09	99.91	109.46
5	B	3298[A]	AGP	O3-C3-C2	-3.92	101.97	110.00
3	A	4299	16G	C8-C7-N2	3.28	121.56	116.12
3	E	5299	16G	C8-C7-N2	3.24	121.49	116.12
3	F	6299	16G	C8-C7-N2	3.21	121.44	116.12
3	C	3299	16G	C8-C7-N2	3.18	121.40	116.12
3	D	7299	16G	C8-C7-N2	3.10	121.26	116.12
3	B	2299	16G	C8-C7-N2	3.03	121.15	116.12
5	B	3298[A]	AGP	O6-P-O1P	-2.80	98.86	106.44
5	F	7298[A]	AGP	O6-P-O1P	-2.80	98.86	106.44
5	A	2298[A]	AGP	O6-P-O1P	-2.70	99.14	106.44
5	D	5298[A]	AGP	O6-P-O1P	-2.59	99.45	106.44
5	C	4298[A]	AGP	O6-P-O1P	-2.57	99.48	106.44
5	E	6298[A]	AGP	O6-P-O1P	-2.55	99.54	106.44
3	F	6299	16G	O6-C6-C5	2.53	117.60	108.99
5	E	6298[A]	AGP	O3-C3-C4	-2.43	103.78	109.46
3	A	4299	16G	O7-C7-N2	2.42	126.25	121.98
3	B	2299	16G	O7-C7-N2	2.37	126.17	121.98
3	E	5299	16G	O7-C7-N2	2.37	126.16	121.98
3	C	3299	16G	O7-C7-N2	2.36	126.16	121.98
3	D	7299	16G	O7-C7-N2	2.32	126.08	121.98
3	A	4299	16G	O6-C6-C5	2.31	116.84	108.99
3	F	6299	16G	O7-C7-N2	2.30	126.04	121.98
3	E	5299	16G	O6-C6-C5	2.28	116.75	108.99
3	D	7299	16G	O6-C6-C5	2.26	116.68	108.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	2299	16G	O5-C1-C2	-2.24	107.26	109.52
3	D	7299	16G	C1-C2-N2	-2.24	108.13	110.73
5	A	2298[A]	AGP	C5-C4-C3	-2.15	109.18	112.48
3	B	2299	16G	O6-C6-C5	2.14	116.29	108.99

There are no chirality outliers.

All (62) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	2298[A]	AGP	O1-C1-C2-N2
5	A	2298[A]	AGP	C1-C2-C3-C4
5	A	2298[A]	AGP	C2-C3-C4-C5
5	A	2298[A]	AGP	O3-C3-C4-C5
5	B	3298[A]	AGP	O1-C1-C2-C3
5	B	3298[A]	AGP	C1-C2-C3-C4
5	B	3298[A]	AGP	C2-C3-C4-O4
5	B	3298[A]	AGP	C2-C3-C4-C5
5	B	3298[A]	AGP	O3-C3-C4-O4
5	B	3298[A]	AGP	O3-C3-C4-C5
5	B	3298[A]	AGP	C6-O6-P-O3P
5	C	4298[A]	AGP	O1-C1-C2-N2
5	C	4298[A]	AGP	O1-C1-C2-C3
5	C	4298[A]	AGP	C1-C2-C3-O3
5	C	4298[A]	AGP	C1-C2-C3-C4
5	C	4298[A]	AGP	C3-C4-C5-O5
5	C	4298[A]	AGP	O4-C4-C5-O5
5	C	4298[A]	AGP	C4-C5-C6-O6
5	C	4298[A]	AGP	O5-C5-C6-O6
5	D	5298[A]	AGP	O1-C1-C2-C3
5	D	5298[A]	AGP	C2-C3-C4-C5
5	D	5298[A]	AGP	O3-C3-C4-C5
5	D	5298[A]	AGP	C6-O6-P-O2P
5	D	5298[A]	AGP	C6-O6-P-O3P
5	E	6298[A]	AGP	C1-C2-C3-O3
5	E	6298[A]	AGP	N2-C2-C3-O3
5	E	6298[A]	AGP	O3-C3-C4-C5
5	F	7298[A]	AGP	O1-C1-C2-C3
5	F	7298[A]	AGP	C1-C2-C3-O3
5	F	7298[A]	AGP	C1-C2-C3-C4
5	F	7298[A]	AGP	N2-C2-C3-O3
5	F	7298[A]	AGP	N2-C2-C3-C4
5	F	7298[A]	AGP	O3-C3-C4-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	F	7298[A]	AGP	O3-C3-C4-C5
5	C	4298[A]	AGP	O4-C4-C5-C6
5	C	4298[A]	AGP	C3-C4-C5-C6
5	A	2298[A]	AGP	O3-C3-C4-O4
5	D	5298[A]	AGP	O3-C3-C4-O4
5	E	6298[A]	AGP	O3-C3-C4-O4
5	D	5298[A]	AGP	C2-C3-C4-O4
5	D	5298[A]	AGP	C6-O6-P-O1P
5	A	2298[A]	AGP	O4-C4-C5-C6
5	B	3298[A]	AGP	O1-C1-C2-N2
5	D	5298[A]	AGP	O1-C1-C2-N2
5	F	7298[A]	AGP	O1-C1-C2-N2
5	A	2298[A]	AGP	O1-C1-C2-C3
5	A	2298[A]	AGP	C3-C4-C5-C6
5	B	3298[A]	AGP	C6-O6-P-O2P
5	A	2298[A]	AGP	C3-C4-C5-O5
5	A	2298[A]	AGP	C2-C3-C4-O4
5	A	2298[A]	AGP	C1-C2-C3-O3
5	B	3298[A]	AGP	C1-C2-C3-O3
5	F	7298[A]	AGP	O5-C5-C6-O6
5	A	2298[A]	AGP	N2-C2-C3-O3
5	A	2298[A]	AGP	O4-C4-C5-O5
5	D	5298[A]	AGP	C1-C2-C3-C4
5	E	6298[A]	AGP	C1-C2-C3-C4
5	B	3298[A]	AGP	C6-O6-P-O1P
5	F	7298[A]	AGP	C2-C3-C4-C5
5	A	2298[A]	AGP	N2-C2-C3-C4
5	C	4298[A]	AGP	N2-C2-C3-C4
5	E	6298[A]	AGP	N2-C2-C3-C4


There are no ring outliers.


2 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	F	7298[A]	AGP	5	0
5	A	2298[A]	AGP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.


Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















Ligand AGP A 2298 (A)












Ligand AGP D 5298 (A)







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	281/289 (97%)	0.23	19 (6%)	23 27	5, 20, 39, 53	13 (4%)
1	B	274/289 (94%)	0.25	15 (5%)	30 35	9, 22, 37, 51	5 (1%)
1	C	274/289 (94%)	0.04	10 (3%)	46 52	8, 18, 29, 50	10 (3%)
1	D	274/289 (94%)	0.22	9 (3%)	49 55	10, 21, 33, 52	10 (3%)
1	E	274/289 (94%)	0.49	23 (8%)	17 20	9, 24, 41, 53	11 (4%)
1	F	274/289 (94%)	0.21	7 (2%)	57 63	7, 22, 33, 51	9 (3%)
All	All	1651/1734 (95%)	0.24	83 (5%)	34 39	5, 21, 36, 53	58 (3%)

All (83) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	90	TRP	6.1
1	C	274	GLU	5.8
1	A	281	GLN	5.7
1	D	274	GLU	5.2
1	A	239[A]	CYS	5.1
1	C	43	SER	4.7
1	E	176	GLY	4.6
1	B	274	GLU	4.4
1	F	274	GLU	4.3
1	E	112	VAL	4.0
1	B	168	LEU	3.9
1	A	168	LEU	3.9
1	A	276	GLU	3.6
1	C	168	LEU	3.6
1	E	100	HIS	3.5
1	E	175	ASP	3.4
1	A	178	LEU	3.4
1	E	168	LEU	3.4
1	D	90	TRP	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	175	ASP	3.2
1	E	172[A]	ARG	3.1
1	E	30	GLY	3.1
1	E	177	GLU	3.1
1	E	173	PHE	3.1
1	E	179	THR	3.1
1	A	177	GLU	3.1
1	E	165	ASP	3.1
1	E	178	LEU	3.0
1	B	80	ASP	3.0
1	A	173	PHE	3.0
1	D	32	GLU	3.0
1	E	174	PHE	3.0
1	C	90	TRP	2.9
1	D	102	GLU	2.9
1	B	179	THR	2.9
1	A	32	GLU	2.9
1	C	165	ASP	2.9
1	E	274	GLU	2.9
1	B	171	ALA	2.8
1	F	80	ASP	2.8
1	D	168	LEU	2.8
1	A	280	SER	2.8
1	B	177	GLU	2.8
1	E	77	LEU	2.7
1	A	267	ASP	2.7
1	B	173	PHE	2.6
1	A	277	THR	2.6
1	C	8	HIS	2.6
1	C	141	ASP	2.6
1	B	170	ASN	2.5
1	E	111	ALA	2.5
1	A	171	ALA	2.5
1	C	164	MET	2.4
1	F	32	GLU	2.4
1	B	175	ASP	2.4
1	B	267	ASP	2.4
1	A	172[A]	ARG	2.4
1	A	176	GLY	2.3
1	F	164	MET	2.3
1	E	272	ILE	2.3
1	F	183	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	178	LEU	2.3
1	E	32	GLU	2.3
1	E	123	GLU	2.3
1	B	183	THR	2.3
1	A	58	ASN	2.3
1	C	7	GLU	2.2
1	D	260	LEU	2.2
1	B	174	PHE	2.2
1	F	76	GLY	2.2
1	A	164	MET	2.2
1	D	164	MET	2.1
1	A	100	HIS	2.1
1	A	170	ASN	2.1
1	E	171	ALA	2.1
1	A	180	LYS	2.1
1	E	109	GLY	2.1
1	E	31	PRO	2.1
1	D	170	ASN	2.0
1	B	164	MET	2.0
1	C	10	SER	2.0
1	F	112	VAL	2.0
1	E	65	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GLC	K	2	11/12	0.79	0.15	28,30,32,33	11
2	GLC	J	1	12/12	0.80	0.17	27,30,34,34	12
2	GLC	L	2	11/12	0.80	0.16	23,25,27,32	11
2	GLC	K	1	12/12	0.81	0.17	30,32,34,34	12
2	GLC	H	1	12/12	0.82	0.15	23,26,28,28	12
2	GLC	G	1	12/12	0.83	0.15	24,25,28,29	12

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GLC	J	2	11/12	0.85	0.13	26,28,29,31	11
2	GLC	I	1	12/12	0.85	0.13	20,24,27,27	12
2	GLC	L	1	12/12	0.86	0.13	26,28,28,29	12
2	GLC	I	2	11/12	0.87	0.12	21,22,23,26	11
2	GLC	G	2	11/12	0.88	0.10	22,23,24,27	11
2	GLC	H	2	11/12	0.90	0.10	22,23,25,26	11

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	AGP	A	2298[A]	16/16	0.61	0.25	13,24,32,32	16
4	SO4	A	2296[B]	5/5	0.62	0.48	52,52,53,53	5
5	AGP	C	4298[A]	16/16	0.64	0.23	41,44,46,47	16
4	SO4	B	3296[B]	5/5	0.71	0.21	55,56,56,56	5
5	AGP	B	3298[A]	16/16	0.72	0.20	36,39,42,43	16
4	SO4	E	6296[B]	5/5	0.73	0.17	48,49,49,49	5
4	SO4	C	4296[B]	5/5	0.77	0.20	61,61,61,62	5
5	AGP	E	6298[A]	16/16	0.79	0.18	37,38,41,42	16
5	AGP	F	7298[A]	16/16	0.79	0.18	36,37,38,39	16
5	AGP	D	5298[A]	16/16	0.83	0.17	33,38,40,40	16
4	SO4	F	7296[B]	5/5	0.88	0.18	44,44,44,44	5
4	SO4	C	4297[B]	5/5	0.91	0.13	34,36,37,38	0
4	SO4	D	5296[B]	5/5	0.92	0.15	44,44,45,45	5
3	16G	F	6299	19/19	0.95	0.07	18,20,22,24	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	16G	E	5299	19/19	0.95	0.08	19,21,27,27	0
3	16G	B	2299	19/19	0.96	0.07	16,18,21,22	0
3	16G	C	3299	19/19	0.96	0.07	14,16,18,19	0
3	16G	D	7299	19/19	0.96	0.06	16,17,18,19	0
3	16G	A	4299	19/19	0.97	0.06	15,18,19,19	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around AGP A 2298 (A):

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGP C 4298 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGP B 3298 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AGP E 6298 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGP F 7298 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AGP D 5298 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 16G F 6299:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 16G E 5299:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 16G B 2299:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 16G C 3299:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 16G D 7299:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 16G A 4299:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.