



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 01:06 AM UTC

PDB ID : 5NEL / pdb_00005nel
Title : Crystal structure of the polysaccharide deacetylase Bc1974 from *Bacillus cereus* in complex with ThiametG
Authors : Andreou, A.; Giastas, P.; Eliopoulos, E.E.
Deposited on : 2017-03-10
Resolution : 2.73 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1819 (2.76-2.72)
Clashscore	190562	1866 (2.76-2.72)
Ramachandran outliers	187476	1830 (2.76-2.72)
Sidechain outliers	187428	1831 (2.76-2.72)
RSRZ outliers	180081	1819 (2.76-2.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	247	
1	B	247	
1	C	247	
1	D	247	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	CIT	D	303	-	X	-	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 6692 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptidoglycan N-acetylglucosamine deacetylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	205	Total	C	N	O	S	0	0	0
			1620	1037	276	300	7			
1	B	206	Total	C	N	O	S	0	0	0
			1651	1057	284	303	7			
1	C	205	Total	C	N	O	S	0	0	0
			1640	1051	280	302	7			
1	D	206	Total	C	N	O	S	0	0	0
			1651	1057	284	303	7			

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		
2	D	1	Total	Zn	0	0
			1	1		

- Molecule 3 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is (3AR,5R,6S,7R,7AR)-2-(ETHYLAMINO)-5-(HYDROXYMETHYL)-5,6,7,7A-TETRAHYDRO-3AH-PYRANO[3,2-D][1,3]THIAZOLE-6,7-DIOL (CCD ID: NHT) (formula: C₉H₁₆N₂O₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	S	0	0
			16	9	2	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	D	1	Total	C	N	O	S	0	0
			16	9	2	4	1		

- Molecule 5 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			10	6	4		

- Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is CITRIC ACID (CCD ID: CIT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	D	1	Total	C	O	0	0
			13	6	7		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	15	Total	O	0	0
			15	15		
8	B	19	Total	O	0	0
			19	19		
8	C	14	Total	O	0	0
			14	14		
8	D	11	Total	O	0	0
			11	11		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Peptidoglycan N-acetylglucosamine deacetylase



- Molecule 1: Peptidoglycan N-acetylglucosamine deacetylase




- Molecule 1: Peptidoglycan N-acetylglucosamine deacetylase



- Molecule 1: Peptidoglycan N-acetylglucosamine deacetylase

Chain D: 57% 25% 17%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	49.44Å 117.97Å 98.20Å 90.00° 102.10° 90.00°	Depositor
Resolution (Å)	48.34 – 2.73 48.34 – 2.73	Depositor EDS
% Data completeness (in resolution range)	89.7 (48.34-2.73) 90.5 (48.34-2.73)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.50 (at 2.73Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.205 , 0.266 0.208 , 0.270	Depositor DCC
R_{free} test set	1402 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å ²)	53.9	Xtriage
Anisotropy	0.785	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 81.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.027 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6692	wwPDB-VP
Average B, all atoms (Å ²)	69.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 19.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NHT, ZN, CIT, EDO, ACT, PGE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/1665	0.94	0/2260
1	B	0.58	0/1696	0.86	2/2295 (0.1%)
1	C	0.51	0/1685	0.93	2/2281 (0.1%)
1	D	0.57	0/1696	0.89	0/2295
All	All	0.55	0/6742	0.90	4/9131 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	240	VAL	CA-C-N	-6.17	112.12	119.84
1	B	240	VAL	C-N-CA	-6.17	112.12	119.84
1	C	233	HIS	CA-C-N	5.46	125.11	119.05
1	C	233	HIS	C-N-CA	5.46	125.11	119.05

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1620	0	1550	37	0
1	B	1651	0	1611	58	0
1	C	1640	0	1598	30	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1651	0	1611	48	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	4	0	3	0	0
3	C	4	0	3	1	0
4	B	16	0	14	1	0
4	D	16	0	14	1	0
5	B	10	0	14	5	0
6	B	4	0	6	0	0
7	D	13	0	5	3	0
8	A	15	0	0	0	0
8	B	19	0	0	2	0
8	C	14	0	0	3	0
8	D	11	0	0	2	0
All	All	6692	0	6429	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:170:MET:HG2	7:D:303:CIT:H42	1.64	0.78
1:B:232:ILE:O	8:B:401:HOH:O	2.03	0.76
1:D:258:HIS:HB2	1:D:261:SER:HB2	1.68	0.76
1:B:202:LYS:HE3	1:D:199:ARG:HH22	1.50	0.75
1:A:132:PHE:HE2	1:A:137:LYS:HE3	1.51	0.75
1:B:187:LYS:HD2	1:B:262:HIS:CD2	2.23	0.74
1:A:201:ASN:OD1	1:A:235:GLN:NE2	2.24	0.70
1:A:217:LEU:HD21	1:A:246:GLY:HA3	1.74	0.69
5:B:303:PGE:H62	1:D:203:MET:HG2	1.76	0.68
1:D:79:PRO:HA	8:D:404:HOH:O	1.93	0.68
1:A:88:ASN:OD1	1:A:115:ARG:NH2	2.22	0.66
1:C:181:VAL:HG13	1:C:186:PHE:HB2	1.78	0.66
1:D:87:LEU:HD11	1:D:116:GLU:HG3	1.78	0.66
1:C:270:ASP:HB3	1:C:273:MET:HE2	1.78	0.65
1:B:96:LYS:HA	1:B:121:HIS:CE1	2.32	0.64
1:D:260:GLU:OE1	8:D:401:HOH:O	2.14	0.64
1:B:202:LYS:HE3	1:D:199:ARG:NH2	2.13	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:81:LYS:HD2	1:A:82:TYR:CZ	2.34	0.61
1:D:88:ASN:OD1	1:D:115:ARG:NH2	2.34	0.61
1:B:199:ARG:O	5:B:303:PGE:H1	2.01	0.60
1:C:95:ALA:N	8:C:401:HOH:O	2.25	0.60
1:A:170:MET:CG	7:D:303:CIT:H42	2.30	0.60
1:C:115:ARG:NE	1:C:119:GLU:OE1	2.19	0.60
1:C:235:GLN:H	1:C:235:GLN:CD	2.09	0.60
1:B:142:VAL:HG11	1:B:180:LYS:HE2	1.84	0.59
1:B:173:LEU:HD12	1:B:177:LEU:HD13	1.84	0.59
1:B:87:LEU:HD11	1:B:116:GLU:HG3	1.85	0.59
1:C:88:ASN:OD1	1:C:115:ARG:NH2	2.27	0.59
1:B:161:LYS:HE3	1:B:259:GLU:OE1	2.04	0.58
1:B:122:TYR:OH	1:B:259:GLU:OE2	2.14	0.58
1:A:199:ARG:O	1:D:271:ASN:ND2	2.32	0.57
1:C:260:GLU:CD	1:C:260:GLU:H	2.13	0.57
1:C:173:LEU:O	1:C:178:ARG:NH1	2.39	0.56
1:A:87:LEU:HD13	1:A:115:ARG:HG2	1.89	0.55
1:B:98:THR:HB	1:B:122:TYR:HB3	1.88	0.55
1:A:177:LEU:HD23	1:A:180:LYS:HD2	1.89	0.54
1:D:155:ILE:HG22	1:D:156:ILE:HG23	1.90	0.54
5:B:303:PGE:H52	1:D:200:TYR:HA	1.91	0.53
1:C:221:THR:HG23	1:C:222:LYS:HG3	1.89	0.53
1:D:125:MET:SD	1:D:125:MET:N	2.81	0.53
1:B:197:ASP:OD1	1:B:198:TRP:N	2.42	0.53
1:B:100:PHE:HB3	1:B:126:HIS:HB2	1.90	0.52
1:B:167:TYR:H	4:B:302:NHT:H5	1.74	0.52
1:A:100:PHE:CG	1:A:164:ARG:HB3	2.45	0.52
1:C:109:PHE:HB3	1:C:112:LEU:HD12	1.92	0.52
1:D:126:HIS:O	1:D:127:SER:OG	2.27	0.51
1:B:244:LEU:HA	1:B:254:PHE:CZ	2.45	0.51
1:B:155:ILE:HG22	1:B:156:ILE:HG23	1.93	0.50
1:D:197:ASP:OD1	1:D:198:TRP:N	2.45	0.50
1:C:200:TYR:O	1:C:203:MET:HB2	2.12	0.49
1:C:87:LEU:HD13	1:C:115:ARG:HG2	1.94	0.49
1:D:100:PHE:HB3	1:D:126:HIS:HB2	1.95	0.49
1:B:82:TYR:CZ	1:B:234:PRO:HD3	2.48	0.49
1:C:100:PHE:CD1	1:C:164:ARG:HB3	2.47	0.49
1:A:200:TYR:O	1:A:203:MET:HB2	2.13	0.49
1:D:247:LEU:HB2	1:D:254:PHE:HZ	1.78	0.49
1:D:247:LEU:HB2	1:D:254:PHE:CZ	2.47	0.49
1:A:270:ASP:HB3	1:A:273:MET:HE2	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:100:PHE:CG	1:C:164:ARG:HB3	2.48	0.48
1:D:96:LYS:NZ	1:D:119:GLU:O	2.46	0.48
1:A:109:PHE:HB3	1:A:112:LEU:HD12	1.94	0.48
1:D:68:ARG:NH2	1:D:255:GLU:OE2	2.33	0.48
1:D:206:ASP:OD1	1:D:206:ASP:N	2.46	0.48
1:A:96:LYS:N	1:A:96:LYS:HD2	2.28	0.48
1:B:200:TYR:CZ	5:B:303:PGE:H4	2.48	0.48
1:D:79:PRO:HD2	1:D:105:ASN:HB3	1.94	0.48
1:A:181:VAL:HG11	1:A:188:VAL:HG23	1.96	0.48
1:B:82:TYR:HE2	8:B:401:HOH:O	1.96	0.48
1:B:244:LEU:HD23	1:B:254:PHE:CE1	2.49	0.48
1:A:266:ASN:O	1:A:269:HIS:N	2.32	0.47
1:C:233:HIS:ND1	8:C:402:HOH:O	2.34	0.47
1:A:96:LYS:HA	1:A:121:HIS:CE1	2.49	0.47
1:D:216:VAL:HG23	1:D:217:LEU:HD23	1.96	0.47
1:A:132:PHE:CE2	1:A:137:LYS:HE3	2.41	0.47
1:A:195:SER:OG	1:A:197:ASP:OD1	2.33	0.47
1:B:130:HIS:CE1	1:B:166:PRO:HB3	2.50	0.47
1:B:199:ARG:CZ	1:D:202:LYS:HG3	2.45	0.47
1:D:162:LEU:HD12	1:D:187:LYS:HB2	1.97	0.46
1:D:80:GLY:H	1:D:83:THR:HG1	1.64	0.46
1:B:77:ASP:HA	1:B:102:ILE:HG13	1.97	0.46
1:B:238:ALA:O	1:B:241:PRO:HD2	2.16	0.46
1:B:100:PHE:HA	1:B:124:GLY:O	2.15	0.46
1:B:199:ARG:NH2	1:D:202:LYS:HE3	2.31	0.46
1:B:75:PHE:HB2	1:B:99:PHE:CD1	2.51	0.45
1:B:77:ASP:OD2	1:B:230:HIS:HD2	1.98	0.45
1:A:86:LEU:HB2	1:A:237:VAL:HG13	1.98	0.45
1:C:135:LEU:HA	1:C:135:LEU:HD23	1.79	0.45
1:D:98:THR:HG23	1:D:122:TYR:HB3	1.98	0.45
1:D:195:SER:O	1:D:196:LEU:HB2	2.16	0.45
1:C:135:LEU:HD22	1:C:141:TYR:HA	1.98	0.45
1:C:136:TYR:HE1	1:C:173:LEU:HD13	1.82	0.45
1:D:100:PHE:CD1	1:D:164:ARG:HB3	2.51	0.45
1:D:196:LEU:HD22	1:D:199:ARG:HD2	1.98	0.45
1:D:164:ARG:HA	1:D:165:PRO:HD3	1.83	0.45
1:D:167:TYR:H	4:D:302:NHT:H6C1	1.82	0.45
1:D:205:VAL:HG13	1:D:235:GLN:HA	1.99	0.45
1:D:152:ILE:O	1:D:156:ILE:HG12	2.17	0.45
1:D:244:LEU:HD23	1:D:254:PHE:CE2	2.51	0.45
1:B:128:MET:HE2	1:B:147:GLU:OE2	2.16	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:100:PHE:CD1	1:A:164:ARG:HB3	2.53	0.44
1:C:234:PRO:HG2	1:C:235:GLN:OE1	2.17	0.44
1:B:125:MET:SD	1:B:125:MET:N	2.91	0.44
1:B:240:VAL:HG22	1:B:241:PRO:HD3	1.98	0.44
1:C:163:THR:OG1	1:C:187:LYS:O	2.34	0.44
1:A:233:HIS:HB3	1:A:235:GLN:NE2	2.33	0.44
1:B:163:THR:N	1:B:187:LYS:O	2.40	0.44
1:A:235:GLN:H	1:A:235:GLN:CD	2.25	0.44
1:B:103:GLY:HA3	1:B:128:MET:SD	2.58	0.44
1:B:189:TRP:CD1	1:B:265:VAL:HB	2.53	0.44
1:D:217:LEU:HD21	1:D:243:ILE:HA	2.00	0.44
1:A:245:LYS:O	1:A:249:GLU:HG3	2.17	0.44
1:A:193:ILE:HB	1:A:227:ILE:HG12	2.00	0.44
1:B:178:ARG:O	1:B:182:VAL:HG13	2.18	0.44
1:A:178:ARG:HH11	1:A:178:ARG:HG3	1.82	0.43
1:D:170:MET:HA	1:D:171:PRO:HA	1.77	0.43
1:B:161:LYS:HD2	1:B:187:LYS:NZ	2.32	0.43
1:A:162:LEU:HD22	1:A:257:TYR:CD2	2.54	0.43
1:D:100:PHE:CG	1:D:164:ARG:HB3	2.54	0.43
1:C:180:LYS:O	1:C:184:GLY:N	2.42	0.43
3:C:302:ACT:C	8:C:403:HOH:O	2.66	0.42
1:D:115:ARG:NE	1:D:119:GLU:OE2	2.38	0.42
1:C:178:ARG:HG3	1:C:178:ARG:HH11	1.85	0.42
1:B:169:SER:OG	1:B:190:ASP:OD2	2.37	0.42
1:C:201:ASN:OD1	1:C:235:GLN:NE2	2.53	0.42
1:A:135:LEU:HA	1:A:135:LEU:HD23	1.82	0.42
1:B:128:MET:SD	1:B:147:GLU:HG2	2.59	0.42
1:B:84:ALA:HA	1:B:87:LEU:HB2	2.01	0.42
1:B:173:LEU:HD23	1:B:273:MET:HE1	2.02	0.42
1:B:247:LEU:HB2	1:B:254:PHE:CZ	2.55	0.42
1:D:74:THR:HG22	1:D:98:THR:HB	2.00	0.42
1:B:69:LYS:HE3	1:B:69:LYS:HB2	1.90	0.42
7:D:303:CIT:O2	7:D:303:CIT:O7	2.34	0.42
1:C:126:HIS:ND1	1:C:164:ARG:HG3	2.34	0.42
1:D:229:MET:HE2	1:D:229:MET:HB3	1.93	0.42
1:B:73:LEU:HD13	1:B:254:PHE:HD1	1.85	0.41
1:B:126:HIS:ND1	1:B:164:ARG:O	2.52	0.41
1:B:247:LEU:HB2	1:B:254:PHE:HZ	1.86	0.41
1:B:96:LYS:HA	1:B:121:HIS:HE1	1.80	0.41
1:D:169:SER:OG	1:D:190:ASP:OD2	2.30	0.41
1:A:81:LYS:HD2	1:A:82:TYR:CE1	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:164:ARG:NH2	1:B:190:ASP:O	2.52	0.41
1:D:109:PHE:HB3	1:D:112:LEU:HD12	2.03	0.41
1:A:71:ALA:N	1:A:253:GLU:O	2.53	0.41
1:C:195:SER:OG	1:C:197:ASP:OD1	2.38	0.41
1:D:135:LEU:HA	1:D:135:LEU:HD23	1.85	0.41
1:C:87:LEU:HD21	1:C:116:GLU:HG2	2.03	0.41
1:C:156:ILE:HG13	1:C:158:LYS:H	1.86	0.41
1:D:91:LYS:HA	1:D:91:LYS:HE2	2.02	0.41
1:B:174:ASN:O	1:B:178:ARG:HG3	2.20	0.41
1:C:266:ASN:OD1	1:C:270:ASP:N	2.44	0.41
1:D:103:GLY:HA3	1:D:128:MET:SD	2.61	0.41
1:B:103:GLY:HA2	1:B:106:VAL:HG12	2.03	0.41
1:B:217:LEU:HD23	1:B:217:LEU:HA	1.88	0.41
1:D:244:LEU:HA	1:D:254:PHE:CZ	2.56	0.41
1:A:115:ARG:NE	1:A:119:GLU:OE2	2.39	0.40
1:A:258:HIS:HB3	1:A:260:GLU:OE2	2.22	0.40
1:B:69:LYS:HB3	1:B:252:TYR:HA	2.03	0.40
1:B:196:LEU:HD13	5:B:303:PGE:H6	2.03	0.40
1:C:93:HIS:CG	1:C:244:LEU:HD23	2.56	0.40
1:B:132:PHE:CD1	1:B:132:PHE:C	3.00	0.40
1:B:173:LEU:HA	1:B:177:LEU:CD1	2.51	0.40
1:C:126:HIS:HD1	1:C:164:ARG:HG3	1.86	0.40
1:A:162:LEU:HD22	1:A:257:TYR:CG	2.56	0.40
1:A:173:LEU:O	1:A:178:ARG:NH1	2.52	0.40
1:B:200:TYR:HE2	1:B:211:GLN:HE21	1.69	0.40
1:B:217:LEU:O	1:B:250:LYS:HE3	2.20	0.40
1:A:173:LEU:HD23	1:A:173:LEU:HA	1.93	0.40
1:A:199:ARG:C	1:D:271:ASN:HD22	2.24	0.40
1:B:79:PRO:HD2	1:B:105:ASN:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	203/247 (82%)	194 (96%)	9 (4%)	0	100	100
1	B	204/247 (83%)	188 (92%)	15 (7%)	1 (0%)	24	40
1	C	203/247 (82%)	195 (96%)	8 (4%)	0	100	100
1	D	204/247 (83%)	188 (92%)	16 (8%)	0	100	100
All	All	814/988 (82%)	765 (94%)	48 (6%)	1 (0%)	48	69

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	94	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	167/208 (80%)	159 (95%)	8 (5%)	23	42
1	B	173/208 (83%)	159 (92%)	14 (8%)	11	20
1	C	172/208 (83%)	167 (97%)	5 (3%)	37	59
1	D	173/208 (83%)	161 (93%)	12 (7%)	14	26
All	All	685/832 (82%)	646 (94%)	39 (6%)	18	34

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	70	VAL
1	A	89	THR
1	A	96	LYS
1	A	171	PRO
1	A	189	TRP
1	A	216	VAL
1	A	221	THR
1	A	260	GLU
1	B	98	THR
1	B	101	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	119	GLU
1	B	123	VAL
1	B	135	LEU
1	B	142	VAL
1	B	161	LYS
1	B	177	LEU
1	B	182	VAL
1	B	189	TRP
1	B	221	THR
1	B	240	VAL
1	B	248	LYS
1	B	261	SER
1	C	70	VAL
1	C	189	TRP
1	C	217	LEU
1	C	253	GLU
1	C	260	GLU
1	D	91	LYS
1	D	106	VAL
1	D	107	LYS
1	D	108	GLU
1	D	123	VAL
1	D	155	ILE
1	D	183	GLU
1	D	189	TRP
1	D	216	VAL
1	D	217	LEU
1	D	261	SER
1	D	273	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	211	GLN
1	C	211	GLN
1	C	215	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 4 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	EDO	B	304	-	3,3,3	0.48	0	2,2,2	0.23	0
7	CIT	D	303	-	12,12,12	1.11	0	17,17,17	1.91	6 (35%)
4	NHT	B	302	2	15,17,17	4.92	6 (40%)	15,24,24	2.38	4 (26%)
3	ACT	C	302	2	3,3,3	0.84	0	3,3,3	1.53	0
4	NHT	D	302	2	15,17,17	4.68	6 (40%)	15,24,24	3.34	4 (26%)
5	PGE	B	303	-	9,9,9	0.41	0	8,8,8	0.56	0
3	ACT	A	302	2	3,3,3	0.83	0	3,3,3	1.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	B	304	-	-	0/1/1/1	-
7	CIT	D	303	-	-	12/16/16/16	-
4	NHT	B	302	2	-	1/5/33/33	0/2/2/2
4	NHT	D	302	2	-	2/5/33/33	0/2/2/2
5	PGE	B	303	-	-	3/7/7/7	-

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	302	NHT	C2-N2	13.11	1.61	1.47
4	D	302	NHT	C2-N2	12.25	1.60	1.47
4	B	302	NHT	C7-N2	10.69	1.52	1.29
4	D	302	NHT	C7-N2	10.24	1.51	1.29
4	B	302	NHT	O5-C1	5.00	1.50	1.42
4	D	302	NHT	C7-S1	-4.93	1.63	1.76
4	B	302	NHT	C7-S1	-4.91	1.63	1.76
4	D	302	NHT	O5-C1	4.81	1.50	1.42
4	B	302	NHT	C7-N1	3.71	1.42	1.34
4	D	302	NHT	C7-N1	3.37	1.41	1.34
4	B	302	NHT	O5-C5	2.52	1.50	1.44
4	D	302	NHT	O5-C5	2.18	1.49	1.44

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	302	NHT	C3-C2-N2	-11.96	93.82	110.56
4	B	302	NHT	C3-C2-N2	-7.17	100.52	110.56
4	B	302	NHT	N1-C7-N2	4.00	129.37	124.28
7	D	303	CIT	O6-C6-C3	3.81	120.45	113.14
7	D	303	CIT	O2-C1-C2	2.98	123.80	114.35
7	D	303	CIT	O7-C3-C6	2.80	112.93	108.96
4	D	302	NHT	O5-C5-C4	-2.76	104.73	109.70
4	B	302	NHT	O5-C5-C6	2.75	113.25	106.44
4	D	302	NHT	O5-C5-C6	2.37	112.31	106.44
7	D	303	CIT	C4-C3-C6	-2.24	105.09	110.03
4	D	302	NHT	C3-C4-C5	-2.19	106.25	110.23
4	B	302	NHT	O4-C4-C3	2.06	115.23	110.38
7	D	303	CIT	C3-C4-C5	2.04	119.49	113.92
7	D	303	CIT	O2-C1-O1	-2.04	118.10	123.33

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	D	303	CIT	C1-C2-C3-O7
7	D	303	CIT	C1-C2-C3-C6
7	D	303	CIT	O7-C3-C4-C5
7	D	303	CIT	C6-C3-C4-C5
7	D	303	CIT	C2-C3-C6-O5
7	D	303	CIT	C2-C3-C6-O6
7	D	303	CIT	O7-C3-C6-O5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	D	303	CIT	O7-C3-C6-O6
4	D	302	NHT	C4-C5-C6-O6
7	D	303	CIT	C2-C3-C4-C5
4	D	302	NHT	O5-C5-C6-O6
5	B	303	PGE	O2-C3-C4-O3
5	B	303	PGE	O1-C1-C2-O2
7	D	303	CIT	C1-C2-C3-C4
5	B	303	PGE	C1-C2-O2-C3
7	D	303	CIT	O2-C1-C2-C3
7	D	303	CIT	O1-C1-C2-C3
4	B	302	NHT	C4-C5-C6-O6

There are no ring outliers.

5 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	D	303	CIT	3	0
4	B	302	NHT	1	0
3	C	302	ACT	1	0
4	D	302	NHT	1	0
5	B	303	PGE	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	205/247 (82%)	0.17	1 (0%) 87 87	40, 67, 106, 127	0
1	B	206/247 (83%)	0.12	0 100 100	43, 65, 96, 110	0
1	C	205/247 (82%)	0.34	1 (0%) 87 87	43, 76, 120, 153	0
1	D	206/247 (83%)	-0.03	0 100 100	39, 60, 85, 105	0
All	All	822/988 (83%)	0.15	2 (0%) 91 92	39, 66, 107, 153	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	69	LYS	3.1
1	C	185	GLY	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ACT	A	302	4/4	0.54	0.27	75,89,89,96	0
7	CIT	D	303	13/13	0.78	0.17	63,77,87,91	0
4	NHT	D	302	16/16	0.79	0.20	43,82,102,165	16
3	ACT	C	302	4/4	0.81	0.29	73,76,79,81	0
4	NHT	B	302	16/16	0.86	0.17	44,90,124,139	0
5	PGE	B	303	10/10	0.88	0.20	81,81,85,85	0
6	EDO	B	304	4/4	0.93	0.14	56,59,62,63	0
2	ZN	D	301	1/1	0.99	0.10	72,72,72,72	0
2	ZN	A	301	1/1	0.99	0.05	63,63,63,63	0
2	ZN	B	301	1/1	0.99	0.05	64,64,64,64	0
2	ZN	C	301	1/1	0.99	0.03	65,65,65,65	0

6.5 Other polymers [i](#)

There are no such residues in this entry.