



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 27, 2026 – 09:26 AM UTC

PDB ID : 3NFF / pdb_00003nff
Title : Crystal structure of extended Dimerization module of RNA polymerase I sub-complex A49/A34.5
Authors : Geiger, S.R.; Lorenzen, K.; Schrieck, A.; Hanecker, P.; Kostrewa, D.; Heck, A.J.R.; Cramer, P.
Deposited on : 2010-06-10
Resolution : 3.24 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2153 (3.28-3.20)
Clashscore	190562	2275 (3.28-3.20)
Ramachandran outliers	187476	2233 (3.28-3.20)
Sidechain outliers	187428	2232 (3.28-3.20)
RSRZ outliers	180081	2153 (3.28-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	122	16% 55% 25% • 19%
1	C	122	20% 64% 11% • 24%
1	E	122	12% 52% 23% • 24%
1	G	122	30% 61% 12% • 24%
2	B	121	14% 54% 27% 9% • 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	121	18% 56% 26% 8% 9%
2	F	121	38% 63% 26% • 9%
2	H	121	11% 42% 36% 12% • 8%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6539 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA polymerase I subunit A49.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	99	Total	C	N	O	S	0	1	0
			805	511	135	158	1			
1	C	93	Total	C	N	O	S	0	1	0
			759	481	127	150	1			
1	E	93	Total	C	N	O	S	0	1	0
			759	481	127	150	1			
1	G	93	Total	C	N	O	S	0	1	0
			759	481	127	150	1			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP Q6FNZ9
A	-1	SER	-	expression tag	UNP Q6FNZ9
A	0	HIS	-	expression tag	UNP Q6FNZ9
A	72	MET	VAL	engineered mutation	UNP Q6FNZ9
C	-2	GLY	-	expression tag	UNP Q6FNZ9
C	-1	SER	-	expression tag	UNP Q6FNZ9
C	0	HIS	-	expression tag	UNP Q6FNZ9
C	72	MET	VAL	engineered mutation	UNP Q6FNZ9
E	-2	GLY	-	expression tag	UNP Q6FNZ9
E	-1	SER	-	expression tag	UNP Q6FNZ9
E	0	HIS	-	expression tag	UNP Q6FNZ9
E	72	MET	VAL	engineered mutation	UNP Q6FNZ9
G	-2	GLY	-	expression tag	UNP Q6FNZ9
G	-1	SER	-	expression tag	UNP Q6FNZ9
G	0	HIS	-	expression tag	UNP Q6FNZ9
G	72	MET	VAL	engineered mutation	UNP Q6FNZ9

- Molecule 2 is a protein called RNA polymerase I subunit A34.5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	110	Total 863	C 546	N 140	O 175	S 2	0	0	0
2	D	110	Total 863	C 546	N 140	O 175	S 2	0	0	0
2	F	110	Total 863	C 546	N 140	O 175	S 2	0	0	0
2	H	111	Total 868	C 549	N 141	O 176	S 2	0	0	0


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	23	MET	-	expression tag	UNP Q6FQI3
B	24	GLY	-	expression tag	UNP Q6FQI3
B	55	MET	LEU	engineered mutation	UNP Q6FQI3
D	23	MET	-	expression tag	UNP Q6FQI3
D	24	GLY	-	expression tag	UNP Q6FQI3
D	55	MET	LEU	engineered mutation	UNP Q6FQI3
F	23	MET	-	expression tag	UNP Q6FQI3
F	24	GLY	-	expression tag	UNP Q6FQI3
F	55	MET	LEU	engineered mutation	UNP Q6FQI3
H	23	MET	-	expression tag	UNP Q6FQI3
H	24	GLY	-	expression tag	UNP Q6FQI3
H	55	MET	LEU	engineered mutation	UNP Q6FQI3


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: RNA polymerase I subunit A49



- Molecule 1: RNA polymerase I subunit A49




- Molecule 1: RNA polymerase I subunit A49




- Molecule 1: RNA polymerase I subunit A49







• Molecule 2: RNA polymerase I subunit A34.5





• Molecule 2: RNA polymerase I subunit A34.5



• Molecule 2: RNA polymerase I subunit A34.5



• Molecule 2: RNA polymerase I subunit A34.5



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	108.93Å 221.77Å 129.23Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.10 – 3.24 29.10 – 3.24	Depositor EDS
% Data completeness (in resolution range)	(Not available) (29.10-3.24) 95.7 (29.10-3.24)	Depositor EDS
R_{merge}	0.21	Depositor
R_{sym}	0.21	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.24 (at 3.26Å)	Xtriage
Refinement program	BUSTER 2.9.2	Depositor
R, R_{free}	0.287 , 0.361 0.362 , 0.458	Depositor DCC
R_{free} test set	1234 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	103.8	Xtriage
Anisotropy	0.152	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 207.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.39$, $\langle L^2 \rangle = 0.21$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.73	EDS
Total number of atoms	6539	wwPDB-VP
Average B, all atoms (Å ²)	113.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.89	0/825	1.61	13/1110 (1.2%)
1	C	0.87	0/778	1.33	7/1048 (0.7%)
1	E	0.85	0/778	1.24	4/1048 (0.4%)
1	G	0.77	0/778	1.33	8/1048 (0.8%)
2	B	0.98	1/876 (0.1%)	1.51	16/1184 (1.4%)
2	D	0.98	0/876	1.49	10/1184 (0.8%)
2	F	0.91	0/876	1.42	10/1184 (0.8%)
2	H	1.03	0/881	1.74	29/1191 (2.4%)
All	All	0.92	1/6668 (0.0%)	1.47	97/8997 (1.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	79	THR	CA-C	5.14	1.59	1.52

All (97) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	42	LYS	CB-CA-C	-16.05	87.87	110.34
2	H	114	LYS	N-CA-C	13.26	129.60	113.16
1	C	72	MET	N-CA-C	11.58	128.32	108.76
1	A	42	LYS	N-CA-C	-11.53	88.91	107.93
1	A	99	PHE	CB-CA-C	-11.48	87.57	110.42
1	A	97	SER	N-CA-C	-10.16	93.62	109.07
1	G	72	MET	N-CA-C	10.07	124.14	109.14
1	A	99	PHE	CA-C-N	9.97	133.64	120.28
1	A	99	PHE	C-N-CA	9.97	133.64	120.28
2	F	56	LYS	N-CA-C	-8.98	91.68	110.80
2	H	96	GLN	N-CA-CB	-8.27	97.02	110.42
1	A	97	SER	CB-CA-C	8.26	128.21	110.45
2	D	76	THR	N-CA-C	-8.20	103.21	113.55
2	H	45	LEU	N-CA-C	8.19	123.73	111.04
2	D	121	THR	N-CA-C	8.07	122.06	108.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	16	PRO	N-CA-C	7.91	123.76	110.95
2	H	46	LYS	N-CA-C	7.83	122.27	112.87
1	A	100	SER	N-CA-C	7.69	119.66	111.28
2	H	46	LYS	CB-CA-C	-7.65	93.46	110.21
1	G	16	PRO	CB-CA-C	-7.42	102.06	111.71
2	B	91	GLN	N-CA-C	-7.36	95.71	108.52
2	H	98	GLY	CA-C-N	7.32	130.42	120.54
2	H	98	GLY	C-N-CA	7.32	130.42	120.54
2	F	55	MET	N-CA-C	7.21	117.78	108.34
2	B	77	VAL	CB-CA-C	6.75	120.57	111.19
2	B	91	GLN	CA-C-N	6.63	129.46	120.38
2	B	91	GLN	C-N-CA	6.63	129.46	120.38
2	B	29	SER	N-CA-C	6.62	118.50	111.28
2	H	71	LEU	CB-CA-C	-6.62	97.84	111.22
2	D	99	SER	N-CA-C	6.60	119.76	111.24
2	B	134	PHE	N-CA-C	6.57	119.99	108.75
2	H	96	GLN	N-CA-C	-6.57	105.25	113.20
2	B	121	THR	N-CA-C	6.55	120.50	109.76
2	H	45	LEU	CB-CA-C	-6.51	101.04	111.39
2	H	139	THR	N-CA-C	6.49	124.63	110.80
2	D	121	THR	CB-CA-C	-6.46	97.88	109.71
2	H	115	GLU	N-CA-CB	-6.35	101.02	110.61
2	H	45	LEU	CA-C-N	6.34	132.79	120.99
2	H	45	LEU	C-N-CA	6.34	132.79	120.99
2	B	89	VAL	N-CA-C	6.34	116.99	108.11
2	F	29	SER	N-CA-C	6.27	118.12	111.28
2	B	55	MET	N-CA-C	6.21	118.81	108.13
2	H	121	THR	N-CA-C	6.18	119.54	109.59
1	A	43	GLN	N-CA-CB	-6.18	99.79	110.17
1	G	72	MET	N-CA-CB	-6.17	101.62	111.62
2	F	121	THR	N-CA-C	6.13	119.46	109.59
2	H	40	PHE	CA-CB-CG	6.12	119.92	113.80
2	H	29	SER	N-CA-C	5.99	117.81	111.28
2	H	102	THR	N-CA-C	-5.91	106.12	113.38
1	A	14	GLU	CA-C-N	5.90	128.60	120.39
1	A	14	GLU	C-N-CA	5.90	128.60	120.39
2	H	102	THR	CA-C-N	5.87	128.07	120.44
2	H	102	THR	C-N-CA	5.87	128.07	120.44
2	B	130	PHE	N-CA-C	5.84	118.19	109.25
1	C	14	GLU	CA-C-N	5.84	128.51	120.39
1	C	14	GLU	C-N-CA	5.84	128.51	120.39
2	B	99	SER	CA-C-N	5.80	130.98	121.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	99	SER	C-N-CA	5.80	130.98	121.58
2	D	55	MET	N-CA-C	5.79	118.21	109.41
2	D	130	PHE	N-CA-C	5.74	118.27	110.35
1	G	14	GLU	CA-C-N	5.70	128.31	120.39
1	G	14	GLU	C-N-CA	5.70	128.31	120.39
2	F	55	MET	CA-C-N	5.65	132.33	121.54
2	F	55	MET	C-N-CA	5.65	132.33	121.54
2	F	86	ASN	N-CA-C	5.59	117.41	108.41
1	C	16	PRO	N-CA-C	5.58	123.98	112.47
2	F	108	ILE	N-CA-C	5.54	114.59	108.05
2	D	29	SER	N-CA-C	5.51	118.05	111.71
2	D	87	PHE	N-CA-C	5.51	117.89	108.90
2	D	103	ASN	CA-CB-CG	5.43	118.03	112.60
2	D	92	ASN	N-CA-C	5.37	117.88	111.71
2	H	32	LYS	CA-C-N	5.37	128.72	121.05
2	H	32	LYS	C-N-CA	5.37	128.72	121.05
2	H	43	SER	N-CA-C	-5.34	104.89	111.40
2	H	46	LYS	CA-C-N	5.31	131.82	121.41
2	H	46	LYS	C-N-CA	5.31	131.82	121.41
2	F	57	VAL	N-CA-CB	5.31	118.64	111.21
2	B	28	PRO	CA-C-N	5.29	127.37	120.28
2	B	28	PRO	C-N-CA	5.29	127.37	120.28
1	G	52	ASN	CA-CB-CG	5.29	117.89	112.60
2	H	71	LEU	CA-C-N	5.24	129.65	122.84
2	H	71	LEU	C-N-CA	5.24	129.65	122.84
1	A	43	GLN	N-CA-C	-5.22	100.66	108.96
1	C	33	THR	CB-CA-C	5.21	118.59	110.67
1	E	52	ASN	CA-CB-CG	5.21	117.81	112.60
1	C	72	MET	N-CA-CB	-5.20	101.80	110.80
1	E	14	GLU	CA-C-N	5.16	127.56	120.39
1	E	14	GLU	C-N-CA	5.16	127.56	120.39
2	B	74	ASP	CA-CB-CG	5.15	117.75	112.60
1	G	77	ASP	CA-CB-CG	5.14	117.74	112.60
2	F	134	PHE	N-CA-C	5.13	117.16	108.02
1	A	33	THR	CB-CA-C	5.11	118.44	110.67
2	H	95	THR	N-CA-C	-5.11	100.41	108.73
2	H	92	ASN	CA-CB-CG	5.07	117.67	112.60
1	E	33	THR	CB-CA-C	5.05	118.35	110.67
2	B	96	GLN	N-CA-CB	-5.04	101.57	110.39
1	C	73	VAL	N-CA-CB	5.03	118.90	110.86

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	805	0	799	18	0
1	C	759	0	754	9	0
1	E	759	0	754	17	0
1	G	759	0	754	16	0
2	B	863	0	871	21	0
2	D	863	0	871	24	0
2	F	863	0	871	16	0
2	H	868	0	876	33	0
All	All	6539	0	6550	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:63:ILE:HG13	1:C:72:MET:CE	1.63	1.28
2:D:63:ILE:CG1	1:C:72:MET:HE1	1.68	1.22
2:B:95:THR:O	2:B:99:SER:HB2	1.58	1.01
2:F:57:VAL:HG21	1:G:72:MET:CE	1.92	0.98
2:H:42:VAL:HG13	2:H:45:LEU:HD12	1.46	0.94
1:A:73:VAL:HG11	2:B:106:LEU:HD11	1.54	0.89
2:D:93:THR:HG21	2:D:132:ARG:HA	1.59	0.83
2:F:57:VAL:CG2	1:G:72:MET:CE	2.57	0.82
2:H:93:THR:HG21	2:H:132:ARG:HA	1.60	0.81
2:B:95:THR:O	2:B:99:SER:CB	2.30	0.78
2:D:57:VAL:HG22	2:D:136:ILE:HD13	1.65	0.78
2:F:57:VAL:HG21	1:G:72:MET:HE1	1.64	0.78
2:H:91:GLN:O	2:H:95:THR:HG23	1.87	0.75
2:H:37:LEU:HB2	2:H:114:LYS:O	1.90	0.71
2:D:63:ILE:HG13	1:C:72:MET:HE1	0.78	0.70
2:B:92:ASN:HD21	2:B:133:VAL:HB	1.61	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:54:LEU:HB3	2:B:133:VAL:HG13	1.79	0.65
1:A:19:VAL:HB	2:H:107:LEU:HD12	1.80	0.64
2:D:92:ASN:HB3	2:D:98:GLY:HA3	1.82	0.62
1:A:52:ASN:HB3	1:E:33:THR:HA	1.82	0.61
2:D:57:VAL:CG2	2:D:136:ILE:HD13	2.31	0.60
1:A:72:MET:HG2	1:A:85:LEU:HD22	1.83	0.60
2:F:57:VAL:CG2	1:G:72:MET:HE2	2.31	0.60
1:A:40:LYS:HB2	2:H:31:TYR:CE1	2.37	0.59
2:B:101:ASN:HB3	2:B:104:LEU:HD12	1.85	0.57
2:B:92:ASN:ND2	2:B:133:VAL:HB	2.19	0.57
2:B:55:MET:HB3	2:B:57:VAL:HG23	1.85	0.57
2:H:42:VAL:HG21	2:H:108:ILE:HD13	1.87	0.57
2:B:66:LEU:HD21	2:B:82:LEU:HB3	1.85	0.57
1:C:35:PHE:HA	1:G:50:GLY:HA2	1.87	0.56
1:C:88:ALA:HB2	1:G:18:VAL:HG13	1.88	0.56
2:F:135:THR:HG21	2:H:140:ALA:O	2.05	0.56
1:C:33:THR:HA	1:G:52:ASN:HB3	1.86	0.56
2:D:116:THR:HG22	1:G:36:GLN:HG3	1.89	0.55
2:H:113:LYS:HD2	2:H:116:THR:HG21	1.88	0.55
2:B:80:VAL:O	2:B:87:PHE:HB2	2.07	0.54
1:A:24:PHE:O	2:H:103:ASN:HA	2.08	0.54
2:B:91:GLN:HG2	2:B:134:PHE:CE1	2.43	0.54
2:B:91:GLN:HG2	2:B:134:PHE:HE1	1.71	0.54
1:E:73:VAL:HG11	2:H:106:LEU:HD11	1.90	0.53
2:D:63:ILE:CD1	1:C:72:MET:HE1	2.37	0.52
1:E:72:MET:HE2	1:E:85:LEU:HD22	1.90	0.52
1:A:22:ASN:HD22	1:E:92:THR:HG22	1.74	0.52
2:D:31:TYR:CE1	1:G:40:LYS:HB2	2.45	0.52
1:A:73:VAL:HG11	2:B:106:LEU:CD1	2.33	0.51
2:D:70:PRO:HG3	1:G:6:SER:HB2	1.93	0.51
2:F:61:ILE:HD11	2:F:87:PHE:CE1	2.45	0.51
2:D:136:ILE:H	2:D:136:ILE:HD12	1.76	0.50
2:D:55:MET:HB2	1:C:72:MET:HB2	1.94	0.50
1:E:73:VAL:HG11	2:H:106:LEU:CD1	2.41	0.49
2:H:106:LEU:O	2:H:119:VAL:HA	2.12	0.49
2:D:53:TRP:HZ3	2:D:71:LEU:HD13	1.77	0.49
1:A:17:SER:HB3	2:H:38:LYS:HB2	1.95	0.49
2:B:55:MET:HG2	2:B:134:PHE:HB2	1.94	0.49
2:D:37:LEU:HD23	1:G:16:PRO:O	2.12	0.49
1:A:99:PHE:HB3	1:A:103:LEU:HD13	1.94	0.49
2:B:103:ASN:O	1:E:21:SER:O	2.31	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:91:GLN:O	2:H:95:THR:CG2	2.59	0.48
2:H:49:ASN:HB3	2:H:50:LYS:HZ2	1.78	0.48
2:F:89:VAL:HG22	2:F:136:ILE:HG13	1.95	0.48
2:H:40:PHE:HB3	2:H:108:ILE:HG22	1.96	0.47
2:D:75:ALA:O	2:D:91:GLN:NE2	2.47	0.47
2:H:39:SER:HB3	2:H:114:LYS:HE2	1.97	0.47
2:H:100:ASP:OD1	2:H:102:THR:HG23	2.14	0.47
1:A:72:MET:HB2	1:A:72:MET:HE2	1.76	0.47
2:F:73:THR:HB	2:F:132:ARG:HH11	1.80	0.47
2:H:52:LEU:HD23	2:H:130:PHE:HA	1.96	0.46
2:B:52:LEU:HB3	2:B:131:ASP:H	1.80	0.46
2:F:44:GLU:HB3	2:F:50:LYS:HG3	1.98	0.46
2:F:107:LEU:HB3	2:F:117:LEU:HD22	1.98	0.46
2:F:57:VAL:CG2	1:G:72:MET:HE3	2.44	0.45
2:F:59:ALA:HA	1:G:70:GLN:HE21	1.81	0.45
2:H:69:LEU:HD22	2:H:71:LEU:HD11	1.98	0.45
1:A:50:GLY:HA2	1:E:35:PHE:HA	1.99	0.45
2:B:31:TYR:HD1	1:E:38:TYR:O	1.99	0.45
2:D:55:MET:HB3	2:D:57:VAL:HG23	1.97	0.45
2:D:92:ASN:O	2:D:98:GLY:HA3	2.17	0.45
2:H:108:ILE:N	2:H:118:LYS:O	2.47	0.44
2:F:87:PHE:HB3	2:F:136:ILE:HG23	1.98	0.44
2:D:85:LYS:HD2	2:D:87:PHE:CZ	2.53	0.44
1:E:75:LEU:HD13	2:H:44:GLU:HG3	2.00	0.43
2:B:58:PRO:HD3	2:B:136:ILE:O	2.18	0.43
1:E:70:GLN:N	2:H:57:VAL:O	2.52	0.43
1:C:19:VAL:HG11	1:G:48:LEU:HD13	2.00	0.43
1:E:72:MET:HG2	1:E:87:ARG:HA	2.00	0.43
2:D:69:LEU:HB2	1:G:9:ILE:HD11	1.99	0.43
2:H:89:VAL:HA	2:H:136:ILE:HG23	2.01	0.43
2:F:77:VAL:HG22	2:F:90:LEU:HA	2.00	0.43
2:H:87:PHE:HB3	2:H:136:ILE:HG22	2.00	0.43
2:D:136:ILE:HD12	2:D:136:ILE:N	2.35	0.42
1:A:16:PRO:C	2:H:37:LEU:HD23	2.44	0.42
1:A:6:SER:HB2	2:H:70:PRO:HB3	2.01	0.42
2:B:42:VAL:HA	2:B:45:LEU:HD12	2.02	0.42
2:D:44:GLU:HB3	2:D:50:LYS:HG3	2.02	0.42
1:A:92:THR:HG22	1:E:22:ASN:HD22	1.84	0.41
2:B:73:THR:HA	2:B:91:GLN:HE21	1.85	0.41
2:H:45:LEU:HD21	2:H:52:LEU:HD13	2.03	0.41
2:D:92:ASN:HB2	2:D:133:VAL:HB	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:66:LEU:HD21	2:H:82:LEU:HB3	2.03	0.41
2:B:68:SER:HA	1:E:9:ILE:H	1.85	0.41
1:A:24:PHE:HE2	1:E:95:ILE:HD12	1.86	0.41
2:F:57:VAL:HB	1:G:72:MET:HE2	2.03	0.41
1:A:77:ASP:HB3	1:A:80:SER:OG	2.21	0.41
2:D:51:GLU:OE1	2:D:131:ASP:HB2	2.21	0.40
1:E:74:GLY:O	2:H:53:TRP:N	2.50	0.40
1:E:77:ASP:HB3	1:E:80:SER:OG	2.21	0.40
2:F:93:THR:HG21	2:F:132:ARG:HA	2.02	0.40
2:H:80:VAL:HG12	2:H:87:PHE:HB2	2.03	0.40
1:A:18:VAL:HG13	1:E:88:ALA:HB2	2.03	0.40
2:H:54:LEU:HB3	2:H:133:VAL:HG13	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	98/122 (80%)	87 (89%)	11 (11%)	0	100	100
1	C	92/122 (75%)	83 (90%)	9 (10%)	0	100	100
1	E	92/122 (75%)	86 (94%)	6 (6%)	0	100	100
1	G	92/122 (75%)	85 (92%)	7 (8%)	0	100	100
2	B	104/121 (86%)	89 (86%)	15 (14%)	0	100	100
2	D	104/121 (86%)	83 (80%)	21 (20%)	0	100	100
2	F	104/121 (86%)	89 (86%)	14 (14%)	1 (1%)	12	42
2	H	105/121 (87%)	86 (82%)	18 (17%)	1 (1%)	12	42
All	All	791/972 (81%)	688 (87%)	101 (13%)	2 (0%)	36	66

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	F	83	GLY
2	H	47	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	92/109 (84%)	83 (90%)	9 (10%)	7	29
1	C	87/109 (80%)	80 (92%)	7 (8%)	11	37
1	E	87/109 (80%)	78 (90%)	9 (10%)	7	27
1	G	87/109 (80%)	80 (92%)	7 (8%)	11	37
2	B	104/113 (92%)	85 (82%)	19 (18%)	2	8
2	D	104/113 (92%)	85 (82%)	19 (18%)	2	8
2	F	104/113 (92%)	93 (89%)	11 (11%)	6	26
2	H	104/113 (92%)	84 (81%)	20 (19%)	1	7
All	All	769/888 (87%)	668 (87%)	101 (13%)	4	18

All (101) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	VAL
1	A	27	VAL
1	A	34	GLU
1	A	47	VAL
1	A	56	GLU
1	A	61	THR
1	A	66	THR
1	A	96	VAL
1	A	101	LYS
2	B	51	GLU
2	B	63	ILE
2	B	69	LEU
2	B	71	LEU
2	B	74	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	79	THR
2	B	80	VAL
2	B	81	GLU
2	B	88	ASN
2	B	91	GLN
2	B	92	ASN
2	B	94	SER
2	B	101	ASN
2	B	103	ASN
2	B	106	LEU
2	B	108	ILE
2	B	113	LYS
2	B	117	LEU
2	B	133	VAL
2	D	35	LYS
2	D	37	LEU
2	D	63	ILE
2	D	69	LEU
2	D	76	THR
2	D	77	VAL
2	D	79	THR
2	D	81	GLU
2	D	95	THR
2	D	99	SER
2	D	102	THR
2	D	103	ASN
2	D	106	LEU
2	D	108	ILE
2	D	113	LYS
2	D	117	LEU
2	D	119	VAL
2	D	130	PHE
2	D	135	THR
1	C	18	VAL
1	C	27	VAL
1	C	41	ARG
1	C	47	VAL
1	C	56	GLU
1	C	66	THR
1	C	96	VAL
2	F	35	LYS
2	F	63	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	69	LEU
2	F	71	LEU
2	F	76	THR
2	F	81	GLU
2	F	85	LYS
2	F	90	LEU
2	F	91	GLN
2	F	106	LEU
2	F	113	LYS
1	E	18	VAL
1	E	27	VAL
1	E	31	LYS
1	E	34	GLU
1	E	41	ARG
1	E	47	VAL
1	E	56	GLU
1	E	66	THR
1	E	96	VAL
2	H	32	LYS
2	H	35	LYS
2	H	45	LEU
2	H	50	LYS
2	H	55	MET
2	H	63	ILE
2	H	69	LEU
2	H	71	LEU
2	H	74	ASP
2	H	77	VAL
2	H	79	THR
2	H	81	GLU
2	H	91	GLN
2	H	92	ASN
2	H	99	SER
2	H	100	ASP
2	H	103	ASN
2	H	106	LEU
2	H	108	ILE
2	H	136	ILE
1	G	18	VAL
1	G	27	VAL
1	G	41	ARG
1	G	47	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	56	GLU
1	G	66	THR
1	G	96	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	ASN
1	A	43	GLN
2	B	49	ASN
2	B	88	ASN
2	B	91	GLN
2	B	92	ASN
2	D	88	ASN
2	D	91	GLN
2	D	92	ASN
2	D	101	ASN
1	C	43	GLN
2	F	49	ASN
1	E	43	GLN
1	G	43	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	99/122 (81%)	1.43	20 (20%) 3 2	57, 98, 151, 186	1 (1%)
1	C	93/122 (76%)	1.51	25 (26%) 1 1	58, 118, 174, 186	1 (1%)
1	E	93/122 (76%)	1.17	15 (16%) 4 3	39, 87, 146, 152	1 (1%)
1	G	93/122 (76%)	2.11	37 (39%) 1 1	87, 148, 194, 207	1 (1%)
2	B	110/121 (90%)	1.07	17 (15%) 5 4	42, 89, 150, 172	0
2	D	110/121 (90%)	1.36	22 (20%) 3 2	59, 106, 157, 178	0
2	F	110/121 (90%)	1.94	46 (41%) 0 1	61, 143, 225, 265	0
2	H	111/121 (91%)	1.08	13 (11%) 9 7	39, 89, 120, 134	0
All	All	819/972 (84%)	1.45	195 (23%) 2 2	39, 109, 177, 265	4 (0%)

All (195) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	59	GLY	8.4
2	H	69	LEU	8.3
2	D	127	SER	7.0
1	E	82	LYS	6.8
1	A	64	LEU	6.5
2	F	116	THR	6.4
1	G	38	TYR	5.8
2	H	75	ALA	5.6
1	E	80	SER	5.6
1	G	55	LEU	5.1
2	B	63	ILE	4.8
1	C	72	MET	4.8
1	G	72	MET	4.8
2	F	106	LEU	4.7
2	F	45	LEU	4.6
1	A	78	LYS	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	87	ARG	4.4
2	F	34	CYS	4.4
1	G	47	VAL	4.3
1	G	29	VAL	4.3
2	F	52	LEU	4.2
1	G	56	GLU	4.2
1	G	33	THR	4.1
1	A	31	LYS	3.9
2	F	122	SER	3.9
2	F	115	GLU	3.8
2	F	39	SER	3.8
2	B	119	VAL	3.8
1	G	96	VAL	3.7
2	D	119	VAL	3.7
1	G	83	ILE	3.7
1	G	36	GLN	3.7
2	F	110	SER	3.6
2	B	45	LEU	3.6
2	F	118	LYS	3.6
2	H	130	PHE	3.5
2	F	69	LEU	3.5
1	A	21	SER	3.5
1	A	33	THR	3.5
1	A	96	VAL	3.5
1	G	92	THR	3.5
1	G	19	VAL	3.4
2	F	107	LEU	3.4
2	F	54	LEU	3.4
1	C	7	ILE	3.4
1	G	30	PRO	3.4
1	G	97	SER	3.4
2	F	32	LYS	3.4
1	E	38	TYR	3.3
2	F	25	TYR	3.3
1	A	43	GLN	3.3
1	G	65[A]	THR	3.3
2	D	90	LEU	3.3
1	G	86	TYR	3.3
2	F	70	PRO	3.3
2	D	49	ASN	3.2
1	C	6	SER	3.2
1	G	64	LEU	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	37	LEU	3.2
2	F	50	LYS	3.2
1	G	73	VAL	3.2
1	C	51	GLU	3.2
2	F	129	TYR	3.2
2	B	43	SER	3.2
1	G	60	GLU	3.2
1	G	93	SER	3.1
2	D	79	THR	3.1
1	G	21	SER	3.1
1	A	86	TYR	3.1
2	B	113	LYS	3.1
1	C	97	SER	3.1
2	D	33	GLN	3.1
2	F	33	GLN	3.1
2	D	102	THR	3.1
2	F	117	LEU	3.0
1	G	61	THR	3.0
1	A	65[A]	THR	3.0
2	F	53	TRP	3.0
1	C	74	GLY	3.0
1	A	7	ILE	3.0
1	A	81	GLY	2.9
2	D	63	ILE	2.9
2	F	90	LEU	2.9
1	E	68	THR	2.9
2	F	80	VAL	2.9
2	D	108	ILE	2.9
2	H	128	VAL	2.8
1	G	46	PHE	2.8
2	F	114	LYS	2.8
2	F	121	THR	2.8
2	F	108	ILE	2.8
2	H	36	HIS	2.8
2	F	42	VAL	2.7
1	E	71	TYR	2.7
2	B	127	SER	2.7
2	D	55	MET	2.7
1	A	55	LEU	2.7
2	B	25	TYR	2.7
1	A	8	ALA	2.6
1	C	20	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	110	SER	2.6
1	G	12	TYR	2.6
2	B	37	LEU	2.6
2	F	119	VAL	2.6
2	F	62	ASP	2.6
1	E	22	ASN	2.6
1	C	14	GLU	2.6
1	E	83	ILE	2.6
1	G	89	PRO	2.6
1	E	13	GLN	2.6
2	D	66	LEU	2.5
1	G	27	VAL	2.5
2	B	120	ALA	2.5
2	F	61	ILE	2.5
1	E	63	GLU	2.5
2	F	88	ASN	2.5
2	F	120	ALA	2.5
2	D	130	PHE	2.5
2	D	32	LYS	2.5
1	E	43	GLN	2.5
2	B	118	LYS	2.5
1	C	53	GLU	2.5
1	G	44	ASP	2.5
2	B	73	THR	2.5
2	H	70	PRO	2.5
1	E	46	PHE	2.4
1	E	75	LEU	2.4
1	G	82	LYS	2.4
2	F	67	LYS	2.4
2	D	106	LEU	2.4
2	H	45	LEU	2.4
1	A	76	TYR	2.4
2	F	26	GLN	2.4
2	D	29	SER	2.4
2	F	31	TYR	2.4
1	C	9	ILE	2.4
2	B	44	GLU	2.4
1	C	29	VAL	2.4
2	F	109	PRO	2.4
2	F	81	GLU	2.4
1	A	11	SER	2.3
2	H	98	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	129	TYR	2.3
2	F	35	LYS	2.3
1	E	21	SER	2.3
2	F	37	LEU	2.3
2	H	117	LEU	2.3
1	G	14	GLU	2.3
1	G	23	PHE	2.3
1	G	45	GLN	2.2
2	B	109	PRO	2.2
1	E	85	LEU	2.2
1	A	39	LYS	2.2
2	F	43	SER	2.2
1	G	18	VAL	2.2
1	C	43	GLN	2.2
1	A	84	ASN	2.2
2	H	131	ASP	2.2
2	D	75	ALA	2.2
2	F	73	THR	2.2
1	C	8	ALA	2.2
2	F	113	LYS	2.2
1	A	87	ARG	2.2
1	G	48	LEU	2.2
1	G	75	LEU	2.2
2	F	46	LYS	2.2
2	B	53	TRP	2.2
1	C	76	TYR	2.1
1	A	48	LEU	2.1
1	A	79	GLN	2.1
2	D	45	LEU	2.1
2	D	96	GLN	2.1
2	D	51	GLU	2.1
1	C	18	VAL	2.1
2	B	93	THR	2.1
1	C	98	LYS	2.1
1	C	54	ARG	2.1
1	C	17	SER	2.1
1	C	52	ASN	2.1
1	C	42	LYS	2.1
2	H	61	ILE	2.1
2	D	25	TYR	2.1
2	D	47	GLY	2.1
1	C	11	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	38	LYS	2.1
1	G	13	GLN	2.1
2	F	44	GLU	2.1
1	C	69	ASN	2.0
2	B	52	LEU	2.0
1	C	71	TYR	2.0
1	E	34	GLU	2.0
2	F	38	LYS	2.0
2	H	113	LYS	2.0
2	F	101	ASN	2.0
1	C	78	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.