



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:39 AM UTC

PDB ID : 4NFX / pdb_00004nfx
Title : Structure and atypical hydrolysis mechanism of the Nudix hydrolase Orf153 (YmfB) from Escherichia coli
Authors : Hong, M.K.; Kim, J.K.; Kang, L.W.
Deposited on : 2013-11-01
Resolution : 2.69 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	153	6% 89% 11%
1	B	153	11% 87% 10% .
1	C	153	24% 90% 9% .
1	D	153	6% 90% 7% ..
1	E	153	6% 86% 11% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	153	48% 89% 10% •
1	G	153	72% 90% 10% •
1	H	153	35% 78% 16% • 5%

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 9905 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative Nudix hydrolase ymfB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	153	Total	C	N	O	S	0	0	0
			1227	786	209	224	8			
1	B	149	Total	C	N	O	S	0	0	0
			1199	767	204	220	8			
1	C	153	Total	C	N	O	S	0	0	0
			1227	786	209	224	8			
1	D	150	Total	C	N	O	S	0	0	0
			1208	773	206	221	8			
1	E	153	Total	C	N	O	S	0	0	0
			1227	786	209	224	8			
1	F	153	Total	C	N	O	S	0	0	0
			1227	786	209	224	8			
1	G	153	Total	C	N	O	S	0	0	0
			1228	786	209	225	8			
1	H	145	Total	C	N	O	S	0	0	0
			1160	738	199	215	8			

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	34	Total	O	0	0
			34	34		
2	B	20	Total	O	0	0
			20	20		
2	C	17	Total	O	0	0
			17	17		
2	D	23	Total	O	0	0
			23	23		
2	E	31	Total	O	0	0
			31	31		
2	F	31	Total	O	0	0
			31	31		

Continued on next page...



Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	G	18	Total	O	0	0
			18	18		
2	H	28	Total	O	0	0
			28	28		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative Nudix hydrolase ymfB




- Molecule 1: Putative Nudix hydrolase ymfB




- Molecule 1: Putative Nudix hydrolase ymfB



- Molecule 1: Putative Nudix hydrolase ymfB






- Molecule 1: Putative Nudix hydrolase ymfB










- Molecule 1: Putative Nudix hydrolase ymfB



- Molecule 1: Putative Nudix hydrolase ymfB



- Molecule 1: Putative Nudix hydrolase ymfB



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	68.96Å 70.52Å 145.03Å 90.00° 103.30° 90.00°	Depositor
Resolution (Å)	33.56 – 2.69 33.56 – 2.69	Depositor EDS
% Data completeness (in resolution range)	98.2 (33.56-2.69) 98.3 (33.56-2.69)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.60 (at 2.68Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.233 , 0.288 0.273 , 0.306	Depositor DCC
R_{free} test set	1865 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	33.6	Xtriage
Anisotropy	0.134	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 31.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.019 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	9905	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/1262	0.64	0/1719
1	B	0.37	0/1234	0.62	0/1682
1	C	0.37	0/1262	0.65	0/1719
1	D	0.39	0/1243	0.62	0/1693
1	E	0.38	0/1262	0.65	0/1719
1	F	0.36	0/1262	0.62	0/1719
1	G	0.39	0/1263	0.65	0/1719
1	H	0.38	0/1191	0.67	2/1621 (0.1%)
All	All	0.38	0/9979	0.64	2/13591 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	95	GLN	CA-C-N	5.27	126.42	119.84
1	H	95	GLN	C-N-CA	5.27	126.42	119.84

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1227	0	1190	5	0
1	B	1199	0	1154	4	0
1	C	1227	0	1190	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1208	0	1167	2	0
1	E	1227	0	1190	8	0
1	F	1227	0	1190	7	0
1	G	1228	0	1190	2	0
1	H	1160	0	1121	8	0
2	A	34	0	0	0	0
2	B	20	0	0	1	0
2	C	17	0	0	0	0
2	D	23	0	0	0	0
2	E	31	0	0	0	0
2	F	31	0	0	0	0
2	G	18	0	0	0	0
2	H	28	0	0	0	0
All	All	9905	0	9392	35	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (35) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:140:MET:HE1	1:F:140:MET:SD	2.23	0.78
1:E:152:VAL:HG13	1:E:153:ILE:HD13	1.74	0.69
1:A:107:VAL:HG22	1:A:111:GLU:HB2	1.83	0.60
1:A:152:VAL:HG12	1:A:153:ILE:HG13	1.89	0.55
1:B:136:TYR:HB3	1:B:140:MET:HE3	1.89	0.54
1:D:117:ASN:HD22	1:D:117:ASN:C	2.16	0.53
1:A:125:GLU:HG3	1:B:144:PHE:CE1	2.45	0.52
1:A:140:MET:HG2	1:A:140:MET:O	2.11	0.51
1:E:81:ARG:HD3	1:E:122:LEU:HD13	1.91	0.51
1:H:117:ASN:HD22	1:H:117:ASN:C	2.19	0.51
1:E:125:GLU:HG3	1:F:144:PHE:CE1	2.46	0.51
1:C:17:LYS:HG3	1:C:91:ILE:HD11	1.94	0.49
1:G:71:TRP:CD1	1:G:79:PHE:HB2	2.48	0.48
1:H:13:HIS:ND1	1:H:87:GLU:OE2	2.43	0.48
1:H:71:TRP:CD1	1:H:79:PHE:HB2	2.50	0.47
1:F:19:LEU:HD21	1:F:56:THR:HG21	1.97	0.46
1:C:152:VAL:HG12	1:C:153:ILE:H	1.81	0.45
1:H:117:ASN:C	1:H:117:ASN:ND2	2.75	0.45
1:E:71:TRP:CD1	1:E:79:PHE:HB2	2.51	0.45
1:F:136:TYR:HB3	1:F:140:MET:HE3	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:125:GLU:HG3	1:D:144:PHE:CE1	2.54	0.43
1:H:12:VAL:HB	1:H:19:LEU:HB3	2.02	0.42
1:E:71:TRP:CD1	1:E:122:LEU:HD11	2.55	0.42
1:H:118:LEU:HD22	1:H:123:VAL:HG11	2.00	0.42
1:A:11:VAL:HG23	1:A:83:LEU:HD11	2.01	0.42
1:B:36:GLY:HA3	1:B:51:GLU:CD	2.45	0.42
1:H:65:PHE:HB2	1:H:138:LEU:HD23	2.02	0.42
1:B:138:LEU:HG	2:B:206:HOH:O	2.19	0.41
1:C:12:VAL:HB	1:C:19:LEU:HB3	2.01	0.41
1:E:91:ILE:HG23	1:E:106:TRP:CE2	2.56	0.41
1:H:122:LEU:HA	1:H:125:GLU:HB3	2.03	0.41
1:E:125:GLU:HG3	1:F:144:PHE:CZ	2.56	0.41
1:F:91:ILE:HG23	1:F:106:TRP:CE2	2.55	0.40
1:G:71:TRP:CD1	1:G:122:LEU:HD11	2.57	0.40
1:F:71:TRP:CD1	1:F:79:PHE:HB2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	151/153 (99%)	144 (95%)	5 (3%)	2 (1%)	9	25
1	B	147/153 (96%)	140 (95%)	6 (4%)	1 (1%)	18	41
1	C	151/153 (99%)	145 (96%)	6 (4%)	0	100	100
1	D	148/153 (97%)	144 (97%)	4 (3%)	0	100	100
1	E	151/153 (99%)	148 (98%)	3 (2%)	0	100	100
1	F	151/153 (99%)	144 (95%)	6 (4%)	1 (1%)	18	41
1	G	151/153 (99%)	144 (95%)	6 (4%)	1 (1%)	18	41
1	H	143/153 (94%)	138 (96%)	4 (3%)	1 (1%)	18	41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1193/1224 (98%)	1147 (96%)	40 (3%)	6 (0%)	24 48

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	G	34	PRO
1	H	96	PRO
1	B	34	PRO
1	F	34	PRO
1	A	34	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	132/132 (100%)	125 (95%)	7 (5%)	20 46
1	B	129/132 (98%)	120 (93%)	9 (7%)	14 34
1	C	132/132 (100%)	121 (92%)	11 (8%)	10 26
1	D	130/132 (98%)	119 (92%)	11 (8%)	10 25
1	E	132/132 (100%)	117 (89%)	15 (11%)	5 14
1	F	132/132 (100%)	124 (94%)	8 (6%)	17 40
1	G	132/132 (100%)	120 (91%)	12 (9%)	9 22
1	H	125/132 (95%)	114 (91%)	11 (9%)	9 23
All	All	1044/1056 (99%)	960 (92%)	84 (8%)	11 28

All (84) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	VAL
1	A	30	LEU
1	A	52	LEU
1	A	67	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	113	LEU
1	A	135	ARG
1	A	149	THR
1	B	20	VAL
1	B	30	LEU
1	B	58	ILE
1	B	80	LEU
1	B	89	GLU
1	B	107	VAL
1	B	114	GLN
1	B	117	ASN
1	B	149	THR
1	C	20	VAL
1	C	30	LEU
1	C	43	THR
1	C	52	LEU
1	C	67	ARG
1	C	80	LEU
1	C	107	VAL
1	C	113	LEU
1	C	116	SER
1	C	125	GLU
1	C	153	ILE
1	D	23	GLU
1	D	30	LEU
1	D	43	THR
1	D	67	ARG
1	D	89	GLU
1	D	107	VAL
1	D	114	GLN
1	D	117	ASN
1	D	119	ARG
1	D	134	GLN
1	D	139	GLU
1	E	20	VAL
1	E	25	ILE
1	E	28	LYS
1	E	30	LEU
1	E	52	LEU
1	E	61	GLN
1	E	80	LEU
1	E	107	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	113	LEU
1	E	117	ASN
1	E	125	GLU
1	E	140	MET
1	E	149	THR
1	E	152	VAL
1	E	153	ILE
1	F	30	LEU
1	F	67	ARG
1	F	107	VAL
1	F	114	GLN
1	F	117	ASN
1	F	139	GLU
1	F	140	MET
1	F	150	LYS
1	G	20	VAL
1	G	24	THR
1	G	25	ILE
1	G	30	LEU
1	G	43	THR
1	G	45	VAL
1	G	52	LEU
1	G	67	ARG
1	G	110	GLU
1	G	113	LEU
1	G	139	GLU
1	G	152	VAL
1	H	20	VAL
1	H	22	GLU
1	H	23	GLU
1	H	24	THR
1	H	28	LYS
1	H	30	LEU
1	H	43	THR
1	H	67	ARG
1	H	80	LEU
1	H	117	ASN
1	H	140	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	5	HIS
1	A	64	HIS
1	A	95	GLN
1	A	114	GLN
1	A	134	GLN
1	B	5	HIS
1	B	37	HIS
1	B	117	ASN
1	C	26	ASN
1	C	95	GLN
1	D	37	HIS
1	D	70	GLN
1	D	97	HIS
1	D	114	GLN
1	D	117	ASN
1	E	95	GLN
1	E	117	ASN
1	F	117	ASN
1	F	134	GLN
1	G	26	ASN
1	G	69	HIS
1	G	95	GLN
1	H	69	HIS
1	H	117	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	153/153 (100%)	0.95	9 (5%) 28 25	35, 50, 62, 67	2 (1%)
1	B	149/153 (97%)	1.06	17 (11%) 10 8	39, 49, 65, 82	0
1	C	153/153 (100%)	1.57	37 (24%) 2 1	33, 57, 74, 96	2 (1%)
1	D	150/153 (98%)	0.85	9 (6%) 27 24	29, 44, 54, 65	0
1	E	153/153 (100%)	0.79	9 (5%) 28 25	29, 43, 54, 61	2 (1%)
1	F	153/153 (100%)	2.12	74 (48%) 0 0	33, 66, 87, 105	0
1	G	153/153 (100%)	2.65	110 (71%) 0 0	40, 79, 103, 119	2 (1%)
1	H	145/153 (94%)	1.91	54 (37%) 1 0	48, 62, 84, 106	0
All	All	1209/1224 (98%)	1.49	319 (26%) 1 1	29, 54, 85, 119	8 (0%)

All (319) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	152	VAL	5.9
1	G	101	ILE	5.7
1	F	59	SER	5.7
1	H	25	ILE	5.6
1	G	139	GLU	5.4
1	G	95	GLN	5.2
1	C	139	GLU	5.2
1	C	135	ARG	5.2
1	G	60	ALA	5.0
1	H	96	PRO	4.7
1	F	104	CYS	4.6
1	G	153	ILE	4.5
1	H	145	ASN	4.5
1	A	135	ARG	4.5
1	A	139	GLU	4.5
1	G	36	GLY	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	153	ILE	4.4
1	G	135	ARG	4.3
1	B	149	THR	4.3
1	B	31	TRP	4.3
1	F	27	GLY	4.2
1	G	25	ILE	4.2
1	G	99	SER	4.1
1	G	92	CYS	4.0
1	G	96	PRO	4.0
1	F	22	GLU	4.0
1	G	71	TRP	4.0
1	G	31	TRP	4.0
1	G	107	VAL	4.0
1	F	116	SER	3.9
1	H	143	ASP	3.9
1	C	151	GLY	3.9
1	G	147	PRO	3.8
1	F	109	ALA	3.8
1	G	104	CYS	3.8
1	G	20	VAL	3.8
1	F	32	ASN	3.7
1	G	53	TRP	3.7
1	G	106	TRP	3.7
1	G	146	TRP	3.7
1	G	114	GLN	3.7
1	F	31	TRP	3.7
1	G	103	CYS	3.7
1	F	18	PHE	3.7
1	F	21	VAL	3.7
1	G	93	PRO	3.7
1	H	27	GLY	3.7
1	F	105	ARG	3.6
1	C	148	PHE	3.6
1	F	25	ILE	3.6
1	F	117	ASN	3.6
1	F	36	GLY	3.6
1	G	102	ASP	3.6
1	G	19	LEU	3.6
1	G	151	GLY	3.6
1	G	45	VAL	3.6
1	H	20	VAL	3.6
1	C	150	LYS	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	29	ALA	3.5
1	G	30	LEU	3.5
1	F	14	ALA	3.5
1	G	9	ALA	3.5
1	F	101	ILE	3.5
1	G	94	THR	3.5
1	H	77	THR	3.5
1	F	12	VAL	3.5
1	G	34	PRO	3.4
1	F	113	LEU	3.4
1	F	115	ALA	3.4
1	G	35	ALA	3.4
1	F	20	VAL	3.4
1	H	99	SER	3.3
1	G	88	LEU	3.3
1	G	85	ALA	3.3
1	H	133	GLY	3.3
1	F	24	THR	3.3
1	F	114	GLN	3.3
1	H	71	TRP	3.3
1	E	139	GLU	3.3
1	C	35	ALA	3.3
1	G	123	VAL	3.3
1	H	28	LYS	3.2
1	H	49	ALA	3.2
1	G	27	GLY	3.2
1	F	152	VAL	3.2
1	G	91	ILE	3.2
1	F	28	LYS	3.2
1	G	150	LYS	3.2
1	F	118	LEU	3.2
1	G	52	LEU	3.2
1	F	103	CYS	3.2
1	H	80	LEU	3.1
1	F	134	GLN	3.1
1	G	33	GLN	3.1
1	C	149	THR	3.1
1	G	48	ALA	3.1
1	F	30	LEU	3.1
1	G	44	LEU	3.1
1	G	41	ASP	3.1
1	G	100	ASP	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	30	LEU	3.1
1	B	24	THR	3.1
1	F	108	SER	3.1
1	H	68	MET	3.1
1	G	115	ALA	3.1
1	F	26	ASN	3.0
1	G	98	ASP	3.0
1	F	94	THR	3.0
1	G	57	GLY	3.0
1	G	148	PHE	3.0
1	C	153	ILE	3.0
1	F	124	ALA	3.0
1	F	10	CYS	3.0
1	H	21	VAL	3.0
1	G	113	LEU	3.0
1	G	64	HIS	3.0
1	G	61	GLN	3.0
1	B	29	ALA	3.0
1	F	53	TRP	2.9
1	G	59	SER	2.9
1	G	62	PRO	2.9
1	F	95	GLN	2.9
1	A	72	ILE	2.9
1	F	29	ALA	2.9
1	F	43	THR	2.9
1	H	38	LEU	2.9
1	C	134	GLN	2.9
1	G	116	SER	2.9
1	E	153	ILE	2.9
1	E	135	ARG	2.9
1	F	88	LEU	2.9
1	G	109	ALA	2.9
1	H	35	ALA	2.9
1	G	110	GLU	2.8
1	C	95	GLN	2.8
1	G	63	GLN	2.8
1	G	105	ARG	2.8
1	F	120	SER	2.8
1	G	149	THR	2.8
1	G	82	PHE	2.8
1	G	4	PRO	2.8
1	G	138	LEU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	11	VAL	2.8
1	G	12	VAL	2.8
1	F	139	GLU	2.8
1	G	111	GLU	2.8
1	G	32	ASN	2.8
1	G	65	PHE	2.8
1	G	84	PHE	2.8
1	H	139	GLU	2.8
1	F	106	TRP	2.8
1	H	37	HIS	2.8
1	F	23	GLU	2.8
1	F	107	VAL	2.8
1	G	24	THR	2.8
1	H	107	VAL	2.8
1	H	26	ASN	2.7
1	E	149	THR	2.7
1	G	56	THR	2.7
1	H	51	GLU	2.7
1	H	89	GLU	2.7
1	F	65	PHE	2.7
1	F	99	SER	2.7
1	G	89	GLU	2.7
1	D	25	ILE	2.7
1	A	99	SER	2.7
1	F	16	GLY	2.7
1	F	37	HIS	2.7
1	H	6	VAL	2.7
1	H	43	THR	2.7
1	C	136	TYR	2.7
1	D	104	CYS	2.6
1	C	105	ARG	2.6
1	B	27	GLY	2.6
1	C	85	ALA	2.6
1	F	123	VAL	2.6
1	G	18	PHE	2.6
1	H	47	ALA	2.6
1	H	67	ARG	2.6
1	C	51	GLU	2.6
1	H	142	GLY	2.6
1	G	6	VAL	2.6
1	G	8	VAL	2.6
1	H	11	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	1	MET	2.6
1	F	52	LEU	2.6
1	F	6	VAL	2.6
1	F	34	PRO	2.6
1	G	145	ASN	2.6
1	C	25	ILE	2.6
1	G	38	LEU	2.6
1	B	43	THR	2.5
1	D	43	THR	2.5
1	G	67	ARG	2.5
1	B	22	GLU	2.5
1	D	134	GLN	2.5
1	A	20	VAL	2.5
1	C	104	CYS	2.5
1	F	7	THR	2.5
1	G	43	THR	2.5
1	B	139	GLU	2.5
1	E	152	VAL	2.5
1	G	90	GLN	2.5
1	B	30	LEU	2.5
1	H	69	HIS	2.5
1	G	46	GLU	2.5
1	F	127	ILE	2.4
1	C	37	HIS	2.4
1	C	152	VAL	2.4
1	B	26	ASN	2.4
1	G	68	MET	2.4
1	F	57	GLY	2.4
1	G	21	VAL	2.4
1	G	112	ILE	2.4
1	G	42	GLU	2.4
1	G	1	MET	2.4
1	B	20	VAL	2.4
1	F	82	PHE	2.4
1	F	84	PHE	2.4
1	F	58	ILE	2.4
1	G	58	ILE	2.4
1	G	86	ILE	2.4
1	C	5	HIS	2.4
1	G	39	GLU	2.4
1	D	102	ASP	2.4
1	H	8	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	56	THR	2.3
1	H	94	THR	2.3
1	G	37	HIS	2.3
1	B	23	GLU	2.3
1	G	51	GLU	2.3
1	C	73	ALA	2.3
1	D	60	ALA	2.3
1	F	19	LEU	2.3
1	G	118	LEU	2.3
1	F	112	ILE	2.3
1	H	141	ILE	2.3
1	A	95	GLN	2.3
1	B	134	GLN	2.3
1	C	20	VAL	2.3
1	G	47	ALA	2.3
1	G	5	HIS	2.3
1	G	97	HIS	2.3
1	C	123	VAL	2.3
1	C	44	LEU	2.3
1	H	2	PHE	2.3
1	G	26	ASN	2.3
1	F	96	PRO	2.3
1	G	108	SER	2.3
1	H	41	ASP	2.3
1	C	107	VAL	2.3
1	G	40	ALA	2.2
1	G	124	ALA	2.2
1	C	15	GLU	2.2
1	G	55	GLU	2.2
1	F	131	GLN	2.2
1	C	40	ALA	2.2
1	F	3	LYS	2.2
1	F	144	PHE	2.2
1	H	1	MET	2.2
1	H	5	HIS	2.2
1	F	92	CYS	2.2
1	G	87	GLU	2.2
1	E	37	HIS	2.2
1	H	82	PHE	2.2
1	F	35	ALA	2.2
1	G	49	ALA	2.2
1	H	39	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	147	PRO	2.2
1	H	61	GLN	2.2
1	G	66	ILE	2.2
1	G	23	GLU	2.2
1	G	122	LEU	2.2
1	H	19	LEU	2.2
1	F	98	ASP	2.2
1	H	100	ASP	2.2
1	D	91	ILE	2.2
1	F	97	HIS	2.2
1	H	29	ALA	2.1
1	C	23	GLU	2.1
1	F	125	GLU	2.1
1	H	110	GLU	2.1
1	H	140	MET	2.1
1	C	36	GLY	2.1
1	E	151	GLY	2.1
1	F	8	VAL	2.1
1	F	100	ASP	2.1
1	G	2	PHE	2.1
1	B	124	ALA	2.1
1	D	89	GLU	2.1
1	E	43	THR	2.1
1	F	91	ILE	2.1
1	G	11	VAL	2.1
1	D	29	ALA	2.1
1	H	109	ALA	2.1
1	H	114	GLN	2.1
1	A	21	VAL	2.1
1	C	12	VAL	2.1
1	A	111	GLU	2.1
1	B	58	ILE	2.1
1	B	102	ASP	2.0
1	C	60	ALA	2.0
1	G	22	GLU	2.0
1	H	60	ALA	2.0
1	F	71	TRP	2.0
1	H	24	THR	2.0
1	H	137	PRO	2.0
1	C	80	LEU	2.0
1	H	118	LEU	2.0
1	C	27	GLY	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	10	CYS	2.0
1	G	129	CYS	2.0
1	C	49	ALA	2.0
1	F	9	ALA	2.0
1	B	61	GLN	2.0
1	G	80	LEU	2.0
1	H	52	LEU	2.0
1	H	138	LEU	2.0
1	E	20	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.