



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 03:25 AM UTC

PDB ID : 7NGE / pdb_00007nge
Title : Crystal structure of L-Trp/Indoleamine 2,3-dioxygenase 1 (hIDO1) complex with the JK-loop refined in the closed conformation
Authors : Mirgaux, M.; Wouters, J.
Deposited on : 2021-02-09
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	405	
1	B	405	
1	C	405	
1	D	405	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	TRP	A	501	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 12992 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Indoleamine 2,3-dioxygenase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	386	Total	C	N	O	S	13	2	0
			3055	1959	521	558	17			
1	B	368	Total	C	N	O	S	0	0	0
			2907	1868	497	525	17			
1	C	377	Total	C	N	O	S	0	0	0
			2969	1905	507	540	17			
1	D	368	Total	C	N	O	S	0	0	0
			2912	1873	496	526	17			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	initiating methionine	UNP P14902
A	0	GLY	-	expression tag	UNP P14902
A	1	SER	-	expression tag	UNP P14902
A	2	SER	-	expression tag	UNP P14902
A	3	HIS	-	expression tag	UNP P14902
A	4	HIS	-	expression tag	UNP P14902
A	5	HIS	-	expression tag	UNP P14902
A	6	HIS	-	expression tag	UNP P14902
A	7	HIS	-	expression tag	UNP P14902
A	8	HIS	-	expression tag	UNP P14902
A	9	SER	-	expression tag	UNP P14902
A	10	SER	-	expression tag	UNP P14902
A	11	GLY	-	expression tag	UNP P14902
A	12	SER	-	expression tag	UNP P14902
A	13	ALA	-	expression tag	UNP P14902
A	14	ALA	-	expression tag	UNP P14902
A	116	ALA	LYS	engineered mutation	UNP P14902
A	117	ALA	LYS	engineered mutation	UNP P14902
B	-1	MET	-	initiating methionine	UNP P14902
B	0	GLY	-	expression tag	UNP P14902
B	1	SER	-	expression tag	UNP P14902

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	2	SER	-	expression tag	UNP P14902
B	3	HIS	-	expression tag	UNP P14902
B	4	HIS	-	expression tag	UNP P14902
B	5	HIS	-	expression tag	UNP P14902
B	6	HIS	-	expression tag	UNP P14902
B	7	HIS	-	expression tag	UNP P14902
B	8	HIS	-	expression tag	UNP P14902
B	9	SER	-	expression tag	UNP P14902
B	10	SER	-	expression tag	UNP P14902
B	11	GLY	-	expression tag	UNP P14902
B	12	SER	-	expression tag	UNP P14902
B	13	ALA	-	expression tag	UNP P14902
B	14	ALA	-	expression tag	UNP P14902
B	116	ALA	LYS	engineered mutation	UNP P14902
B	117	ALA	LYS	engineered mutation	UNP P14902
C	-1	MET	-	initiating methionine	UNP P14902
C	0	GLY	-	expression tag	UNP P14902
C	1	SER	-	expression tag	UNP P14902
C	2	SER	-	expression tag	UNP P14902
C	3	HIS	-	expression tag	UNP P14902
C	4	HIS	-	expression tag	UNP P14902
C	5	HIS	-	expression tag	UNP P14902
C	6	HIS	-	expression tag	UNP P14902
C	7	HIS	-	expression tag	UNP P14902
C	8	HIS	-	expression tag	UNP P14902
C	9	SER	-	expression tag	UNP P14902
C	10	SER	-	expression tag	UNP P14902
C	11	GLY	-	expression tag	UNP P14902
C	12	SER	-	expression tag	UNP P14902
C	13	ALA	-	expression tag	UNP P14902
C	14	ALA	-	expression tag	UNP P14902
C	116	ALA	LYS	engineered mutation	UNP P14902
C	117	ALA	LYS	engineered mutation	UNP P14902
D	-1	MET	-	initiating methionine	UNP P14902
D	0	GLY	-	expression tag	UNP P14902
D	1	SER	-	expression tag	UNP P14902
D	2	SER	-	expression tag	UNP P14902
D	3	HIS	-	expression tag	UNP P14902
D	4	HIS	-	expression tag	UNP P14902
D	5	HIS	-	expression tag	UNP P14902
D	6	HIS	-	expression tag	UNP P14902
D	7	HIS	-	expression tag	UNP P14902

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	8	HIS	-	expression tag	UNP P14902
D	9	SER	-	expression tag	UNP P14902
D	10	SER	-	expression tag	UNP P14902
D	11	GLY	-	expression tag	UNP P14902
D	12	SER	-	expression tag	UNP P14902
D	13	ALA	-	expression tag	UNP P14902
D	14	ALA	-	expression tag	UNP P14902
D	116	ALA	LYS	engineered mutation	UNP P14902
D	117	ALA	LYS	engineered mutation	UNP P14902

- Molecule 2 is TRYPTOPHAN (CCD ID: TRP) (formula: $C_{11}H_{12}N_2O_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			15	11	2	2		
2	B	1	Total	C	N	O	0	0
			15	11	2	2		
2	B	1	Total	C	N	O	0	0
			15	11	2	2		
2	C	1	Total	C	N	O	0	0
			15	11	2	2		

- Molecule 3 is N'-Formylkynurenine (CCD ID: NFK) (formula: $C_{11}H_{12}N_2O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			17	11	2	4		
3	D	1	Total	C	N	O	0	0
			17	11	2	4		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

[illegible]

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $\text{C}_{34}\text{H}_{32}\text{FeN}_4\text{O}_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	Fe	N	O	
			43	34	1	4	4	
5	C	1	Total	C	Fe	N	O	
			43	34	1	4	4	
5	D	1	Total	C	Fe	N	O	
			43	34	1	4	4	

- Molecule 6 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Na		
			1	1	0	0

- Molecule 7 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	1	Total	O P		
			5	4 1	0	0
7	B	1	Total	O P		
			5	4 1	0	0
7	C	1	Total	O P		
			5	4 1	0	0

- Molecule 8 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	C	1	Total 1	Cl 1	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	174	Total 174	O 174	0	0
9	B	176	Total 176	O 176	0	0
9	C	162	Total 162	O 162	0	0
9	D	156	Total 156	O 156	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Indoleamine 2,3-dioxygenase 1




• Molecule 1: Indoleamine 2,3-dioxygenase 1





• Molecule 1: Indoleamine 2,3-dioxygenase 1





- Molecule 1: Indoleamine 2,3-dioxygenase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	81.36Å 114.67Å 219.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.87 – 2.30 46.87 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.6 (46.87-2.30) 99.5 (46.87-2.30)	Depositor EDS
R_{merge}	0.21	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.01 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.215 , 0.271 0.216 , 0.271	Depositor DCC
R_{free} test set	1963 reflections (2.13%)	wwPDB-VP
Wilson B-factor (Å ²)	47.0	Xtriage
Anisotropy	0.424	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 64.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12992	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 46.40 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.1510e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, PO4, NFK, GOL, CL, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/3130	0.62	0/4236
1	B	0.40	0/2974	0.63	3/4025 (0.1%)
1	C	0.41	0/3037	0.59	0/4108
1	D	0.40	0/2980	0.61	0/4036
All	All	0.40	0/12121	0.61	3/16405 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	218	HIS	CA-C-N	-6.34	112.52	122.73
1	B	218	HIS	C-N-CA	-6.34	112.52	122.73
1	B	80	ARG	CG-CD-NE	-5.55	99.80	112.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	280	GLN	Peptide
1	A	376	ALA	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3055	0	3063	70	0
1	B	2907	0	2918	53	0
1	C	2969	0	2974	45	0
1	D	2912	0	2918	42	0
2	A	15	0	9	7	0
2	B	30	0	18	5	0
2	C	15	0	9	0	0
3	A	17	0	0	3	0
3	D	17	0	0	0	0
4	A	48	0	64	4	0
4	B	48	0	64	8	0
4	C	72	0	96	8	0
4	D	30	0	40	4	0
5	A	43	0	30	8	0
5	B	43	0	30	5	0
5	C	43	0	30	3	0
5	D	43	0	30	8	0
6	A	1	0	0	0	0
7	B	10	0	0	0	0
7	C	5	0	0	0	0
8	C	1	0	0	0	0
9	A	174	0	0	11	1
9	B	176	0	0	10	0
9	C	162	0	0	7	0
9	D	156	0	0	2	1
All	All	12992	0	12293	233	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (233) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:64:MET:HE2	4:B:503:GOL:H12	1.46	0.97
1:D:353:TYR:HB2	5:D:507:HEM:HBC1	1.56	0.87

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:C:514:HEM:HBB2	5:C:514:HEM:HHC	1.58	0.85
1:A:363:LYS:HG3	1:A:374:LEU:HD12	1.61	0.83
1:D:382:THR:HG22	1:D:384:LEU:H	1.46	0.81
1:B:286:GLY:O	1:B:290:GLN:NE2	2.14	0.80
1:A:354:ILE:HG13	5:A:511:HEM:HBC1	1.64	0.79
1:A:366:LYS:HB3	1:A:370:ASP:HB3	1.65	0.78
4:B:503:GOL:O3	4:B:503:GOL:O1	1.98	0.78
1:B:157:GLY:HA2	2:B:502:TRP:HE1	1.49	0.77
5:A:511:HEM:HHC	5:A:511:HEM:HBB2	1.68	0.75
1:C:314:PRO:HD3	4:C:512:GOL:H32	1.69	0.72
4:C:505:GOL:O1	9:C:601:HOH:O	2.05	0.72
1:B:294:ASP:O	1:B:297:ARG:HG2	1.90	0.72
1:D:349:ILE:HG22	5:D:507:HEM:HBC2	1.72	0.71
1:A:261:GLY:H	1:A:377[B]:LYS:HB2	1.56	0.71
4:D:503:GOL:O1	9:D:601:HOH:O	2.07	0.70
1:B:292:LEU:HD21	5:B:511:HEM:HBD2	1.73	0.70
1:A:379:THR:HG22	1:A:381:GLY:H	1.58	0.68
1:B:267:SER:N	9:B:602:HOH:O	2.22	0.68
1:C:227:PHE:O	1:C:377:LYS:NZ	2.26	0.67
1:A:261:GLY:H	1:A:377[A]:LYS:HB2	1.59	0.66
1:A:373:LYS:HG3	1:A:376:ALA:HB3	1.77	0.66
5:A:511:HEM:HBC2	5:A:511:HEM:HHH	1.77	0.66
4:C:503:GOL:O3	4:C:503:GOL:O1	2.09	0.66
1:A:238:LYS:NZ	9:A:603:HOH:O	2.29	0.66
1:B:215:HIS:NE2	4:B:510:GOL:H12	2.11	0.66
1:B:231:ARG:HD3	9:B:727:HOH:O	1.97	0.64
1:D:297:ARG:NH2	9:D:602:HOH:O	2.21	0.64
1:B:64:MET:HB2	1:B:106:ASN:ND2	2.13	0.64
4:B:505:GOL:O3	4:B:505:GOL:O1	2.14	0.64
1:A:224:LYS:NZ	9:A:604:HOH:O	2.31	0.63
1:A:355:LEU:HD11	1:A:371:PRO:HG3	1.79	0.62
1:A:371:PRO:C	1:A:373:LYS:H	2.07	0.62
1:D:136:LYS:HE3	1:D:143:LEU:HD23	1.80	0.62
1:B:88:MET:HE1	1:B:123:ILE:HG13	1.82	0.61
2:A:501:TRP:HD1	5:A:511:HEM:C4C	2.18	0.61
3:A:502:NFK:OAB	9:A:601:HOH:O	2.16	0.61
1:A:262[B]:GLY:O	1:A:377[B]:LYS:NZ	2.28	0.61
1:A:360:GLN:C	1:A:362:PRO:HD3	2.25	0.61
1:B:290:GLN:N	1:B:290:GLN:OE1	2.28	0.60
1:B:236:GLY:H	4:B:509:GOL:H2	1.66	0.60
1:D:317:ARG:O	1:D:321:LEU:HD23	2.02	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:D:507:HEM:HBB2	5:D:507:HEM:HMB1	1.84	0.60
1:C:236:GLY:H	4:C:508:GOL:H31	1.67	0.59
1:D:262:GLY:HA3	1:D:266:GLN:NE2	2.17	0.59
5:B:511:HEM:HMB1	5:B:511:HEM:HBB2	1.85	0.59
1:B:238:LYS:NZ	9:B:608:HOH:O	2.35	0.59
1:D:344:SER:HA	1:D:347:LEU:HD12	1.85	0.59
1:B:27:ASN:HB3	4:B:506:GOL:H11	1.83	0.59
1:A:384:LEU:HD23	1:A:384:LEU:H	1.67	0.59
1:C:177:ALA:HB2	1:C:206:CYS:HB2	1.85	0.59
1:A:288:ALA:O	1:A:290:GLN:N	2.36	0.59
1:D:353:TYR:HB2	5:D:507:HEM:CBC	2.29	0.58
1:B:113:GLN:HE22	4:B:503:GOL:H2	1.68	0.58
5:C:514:HEM:HMC2	5:C:514:HEM:HBC2	1.86	0.58
1:A:55:LEU:HB3	4:A:510:GOL:H31	1.86	0.57
1:D:167:SER:HA	5:D:507:HEM:HBB1	1.87	0.57
1:D:281:GLN:HA	1:D:394:THR:HG21	1.85	0.57
1:A:235:SER:HA	1:A:377[B]:LYS:HB3	1.86	0.56
1:C:84:GLY:O	1:C:88:MET:HG2	2.06	0.56
1:C:284:GLY:HA3	1:C:288:ALA:HB3	1.87	0.56
1:A:262[A]:GLY:HA3	9:A:664:HOH:O	2.05	0.56
1:C:12:SER:HB2	1:C:19:GLU:HG2	1.86	0.56
1:D:167:SER:HA	5:D:507:HEM:CBB	2.36	0.56
1:B:194:ASP:O	1:B:198:LYS:HG2	2.06	0.56
1:C:179:LYS:NZ	9:C:611:HOH:O	2.40	0.55
1:C:321:LEU:HD21	1:C:400:LEU:HD22	1.88	0.55
1:D:177:ALA:HB2	1:D:206:CYS:HB2	1.88	0.55
1:A:373:LYS:O	1:A:374:LEU:HB2	2.07	0.55
1:B:287:HIS:HA	1:B:290:GLN:HE22	1.72	0.55
1:C:19:GLU:OE2	9:C:602:HOH:O	2.18	0.55
1:A:371:PRO:O	1:A:383:ASP:HA	2.07	0.55
1:B:351:THR:HA	1:B:355:LEU:HD22	1.89	0.54
2:A:501:TRP:HD1	5:A:511:HEM:NC	2.04	0.54
1:D:267:SER:OG	1:D:269:VAL:HG22	2.08	0.54
1:D:136:LYS:HE2	1:D:141:LYS:O	2.07	0.54
1:A:88:MET:HE1	1:A:123:ILE:HG13	1.89	0.53
1:B:280:GLN:HB3	1:B:282:THR:HG22	1.91	0.53
1:C:262:GLY:HA2	9:C:712:HOH:O	2.08	0.53
1:A:234:LEU:HD23	2:A:501:TRP:CE3	2.44	0.53
1:C:231:ARG:HE	1:C:377:LYS:HE3	1.74	0.53
1:A:261:GLY:N	1:A:377[B]:LYS:HB2	2.25	0.52
1:B:242:GLN:NE2	9:B:613:HOH:O	2.41	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:316:VAL:H	4:C:510:GOL:H32	1.75	0.52
2:B:501:TRP:NE1	9:B:601:HOH:O	2.14	0.52
1:A:263:SER:HB2	1:A:377[A]:LYS:HE2	1.92	0.52
4:A:506:GOL:O1	4:A:506:GOL:O3	2.27	0.52
1:C:329:ARG:NE	1:C:402:GLU:HB2	2.24	0.52
1:D:236:GLY:HA3	1:D:261:GLY:N	2.24	0.52
1:B:355:LEU:HD21	1:B:385:MET:SD	2.50	0.51
1:A:227:PHE:HZ	1:A:363:LYS:HB3	1.74	0.51
1:A:231:ARG:NH1	1:A:373:LYS:O	2.42	0.51
1:D:21:VAL:HB	1:D:24:ALA:HB3	1.93	0.51
1:A:235:SER:HA	1:A:377[A]:LYS:HB3	1.92	0.51
1:C:14:ALA:O	1:C:17:ILE:N	2.33	0.51
5:B:511:HEM:HBD1	5:B:511:HEM:HMD1	1.93	0.50
1:B:284:GLY:HA2	1:B:289:ALA:HB3	1.92	0.50
1:A:183:THR:HA	1:A:186:LYS:HD3	1.92	0.50
1:B:296:ARG:HA	1:B:299:MET:HE3	1.94	0.50
1:B:161:LYS:NZ	9:B:616:HOH:O	2.44	0.50
3:A:502:NFK:N	3:A:502:NFK:OD1	2.42	0.50
1:B:283:ALA:O	1:B:288:ALA:HB3	2.12	0.50
1:A:88:MET:HE3	1:A:124:LEU:H	1.75	0.50
1:C:343:ARG:HB2	1:C:392:ARG:HG3	1.94	0.50
1:D:351:THR:HA	1:D:355:LEU:HB2	1.94	0.50
1:D:237:TRP:HB3	1:D:243:LEU:HD12	1.94	0.49
1:A:64:MET:HB2	1:A:106:ASN:ND2	2.27	0.49
1:A:383:ASP:OD2	1:A:385:MET:HB2	2.12	0.49
1:D:315:SER:HA	4:D:502:GOL:H11	1.94	0.49
1:B:219:ASP:OD1	1:C:220:HIS:ND1	2.38	0.49
1:A:383:ASP:HB3	1:A:386:ASN:HB2	1.95	0.49
1:B:264:ALA:HB1	5:B:511:HEM:CGA	2.43	0.49
1:A:370:ASP:OD1	9:A:602:HOH:O	2.20	0.49
1:B:115:SER:HB3	1:B:120:LEU:O	2.12	0.49
5:D:507:HEM:HBB2	5:D:507:HEM:CMB	2.42	0.49
1:A:264:ALA:HB2	9:A:665:HOH:O	2.12	0.49
5:A:511:HEM:HBC2	5:A:511:HEM:CHD	2.42	0.49
1:B:186:LYS:HE3	1:B:190:MET:HE2	1.95	0.49
1:A:371:PRO:HD2	1:A:383:ASP:OD1	2.13	0.48
1:A:231:ARG:CZ	1:A:376:ALA:HB2	2.43	0.48
1:B:237:TRP:HB3	1:B:243:LEU:HD13	1.96	0.48
1:A:263:SER:HB2	1:A:377[B]:LYS:CE	2.44	0.48
1:A:262[B]:GLY:HA3	9:A:664:HOH:O	2.14	0.48
1:B:287:HIS:CA	1:B:290:GLN:HE22	2.26	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:263:SER:N	9:B:618:HOH:O	2.46	0.48
1:D:179:LYS:HE3	1:D:179:LYS:HB2	1.64	0.48
1:A:363:LYS:HE3	1:A:375:GLU:HB3	1.95	0.47
1:B:326:ALA:HA	1:B:329:ARG:HH21	1.80	0.47
1:A:40:MET:HG3	4:A:505:GOL:H2	1.96	0.47
1:A:41:PHE:HA	4:A:505:GOL:H32	1.95	0.47
1:A:263:SER:HB2	1:A:377[B]:LYS:HZ1	1.79	0.47
1:C:173:ALA:HB1	1:C:209:LYS:HG3	1.96	0.47
1:A:227:PHE:CZ	1:A:363:LYS:HB3	2.49	0.47
1:B:88:MET:HE3	1:B:124:LEU:H	1.79	0.47
1:C:80:ARG:HH21	1:C:125:VAL:HG22	1.80	0.46
1:C:361:GLN:HE22	1:C:377:LYS:N	2.13	0.46
1:A:263:SER:HA	2:A:501:TRP:CE2	2.50	0.46
1:A:361:GLN:HG3	1:A:361:GLN:O	2.15	0.46
1:B:321:LEU:HD21	1:B:400:LEU:HD22	1.96	0.46
1:D:304:ARG:HE	4:D:505:GOL:H11	1.79	0.46
1:A:23:PHE:CE2	1:A:268:SER:HB2	2.50	0.46
1:A:329:ARG:NH1	9:A:615:HOH:O	2.48	0.46
1:B:94:LYS:HG3	2:B:501:TRP:HZ2	1.81	0.46
1:D:196:LEU:O	1:D:200:LEU:HG	2.16	0.46
1:A:168:LEU:O	1:A:171:GLU:HB3	2.16	0.46
1:B:16:HIS:O	1:B:17:ILE:HD13	2.16	0.46
1:D:101:LYS:HG2	1:D:243:LEU:CD2	2.46	0.46
5:C:514:HEM:HBC2	5:C:514:HEM:CMC	2.46	0.45
1:C:265:GLY:O	9:C:603:HOH:O	2.21	0.45
1:D:284:GLY:HA2	1:D:288:ALA:HB3	1.97	0.45
1:D:353:TYR:CB	5:D:507:HEM:HBC1	2.38	0.45
1:B:382:THR:HG22	1:B:384:LEU:H	1.81	0.45
1:A:144:THR:O	1:A:148:MET:HG3	2.17	0.45
1:A:223:PRO:HA	1:A:353:TYR:CD1	2.52	0.45
1:A:232:ILE:HD12	1:A:232:ILE:H	1.81	0.45
1:A:261:GLY:N	1:A:377[A]:LYS:HB2	2.28	0.45
1:D:178:ILE:O	1:D:181:ILE:HG12	2.17	0.45
1:A:261:GLY:C	1:A:377[A]:LYS:HD2	2.42	0.44
2:A:501:TRP:HA	5:A:511:HEM:HMD2	1.99	0.44
1:A:106:ASN:HB2	9:A:633:HOH:O	2.18	0.44
1:D:119:GLU:HB2	1:D:301:PRO:HG3	1.98	0.44
1:C:377:LYS:HE2	1:C:377:LYS:HB3	1.56	0.44
1:A:224:LYS:O	1:A:228:SER:HB2	2.17	0.44
1:C:319:PHE:O	1:C:323:LYS:HG2	2.18	0.44
1:B:61:LYS:HE2	9:B:741:HOH:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:337:LYS:NZ	9:C:612:HOH:O	2.43	0.44
1:A:105:ARG:NH1	9:A:616:HOH:O	2.49	0.44
1:A:236:GLY:H	1:A:377[B]:LYS:CB	2.30	0.44
1:C:188:MET:HE3	1:C:319:PHE:HB2	1.99	0.44
1:A:264:ALA:H	2:A:501:TRP:NE1	2.16	0.43
1:C:286:GLY:O	1:C:287:HIS:ND1	2.52	0.43
1:C:329:ARG:HE	1:C:402:GLU:HB2	1.82	0.43
5:B:511:HEM:HBB2	5:B:511:HEM:CMB	2.47	0.43
1:A:374:LEU:HB3	1:A:375:GLU:H	1.52	0.43
1:B:56:ARG:HD2	2:B:501:TRP:CD2	2.54	0.43
1:C:24:ALA:HA	1:C:131:LEU:HD22	2.01	0.43
1:D:275:VAL:O	4:D:502:GOL:H12	2.19	0.43
1:B:50:ILE:HA	2:B:501:TRP:HH2	1.84	0.43
1:B:64:MET:HE1	1:B:109:VAL:HG11	2.01	0.43
1:C:282:THR:H	1:C:394:THR:HG21	1.84	0.43
1:C:44:LYS:HE2	1:C:152:PHE:CE2	2.54	0.43
1:C:262:GLY:O	1:C:266:GLN:NE2	2.52	0.43
1:B:287:HIS:HA	1:B:290:GLN:NE2	2.33	0.42
1:B:340:VAL:HG21	1:B:396:GLU:HB3	2.00	0.42
1:D:284:GLY:HA3	1:D:289:ALA:H	1.84	0.42
1:D:217:ILE:HG21	1:D:349:ILE:HD12	1.99	0.42
3:A:502:NFK:CAJ	1:D:352:LYS:HZ2	2.32	0.42
1:D:355:LEU:HD11	1:D:385:MET:HG3	2.02	0.42
1:D:194:ASP:O	1:D:198:LYS:HG3	2.19	0.42
1:A:50:ILE:HG21	1:A:155:ARG:HD3	2.01	0.42
1:B:255:ASP:OD1	1:B:255:ASP:N	2.51	0.42
1:C:17:ILE:HG21	1:C:178:ILE:HG21	2.00	0.42
1:C:126:TYR:HB2	1:C:266:GLN:HB2	2.01	0.42
1:C:261:GLY:H	4:C:508:GOL:H2	1.84	0.42
1:C:177:ALA:HB2	1:C:206:CYS:CB	2.50	0.42
1:C:347:LEU:HD21	1:C:388:LEU:HB2	2.02	0.42
1:A:263:SER:HB2	1:A:377[B]:LYS:NZ	2.34	0.42
1:A:356:ILE:O	1:A:360:GLN:HG3	2.20	0.42
1:C:100:ARG:HA	1:C:100:ARG:HD3	1.91	0.42
4:C:507:GOL:O1	9:C:604:HOH:O	2.22	0.42
1:B:165:LEU:HD23	1:B:165:LEU:HA	1.85	0.41
1:D:284:GLY:CA	1:D:289:ALA:H	2.33	0.41
1:B:240:ASN:OD1	1:B:242:GLN:HB2	2.20	0.41
1:C:206:CYS:O	1:C:209:LYS:HG2	2.20	0.41
1:A:263:SER:HA	2:A:501:TRP:CD2	2.56	0.41
1:D:190:MET:HB2	1:D:192:GLU:HG2	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:21:VAL:HB	1:B:24:ALA:HB3	2.03	0.41
1:D:181:ILE:HG23	1:D:276:LEU:HD13	2.02	0.41
1:A:69:HIS:HD2	9:A:759:HOH:O	2.04	0.41
1:B:40:MET:HE2	1:B:40:MET:HB2	1.93	0.41
1:A:262[A]:GLY:HA2	1:A:266:GLN:NE2	2.35	0.41
1:B:224:LYS:NZ	9:B:622:HOH:O	2.51	0.41
1:C:55:LEU:O	1:C:55:LEU:HG	2.12	0.41
1:D:279:ILE:HD13	1:D:395:THR:HG23	2.03	0.41
1:B:294:ASP:OD1	1:B:297:ARG:HD3	2.21	0.41
1:C:23:PHE:O	1:C:131:LEU:HD13	2.20	0.41
1:C:25:LEU:HD12	1:C:26:PRO:HD2	2.01	0.41
1:C:354:ILE:C	1:C:357:PRO:HD2	2.45	0.41
1:D:52:SER:OG	1:D:54:GLN:HG3	2.21	0.41
1:D:175:ALA:HA	1:D:178:ILE:HD12	2.02	0.41
1:A:188:MET:HE3	1:A:319:PHE:HB2	2.04	0.41
1:D:115:SER:HB3	1:D:120:LEU:O	2.20	0.41
1:B:105:ARG:NH1	9:B:619:HOH:O	2.48	0.40
1:A:374:LEU:O	1:A:376:ALA:N	2.50	0.40
1:A:384:LEU:HD12	5:A:511:HEM:HMD3	2.03	0.40
1:C:101:LYS:HG2	1:C:243:LEU:HD21	2.03	0.40
1:B:30:GLU:OE2	4:B:506:GOL:O2	2.39	0.40
1:C:316:VAL:H	4:C:510:GOL:C3	2.34	0.40
1:A:372:SER:O	1:A:380:GLY:HA3	2.22	0.40
1:C:194:ASP:O	1:C:198:LYS:HG3	2.22	0.40
1:D:55:LEU:O	1:D:55:LEU:HG	2.16	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:A:680:HOH:O	9:D:634:HOH:O[4_575]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	386/405 (95%)	357 (92%)	26 (7%)	3 (1%)	16	20
1	B	364/405 (90%)	351 (96%)	12 (3%)	1 (0%)	36	46
1	C	373/405 (92%)	353 (95%)	20 (5%)	0	100	100
1	D	364/405 (90%)	342 (94%)	20 (6%)	2 (0%)	24	31
All	All	1487/1620 (92%)	1403 (94%)	78 (5%)	6 (0%)	30	38

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	374	LEU
1	A	375	GLU
1	D	34	ASP
1	A	367	THR
1	B	283	ALA
1	D	263	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	333/346 (96%)	331 (99%)	2 (1%)	78	89
1	B	316/346 (91%)	316 (100%)	0	100	100
1	C	321/346 (93%)	321 (100%)	0	100	100
1	D	316/346 (91%)	316 (100%)	0	100	100
All	All	1286/1384 (93%)	1284 (100%)	2 (0%)	84	94

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	377[A]	LYS
1	A	377[B]	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	ASN
1	A	73	HIS
1	A	96	HIS
1	A	106	ASN
1	A	191	GLN
1	A	212	GLN
1	A	303	HIS
1	A	361	GLN
1	B	31	ASN
1	B	76	GLN
1	B	96	HIS
1	B	106	ASN
1	B	220	HIS
1	B	281	GLN
1	B	287	HIS
1	B	293	GLN
1	B	313	ASN
1	C	106	ASN
1	C	212	GLN
1	D	63	ASN
1	D	212	GLN
1	D	281	GLN
1	D	348	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 48 ligands modelled in this entry, 2 are monoatomic - leaving 46 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	C	503	-	5,5,5	0.56	0	5,5,5	1.40	1 (20%)
7	PO4	C	516	-	4,4,4	0.95	0	6,6,6	0.50	0
4	GOL	B	508	-	5,5,5	0.80	0	5,5,5	1.07	0
2	TRP	B	502	-	15,16,16	1.94	4 (26%)	18,22,22	1.44	3 (16%)
3	NFK	A	502	-	16,17,17	2.66	4 (25%)	16,22,22	2.36	5 (31%)
4	GOL	B	507	-	5,5,5	0.74	0	5,5,5	1.23	1 (20%)
4	GOL	A	508	-	5,5,5	0.80	0	5,5,5	1.21	1 (20%)
2	TRP	B	501	-	15,16,16	1.74	3 (20%)	18,22,22	1.18	3 (16%)
5	HEM	D	507	1	50,50,50	1.58	7 (14%)	67,82,82	1.51	11 (16%)
4	GOL	C	506	-	5,5,5	0.71	0	5,5,5	1.14	1 (20%)
4	GOL	B	509	-	5,5,5	0.75	0	5,5,5	1.21	0
4	GOL	B	506	-	5,5,5	1.23	1 (20%)	5,5,5	0.93	0
4	GOL	A	507	-	5,5,5	0.95	0	5,5,5	1.18	0
4	GOL	D	506	-	5,5,5	0.89	0	5,5,5	1.12	0
4	GOL	D	504	-	5,5,5	0.96	0	5,5,5	1.02	0
4	GOL	C	513	-	5,5,5	0.84	0	5,5,5	1.07	0
4	GOL	D	505	-	5,5,5	0.84	0	5,5,5	1.20	0
4	GOL	C	510	-	5,5,5	1.26	0	5,5,5	0.91	0
4	GOL	B	510	-	5,5,5	0.76	0	5,5,5	1.26	1 (20%)
5	HEM	C	514	1	50,50,50	1.59	8 (16%)	67,82,82	1.37	8 (11%)
3	NFK	D	501	-	16,17,17	2.64	4 (25%)	16,22,22	1.81	3 (18%)
4	GOL	C	512	-	5,5,5	0.95	0	5,5,5	1.08	0
2	TRP	C	501	-	15,16,16	1.74	3 (20%)	18,22,22	1.15	1 (5%)
4	GOL	D	502	-	5,5,5	1.06	0	5,5,5	1.00	0
4	GOL	A	509	-	5,5,5	0.97	0	5,5,5	1.13	1 (20%)
2	TRP	A	501	-	15,16,16	1.76	3 (20%)	18,22,22	1.07	1 (5%)
4	GOL	A	503	-	5,5,5	1.02	0	5,5,5	1.04	0
4	GOL	C	508	-	5,5,5	0.93	0	5,5,5	1.09	0
7	PO4	B	512	-	4,4,4	0.90	0	6,6,6	0.38	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	B	503	-	5,5,5	1.20	0	5,5,5	2.21	3 (60%)
4	GOL	D	503	-	5,5,5	0.69	0	5,5,5	1.48	1 (20%)
4	GOL	C	502	-	5,5,5	1.55	2 (40%)	5,5,5	0.87	0
7	PO4	B	513	-	4,4,4	0.94	0	6,6,6	0.45	0
4	GOL	C	511	-	5,5,5	0.87	0	5,5,5	1.10	0
4	GOL	C	504	-	5,5,5	1.13	0	5,5,5	0.95	0
4	GOL	C	505	-	5,5,5	0.70	0	5,5,5	1.24	1 (20%)
5	HEM	A	511	1	50,50,50	1.82	6 (12%)	67,82,82	1.54	14 (20%)
5	HEM	B	511	1	50,50,50	1.61	9 (18%)	67,82,82	1.34	9 (13%)
4	GOL	A	506	-	5,5,5	0.87	0	5,5,5	1.05	0
4	GOL	A	504	-	5,5,5	0.91	0	5,5,5	1.02	0
4	GOL	A	510	-	5,5,5	1.31	0	5,5,5	1.02	0
4	GOL	B	504	-	5,5,5	1.12	0	5,5,5	0.98	0
4	GOL	B	505	-	5,5,5	0.75	0	5,5,5	1.11	0
4	GOL	C	507	-	5,5,5	0.97	0	5,5,5	1.00	0
4	GOL	A	505	-	5,5,5	0.86	0	5,5,5	1.13	0
4	GOL	C	509	-	5,5,5	0.83	0	5,5,5	1.01	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	C	503	-	-	0/4/4/4	-
4	GOL	B	508	-	-	0/4/4/4	-
2	TRP	B	502	-	-	6/8/8/8	0/2/2/2
3	NFK	A	502	-	-	8/15/15/15	0/1/1/1
4	GOL	B	507	-	-	2/4/4/4	-
4	GOL	A	508	-	-	2/4/4/4	-
2	TRP	B	501	-	-	5/8/8/8	0/2/2/2
5	HEM	D	507	1	-	4/14/54/54	-
4	GOL	C	506	-	-	0/4/4/4	-
4	GOL	B	509	-	-	1/4/4/4	-
4	GOL	B	506	-	-	0/4/4/4	-
4	GOL	A	507	-	-	2/4/4/4	-
4	GOL	D	506	-	-	2/4/4/4	-
4	GOL	D	504	-	-	1/4/4/4	-
4	GOL	C	513	-	-	1/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	D	505	-	-	4/4/4/4	-
4	GOL	C	510	-	-	2/4/4/4	-
4	GOL	B	510	-	-	4/4/4/4	-
5	HEM	C	514	1	-	3/14/54/54	-
3	NFK	D	501	-	-	10/15/15/15	0/1/1/1
4	GOL	C	512	-	-	2/4/4/4	-
2	TRP	C	501	-	-	4/8/8/8	0/2/2/2
4	GOL	D	502	-	-	2/4/4/4	-
4	GOL	A	509	-	-	0/4/4/4	-
2	TRP	A	501	-	-	5/8/8/8	0/2/2/2
4	GOL	A	503	-	-	4/4/4/4	-
4	GOL	C	508	-	-	4/4/4/4	-
4	GOL	B	503	-	-	0/4/4/4	-
4	GOL	D	503	-	-	2/4/4/4	-
4	GOL	C	502	-	-	1/4/4/4	-
4	GOL	C	511	-	-	2/4/4/4	-
4	GOL	C	504	-	-	0/4/4/4	-
4	GOL	C	505	-	-	0/4/4/4	-
5	HEM	A	511	1	-	4/14/54/54	-
5	HEM	B	511	1	-	3/14/54/54	-
4	GOL	A	506	-	-	2/4/4/4	-
4	GOL	A	504	-	-	3/4/4/4	-
4	GOL	A	510	-	-	2/4/4/4	-
4	GOL	B	504	-	-	1/4/4/4	-
4	GOL	B	505	-	-	2/4/4/4	-
4	GOL	C	507	-	-	0/4/4/4	-
4	GOL	A	505	-	-	2/4/4/4	-
4	GOL	C	509	-	-	4/4/4/4	-

All (54) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	501	NFK	CAF-NAL	9.12	1.46	1.34
3	A	502	NFK	CAF-NAL	8.84	1.46	1.34
5	A	511	HEM	FE-NB	8.50	2.21	1.94
5	D	507	HEM	FE-NB	5.75	2.12	1.94
5	C	514	HEM	FE-NA	5.66	2.13	1.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	507	HEM	FE-NA	5.57	2.13	1.95
5	B	511	HEM	FE-ND	5.21	2.10	1.94
2	B	502	TRP	CB-CG	5.11	1.59	1.50
5	A	511	HEM	FE-NA	4.95	2.11	1.95
5	C	514	HEM	FE-NB	4.84	2.09	1.94
5	B	511	HEM	FE-NC	4.79	2.11	1.95
2	A	501	TRP	CB-CG	4.78	1.59	1.50
2	C	501	TRP	CB-CG	4.51	1.58	1.50
2	B	501	TRP	CB-CG	4.50	1.58	1.50
5	A	511	HEM	FE-NC	3.56	2.06	1.95
3	A	502	NFK	CAO-NAL	3.38	1.46	1.41
3	A	502	NFK	CD2-CG	3.23	1.54	1.48
5	B	511	HEM	FE-NA	3.22	2.05	1.95
3	D	501	NFK	CD2-CG	3.05	1.54	1.48
2	C	501	TRP	CD2-CE2	-3.00	1.37	1.41
2	B	502	TRP	O-C	2.89	1.30	1.22
5	C	514	HEM	FE-ND	2.85	2.03	1.94
2	A	501	TRP	CD2-CE2	-2.83	1.37	1.41
5	A	511	HEM	CAB-C3B	2.82	1.54	1.47
5	B	511	HEM	CAC-C3C	2.82	1.54	1.47
5	B	511	HEM	CAB-C3B	2.78	1.54	1.47
5	C	514	HEM	CAC-C3C	2.78	1.54	1.47
4	C	502	GOL	C1-C2	2.69	1.62	1.51
2	B	501	TRP	O-C	2.62	1.29	1.22
5	D	507	HEM	CMB-C2B	2.61	1.56	1.50
2	C	501	TRP	CD1-NE1	-2.52	1.33	1.37
5	D	507	HEM	CAC-C3C	2.49	1.54	1.47
5	D	507	HEM	CMC-C2C	2.46	1.55	1.50
5	B	511	HEM	FE-NB	2.46	2.02	1.94
5	C	514	HEM	CMC-C2C	2.45	1.55	1.50
5	C	514	HEM	CMB-C2B	2.41	1.55	1.50
2	B	501	TRP	CD2-CE2	-2.39	1.38	1.41
5	C	514	HEM	CAB-C3B	2.39	1.53	1.47
5	B	511	HEM	CMB-C2B	2.36	1.55	1.50
2	A	501	TRP	CD1-NE1	-2.28	1.33	1.37
3	D	501	NFK	CAO-NAL	2.27	1.44	1.41
5	A	511	HEM	CAC-C3C	2.26	1.53	1.47
5	D	507	HEM	FE-NC	2.24	2.02	1.95
5	B	511	HEM	CMC-C2C	2.21	1.55	1.50
5	C	514	HEM	CMD-C2D	2.20	1.55	1.50
5	A	511	HEM	CMC-C2C	2.19	1.55	1.50
2	B	502	TRP	CD2-CE2	-2.18	1.38	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	501	NFK	OD1-CG	-2.13	1.18	1.22
5	B	511	HEM	CMA-C3A	2.12	1.55	1.50
3	A	502	NFK	OD1-CG	-2.12	1.18	1.22
4	C	502	GOL	C3-C2	2.12	1.59	1.51
2	B	502	TRP	CD1-NE1	-2.08	1.33	1.37
4	B	506	GOL	C3-C2	2.07	1.59	1.51
5	D	507	HEM	CAB-C3B	2.04	1.52	1.47

All (69) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	501	NFK	CAO-NAL-CAF	-4.75	117.37	126.87
3	A	502	NFK	CB-CG-CD2	4.44	124.99	119.82
3	A	502	NFK	CAO-NAL-CAF	-4.31	118.25	126.87
3	A	502	NFK	OAB-CAF-NAL	-4.22	119.93	125.72
3	D	501	NFK	CAI-CAO-NAL	-3.83	116.74	122.54
5	C	514	HEM	C3B-C4B-NB	-3.69	106.82	109.47
5	D	507	HEM	C4D-ND-C1D	3.53	109.38	105.21
5	A	511	HEM	C4D-ND-C1D	3.52	109.37	105.21
5	D	507	HEM	C4C-C3C-C2C	3.43	109.79	106.81
3	A	502	NFK	CAI-CAO-NAL	-3.42	117.35	122.54
5	D	507	HEM	CHC-C4B-NB	3.31	127.98	124.42
5	D	507	HEM	C4B-C3B-C2B	3.12	110.15	107.28
5	B	511	HEM	C3B-C4B-NB	-3.11	107.24	109.47
5	C	514	HEM	C1B-NB-C4B	3.09	108.86	105.21
5	D	507	HEM	C3D-C4D-ND	-3.07	106.81	110.17
5	A	511	HEM	CAD-CBD-CGD	-3.00	105.70	113.67
5	A	511	HEM	C2D-C1D-ND	-3.00	106.44	109.90
5	D	507	HEM	C3B-C4B-NB	-2.99	107.32	109.47
5	A	511	HEM	C3B-C4B-NB	-2.99	107.32	109.47
5	C	514	HEM	C4D-ND-C1D	2.94	108.69	105.21
5	A	511	HEM	C4C-C3C-C2C	2.93	109.35	106.81
3	A	502	NFK	OD1-CG-CB	-2.89	117.27	120.70
2	A	501	TRP	CZ2-CE2-CD2	-2.85	119.43	122.19
5	B	511	HEM	C1B-NB-C4B	2.79	108.52	105.21
5	B	511	HEM	C4D-ND-C1D	2.78	108.50	105.21
4	B	503	GOL	C3-C2-C1	-2.72	101.82	111.80
2	B	501	TRP	CA-CB-CG	-2.70	108.37	113.49
5	C	514	HEM	CBA-CAA-C2A	-2.68	105.13	112.53
5	A	511	HEM	C3D-C4D-ND	-2.61	107.31	110.17
4	C	503	GOL	C3-C2-C1	-2.60	102.26	111.80
5	C	514	HEM	C4C-C3C-C2C	2.57	109.04	106.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	503	GOL	O2-C2-C3	2.57	119.82	109.18
2	B	501	TRP	CZ2-CE2-CD2	-2.55	119.72	122.19
5	D	507	HEM	C2D-C1D-ND	-2.52	106.99	109.90
2	B	502	TRP	CB-CG-CD2	2.50	131.51	126.70
5	D	507	HEM	C1B-NB-C4B	2.47	108.13	105.21
3	D	501	NFK	OXT-C-O	-2.45	118.51	124.08
5	A	511	HEM	C1D-C2D-C3D	2.42	109.52	106.98
5	A	511	HEM	CHD-C1D-ND	2.37	126.98	124.42
5	B	511	HEM	CAD-C3D-C4D	-2.35	120.60	124.70
5	A	511	HEM	C3B-C2B-C1B	2.33	108.16	106.41
5	B	511	HEM	CAD-C3D-C2D	2.33	132.23	127.87
5	C	514	HEM	CHD-C4C-NC	2.32	126.98	124.45
5	D	507	HEM	C2A-C1A-NA	-2.31	107.59	110.15
5	A	511	HEM	C1B-NB-C4B	2.31	107.94	105.21
2	B	502	TRP	OXT-C-O	-2.29	118.89	124.08
5	D	507	HEM	CHD-C4C-NC	2.27	126.92	124.45
4	D	503	GOL	C3-C2-C1	-2.26	103.50	111.80
5	C	514	HEM	C2D-C1D-ND	-2.26	107.29	109.90
4	A	508	GOL	C3-C2-C1	-2.24	103.59	111.80
2	C	501	TRP	CA-CB-CG	-2.23	109.26	113.49
5	A	511	HEM	C2A-C1A-NA	-2.21	107.70	110.15
4	B	510	GOL	C3-C2-C1	-2.21	103.70	111.80
5	C	514	HEM	C4C-NC-C1C	2.18	109.38	105.82
5	A	511	HEM	C4C-NC-C1C	2.18	109.37	105.82
5	A	511	HEM	CBA-CAA-C2A	-2.17	106.53	112.53
5	B	511	HEM	C2D-C1D-ND	-2.17	107.40	109.90
2	B	501	TRP	CD2-CE2-NE1	2.16	109.32	107.52
5	D	507	HEM	C4C-NC-C1C	2.15	109.33	105.82
4	B	503	GOL	O1-C1-C2	-2.09	100.95	110.38
5	B	511	HEM	CMB-C2B-C1B	-2.09	121.78	125.03
5	B	511	HEM	CHB-C1B-NB	2.08	126.94	124.37
4	C	505	GOL	C3-C2-C1	-2.06	104.22	111.80
2	B	502	TRP	CE2-NE1-CD1	2.03	110.89	109.08
4	B	507	GOL	C3-C2-C1	-2.03	104.34	111.80
4	C	506	GOL	C3-C2-C1	-2.02	104.37	111.80
5	A	511	HEM	CHD-C4C-C3C	2.01	128.60	125.21
5	B	511	HEM	C4C-C3C-C2C	2.01	108.56	106.81
4	A	509	GOL	C3-C2-C1	-2.00	104.45	111.80

There are no chirality outliers.

All (106) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	TRP	N-CA-CB-CG
2	B	501	TRP	N-CA-CB-CG
2	B	501	TRP	C-CA-CB-CG
2	B	502	TRP	CA-CB-CG-CD2
2	C	501	TRP	N-CA-CB-CG
2	C	501	TRP	C-CA-CB-CG
3	A	502	NFK	CAO-CD2-CG-CB
4	A	503	GOL	O1-C1-C2-C3
4	A	504	GOL	O1-C1-C2-C3
4	A	506	GOL	C1-C2-C3-O3
4	A	507	GOL	O1-C1-C2-C3
4	B	505	GOL	O1-C1-C2-C3
4	B	510	GOL	O1-C1-C2-C3
4	C	509	GOL	O1-C1-C2-O2
4	C	510	GOL	C1-C2-C3-O3
4	C	512	GOL	O1-C1-C2-C3
4	D	502	GOL	O1-C1-C2-C3
4	D	503	GOL	O1-C1-C2-C3
5	B	511	HEM	C2D-C3D-CAD-CBD
5	B	511	HEM	C4D-C3D-CAD-CBD
2	B	502	TRP	OXT-C-CA-N
4	A	503	GOL	O2-C2-C3-O3
4	A	504	GOL	O1-C1-C2-O2
4	A	506	GOL	O2-C2-C3-O3
4	B	505	GOL	O1-C1-C2-O2
4	C	508	GOL	O1-C1-C2-O2
2	B	501	TRP	OXT-C-CA-N
2	B	502	TRP	CA-CB-CG-CD1
4	A	503	GOL	C1-C2-C3-O3
4	A	505	GOL	O1-C1-C2-C3
4	A	508	GOL	O1-C1-C2-C3
4	A	510	GOL	C1-C2-C3-O3
4	B	507	GOL	O1-C1-C2-C3
4	B	509	GOL	O1-C1-C2-C3
4	B	510	GOL	C1-C2-C3-O3
4	C	502	GOL	C1-C2-C3-O3
4	C	508	GOL	O1-C1-C2-C3
4	C	508	GOL	C1-C2-C3-O3
4	C	509	GOL	O1-C1-C2-C3
4	C	509	GOL	C1-C2-C3-O3
4	C	511	GOL	C1-C2-C3-O3
4	D	504	GOL	O1-C1-C2-C3
4	D	505	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	D	505	GOL	C1-C2-C3-O3
4	D	506	GOL	O1-C1-C2-C3
4	A	503	GOL	O1-C1-C2-O2
4	A	508	GOL	O1-C1-C2-O2
4	A	510	GOL	O2-C2-C3-O3
4	B	510	GOL	O1-C1-C2-O2
4	C	510	GOL	O2-C2-C3-O3
4	C	511	GOL	O2-C2-C3-O3
4	C	512	GOL	O1-C1-C2-O2
4	D	502	GOL	O1-C1-C2-O2
3	A	502	NFK	CAO-CD2-CG-OD1
3	D	501	NFK	N-CA-CB-CG
4	A	505	GOL	O1-C1-C2-O2
4	A	507	GOL	O1-C1-C2-O2
4	B	507	GOL	O1-C1-C2-O2
4	D	505	GOL	O1-C1-C2-O2
2	A	501	TRP	OXT-C-CA-N
2	A	501	TRP	C-CA-CB-CG
3	A	502	NFK	O-C-CA-CB
4	A	504	GOL	O2-C2-C3-O3
4	B	510	GOL	O2-C2-C3-O3
2	B	501	TRP	O-C-CA-N
2	B	502	TRP	O-C-CA-N
3	A	502	NFK	OXT-C-CA-CB
3	D	501	NFK	C-CA-CB-CG
4	C	508	GOL	O2-C2-C3-O3
4	C	509	GOL	O2-C2-C3-O3
3	D	501	NFK	CAI-CAO-NAL-CAF
3	A	502	NFK	CD2-CAO-NAL-CAF
3	D	501	NFK	CD2-CAO-NAL-CAF
5	A	511	HEM	C4B-C3B-CAB-CBB
5	C	514	HEM	C4B-C3B-CAB-CBB
3	A	502	NFK	CAI-CAO-NAL-CAF
4	D	506	GOL	O1-C1-C2-O2
3	D	501	NFK	O-C-CA-CB
3	D	501	NFK	OXT-C-CA-CB
2	B	502	TRP	O-C-CA-CB
2	B	502	TRP	OXT-C-CA-CB
5	A	511	HEM	C4C-C3C-CAC-CBC
3	A	502	NFK	OXT-C-CA-N
5	A	511	HEM	CAD-CBD-CGD-O1D
4	B	504	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	502	NFK	N-CA-CB-CG
4	D	505	GOL	O2-C2-C3-O3
5	A	511	HEM	CAD-CBD-CGD-O2D
5	C	514	HEM	CAD-CBD-CGD-O2D
2	A	501	TRP	O-C-CA-CB
4	D	503	GOL	O1-C1-C2-O2
3	D	501	NFK	CA-CB-CG-OD1
3	D	501	NFK	CA-CB-CG-CD2
5	C	514	HEM	CAD-CBD-CGD-O1D
5	D	507	HEM	C2C-C3C-CAC-CBC
5	D	507	HEM	C4C-C3C-CAC-CBC
2	A	501	TRP	OXT-C-CA-CB
3	D	501	NFK	CAJ-CD2-CG-OD1
2	B	501	TRP	O-C-CA-CB
4	C	513	GOL	O1-C1-C2-O2
5	D	507	HEM	CAA-CBA-CGA-O1A
3	D	501	NFK	CAJ-CD2-CG-CB
5	D	507	HEM	CAA-CBA-CGA-O2A
2	C	501	TRP	CA-CB-CG-CD2
5	B	511	HEM	CAD-CBD-CGD-O2D
2	C	501	TRP	O-C-CA-CB

There are no ring outliers.

25 monomers are involved in 60 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	503	GOL	1	0
2	B	502	TRP	1	0
3	A	502	NFK	3	0
2	B	501	TRP	4	0
5	D	507	HEM	8	0
4	B	509	GOL	1	0
4	B	506	GOL	2	0
4	D	505	GOL	1	0
4	C	510	GOL	2	0
4	B	510	GOL	1	0
5	C	514	HEM	3	0
4	C	512	GOL	1	0
4	D	502	GOL	2	0
2	A	501	TRP	7	0
4	C	508	GOL	2	0
4	B	503	GOL	3	0

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	503	GOL	1	0
4	C	505	GOL	1	0
5	A	511	HEM	8	0
5	B	511	HEM	5	0
4	A	506	GOL	1	0
4	A	510	GOL	1	0
4	B	505	GOL	1	0
4	C	507	GOL	1	0
4	A	505	GOL	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





Ligand NFK A 502




Ligand TRP B 501









Ligand NFK D 501




Ligand TRP C 501




Ligand TRP A 501



Ligand HEM A 511





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	384/405 (94%)	0.42	34 (8%) 15 17	27, 51, 83, 110	9 (2%)
1	B	368/405 (90%)	0.28	15 (4%) 41 43	33, 52, 79, 117	0
1	C	377/405 (93%)	0.31	21 (5%) 30 32	33, 51, 83, 106	0
1	D	368/405 (90%)	0.38	15 (4%) 41 43	34, 53, 79, 99	0
All	All	1497/1620 (92%)	0.35	85 (5%) 29 31	27, 52, 81, 117	9 (0%)

All (85) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	378	GLY	13.3
1	B	283	ALA	7.1
1	A	376	ALA	5.6
1	C	282	THR	5.6
1	D	264	ALA	5.4
1	A	282	THR	5.0
1	D	13	ALA	4.7
1	A	379	THR	4.6
1	D	282	THR	4.6
1	C	14	ALA	4.5
1	B	287	HIS	4.4
1	A	382	THR	4.2
1	A	265	GLY	4.1
1	A	264	ALA	4.1
1	A	283	ALA	4.0
1	B	263	SER	4.0
1	C	403	GLY	3.9
1	D	14	ALA	3.9
1	D	283	ALA	3.8
1	A	362	PRO	3.8
1	A	372	SER	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	381	GLY	3.8
1	B	286	GLY	3.8
1	C	379	THR	3.7
1	D	16	HIS	3.6
1	B	284	GLY	3.5
1	C	13	ALA	3.5
1	D	284	GLY	3.5
1	D	321	LEU	3.4
1	B	289	ALA	3.4
1	C	264	ALA	3.4
1	B	282	THR	3.4
1	B	265	GLY	3.4
1	A	371	PRO	3.3
1	C	15	TYR	3.3
1	B	288	ALA	3.3
1	A	380	GLY	3.3
1	B	285	GLY	3.3
1	A	373	LYS	3.3
1	D	15	TYR	3.2
1	C	283	ALA	3.1
1	C	286	GLY	3.1
1	C	378	GLY	3.1
1	D	382	THR	3.1
1	C	263	SER	3.0
1	C	382	THR	3.0
1	A	15	TYR	2.9
1	C	287	HIS	2.9
1	B	264	ALA	2.9
1	C	284	GLY	2.8
1	D	187	ALA	2.8
1	A	287	HIS	2.7
1	B	262	GLY	2.7
1	A	21	VAL	2.7
1	D	263	SER	2.7
1	A	366	LYS	2.7
1	B	380	GLY	2.6
1	C	377	LYS	2.6
1	A	17	ILE	2.6
1	C	16	HIS	2.6
1	C	380	GLY	2.6
1	D	285	GLY	2.5
1	A	23	PHE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	189	GLN	2.5
1	A	374	LEU	2.5
1	D	265	GLY	2.5
1	C	19	GLU	2.5
1	C	285	GLY	2.5
1	A	375	GLU	2.4
1	A	281	GLN	2.4
1	B	382	THR	2.4
1	A	361	GLN	2.4
1	A	289	ALA	2.3
1	A	16	HIS	2.3
1	B	106	ASN	2.3
1	A	262[A]	GLY	2.3
1	C	297	ARG	2.3
1	A	363	LYS	2.3
1	A	365	ASN	2.2
1	A	286	GLY	2.2
1	A	96	HIS	2.2
1	A	377[A]	LYS	2.2
1	A	359	SER	2.2
1	C	318	GLU	2.1
1	D	190	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	C	511	6/6	0.70	0.17	64,67,75,76	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	TRP	B	502	15/15	0.73	0.22	48,56,60,60	15
4	GOL	C	503	6/6	0.74	0.22	48,52,53,54	6
4	GOL	C	502	6/6	0.76	0.19	49,53,55,55	0
2	TRP	A	501	15/15	0.77	0.24	59,63,72,72	15
4	GOL	A	504	6/6	0.81	0.19	83,87,89,90	0
4	GOL	D	505	6/6	0.81	0.14	62,68,71,73	0
4	GOL	C	507	6/6	0.82	0.16	67,73,74,75	0
3	NFK	A	502	17/17	0.82	0.17	54,61,66,68	17
2	TRP	B	501	15/15	0.82	0.23	47,55,61,67	15
4	GOL	A	507	6/6	0.83	0.17	51,54,56,58	6
4	GOL	A	510	6/6	0.83	0.18	52,56,59,66	6
4	GOL	C	510	6/6	0.83	0.14	59,61,63,69	0
4	GOL	B	506	6/6	0.83	0.15	57,63,65,66	6
3	NFK	D	501	17/17	0.83	0.21	46,54,59,62	17
4	GOL	A	508	6/6	0.84	0.17	49,60,63,63	6
4	GOL	A	506	6/6	0.84	0.14	45,51,53,57	6
4	GOL	C	512	6/6	0.84	0.13	75,76,84,88	0
4	GOL	C	508	6/6	0.84	0.15	61,64,72,78	0
4	GOL	D	503	6/6	0.85	0.15	41,46,48,58	6
4	GOL	D	502	6/6	0.85	0.14	61,68,71,76	0
4	GOL	A	505	6/6	0.86	0.14	46,49,57,57	6
2	TRP	C	501	15/15	0.86	0.19	52,56,69,69	15
4	GOL	C	509	6/6	0.86	0.11	57,59,61,63	0
4	GOL	B	509	6/6	0.87	0.12	56,59,61,71	0
4	GOL	B	504	6/6	0.87	0.18	48,50,53,56	6
4	GOL	A	509	6/6	0.87	0.15	69,75,78,78	0
4	GOL	D	506	6/6	0.87	0.13	68,73,75,77	0
7	PO4	B	513	5/5	0.87	0.10	52,58,60,71	5
4	GOL	A	503	6/6	0.88	0.14	61,65,66,67	0
4	GOL	B	510	6/6	0.88	0.14	58,61,65,66	0
4	GOL	B	507	6/6	0.88	0.13	53,55,57,67	6
4	GOL	B	503	6/6	0.89	0.12	45,50,52,53	0
4	GOL	B	505	6/6	0.89	0.15	42,43,50,53	6
4	GOL	B	508	6/6	0.89	0.18	63,64,65,66	6
4	GOL	C	513	6/6	0.90	0.10	60,62,68,72	0
4	GOL	C	505	6/6	0.90	0.15	41,46,50,51	6
4	GOL	C	506	6/6	0.90	0.11	52,59,65,71	0
5	HEM	D	507	43/43	0.91	0.13	43,61,73,83	0
7	PO4	B	512	5/5	0.91	0.13	49,51,59,63	5
4	GOL	C	504	6/6	0.91	0.12	49,55,56,58	6
4	GOL	D	504	6/6	0.92	0.10	48,49,56,61	0
5	HEM	C	514	43/43	0.93	0.12	45,58,70,79	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	HEM	A	511	43/43	0.93	0.12	48,58,69,84	0
8	CL	C	515	1/1	0.93	0.11	84,84,84,84	0
7	PO4	C	516	5/5	0.95	0.11	62,62,68,70	5
5	HEM	B	511	43/43	0.95	0.11	47,57,68,78	0
6	NA	A	512	1/1	0.96	0.07	67,67,67,67	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around TRP A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NFK A 502:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TRP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NFK D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TRP C 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 507:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM C 514:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 511:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM B 511:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.