



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 27, 2026 – 07:19 AM UTC

PDB ID : 4NHO / pdb_00004nho
Title : Structure of the spliceosomal DEAD-box protein Prp28
Authors : Moehlmann, S.; Neumann, P.; Ficner, R.
Deposited on : 2013-11-05
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	488	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	A	906	-	-	X	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 3833 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Probable ATP-dependent RNA helicase DDX23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	443	3560	2254	616	672	18	0	7	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	333	GLY	-	expression tag	UNP Q9BUQ8
A	334	PRO	-	expression tag	UNP Q9BUQ8
A	335	LEU	-	expression tag	UNP Q9BUQ8
A	336	GLY	-	expression tag	UNP Q9BUQ8
A	337	SER	-	expression tag	UNP Q9BUQ8

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	A	1	5	4	1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is 3-CYCLOHEXYL-1-PROPYLSULFONIC ACID (CCD ID: CXS) (formula: $C_9H_{19}NO_3S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			14	9	1	3	1		

- Molecule 5 is MERCURY (II) ION (CCD ID: HG) (formula: Hg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Hg	0	1
			2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	220	Total	O	0	0
			220	220		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Probable ATP-dependent RNA helicase DDX23



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	125.43Å 136.77Å 73.22Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.82 – 2.00 28.82 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.9 (28.82-2.00) 99.9 (28.82-2.00)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtriage
Refinement program	PHENIX 1.5_2	Depositor
R, R_{free}	0.193 , 0.218 0.196 , 0.221	Depositor DCC
R_{free} test set	2161 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	(Not available)	Xtriage
Anisotropy	(Not available)	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 65.4	EDS
L-test for twinning ¹	$\langle L \rangle =$ (Not available), $\langle L^2 \rangle =$ (Not available)	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	3833	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *(Not available)*

¹Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CXS, SO4, HG, GOL, CSO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.69	1/3612 (0.0%)	0.93	4/4879 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	447	ILE	CA-CB	5.28	1.57	1.54

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	634	LYS	CA-C-N	5.62	125.73	119.32
1	A	634	LYS	C-N-CA	5.62	125.73	119.32
1	A	399	PRO	O-C-N	5.44	123.81	121.31
1	A	461	ARG	N-CA-C	-5.31	106.76	113.18

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3560	0	3596	125	0
2	A	25	0	0	0	0
3	A	12	0	16	14	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	14	0	19	1	0
5	A	2	0	0	0	0
6	A	220	0	0	6	0
All	All	3833	0	3631	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:564:GLN:HG2	3:A:906:GOL:H31	1.46	0.96
1:A:564:GLN:HA	3:A:906:GOL:H2	1.48	0.95
1:A:564:GLN:HG2	3:A:906:GOL:C3	1.97	0.94
1:A:445:PHE:CD2	1:A:605:PHE:HE2	1.87	0.93
1:A:567:LEU:HD23	3:A:906:GOL:H11	1.53	0.90
1:A:733[A]:VAL:HG12	1:A:735:MET:H	1.35	0.90
1:A:445:PHE:HD2	1:A:605:PHE:CE2	1.94	0.84
1:A:750:HIS:HB3	6:A:1153:HOH:O	1.78	0.84
1:A:472:ILE:HG13	1:A:540:LEU:HD21	1.62	0.81
1:A:675:LYS:O	1:A:679:VAL:HG12	1.83	0.79
1:A:445:PHE:CD2	1:A:605:PHE:CE2	2.70	0.78
1:A:540:LEU:HD22	1:A:570:MET:SD	2.23	0.78
1:A:692:CYS:SG	1:A:715:LYS:HG3	2.25	0.76
1:A:711:LYS:HA	1:A:731:GLN:HE22	1.52	0.75
1:A:679:VAL:O	1:A:682:LYS:HG2	1.89	0.73
1:A:682:LYS:HG3	1:A:683:SER:N	2.03	0.73
1:A:442:THR:HA	1:A:445:PHE:CE2	2.23	0.72
1:A:690:ASN:HB3	1:A:715:LYS:HD3	1.73	0.71
1:A:560:GLU:O	1:A:564:GLN:HG3	1.92	0.70
1:A:353:ASP:OD2	1:A:355:ARG:HD3	1.92	0.70
1:A:666:PRO:O	1:A:733[A]:VAL:HG13	1.92	0.70
1:A:463:GLU:HG3	1:A:467:GLN:OE1	1.92	0.68
1:A:728:ILE:HG23	1:A:729:ASP:H	1.58	0.68
1:A:567:LEU:HD23	3:A:906:GOL:C1	2.21	0.68
1:A:374:ARG:HH21	1:A:420:GLN:HE22	1.42	0.66
1:A:564:GLN:HG2	3:A:906:GOL:H32	1.77	0.66
1:A:366:THR:CG2	1:A:369:ASP:H	2.09	0.65
1:A:746:GLU:OE1	6:A:1174:HOH:O	2.15	0.64
1:A:540:LEU:HD23	1:A:543:CYS:HB2	1.78	0.64
1:A:733[A]:VAL:HG12	1:A:735:MET:N	2.10	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:567:LEU:CD2	3:A:906:GOL:O2	2.45	0.64
1:A:567:LEU:HD23	3:A:906:GOL:O2	1.98	0.63
1:A:768:LEU:HD11	1:A:779:LEU:HD23	1.82	0.62
1:A:536:ARG:HG3	1:A:536:ARG:O	2.01	0.61
1:A:564:GLN:CG	3:A:906:GOL:H31	2.25	0.61
1:A:667:ILE:HA	1:A:733[A]:VAL:HG11	1.83	0.60
1:A:601[B]:GLN:HG2	1:A:602:THR:N	2.16	0.60
1:A:609:MET:HG3	1:A:787:PRO:O	2.03	0.59
1:A:564:GLN:HA	3:A:906:GOL:C2	2.27	0.58
1:A:356:HIS:CE1	4:A:908:CXS:H61	2.39	0.58
1:A:366:THR:HG22	1:A:369:ASP:H	1.68	0.58
1:A:728:ILE:HG23	1:A:729:ASP:N	2.20	0.57
1:A:675:LYS:HD2	1:A:675:LYS:H	1.71	0.56
1:A:366:THR:HG23	1:A:368:ARG:N	2.21	0.56
1:A:479[B]:GLU:H	1:A:479[B]:GLU:CD	2.12	0.56
1:A:669:ILE:HG12	1:A:737:VAL:CG1	2.37	0.55
1:A:366:THR:HG22	1:A:369:ASP:CG	2.31	0.55
1:A:458:LYS:O	1:A:462:ILE:HG13	2.06	0.55
1:A:477:THR:HG22	1:A:557:MET:HE1	1.88	0.54
1:A:428:ASN:HD21	1:A:598:LYS:NZ	2.06	0.54
1:A:551:ALA:HB3	1:A:606[A]:THR:CG2	2.37	0.54
1:A:477:THR:CG2	1:A:557:MET:HE1	2.38	0.53
1:A:744:ASN:OD1	1:A:746:GLU:HG2	2.09	0.53
1:A:728:ILE:HG12	1:A:729:ASP:N	2.23	0.53
1:A:540:LEU:HD13	1:A:570:MET:SD	2.48	0.53
1:A:540:LEU:HD23	1:A:543:CYS:CB	2.39	0.52
1:A:745:ILE:O	1:A:749:ILE:HG12	2.10	0.51
1:A:667:ILE:HA	1:A:733[A]:VAL:CG1	2.40	0.51
1:A:768:LEU:HD22	1:A:776:PHE:CE1	2.46	0.51
1:A:530:ILE:HD11	1:A:565:LYS:HB3	1.93	0.51
1:A:432:ILE:HG21	1:A:609:MET:CE	2.41	0.50
1:A:485:GLU:HA	1:A:523:ILE:HD13	1.93	0.50
1:A:768:LEU:HD22	1:A:776:PHE:HE1	1.77	0.50
1:A:604:MET:HE3	1:A:621:LEU:HD11	1.93	0.50
1:A:591:ASN:O	1:A:594[B]:SER:HB3	2.12	0.50
1:A:682:LYS:CG	1:A:683:SER:N	2.74	0.49
1:A:551:ALA:HB3	1:A:606[A]:THR:HG22	1.95	0.49
1:A:567:LEU:HD22	3:A:906:GOL:O2	2.13	0.49
1:A:581[A]:GLU:CD	1:A:587:LYS:HD3	2.38	0.48
1:A:530:ILE:HD11	1:A:565:LYS:CG	2.44	0.48
1:A:485:GLU:O	1:A:489:ILE:HG12	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:606[B]:THR:HG21	1:A:609:MET:HE2	1.96	0.48
1:A:713:GLY:HA2	6:A:1203:HOH:O	2.14	0.48
1:A:485:GLU:HA	1:A:523:ILE:CD1	2.44	0.47
1:A:673:GLN:HB3	1:A:675:LYS:CD	2.45	0.47
1:A:711:LYS:HA	1:A:731:GLN:NE2	2.26	0.47
1:A:540:LEU:HD23	1:A:543:CYS:SG	2.54	0.47
1:A:675:LYS:HG2	1:A:676:GLY:N	2.30	0.47
1:A:693:THR:O	1:A:694:LEU:HG	2.14	0.47
1:A:366:THR:HG23	1:A:369:ASP:H	1.79	0.47
1:A:457:PRO:HG2	1:A:460:ASP:OD2	2.15	0.47
1:A:543:CYS:HB3	1:A:570:MET:HE1	1.90	0.46
1:A:798:HIS:HE1	1:A:800:ASP:OD2	1.98	0.46
1:A:540:LEU:CD2	1:A:543:CYS:CB	2.92	0.46
1:A:357:TRP:HB2	1:A:365:MET:SD	2.55	0.46
1:A:606[B]:THR:CG2	1:A:609:MET:HE2	2.46	0.46
1:A:675:LYS:HE3	1:A:675:LYS:HB3	1.77	0.46
1:A:511:GLN:OE1	1:A:528:ARG:NE	2.49	0.46
1:A:466:ASP:HB3	6:A:1193:HOH:O	2.16	0.45
1:A:545:TYR:CE1	1:A:601[B]:GLN:OE1	2.69	0.45
1:A:730:ILE:O	1:A:730:ILE:HG13	2.16	0.45
1:A:427:GLN:O	1:A:588:MET:HB3	2.17	0.45
1:A:567:LEU:HD23	3:A:906:GOL:C2	2.46	0.45
1:A:728:ILE:HG12	1:A:729:ASP:H	1.80	0.45
1:A:730:ILE:HD12	1:A:731:GLN:O	2.16	0.45
1:A:670:PHE:CG	1:A:751:ARG:HD3	2.52	0.44
1:A:530:ILE:O	1:A:534:GLU:HG2	2.17	0.44
1:A:673:GLN:HB3	1:A:675:LYS:HD2	1.98	0.44
1:A:404:GLU:O	1:A:408:LYS:HG2	2.17	0.44
1:A:679:VAL:HG23	1:A:682:LYS:HE2	1.99	0.44
1:A:564:GLN:CG	3:A:906:GOL:C3	2.85	0.44
1:A:530:ILE:CD1	1:A:565:LYS:HB3	2.48	0.43
1:A:683:SER:O	1:A:686:LYS:HB2	2.18	0.43
1:A:652:ARG:HG2	6:A:1080:HOH:O	2.17	0.43
1:A:733[A]:VAL:CG1	1:A:735:MET:H	2.20	0.43
1:A:479[B]:GLU:CD	1:A:479[B]:GLU:N	2.78	0.42
1:A:669:ILE:HG12	1:A:737:VAL:HG13	2.02	0.42
1:A:382:LYS:HB2	1:A:626:VAL:HB	2.02	0.42
1:A:411:TYR:CZ	1:A:491:PHE:HE2	2.37	0.42
1:A:366:THR:HG23	1:A:368:ARG:H	1.85	0.41
1:A:432:ILE:HG21	1:A:609:MET:HE1	2.02	0.41
1:A:593:GLU:C	1:A:595:GLY:N	2.77	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:432:ILE:HG21	1:A:609:MET:HE3	2.02	0.41
1:A:564:GLN:HA	3:A:906:GOL:C3	2.50	0.41
1:A:476:PRO:HD2	1:A:480:LEU:HD23	2.03	0.41
1:A:703:ARG:N	1:A:705:PHE:HD2	2.19	0.41
1:A:722:ASP:O	1:A:723:VAL:C	2.62	0.41
1:A:647:SER:OG	1:A:650:GLU:HG3	2.21	0.41
1:A:536:ARG:O	1:A:536:ARG:CG	2.68	0.40
1:A:616:LEU:HD23	1:A:616:LEU:HA	1.90	0.40
1:A:589:LEU:HD11	6:A:1058:HOH:O	2.21	0.40
1:A:596:LYS:HD2	1:A:597:HIS:CE1	2.56	0.40
1:A:446:LEU:O	1:A:450:LEU:HG	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	442/488 (91%)	432 (98%)	10 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	389/416 (94%)	372 (96%)	17 (4%)	25	24

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	395	ASP
1	A	461	ARG
1	A	472	ILE
1	A	516	ARG
1	A	532	VAL
1	A	540	LEU
1	A	589	LEU
1	A	664	ASP
1	A	675	LYS
1	A	679	VAL
1	A	685	GLU
1	A	703	ARG
1	A	729	ASP
1	A	730	ILE
1	A	737	VAL
1	A	746	GLU
1	A	784	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	420	GLN
1	A	428	ASN
1	A	535	ASN
1	A	597	HIS
1	A	731	GLN
1	A	781	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CSO	A	791	1	3,6,7	0.59	0	1,6,8	0.36	0
1	CSO	A	519	1	3,6,7	0.69	0	1,6,8	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSO	A	791	1	-	0/1/5/7	-
1	CSO	A	519	1	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	901	-	4,4,4	0.21	0	6,6,6	0.40	0
3	GOL	A	906	-	5,5,5	0.50	0	5,5,5	0.91	0
2	SO4	A	905	-	4,4,4	0.26	0	6,6,6	0.17	0
3	GOL	A	907	-	5,5,5	0.37	0	5,5,5	0.55	0
4	CXS	A	908	-	14,14,14	2.43	2 (14%)	18,18,18	1.26	2 (11%)
2	SO4	A	904	-	4,4,4	0.25	0	6,6,6	0.25	0
2	SO4	A	902	-	4,4,4	0.24	0	6,6,6	0.47	0
2	SO4	A	903	-	4,4,4	0.26	0	6,6,6	0.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	907	-	-	2/4/4/4	-
4	CXS	A	908	-	-	2/8/16/16	0/1/1/1
3	GOL	A	906	-	-	4/4/4/4	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	908	CXS	C1-S	-7.78	1.66	1.77
4	A	908	CXS	O3-S	4.42	1.63	1.47

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	908	CXS	C3-N-C4	3.04	120.04	114.18
4	A	908	CXS	C2-C1-S	-2.42	109.53	113.25

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	906	GOL	O1-C1-C2-C3
3	A	906	GOL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	907	GOL	O1-C1-C2-O2
3	A	907	GOL	O1-C1-C2-C3
3	A	906	GOL	O1-C1-C2-O2
4	A	908	CXS	C5-C4-N-C3
3	A	906	GOL	O2-C2-C3-O3
4	A	908	CXS	C9-C4-N-C3

There are no ring outliers.

2 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	906	GOL	14	0
4	A	908	CXS	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	441/488 (90%)	0.26	28 (6%) 26 24	18, 50, 107, 181	16 (3%)

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	705	PHE	4.5
1	A	464	GLU	4.4
1	A	513	PHE	3.9
1	A	703	ARG	3.8
1	A	728	ILE	3.7
1	A	540	LEU	3.4
1	A	694	LEU	3.4
1	A	352	TRP	3.4
1	A	710	LEU	3.0
1	A	462	ILE	3.0
1	A	411	TYR	2.8
1	A	479[A]	GLU	2.7
1	A	461	ARG	2.7
1	A	620	TYR	2.6
1	A	706	ALA	2.6
1	A	530	ILE	2.5
1	A	445	PHE	2.4
1	A	707	LEU	2.4
1	A	539	VAL	2.3
1	A	594[A]	SER	2.3
1	A	692	CYS	2.2
1	A	509	GLU	2.2
1	A	723	VAL	2.2
1	A	806	GLY	2.1
1	A	537	TYR	2.1
1	A	538	LEU	2.1
1	A	545	TYR	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	674	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CSO	A	791	7/8	0.91	0.10	44,47,64,73	0
1	CSO	A	519	7/8	0.93	0.11	57,59,62,65	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	A	905	5/5	0.64	0.33	51,56,57,58	5
3	GOL	A	906	6/6	0.74	0.21	59,64,67,69	0
2	SO4	A	904	5/5	0.78	0.13	72,73,74,74	5
3	GOL	A	907	6/6	0.81	0.17	82,83,83,84	0
4	CXS	A	908	14/14	0.88	0.17	61,66,110,138	0
2	SO4	A	903	5/5	0.90	0.14	59,62,64,66	5
2	SO4	A	901	5/5	0.95	0.07	64,65,67,68	0
2	SO4	A	902	5/5	0.95	0.08	54,56,58,62	0
5	HG	A	909[A]	1/1	0.99	0.06	48,48,48,48	1
5	HG	A	909[B]	1/1	0.99	0.06	60,60,60,60	1

6.5 Other polymers [i](#)

There are no such residues in this entry.