



wwPDB EM Validation Summary Report ⓘ

Mar 27, 2026 – 03:54 AM UTC

PDB ID : 7NHO / pdb_00007nho
EMDB ID : EMD-12335
Title : Structure of PSII-M
Authors : Zabret, J.; Bohn, S.; Schuller, S.K.; Arnolds, O.; Chan, A.; Tajkhorshid, E.;
Stoll, R.; Engel, B.D.; Rudack, T.; Schuller, J.M.; Nowaczyk, M.M.
Deposited on : 2021-02-11
Resolution : 2.66 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY



The reported resolution of this entry is 2.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	9119 (2.16 - 3.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	360	 86% 6% • 7%
2	B	510	 91% • 5%
3	C	461	 6% 91% 5% • •
4	D	352	 90% 6% •

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	84	
6	F	45	
7	H	66	
8	I	38	
9	K	46	
10	L	37	
11	M	36	
12	T	32	
13	X	41	
14	y	46	
15	Z	62	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
19	PHO	A	404	X	-	-	-
19	PHO	D	405	X	-	-	-
20	CLA	A	405	X	-	-	-
20	CLA	A	406	X	-	-	-
20	CLA	A	407	X	-	-	-
20	CLA	A	408	X	-	-	-
20	CLA	B	602	X	-	-	-
20	CLA	B	603	X	-	-	-
20	CLA	B	604	X	-	-	-
20	CLA	B	605	X	-	-	-
20	CLA	B	606	X	-	-	-
20	CLA	B	607	X	-	-	-
20	CLA	B	608	X	-	-	-
20	CLA	B	609	X	-	-	-
20	CLA	B	610	X	-	-	-
20	CLA	B	611	X	-	-	-
20	CLA	B	612	X	-	-	-
20	CLA	B	613	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
20	CLA	B	614	X	-	-	-
20	CLA	B	615	X	-	-	-
20	CLA	B	616	X	-	-	-
20	CLA	B	617	X	-	-	-
20	CLA	C	502	X	-	-	-
20	CLA	C	503	X	-	-	-
20	CLA	C	504	X	-	-	-
20	CLA	C	505	X	-	-	-
20	CLA	C	506	X	-	-	-
20	CLA	C	507	X	-	-	-
20	CLA	C	508	X	-	-	-
20	CLA	C	509	X	-	-	-
20	CLA	C	510	X	-	-	-
20	CLA	C	511	X	-	-	-
20	CLA	C	512	X	-	-	-
20	CLA	C	513	X	-	-	-
20	CLA	C	515	X	-	-	-
20	CLA	D	406	X	-	-	-
20	CLA	D	407	X	-	-	-

2 Entry composition

There are 26 unique types of molecules in this entry. The entry contains 19800 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosystem II protein D1 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	335	Total	C	N	O	S	0	0
			2627	1720	432	460	15		

- Molecule 2 is a protein called Photosystem II CP47 reaction center protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	485	Total	C	N	O	S	0	0
			3812	2505	635	659	13		

- Molecule 3 is a protein called Photosystem II CP43 reaction center protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	448	Total	C	N	O	S	0	0
			3465	2270	580	602	13		

- Molecule 4 is a protein called Photosystem II D2 protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	340	Total	C	N	O	S	0	0
			2705	1794	440	459	12		

- Molecule 5 is a protein called Cytochrome b559 subunit alpha.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	E	77	Total	C	N	O	0	0
			635	417	103	115		

- Molecule 6 is a protein called Cytochrome b559 subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	38	Total	C	N	O	S	0	0
			307	207	50	49	1		

- Molecule 7 is a protein called Photosystem II reaction center protein H.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	H	65	Total	C	N	O	S	0	0
			511	341	82	86	2		

- Molecule 8 is a protein called Photosystem II reaction center protein I.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	I	35	Total	C	N	O	S	0	0
			286	195	45	45	1		

- Molecule 9 is a protein called Photosystem II reaction center protein K.

Mol	Chain	Residues	Atoms				AltConf	Trace
9	K	37	Total	C	N	O	0	0
			293	204	43	46		

- Molecule 10 is a protein called Photosystem II reaction center protein L.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	L	37	Total	C	N	O	S	0	0
			304	202	48	53	1		

- Molecule 11 is a protein called Photosystem II reaction center protein M.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	M	34	Total	C	N	O	S	0	0
			267	178	40	48	1		

- Molecule 12 is a protein called Photosystem II reaction center protein T.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	T	30	Total	C	N	O	S	0	0
			256	180	36	38	2		

- Molecule 13 is a protein called Photosystem II reaction center X protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
13	X	35	Total	C	N	O	0	0
			254	172	38	44		

- Molecule 14 is a protein called Photosystem II reaction center protein Ycf12.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	y	28	Total	C	N	O	S	0	0
			208	137	36	32	3		

- Molecule 15 is a protein called Photosystem II reaction center protein Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	Z	62	Total	C	N	O	S	0	0
			479	328	72	77	2		

- Molecule 16 is FE (III) ION (CCD ID: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		AltConf
16	A	1	Total	Fe	0
			1	1	


- Molecule 17 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		AltConf
17	A	1	Total	Mn	0
			1	1	

- Molecule 18 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		AltConf
18	A	1	Total	Cl	0
			1	1	

- Molecule 19 is PHEOPHYTIN A (CCD ID: PHO) (formula: C₅₅H₇₄N₄O₅).



Mol	Chain	Residues	Atoms				AltConf
19	A	1	Total	C	N	O	0
			64	55	4	5	
19	D	1	Total	C	N	O	0
			64	55	4	5	

- Molecule 20 is CHLOROPHYLL A (CCD ID: CLA) (formula: $C_{55}H_{72}MgN_4O_5$).



Mol	Chain	Residues	Atoms					AltConf
20	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	A	1	Total 65	C 55	Mg 1	N 4	O 5	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
20	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	A	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	B	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	C	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	C	1	Total 65	C 55	Mg 1	N 4	O 5	0
20	C	1	Total 65	C 55	Mg 1	N 4	O 5	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
20	C	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
20	C	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
20	C	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
20	C	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
20	C	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
20	C	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
20	C	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
20	C	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
20	D	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
20	D	1	Total	C	Mg	N	O	0
			65	55	1	4	5	

- Molecule 21 is BETA-CAROTENE (CCD ID: BCR) (formula: C₄₀H₅₆).



Mol	Chain	Residues	Atoms		AltConf
21	A	1	Total	C	0
			40	40	
21	B	1	Total	C	0
			40	40	
21	B	1	Total	C	0
			40	40	
21	B	1	Total	C	0
			40	40	
21	C	1	Total	C	0
			40	40	
21	C	1	Total	C	0
			40	40	
21	F	1	Total	C	0
			40	40	
21	H	1	Total	C	0
			40	40	
21	K	1	Total	C	0
			40	40	
21	Z	1	Total	C	0
			40	40	

- Molecule 22 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (CCD ID: LHG) (formula: C₃₈H₇₅O₁₀P).




Mol	Chain	Residues	Atoms				AltConf
22	A	1	Total	C	O	P	0
			49	38	10	1	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	P	
22	A	1	49	38	10	1	0

- Molecule 23 is BICARBONATE ION (CCD ID: BCT) (formula: CHO_3^-).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
23	A	1	4	1	3	0

- Molecule 24 is 1,2-DISTEAROYL-MONOGALACTOSYL-DIGLYCERIDE (CCD ID: LMG) (formula: $\text{C}_{45}\text{H}_{86}\text{O}_{10}$).




Mol	Chain	Residues	Atoms			AltConf
24	B	1	Total	C	O	0
			55	45	10	
24	C	1	Total	C	O	0
			55	45	10	
24	D	1	Total	C	O	0
			55	45	10	
24	D	1	Total	C	O	0
			55	45	10	
24	D	1	Total	C	O	0
			55	45	10	
24	I	1	Total	C	O	0
			55	45	10	
24	M	1	Total	C	O	0
			55	45	10	

- Molecule 25 is 2,3-DIMETHYL-5-(3,7,11,15,19,23,27,31,35-NONAMETHYL-2,6,10,14,18,22,26,30,34-HEXATRIACONTANAENYL-2,5-CYCLOHEXADIENE-1,4-DIONE-2,3-DIMETHYL-5-SOLANESYL-1,4-BENZOQUINONE (CCD ID: PL9) (formula: $C_{53}H_{80}O_2$).



Mol	Chain	Residues	Atoms			AltConf
25	D	1	Total	C	O	0
			55	53	2	

- Molecule 26 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	Fe	N	O	
26	E	1	43	34	1	4	4	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Photosystem II protein D1 1



- Molecule 2: Photosystem II CP47 reaction center protein



- Molecule 3: Photosystem II CP43 reaction center protein




- Molecule 4: Photosystem II D2 protein








- Molecule 5: Cytochrome b559 subunit alpha




- Molecule 6: Cytochrome b559 subunit beta




- Molecule 7: Photosystem II reaction center protein H




- Molecule 8: Photosystem II reaction center protein I




- Molecule 9: Photosystem II reaction center protein K





- Molecule 10: Photosystem II reaction center protein L



- Molecule 11: Photosystem II reaction center protein M




- Molecule 12: Photosystem II reaction center protein T





- Molecule 13: Photosystem II reaction center X protein



- Molecule 14: Photosystem II reaction center protein Ycf12



- Molecule 15: Photosystem II reaction center protein Z



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	166411	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	55	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.062	Depositor
Minimum map value	-0.031	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.006	Depositor
Map size ($\text{\AA}$)	283.4, 283.4, 283.4	wwPDB
Map dimensions	260, 260, 260	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.09, 1.09, 1.09	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PL9, MN, LHG, LMG, CL, HEM, BCT, BCR, FE, PHO, CLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/2712	1.01	1/3700 (0.0%)
2	B	0.55	0/3947	0.98	3/5379 (0.1%)
3	C	0.57	0/3578	1.06	7/4872 (0.1%)
4	D	0.55	0/2800	0.98	0/3818
5	E	0.59	0/654	1.09	1/891 (0.1%)
6	F	0.61	0/317	1.13	0/433
7	H	0.64	0/524	1.06	1/713 (0.1%)
8	I	0.62	0/293	1.08	0/395
9	K	0.58	0/303	1.07	0/416
10	L	0.58	0/311	1.00	0/422
11	M	0.60	0/270	1.19	0/367
12	T	0.54	0/265	0.94	0/359
13	X	0.57	0/257	0.96	0/348
14	y	0.58	0/209	1.15	1/279 (0.4%)
15	Z	0.58	0/490	1.00	0/669
All	All	0.57	0/16930	1.02	14/23061 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
2	B	0	2
3	C	0	1
4	D	0	2
7	H	0	1
8	I	0	1
11	M	0	1
14	y	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
All	All	0	13

There are no bond length outliers.

The worst 5 of 14 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	401	GLU	CA-CB-CG	10.20	134.49	114.10
3	C	348	ASP	N-CA-C	-7.33	103.93	113.17
3	C	401	GLU	CB-CG-CD	6.48	123.61	112.60
5	E	16	SER	N-CA-C	-6.37	98.84	108.46
1	A	238	LYS	CA-CB-CG	-6.13	101.83	114.10

There are no chirality outliers.

5 of 13 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	231	GLU	Sidechain
1	A	238	LYS	Peptide
1	A	244	GLU	Sidechain
1	A	341	LEU	Peptide
2	B	384	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2627	0	2524	11	0
2	B	3812	0	3683	11	0
3	C	3465	0	3389	14	0
4	D	2705	0	2608	14	0
5	E	635	0	625	2	0
6	F	307	0	312	0	0
7	H	511	0	532	1	0
8	I	286	0	308	1	0
9	K	293	0	305	3	0
10	L	304	0	316	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	M	267	0	289	2	0
12	T	256	0	262	2	0
13	X	254	0	282	1	0
14	y	208	0	237	8	0
15	Z	479	0	516	6	0
16	A	1	0	0	0	0
17	A	1	0	0	0	0
18	A	1	0	0	0	0
19	A	64	0	74	0	0
19	D	64	0	74	2	0
20	A	260	0	284	4	0
20	B	1040	0	1142	11	0
20	C	845	0	928	8	0
20	D	130	0	143	4	0
21	A	40	0	56	1	0
21	B	120	0	168	5	0
21	C	80	0	112	2	0
21	F	40	0	56	0	0
21	H	40	0	56	1	0
21	K	40	0	56	2	0
21	Z	40	0	56	0	0
22	A	98	0	148	1	0
23	A	4	0	1	0	0
24	B	55	0	86	1	0
24	C	55	0	86	1	0
24	D	165	0	258	2	0
24	I	55	0	86	0	0
24	M	55	0	86	0	0
25	D	55	0	80	2	0
26	E	43	0	30	1	0
All	All	19800	0	20254	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 99 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
20:C:509:CLA:H93	9:K:37:PHE:CZ	2.31	0.65
20:B:609:CLA:H42	4:D:127:LEU:HD11	1.81	0.62
21:C:514:BCR:H331	21:C:514:BCR:C8	2.28	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:59:GLU:HB3	3:C:74:LEU:HD12	1.81	0.62
4:D:343:GLU:N	4:D:343:GLU:OE1	2.31	0.61

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	333/360 (92%)	309 (93%)	23 (7%)	1 (0%)	36	52
2	B	483/510 (95%)	459 (95%)	24 (5%)	0	100	100
3	C	446/461 (97%)	420 (94%)	26 (6%)	0	100	100
4	D	338/352 (96%)	326 (96%)	12 (4%)	0	100	100
5	E	75/84 (89%)	68 (91%)	7 (9%)	0	100	100
6	F	36/45 (80%)	33 (92%)	3 (8%)	0	100	100
7	H	63/66 (96%)	56 (89%)	6 (10%)	1 (2%)	7	12
8	I	33/38 (87%)	31 (94%)	2 (6%)	0	100	100
9	K	35/46 (76%)	34 (97%)	0	1 (3%)	3	5
10	L	35/37 (95%)	35 (100%)	0	0	100	100
11	M	32/36 (89%)	31 (97%)	1 (3%)	0	100	100
12	T	28/32 (88%)	28 (100%)	0	0	100	100
13	X	33/41 (80%)	33 (100%)	0	0	100	100
14	y	26/46 (56%)	23 (88%)	3 (12%)	0	100	100
15	Z	60/62 (97%)	55 (92%)	5 (8%)	0	100	100
All	All	2056/2216 (93%)	1941 (94%)	112 (5%)	3 (0%)	49	66

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
7	H	35	MET
1	A	340	PRO
9	K	45	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	271/291 (93%)	268 (99%)	3 (1%)	65	80
2	B	385/407 (95%)	381 (99%)	4 (1%)	68	81
3	C	350/362 (97%)	344 (98%)	6 (2%)	53	73
4	D	275/283 (97%)	273 (99%)	2 (1%)	76	86
5	E	69/73 (94%)	67 (97%)	2 (3%)	37	58
6	F	32/39 (82%)	31 (97%)	1 (3%)	35	56
7	H	54/55 (98%)	53 (98%)	1 (2%)	50	71
8	I	32/35 (91%)	32 (100%)	0	100	100
9	K	30/37 (81%)	29 (97%)	1 (3%)	33	55
10	L	35/35 (100%)	34 (97%)	1 (3%)	37	58
11	M	31/33 (94%)	28 (90%)	3 (10%)	8	12
12	T	27/29 (93%)	27 (100%)	0	100	100
13	X	28/34 (82%)	26 (93%)	2 (7%)	13	23
14	y	21/37 (57%)	20 (95%)	1 (5%)	23	39
15	Z	52/52 (100%)	49 (94%)	3 (6%)	18	31
All	All	1692/1802 (94%)	1662 (98%)	30 (2%)	51	72

5 of 30 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	D	227	GLU
15	Z	4	LEU
6	F	34	LEU
15	Z	52	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	X	19	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 29 such sidechains are listed below:

Mol	Chain	Res	Type
4	D	164	GLN
13	X	33	GLN
4	D	255	GLN
7	H	15	ASN
4	D	194	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 62 ligands modelled in this entry, 3 are monoatomic - leaving 59 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
20	CLA	B	614	-	69,73,73	1.44	11 (15%)	82,113,113	1.85	14 (17%)
20	CLA	B	612	-	69,73,73	1.31	10 (14%)	82,113,113	2.08	15 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
20	CLA	B	609	-	69,73,73	1.41	11 (15%)	82,113,113	1.59	11 (13%)
24	LMG	D	402	-	55,55,55	1.04	2 (3%)	63,63,63	1.05	4 (6%)
20	CLA	C	507	-	69,73,73	1.37	10 (14%)	82,113,113	1.91	16 (19%)
20	CLA	C	509	-	69,73,73	1.40	13 (18%)	82,113,113	1.74	11 (13%)
20	CLA	B	611	-	69,73,73	1.35	12 (17%)	82,113,113	2.00	17 (20%)
23	BCT	A	412	16	3,3,3	1.14	0	2,3,3	3.40	1 (50%)
24	LMG	D	401	-	55,55,55	1.05	3 (5%)	63,63,63	0.85	0
24	LMG	I	101	-	55,55,55	0.93	1 (1%)	63,63,63	0.99	3 (4%)
20	CLA	A	405	-	69,73,73	1.38	12 (17%)	82,113,113	1.77	19 (23%)
24	LMG	C	501	-	55,55,55	0.98	1 (1%)	63,63,63	0.97	3 (4%)
24	LMG	M	101	-	55,55,55	1.15	3 (5%)	63,63,63	0.91	1 (1%)
20	CLA	C	512	-	69,73,73	1.37	11 (15%)	82,113,113	1.99	14 (17%)
20	CLA	C	511	3	69,73,73	1.43	11 (15%)	82,113,113	2.06	19 (23%)
20	CLA	B	613	-	69,73,73	1.26	10 (14%)	82,113,113	1.80	18 (21%)
21	BCR	A	409	-	41,41,41	0.74	0	56,56,56	0.97	3 (5%)
20	CLA	C	508	-	69,73,73	1.24	8 (11%)	82,113,113	1.81	11 (13%)
26	HEM	E	101	5	50,50,50	1.32	7 (14%)	67,82,82	1.03	2 (2%)
19	PHO	A	404	-	58,69,69	2.07	10 (17%)	55,99,99	2.01	11 (20%)
20	CLA	C	504	-	69,73,73	1.37	8 (11%)	82,113,113	1.87	17 (20%)
20	CLA	A	408	-	69,73,73	1.27	11 (15%)	82,113,113	1.49	13 (15%)
22	LHG	A	411	-	48,48,48	0.84	1 (2%)	51,54,54	0.83	1 (1%)
20	CLA	B	606	-	69,73,73	1.30	10 (14%)	82,113,113	1.89	15 (18%)
20	CLA	B	603	-	69,73,73	1.25	6 (8%)	82,113,113	2.07	17 (20%)
20	CLA	B	605	-	69,73,73	1.35	11 (15%)	82,113,113	1.74	17 (20%)
21	BCR	Z	101	-	41,41,41	0.83	2 (4%)	56,56,56	1.17	4 (7%)
20	CLA	A	406	-	69,73,73	1.22	7 (10%)	82,113,113	1.62	18 (21%)
25	PL9	D	404	-	55,55,55	1.08	5 (9%)	68,69,69	1.36	10 (14%)
20	CLA	B	608	-	69,73,73	1.30	8 (11%)	82,113,113	1.92	18 (21%)
20	CLA	B	610	-	69,73,73	1.45	12 (17%)	82,113,113	2.15	20 (24%)
21	BCR	B	619	-	41,41,41	0.88	1 (2%)	56,56,56	1.01	5 (8%)
24	LMG	D	403	-	55,55,55	1.20	4 (7%)	63,63,63	1.00	3 (4%)
20	CLA	B	617	-	69,73,73	1.38	12 (17%)	82,113,113	2.05	13 (15%)
20	CLA	B	607	-	69,73,73	1.24	7 (10%)	82,113,113	1.70	13 (15%)
21	BCR	B	620	-	41,41,41	0.93	1 (2%)	56,56,56	1.31	10 (17%)
21	BCR	C	514	-	41,41,41	0.97	3 (7%)	56,56,56	1.37	9 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
19	PHO	D	405	-	58,69,69	2.02	11 (18%)	55,99,99	1.95	9 (16%)
20	CLA	B	616	-	69,73,73	1.35	10 (14%)	82,113,113	1.76	12 (14%)
20	CLA	C	515	-	69,73,73	1.29	7 (10%)	82,113,113	1.93	13 (15%)
20	CLA	B	615	-	69,73,73	1.38	10 (14%)	82,113,113	1.91	16 (19%)
21	BCR	K	101	-	41,41,41	0.80	1 (2%)	56,56,56	1.41	10 (17%)
20	CLA	C	503	-	69,73,73	1.23	8 (11%)	82,113,113	1.86	16 (19%)
22	LHG	A	410	-	48,48,48	0.87	2 (4%)	51,54,54	0.74	1 (1%)
21	BCR	C	516	-	41,41,41	0.72	0	56,56,56	1.30	5 (8%)
20	CLA	C	510	-	69,73,73	1.39	12 (17%)	82,113,113	1.73	17 (20%)
21	BCR	H	101	-	41,41,41	0.94	1 (2%)	56,56,56	1.23	7 (12%)
21	BCR	F	101	-	41,41,41	0.72	0	56,56,56	1.28	6 (10%)
20	CLA	D	407	-	69,73,73	1.44	7 (10%)	82,113,113	1.80	14 (17%)
20	CLA	C	506	-	69,73,73	1.43	11 (15%)	82,113,113	2.40	24 (29%)
20	CLA	D	406	-	69,73,73	1.28	11 (15%)	82,113,113	1.68	18 (21%)
20	CLA	C	513	-	69,73,73	1.40	14 (20%)	82,113,113	1.90	19 (23%)
20	CLA	C	505	-	69,73,73	1.35	11 (15%)	82,113,113	1.95	23 (28%)
20	CLA	B	604	-	69,73,73	1.24	6 (8%)	82,113,113	1.97	16 (19%)
21	BCR	B	618	-	41,41,41	0.82	1 (2%)	56,56,56	1.13	4 (7%)
24	LMG	B	601	-	55,55,55	1.01	1 (1%)	63,63,63	1.13	4 (6%)
20	CLA	A	407	-	69,73,73	1.16	6 (8%)	82,113,113	1.80	22 (26%)
20	CLA	B	602	-	69,73,73	1.30	9 (13%)	82,113,113	2.28	19 (23%)
20	CLA	C	502	-	69,73,73	1.23	8 (11%)	82,113,113	1.80	15 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
20	CLA	B	614	-	2/2/15/20	5/39/115/115	-
20	CLA	B	612	-	2/2/15/20	11/39/115/115	-
20	CLA	B	609	-	1/1/15/20	5/39/115/115	-
24	LMG	D	402	-	-	9/50/70/70	0/1/1/1
20	CLA	C	507	-	2/2/15/20	7/39/115/115	-
20	CLA	C	509	-	2/2/15/20	3/39/115/115	-
20	CLA	B	611	-	2/2/15/20	9/39/115/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	LMG	D	401	-	-	19/50/70/70	0/1/1/1
24	LMG	I	101	-	-	3/50/70/70	0/1/1/1
20	CLA	A	405	-	2/2/15/20	6/39/115/115	-
24	LMG	C	501	-	-	14/50/70/70	0/1/1/1
24	LMG	M	101	-	-	7/50/70/70	0/1/1/1
20	CLA	C	512	-	1/1/15/20	8/39/115/115	-
20	CLA	C	511	3	2/2/15/20	6/39/115/115	-
20	CLA	B	613	-	1/1/15/20	7/39/115/115	-
21	BCR	A	409	-	-	6/29/63/63	0/2/2/2
20	CLA	C	508	-	1/1/15/20	3/39/115/115	-
26	HEM	E	101	5	-	4/14/54/54	-
19	PHO	A	404	-	1/1/17/22	6/37/103/103	0/5/6/6
20	CLA	C	504	-	1/1/15/20	7/39/115/115	-
20	CLA	A	408	-	1/1/15/20	12/39/115/115	-
22	LHG	A	411	-	-	18/53/53/53	-
20	CLA	B	606	-	2/2/15/20	2/39/115/115	-
20	CLA	B	603	-	2/2/15/20	3/39/115/115	-
20	CLA	B	605	-	2/2/15/20	2/39/115/115	-
21	BCR	Z	101	-	-	5/29/63/63	0/2/2/2
20	CLA	A	406	-	2/2/15/20	9/39/115/115	-
25	PL9	D	404	-	-	7/53/73/73	0/1/1/1
20	CLA	B	608	-	2/2/15/20	6/39/115/115	-
20	CLA	B	610	-	2/2/15/20	6/39/115/115	-
21	BCR	B	619	-	-	7/29/63/63	0/2/2/2
24	LMG	D	403	-	-	8/50/70/70	0/1/1/1
20	CLA	B	617	-	1/1/15/20	3/39/115/115	-
20	CLA	B	607	-	2/2/15/20	7/39/115/115	-
21	BCR	B	620	-	-	6/29/63/63	0/2/2/2
21	BCR	C	514	-	-	6/29/63/63	0/2/2/2
19	PHO	D	405	-	1/1/17/22	8/37/103/103	0/5/6/6
20	CLA	B	616	-	1/1/15/20	6/39/115/115	-
20	CLA	C	515	-	1/1/15/20	5/39/115/115	-
20	CLA	B	615	-	2/2/15/20	6/39/115/115	-
21	BCR	K	101	-	-	13/29/63/63	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
20	CLA	C	503	-	2/2/15/20	10/39/115/115	-
22	LHG	A	410	-	-	10/53/53/53	-
21	BCR	C	516	-	-	12/29/63/63	0/2/2/2
20	CLA	C	510	-	1/1/15/20	5/39/115/115	-
21	BCR	H	101	-	-	8/29/63/63	0/2/2/2
21	BCR	F	101	-	-	5/29/63/63	0/2/2/2
20	CLA	D	407	-	1/1/15/20	7/39/115/115	-
20	CLA	C	506	-	2/2/15/20	7/39/115/115	-
20	CLA	D	406	-	2/2/15/20	8/39/115/115	-
20	CLA	C	513	-	1/1/15/20	10/39/115/115	-
20	CLA	C	505	-	1/1/15/20	4/39/115/115	-
20	CLA	B	604	-	2/2/15/20	9/39/115/115	-
21	BCR	B	618	-	-	5/29/63/63	0/2/2/2
24	LMG	B	601	-	-	8/50/70/70	0/1/1/1
20	CLA	A	407	-	1/1/15/20	1/39/115/115	-
20	CLA	B	602	-	1/1/15/20	8/39/115/115	-
20	CLA	C	502	-	2/2/15/20	3/39/115/115	-

The worst 5 of 402 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
19	A	404	PHO	C1B-C2B	9.33	1.49	1.39
19	D	405	PHO	C1B-C2B	7.93	1.48	1.39
19	A	404	PHO	C3B-C4B	7.30	1.48	1.41
19	D	405	PHO	C3B-C4B	6.74	1.48	1.41
19	D	405	PHO	C1D-C2D	5.64	1.45	1.39

The worst 5 of 686 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	B	602	CLA	C4D-C3D-CAD	10.62	119.64	108.11
20	B	617	CLA	C4D-C3D-CAD	10.30	119.29	108.11
20	C	503	CLA	C4A-NA-C1A	10.29	111.37	106.68
20	B	612	CLA	C4A-NA-C1A	9.78	111.14	106.68
20	C	511	CLA	C4D-C3D-CAD	9.50	118.42	108.11

5 of 57 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
19	A	404	PHO	C8
19	D	405	PHO	C8
20	A	405	CLA	ND
20	A	405	CLA	C8
20	A	406	CLA	ND

5 of 410 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
20	A	405	CLA	C11-C10-C8-C7
20	A	406	CLA	C1A-C2A-CAA-CBA
20	A	406	CLA	C3A-C2A-CAA-CBA
20	B	603	CLA	O2A-C1-C2-C3
20	B	604	CLA	C1A-C2A-CAA-CBA

There are no ring outliers.

36 monomers are involved in 45 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
20	B	612	CLA	1	0
20	B	609	CLA	1	0
24	D	402	LMG	1	0
20	C	507	CLA	1	0
20	C	509	CLA	2	0
20	A	405	CLA	3	0
24	C	501	LMG	1	0
20	C	511	CLA	1	0
20	B	613	CLA	3	0
21	A	409	BCR	1	0
26	E	101	HEM	1	0
20	C	504	CLA	1	0
20	A	408	CLA	1	0
22	A	411	LHG	1	0
20	B	606	CLA	1	0
20	B	603	CLA	1	0
20	B	605	CLA	1	0
20	A	406	CLA	1	0
25	D	404	PL9	2	0
20	B	608	CLA	1	0
20	B	610	CLA	1	0
21	B	619	BCR	1	0
24	D	403	LMG	1	0
21	B	620	BCR	2	0


Continued on next page...




Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
21	C	514	BCR	2	0
19	D	405	PHO	2	0
20	B	616	CLA	1	0
20	C	515	CLA	2	0
21	K	101	BCR	2	0
21	H	101	BCR	1	0
20	D	407	CLA	1	0
20	D	406	CLA	3	0
20	C	513	CLA	1	0
20	B	604	CLA	1	0
21	B	618	BCR	2	0
24	B	601	LMG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.























Ligand CLA C 508











Ligand HEM E 101















Ligand CLA B 603	
	
Bond lengths	Bond angles
	
Torsions	Rings





Ligand CLA B 605	
	
Bond lengths	Bond angles
	
Torsions	Rings




Ligand BCR Z 101	
	
Bond lengths	Bond angles
	
Torsions	Rings




















Ligand BCR C 514	
	
Bond lengths	Bond angles
	
Torsions	Rings




Ligand PHO D 405	
	
Bond lengths	Bond angles
	
Torsions	Rings




Ligand CLA B 616	
	
Bond lengths	Bond angles
	
Torsions	Rings

















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-12335. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 130



Y Index: 130




Z Index: 130


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 125



Y Index: 132




Z Index: 164


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.006. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 142 nm³; this corresponds to an approximate mass of 129 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.376 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-12335 and PDB model 7NHO. Per-residue inclusion information can be found in section [3](#) on page [15](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.006 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.006).

9.4 Atom inclusion ⓘ



At the recommended contour level, 92% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.006) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7940	0.5010
A	0.7880	0.5100
B	0.8390	0.5250
C	0.7820	0.4940
D	0.8430	0.5380
E	0.7260	0.4090
F	0.6480	0.3980
H	0.8590	0.5020
I	0.7200	0.4590
K	0.7050	0.4700
L	0.8020	0.5040
M	0.5920	0.3780
T	0.7650	0.4940
X	0.7760	0.4730
Z	0.6750	0.4130
y	0.5740	0.3790

1.0

0.0

<0.0