



## wwPDB EM Validation Summary Report ⓘ

Mar 27, 2026 – 12:54 AM UTC

PDB ID : 6NIL / pdb\_00006nil  
EMDB ID : EMD-9380  
Title : cryoEM structure of the truncated HIV-1 Vif/CBFbeta/A3F complex  
Authors : Hu, Y.; Xiong, Y.  
Deposited on : 2018-12-29  
Resolution : 3.90 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	8855 ( 3.40 - 4.40 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	207	<p>17% (red), 82% (green), 14% (grey), 1% (yellow)</p>
1	D	207	<p>17% (red), 82% (green), 14% (grey), 1% (yellow)</p>
1	G	207	<p>17% (red), 82% (green), 14% (grey), 1% (yellow)</p>
1	J	207	<p>17% (red), 82% (green), 14% (grey), 1% (yellow)</p>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	B	151	
2	E	151	
2	H	151	
2	K	151	
3	C	138	
3	F	138	
3	I	138	
3	L	138	

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 15220 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA dC->dU-editing enzyme APOBEC-3F.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	177	1485	956	246	273	10	0	0
1	D	177	1485	956	246	273	10	0	0
1	G	177	1485	956	246	273	10	0	0
1	J	177	1485	956	246	273	10	0	0

There are 112 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	167	MET	-	initiating methionine	UNP Q8IUX4
A	168	GLY	-	expression tag	UNP Q8IUX4
A	169	SER	-	expression tag	UNP Q8IUX4
A	170	SER	-	expression tag	UNP Q8IUX4
A	171	HIS	-	expression tag	UNP Q8IUX4
A	172	HIS	-	expression tag	UNP Q8IUX4
A	173	HIS	-	expression tag	UNP Q8IUX4
A	174	HIS	-	expression tag	UNP Q8IUX4
A	175	HIS	-	expression tag	UNP Q8IUX4
A	176	HIS	-	expression tag	UNP Q8IUX4
A	177	SER	-	expression tag	UNP Q8IUX4
A	178	GLN	-	expression tag	UNP Q8IUX4
A	179	ASP	-	expression tag	UNP Q8IUX4
A	180	PRO	-	expression tag	UNP Q8IUX4
A	181	ASN	-	expression tag	UNP Q8IUX4
A	182	SER	-	expression tag	UNP Q8IUX4
A	183	MET	-	expression tag	UNP Q8IUX4
A	184	GLY	-	expression tag	UNP Q8IUX4
A	196	ASP	TYR	engineered mutation	UNP Q8IUX4
A	247	GLY	HIS	engineered mutation	UNP Q8IUX4
A	248	ARG	CYS	engineered mutation	UNP Q8IUX4
A	302	LYS	PHE	engineered mutation	UNP Q8IUX4

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	310	LYS	TRP	engineered mutation	UNP Q8IUX4
A	314	ALA	TYR	engineered mutation	UNP Q8IUX4
A	315	ALA	GLN	engineered mutation	UNP Q8IUX4
A	355	ASP	LYS	engineered mutation	UNP Q8IUX4
A	358	ASP	LYS	engineered mutation	UNP Q8IUX4
A	363	ASP	PHE	engineered mutation	UNP Q8IUX4
D	167	MET	-	initiating methionine	UNP Q8IUX4
D	168	GLY	-	expression tag	UNP Q8IUX4
D	169	SER	-	expression tag	UNP Q8IUX4
D	170	SER	-	expression tag	UNP Q8IUX4
D	171	HIS	-	expression tag	UNP Q8IUX4
D	172	HIS	-	expression tag	UNP Q8IUX4
D	173	HIS	-	expression tag	UNP Q8IUX4
D	174	HIS	-	expression tag	UNP Q8IUX4
D	175	HIS	-	expression tag	UNP Q8IUX4
D	176	HIS	-	expression tag	UNP Q8IUX4
D	177	SER	-	expression tag	UNP Q8IUX4
D	178	GLN	-	expression tag	UNP Q8IUX4
D	179	ASP	-	expression tag	UNP Q8IUX4
D	180	PRO	-	expression tag	UNP Q8IUX4
D	181	ASN	-	expression tag	UNP Q8IUX4
D	182	SER	-	expression tag	UNP Q8IUX4
D	183	MET	-	expression tag	UNP Q8IUX4
D	184	GLY	-	expression tag	UNP Q8IUX4
D	196	ASP	TYR	engineered mutation	UNP Q8IUX4
D	247	GLY	HIS	engineered mutation	UNP Q8IUX4
D	248	ARG	CYS	engineered mutation	UNP Q8IUX4
D	302	LYS	PHE	engineered mutation	UNP Q8IUX4
D	310	LYS	TRP	engineered mutation	UNP Q8IUX4
D	314	ALA	TYR	engineered mutation	UNP Q8IUX4
D	315	ALA	GLN	engineered mutation	UNP Q8IUX4
D	355	ASP	LYS	engineered mutation	UNP Q8IUX4
D	358	ASP	LYS	engineered mutation	UNP Q8IUX4
D	363	ASP	PHE	engineered mutation	UNP Q8IUX4
G	167	MET	-	initiating methionine	UNP Q8IUX4
G	168	GLY	-	expression tag	UNP Q8IUX4
G	169	SER	-	expression tag	UNP Q8IUX4
G	170	SER	-	expression tag	UNP Q8IUX4
G	171	HIS	-	expression tag	UNP Q8IUX4
G	172	HIS	-	expression tag	UNP Q8IUX4
G	173	HIS	-	expression tag	UNP Q8IUX4
G	174	HIS	-	expression tag	UNP Q8IUX4

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	175	HIS	-	expression tag	UNP Q8IUX4
G	176	HIS	-	expression tag	UNP Q8IUX4
G	177	SER	-	expression tag	UNP Q8IUX4
G	178	GLN	-	expression tag	UNP Q8IUX4
G	179	ASP	-	expression tag	UNP Q8IUX4
G	180	PRO	-	expression tag	UNP Q8IUX4
G	181	ASN	-	expression tag	UNP Q8IUX4
G	182	SER	-	expression tag	UNP Q8IUX4
G	183	MET	-	expression tag	UNP Q8IUX4
G	184	GLY	-	expression tag	UNP Q8IUX4
G	196	ASP	TYR	engineered mutation	UNP Q8IUX4
G	247	GLY	HIS	engineered mutation	UNP Q8IUX4
G	248	ARG	CYS	engineered mutation	UNP Q8IUX4
G	302	LYS	PHE	engineered mutation	UNP Q8IUX4
G	310	LYS	TRP	engineered mutation	UNP Q8IUX4
G	314	ALA	TYR	engineered mutation	UNP Q8IUX4
G	315	ALA	GLN	engineered mutation	UNP Q8IUX4
G	355	ASP	LYS	engineered mutation	UNP Q8IUX4
G	358	ASP	LYS	engineered mutation	UNP Q8IUX4
G	363	ASP	PHE	engineered mutation	UNP Q8IUX4
J	167	MET	-	initiating methionine	UNP Q8IUX4
J	168	GLY	-	expression tag	UNP Q8IUX4
J	169	SER	-	expression tag	UNP Q8IUX4
J	170	SER	-	expression tag	UNP Q8IUX4
J	171	HIS	-	expression tag	UNP Q8IUX4
J	172	HIS	-	expression tag	UNP Q8IUX4
J	173	HIS	-	expression tag	UNP Q8IUX4
J	174	HIS	-	expression tag	UNP Q8IUX4
J	175	HIS	-	expression tag	UNP Q8IUX4
J	176	HIS	-	expression tag	UNP Q8IUX4
J	177	SER	-	expression tag	UNP Q8IUX4
J	178	GLN	-	expression tag	UNP Q8IUX4
J	179	ASP	-	expression tag	UNP Q8IUX4
J	180	PRO	-	expression tag	UNP Q8IUX4
J	181	ASN	-	expression tag	UNP Q8IUX4
J	182	SER	-	expression tag	UNP Q8IUX4
J	183	MET	-	expression tag	UNP Q8IUX4
J	184	GLY	-	expression tag	UNP Q8IUX4
J	196	ASP	TYR	engineered mutation	UNP Q8IUX4
J	247	GLY	HIS	engineered mutation	UNP Q8IUX4
J	248	ARG	CYS	engineered mutation	UNP Q8IUX4
J	302	LYS	PHE	engineered mutation	UNP Q8IUX4

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
J	310	LYS	TRP	engineered mutation	UNP Q8IUX4
J	314	ALA	TYR	engineered mutation	UNP Q8IUX4
J	315	ALA	GLN	engineered mutation	UNP Q8IUX4
J	355	ASP	LYS	engineered mutation	UNP Q8IUX4
J	358	ASP	LYS	engineered mutation	UNP Q8IUX4
J	363	ASP	PHE	engineered mutation	UNP Q8IUX4

- Molecule 2 is a protein called Core-binding factor subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	140	Total	C	N	O	S	0	0
			1167	728	218	215	6		
2	E	140	Total	C	N	O	S	0	0
			1167	728	218	215	6		
2	H	140	Total	C	N	O	S	0	0
			1167	728	218	215	6		
2	K	140	Total	C	N	O	S	0	0
			1167	728	218	215	6		

- Molecule 3 is a protein called Virion infectivity factor.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	133	Total	C	N	O	S	0	0
			1152	740	213	195	4		
3	F	133	Total	C	N	O	S	0	0
			1152	740	213	195	4		
3	I	133	Total	C	N	O	S	0	0
			1152	740	213	195	4		
3	L	133	Total	C	N	O	S	0	0
			1152	740	213	195	4		

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	114	GLU	-	linker	UNP P12504
C	153	ALA	-	linker	UNP P12504
C	154	SER	-	linker	UNP P12504
C	155	GLU	-	linker	UNP P12504
C	156	GLY	-	linker	UNP P12504
C	157	SER	-	linker	UNP P12504
F	114	GLU	-	linker	UNP P12504
F	153	ALA	-	linker	UNP P12504

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	154	SER	-	linker	UNP P12504
F	155	GLU	-	linker	UNP P12504
F	156	GLY	-	linker	UNP P12504
F	157	SER	-	linker	UNP P12504
I	114	GLU	-	linker	UNP P12504
I	153	ALA	-	linker	UNP P12504
I	154	SER	-	linker	UNP P12504
I	155	GLU	-	linker	UNP P12504
I	156	GLY	-	linker	UNP P12504
I	157	SER	-	linker	UNP P12504
L	114	GLU	-	linker	UNP P12504
L	153	ALA	-	linker	UNP P12504
L	154	SER	-	linker	UNP P12504
L	155	GLU	-	linker	UNP P12504
L	156	GLY	-	linker	UNP P12504
L	157	SER	-	linker	UNP P12504


- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
4	A	1	Total Zn 1 1	0
4	D	1	Total Zn 1 1	0
4	G	1	Total Zn 1 1	0
4	J	1	Total Zn 1 1	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA dC->dU-editing enzyme APOBEC-3F




- Molecule 1: DNA dC->dU-editing enzyme APOBEC-3F




- Molecule 1: DNA dC->dU-editing enzyme APOBEC-3F





- Molecule 1: DNA dC->dU-editing enzyme APOBEC-3F









• Molecule 2: Core-binding factor subunit beta




• Molecule 2: Core-binding factor subunit beta




• Molecule 2: Core-binding factor subunit beta






• Molecule 2: Core-binding factor subunit beta











• Molecule 3: Virion infectivity factor





• Molecule 3: Virion infectivity factor



• Molecule 3: Virion infectivity factor



• Molecule 3: Virion infectivity factor



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, D2	Depositor
Number of particles used	337256	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	56	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.111	Depositor
Minimum map value	-0.051	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.025	Depositor
Map size ( $\text{\AA}$ )	235.19998, 235.19998, 235.19998	wwPDB
Map dimensions	224, 224, 224	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.05, 1.05, 1.05	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:  
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.37	0/1534	0.58	0/2080
1	D	0.37	0/1534	0.58	0/2080
1	G	0.37	0/1534	0.58	0/2080
1	J	0.37	0/1534	0.58	0/2080
2	B	0.37	0/1189	0.59	0/1593
2	E	0.37	0/1189	0.59	0/1593
2	H	0.37	0/1189	0.59	0/1593
2	K	0.37	0/1189	0.59	0/1593
3	C	0.35	0/1189	0.64	1/1610 (0.1%)
3	F	0.35	0/1189	0.64	1/1610 (0.1%)
3	I	0.35	0/1189	0.64	1/1610 (0.1%)
3	L	0.35	0/1189	0.64	1/1610 (0.1%)
All	All	0.36	0/15648	0.60	4/21132 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	2
2	E	0	2
2	H	0	2
2	K	0	2
3	C	0	3
3	F	0	3
3	I	0	3
3	L	0	3
All	All	0	20

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	83	GLN	N-CA-CB	-6.28	100.92	110.77
3	F	83	GLN	N-CA-CB	-6.28	100.92	110.77
3	I	83	GLN	N-CA-CB	-6.28	100.92	110.77
3	L	83	GLN	N-CA-CB	-6.28	100.92	110.77

There are no chirality outliers.

5 of 20 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	144	GLU	Peptide
2	B	40	ARG	Sidechain
3	C	17	ARG	Sidechain
3	C	23	ARG	Sidechain
3	C	33	ARG	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1485	0	1374	4	0
1	D	1485	0	1374	5	0
1	G	1485	0	1374	5	0
1	J	1485	0	1374	4	0
2	B	1167	0	1125	10	0
2	E	1167	0	1125	11	0
2	H	1167	0	1125	11	0
2	K	1167	0	1125	10	0
3	C	1152	0	1134	15	0
3	F	1152	0	1134	15	0
3	I	1152	0	1134	16	0
3	L	1152	0	1134	15	0
4	A	1	0	0	0	0
4	D	1	0	0	0	0
4	G	1	0	0	0	0
4	J	1	0	0	0	0
All	All	15220	0	14532	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 105 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:66:ILE:HG12	3:C:87:ILE:HG22	1.78	0.64
3:L:66:ILE:HG12	3:L:87:ILE:HG22	1.78	0.64
3:I:66:ILE:HG12	3:I:87:ILE:HG22	1.78	0.64
3:F:66:ILE:HG12	3:F:87:ILE:HG22	1.78	0.64
3:F:98:VAL:HG12	3:F:99:ASP:N	2.15	0.62

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	173/207 (84%)	164 (95%)	9 (5%)	0	100	100
1	D	173/207 (84%)	164 (95%)	9 (5%)	0	100	100
1	G	173/207 (84%)	164 (95%)	9 (5%)	0	100	100
1	J	173/207 (84%)	164 (95%)	9 (5%)	0	100	100
2	B	136/151 (90%)	121 (89%)	15 (11%)	0	100	100
2	E	136/151 (90%)	121 (89%)	15 (11%)	0	100	100
2	H	136/151 (90%)	121 (89%)	15 (11%)	0	100	100
2	K	136/151 (90%)	121 (89%)	15 (11%)	0	100	100
3	C	129/138 (94%)	111 (86%)	18 (14%)	0	100	100
3	F	129/138 (94%)	111 (86%)	18 (14%)	0	100	100
3	I	129/138 (94%)	111 (86%)	18 (14%)	0	100	100
3	L	129/138 (94%)	111 (86%)	18 (14%)	0	100	100
All	All	1752/1984 (88%)	1584 (90%)	168 (10%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	160/187 (86%)	160 (100%)	0	100	100
1	D	160/187 (86%)	160 (100%)	0	100	100
1	G	160/187 (86%)	160 (100%)	0	100	100
1	J	160/187 (86%)	160 (100%)	0	100	100
2	B	120/130 (92%)	118 (98%)	2 (2%)	53	68
2	E	120/130 (92%)	118 (98%)	2 (2%)	53	68
2	H	120/130 (92%)	118 (98%)	2 (2%)	53	68
2	K	120/130 (92%)	118 (98%)	2 (2%)	53	68
3	C	125/128 (98%)	123 (98%)	2 (2%)	55	69
3	F	125/128 (98%)	123 (98%)	2 (2%)	55	69
3	I	125/128 (98%)	123 (98%)	2 (2%)	55	69
3	L	125/128 (98%)	123 (98%)	2 (2%)	55	69
All	All	1620/1780 (91%)	1604 (99%)	16 (1%)	65	75

5 of 16 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	L	102	LEU
2	K	138	LEU
2	H	67	GLN
2	K	67	GLN
3	F	107	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 28 such sidechains are listed below:

Mol	Chain	Res	Type
2	H	67	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	L	105	GLN
3	I	43	HIS
2	K	141	GLN
2	H	141	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-9380. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y



Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 112



Y Index: 112




Z Index: 112


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 126



Y Index: 85




Z Index: 112


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.025. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 81 nm<sup>3</sup>; this corresponds to an approximate mass of 73 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)



\*Reported resolution corresponds to spatial frequency of  $0.256 \text{\AA}^{-1}$


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-9380 and PDB model 6NIL. Per-residue inclusion information can be found in section 3 on page 9.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.025 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.025).



























## 9.4 Atom inclusion [i](#)



At the recommended contour level, 78% of all backbone atoms, 60% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.025) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6020	 0.3830
A	 0.6160	 0.3980
B	 0.5440	 0.3450
C	 0.6420	 0.4040
D	 0.6160	 0.3990
E	 0.5440	 0.3410
F	 0.6420	 0.4030
G	 0.6160	 0.3970
H	 0.5440	 0.3450
I	 0.6420	 0.4040
J	 0.6160	 0.3990
K	 0.5440	 0.3450
L	 0.6420	 0.4050

