



wwPDB EM Validation Summary Report ⓘ

Mar 5, 2026 – 01:35 AM UTC

PDB ID : 7NKU / pdb_00007nku
EMDB ID : EMD-12448
Title : diazaborine bound Drg1(AFG2)
Authors : Prattes, M.; Bergler, H.; Haselbach, D.
Deposited on : 2021-02-19
Resolution : 3.40 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14717 (2.90 - 3.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	780	7% 46% 24% 31%
1	B	780	8% 46% 23% 31%
1	C	780	8% 43% 26% 31%
1	D	780	7% 45% 24% 31%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	780	
1	F	780	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 25332 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATPase family gene 2 protein.


Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	542	Total	C	N	O	S	0	0
			4143	2610	712	805	16		
1	B	542	Total	C	N	O	S	0	0
			4143	2610	712	805	16		
1	C	542	Total	C	N	O	S	0	0
			4143	2610	712	805	16		
1	D	542	Total	C	N	O	S	0	0
			4143	2610	712	805	16		
1	E	542	Total	C	N	O	S	0	0
			4143	2610	712	805	16		
1	F	542	Total	C	N	O	S	0	0
			4143	2610	712	805	16		

- Molecule 2 is PHOSPHOTHIOPHOSPHORIC ACID-ADENYLATE ESTER (CCD ID: AGS) (formula: $C_{10}H_{16}N_5O_{12}P_3S$).




Mol	Chain	Residues	Atoms						AltConf
2	A	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
2	A	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
2	B	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
2	B	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
2	C	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
2	C	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
2	D	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
2	D	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
2	E	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
2	E	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
2	F	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
2	F	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	

- Molecule 3 is 6-METHYL-2(PROPANE-1-SULFONYL)-2H-THIENO[3,2-D][1,2,3]DIAZABORIN-1-OL (CCD ID: TDB) (formula: $C_9H_{13}BN_2O_3S_2$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms						AltConf
3	A	1	Total	B	C	N	O	S	0
			17	1	9	2	3	2	
3	A	1	Total	B	C	N	O	S	0
			17	1	9	2	3	2	
3	C	1	Total	B	C	N	O	S	0
			17	1	9	2	3	2	
3	D	1	Total	B	C	N	O	S	0
			17	1	9	2	3	2	
3	D	1	Total	B	C	N	O	S	0
			17	1	9	2	3	2	
3	F	1	Total	B	C	N	O	S	0
			17	1	9	2	3	2	







- Molecule 1: ATPase family gene 2 protein






• Molecule 1: ATPase family gene 2 protein



• Molecule 1: ATPase family gene 2 protein



V686	I613	E530	V436	A334	V247	THR
R689	D616	E531	L437	I341	L250	ASP
L693	E617	I532	E440	I342	ALA	ALA
T697	I618	Q533	A441	F343	PRO	LYS
N701	P623	L534	K443	I344	ASP	THR
T702	D624	P535	T444	I350	SER	ALA
E703	R625	L536	A446	N353	LEU	THR
E704	D626	F542	A446	R354	PRO	LYS
L712	D627	B544	T449	A355	ASP	VAL
A713	S628	L545	H450	N356	SER	GLY
D714	S629	B546	G451	N357	GLN	LYS
R715	S630	I547	Y452	D357	LEU	SER
T716	T630	P550	L457	S359	ASP	GLY
Y719	S631	K551	C461	G360	LEU	ASN
S720	A633	G552	R462	E361	MET	GLY
G721	A634	V553	E463	V362	ASP	ILE
V636	H635	Y556	S464	E363	LEU	LEU
E723	L637	C561	V465	S364	GLY	VAL
V724	T638	S562	N466	R365	TYR	ALA
V725		K563	L473	V367	GLY	ALA
Q729	D645	T566	A477	A368	LEU	LYS
E730	G646	A567	N478	T369	ASP	ALA
A734	V647	K568	L479	L370	LEU	ALA
A735	E648	A569	D480	L371	THR	GLY
I736	F649	L570	K481	T372	LEU	VAL
M737	L650	A571	F482	N374	PRO	HIS
E738	R651	T572		D375	ASP	PRO
D739	G652	S574	K485	G381	ASN	ALA
L740	V653	L579	M495	K382	VAL	GLY
D741	V654	A580		V383	LEU	ILE
V742	I655	V581	T498	V384	THR	THR
L747	N660	K582	R499	V385	GLY	PRO
R748	R661	E585	P500	A387	THR	THR
H749	P662		S501	N390	THR	THR
I757	I665	N588	A502	R391	ILE	ARG
A758	D666	K589	M503	P392	THR	THR
R759	A667	Y590	B504	G403	GLY	GLY
Y768	A668	V591	E505	R404	LYS	VAL
Y769	L669	E595	L508	F405	THR	THR
F772	L670	B596	E509	V409	ALA	LYS
S776	R671	E600	M510	R419	GLN	ALA
G777	P672		P511	L423	THR	THR
S778	L675	D676	K512	L429	GLY	ASP
S779	D676	R677	M515	D433	ASP	GLY
S780	H678	T679	I518	R434	THR	THR
	Y680	V681	Q521	H435	ALA	THR
	G682	P683			GLY	ALA
	P684				ASP	GLY
	D685				VAL	VAL
					ILE	ILE
					P239	THR

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C6	Depositor
Number of particles used	237914	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.744	Depositor
Minimum map value	-0.002	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.039	Depositor
Recommended contour level	0.105	Depositor
Map size (Å)	271.36, 271.36, 271.36	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AGS, TDB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/4213	0.49	0/5698
1	B	0.30	0/4213	0.46	0/5698
1	C	0.30	0/4213	0.47	1/5698 (0.0%)
1	D	0.30	0/4213	0.45	0/5698
1	E	0.29	0/4213	0.45	0/5698
1	F	0.31	0/4213	0.48	0/5698
All	All	0.30	0/25278	0.47	1/34188 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	586	ILE	N-CA-C	-5.18	107.35	113.42

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4143	0	4191	154	0
1	B	4143	0	4191	159	0
1	C	4143	0	4193	175	0
1	D	4143	0	4193	145	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	4143	0	4193	159	0
1	F	4143	0	4193	169	0
2	A	62	0	23	7	0
2	B	62	0	23	7	0
2	C	62	0	23	9	0
2	D	62	0	23	5	0
2	E	62	0	23	8	0
2	F	62	0	23	4	0
3	A	34	0	26	3	0
3	C	17	0	13	1	0
3	D	34	0	26	2	0
3	F	17	0	13	2	0
All	All	25332	0	25370	889	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

The worst 5 of 889 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:280:ARG:NH2	1:F:381:GLY:O	2.06	0.89
1:F:423:LEU:HD21	1:F:457:LEU:HD12	1.53	0.89
1:C:600:GLU:OE2	1:C:604:LYS:NZ	2.06	0.88
1:B:448:LYS:HD2	1:B:495:MET:HE1	1.56	0.87
1:A:280:ARG:NH2	1:A:381:GLY:O	2.08	0.86

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	540/780 (69%)	489 (91%)	51 (9%)	0	100	100
1	B	540/780 (69%)	488 (90%)	52 (10%)	0	100	100
1	C	540/780 (69%)	488 (90%)	52 (10%)	0	100	100
1	D	540/780 (69%)	493 (91%)	47 (9%)	0	100	100
1	E	540/780 (69%)	495 (92%)	45 (8%)	0	100	100
1	F	540/780 (69%)	488 (90%)	52 (10%)	0	100	100
All	All	3240/4680 (69%)	2941 (91%)	299 (9%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	450/657 (68%)	450 (100%)	0	100	100
1	B	450/657 (68%)	450 (100%)	0	100	100
1	C	450/657 (68%)	450 (100%)	0	100	100
1	D	450/657 (68%)	450 (100%)	0	100	100
1	E	450/657 (68%)	450 (100%)	0	100	100
1	F	450/657 (68%)	450 (100%)	0	100	100
All	All	2700/3942 (68%)	2700 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 10 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	588	ASN
1	E	642	ASN
1	F	521	GLN
1	B	729	GLN
1	C	311	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

18 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	TDB	C	801	2	14,18,18	3.46	8 (57%)	17,27,27	6.43	8 (47%)
2	AGS	A	902	3	32,33,33	0.98	2 (6%)	45,52,52	0.80	1 (2%)
3	TDB	D	801	2	14,18,18	3.49	8 (57%)	17,27,27	6.50	8 (47%)
2	AGS	C	803	3	32,33,33	1.04	4 (12%)	45,52,52	0.83	1 (2%)
2	AGS	B	902	3	32,33,33	0.95	3 (9%)	45,52,52	0.79	1 (2%)
2	AGS	C	802	-	32,33,33	1.04	4 (12%)	45,52,52	0.77	1 (2%)
2	AGS	D	802	-	32,33,33	1.05	3 (9%)	45,52,52	0.85	1 (2%)
3	TDB	A	904	2	14,18,18	3.56	7 (50%)	17,27,27	6.37	10 (58%)
2	AGS	E	902	3	32,33,33	0.93	2 (6%)	45,52,52	0.82	1 (2%)
2	AGS	A	901	-	32,33,33	1.12	3 (9%)	45,52,52	0.86	1 (2%)
2	AGS	B	901	-	32,33,33	1.10	3 (9%)	45,52,52	0.89	1 (2%)
3	TDB	D	804	2	14,18,18	3.53	8 (57%)	17,27,27	6.49	8 (47%)
2	AGS	E	901	-	32,33,33	1.03	3 (9%)	45,52,52	0.89	1 (2%)
3	TDB	F	801	2	14,18,18	3.45	8 (57%)	17,27,27	6.42	7 (41%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	AGS	F	802	-	32,33,33	1.14	3 (9%)	45,52,52	0.94	1 (2%)
2	AGS	D	803	3	32,33,33	1.11	3 (9%)	45,52,52	0.95	2 (4%)
3	TDB	A	903	2	14,18,18	3.44	8 (57%)	17,27,27	6.36	7 (41%)
2	AGS	F	803	3	32,33,33	0.99	4 (12%)	45,52,52	1.01	2 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TDB	C	801	2	-	1/4/23/23	0/1/2/2
2	AGS	A	902	3	-	8/21/38/38	0/3/3/3
3	TDB	D	801	2	-	1/4/23/23	0/1/2/2
2	AGS	C	803	3	-	7/21/38/38	0/3/3/3
2	AGS	B	902	3	-	6/21/38/38	0/3/3/3
2	AGS	C	802	-	-	2/21/38/38	0/3/3/3
2	AGS	D	802	-	-	3/21/38/38	0/3/3/3
3	TDB	A	904	2	-	0/4/23/23	0/1/2/2
2	AGS	E	902	3	-	9/21/38/38	0/3/3/3
2	AGS	A	901	-	-	4/21/38/38	0/3/3/3
2	AGS	B	901	-	-	8/21/38/38	0/3/3/3
3	TDB	D	804	2	-	0/4/23/23	0/1/2/2
2	AGS	E	901	-	-	9/21/38/38	0/3/3/3
3	TDB	F	801	2	-	1/4/23/23	0/1/2/2
2	AGS	F	802	-	-	5/21/38/38	0/3/3/3
2	AGS	D	803	3	-	7/21/38/38	0/3/3/3
3	TDB	A	903	2	-	1/4/23/23	0/1/2/2
2	AGS	F	803	3	-	6/21/38/38	0/3/3/3

The worst 5 of 84 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	904	TDB	C2-N2	6.85	1.37	1.29
3	D	804	TDB	C2-N2	6.81	1.37	1.29
3	A	904	TDB	B1-N1	-6.72	1.35	1.46
3	F	801	TDB	C2-N2	6.64	1.37	1.29
3	C	801	TDB	C2-N2	6.59	1.37	1.29

The worst 5 of 62 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	801	TDB	O16-S15-O15	-16.72	102.15	118.99
3	D	801	TDB	C7-C12-C13	16.64	122.68	114.97
3	D	804	TDB	C7-C12-C13	16.61	122.67	114.97
3	C	801	TDB	O16-S15-O15	-16.60	102.27	118.99
3	F	801	TDB	O16-S15-O15	-16.59	102.28	118.99

There are no chirality outliers.

5 of 78 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	901	AGS	O4'-C1'-N9-C8
2	A	901	AGS	O4'-C1'-N9-C4
2	A	902	AGS	C5'-O5'-PA-O1A
2	A	902	AGS	C5'-O5'-PA-O3A
2	A	902	AGS	O4'-C1'-N9-C8


There are no ring outliers.

18 monomers are involved in 44 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	801	TDB	1	0
2	A	902	AGS	4	0
3	D	801	TDB	1	0
2	C	803	AGS	3	0
2	B	902	AGS	4	0
2	C	802	AGS	6	0
2	D	802	AGS	3	0
3	A	904	TDB	1	0
2	E	902	AGS	5	0
2	A	901	AGS	3	0
2	B	901	AGS	3	0
3	D	804	TDB	1	0
2	E	901	AGS	3	0
3	F	801	TDB	2	0
2	F	802	AGS	2	0
2	D	803	AGS	2	0
3	A	903	TDB	2	0
2	F	803	AGS	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In


addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand AGS A 902




Ligand TDB D 801




Ligand AGS C 803




Ligand AGS B 902







Ligand AGS D 802




Ligand TDB A 904




Ligand AGS E 902




Ligand AGS A 901




Ligand AGS B 901




Ligand TDB D 804




Ligand AGS E 901




Ligand TDB F 801




Ligand AGS F 802




Ligand AGS D 803



Ligand TDB A 903





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-12448. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 128



Y Index: 128



Z Index: 128

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 160



Y Index: 101



Z Index: 81


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.105. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 193 nm³; this corresponds to an approximate mass of 175 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.294 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-12448 and PDB model 7NKU. Per-residue inclusion information can be found in [section 3](#) on [page 7](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.105 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.105).

9.4 Atom inclusion [i](#)



At the recommended contour level, 90% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.105) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7240	0.3660
A	0.7320	0.3690
B	0.7210	0.3660
C	0.7120	0.3640
D	0.7250	0.3660
E	0.7280	0.3660
F	0.7290	0.3660

1.0

0.0

<0.0