



Full wwPDB EM Validation Report ⓘ

Mar 4, 2026 – 09:59 PM UTC

PDB ID : 7NKZ / pdb_00007nkz
EMDB ID : EMD-12451
Title : Cryo-EM structure of the cytochrome bd oxidase from M. tuberculosis at 2.5 Å resolution
Authors : Safarian, S.; Wu, D.; Krause, K.L.; Michel, H.
Deposited on : 2021-02-19
Resolution : 2.50 Å (reported)
Based on initial model : 6RKO

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	7115 (2.00 - 3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	346	 82% 16% •
2	A	485	 74% 18% • 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OXY	A	701	-	-	X	-
4	MQ9	A	702	-	-	X	-
6	HEB	A	704	X	-	-	-
6	HEB	A	705	X	-	-	-

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 6424 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Probable integral membrane cytochrome D ubiquinol oxidase (Subunit II) CydB (Cytochrome BD-I oxidase subunit II).

Mol	Chain	Residues	Atoms					AltConf	Trace
1	B	337	Total	C	N	O	S	0	0
			2611	1751	423	429	8		

- Molecule 2 is a protein called Probable integral membrane cytochrome D ubiquinol oxidase (Subunit I) CydA (Cytochrome BD-I oxidase subunit I).


Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	455	Total	C	N	O	S	0	0
			3581	2358	593	610	20		

- Molecule 3 is OXYGEN MOLECULE (CCD ID: OXY) (formula: O₂).




Mol	Chain	Residues	Atoms		AltConf
3	A	1	Total	O	0
			2	2	

- Molecule 4 is MENAQUINONE-9 (CCD ID: MQ9) (formula: $C_{56}H_{80}O_2$).



Mol	Chain	Residues	Atoms			AltConf
4	A	1	Total	C	O	0
			58	56	2	

- Molecule 5 is CIS-HEME D HYDROXYCHLORIN GAMMA-SPIROLACTONE (CCD ID: HDD) (formula: $C_{34}H_{32}FeN_4O_5$).



Mol	Chain	Residues	Atoms					AltConf
5	A	1	Total	C	Fe	N	O	0
			44	34	1	4	5	

- [illegible]

Mol	Chain	Residues	Atoms					AltConf
6	A	1	Total 43	C 34	Fe 1	N 4	O 4	0
6	A	1	Total 43	C 34	Fe 1	N 4	O 4	0


- | Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------------|---------|---------|
| 7 | B | 15 | Total
15 | O
15 | 0 |
| 7 | A | 27 | Total
27 | O
27 | 0 |

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Probable integral membrane cytochrome D ubiquinol oxidase (Subunit II) CydB (Cytochrome BD-I oxidase subunit II)

Chain B: 



- Molecule 2: Probable integral membrane cytochrome D ubiquinol oxidase (Subunit I) CydA (Cytochrome BD-I oxidase subunit I)

Chain A: 



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	843799	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	15	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	96000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.325	Depositor
Minimum map value	-0.161	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.0239	Depositor
Map size ($\text{\AA}$)	214.272, 214.272, 214.272	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.837, 0.837, 0.837	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OXY, HDD, HEB, MQ9

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.17	0/2699	0.40	1/3708 (0.0%)
2	A	0.20	0/3688	0.49	6/5046 (0.1%)
All	All	0.19	0/6387	0.45	7/8754 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	345	ILE	N-CA-C	6.84	117.63	110.72
2	A	284	ASN	N-CA-C	6.04	118.66	111.71
2	A	252	PHE	N-CA-C	5.99	117.81	111.28
2	A	247	GLN	N-CA-C	5.80	117.69	111.36
1	B	2	VAL	N-CA-C	5.76	115.89	110.30
2	A	299	PRO	CA-N-CD	-5.46	104.35	112.00
2	A	342	ARG	N-CA-C	-5.06	105.85	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2611	0	2634	51	0
2	A	3581	0	3581	88	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	2	0	0	5	0
4	A	58	0	80	23	0
5	A	44	0	31	9	0
6	A	86	0	64	14	0
7	A	27	0	0	1	0
7	B	15	0	0	1	0
All	All	6424	0	6390	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1:MET:HE3	1:B:4:GLN:HE21	1.13	1.09
2:A:345:ILE:HG23	6:A:705:HEB:HBB3	1.25	1.09
1:B:1:MET:HE3	1:B:4:GLN:NE2	1.77	0.98
1:B:1:MET:HG3	1:B:4:GLN:NE2	1.78	0.97
1:B:1:MET:CE	1:B:4:GLN:HE21	1.78	0.95
2:A:343:MET:HA	4:A:702:MQ9:H472	1.48	0.94
2:A:342:ARG:HB3	4:A:702:MQ9:H451	1.47	0.94
4:A:702:MQ9:H422	4:A:702:MQ9:H372	1.51	0.90
2:A:345:ILE:HG23	6:A:705:HEB:CBB	2.05	0.85
4:A:702:MQ9:H422	4:A:702:MQ9:C37	2.10	0.81
4:A:702:MQ9:H5M2	4:A:702:MQ9:C8	2.12	0.79
2:A:291:VAL:HG12	2:A:292:ILE:HG13	1.64	0.77
4:A:702:MQ9:H372	4:A:702:MQ9:C42	2.18	0.73
2:A:339:TRP:HB3	4:A:702:MQ9:H362	1.70	0.72
2:A:350:ILE:HB	2:A:351:PRO:HD3	1.70	0.72
2:A:342:ARG:HB3	4:A:702:MQ9:C45	2.20	0.71
1:B:1:MET:CG	1:B:4:GLN:NE2	2.52	0.71
2:A:339:TRP:CB	4:A:702:MQ9:H362	2.21	0.70
2:A:348:MET:HE2	6:A:705:HEB:HAB2	1.76	0.68
1:B:246:VAL:O	1:B:249:ARG:NH2	2.27	0.67
2:A:342:ARG:CB	4:A:702:MQ9:H451	2.24	0.67
2:A:98:GLU:OE2	3:A:701:OXY:O2	2.11	0.67
2:A:26:ILE:HD11	5:A:703:HDD:HAC	1.76	0.66
2:A:245:ASP:OD1	2:A:249:LYS:NZ	2.27	0.66
5:A:703:HDD:HAB	6:A:704:HEB:HMC2	1.77	0.66
1:B:187:LEU:HD13	1:B:252:ASP:CB	2.26	0.65
2:A:296:TYR:HD1	2:A:306:ILE:HB	1.62	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:101:ARG:HB2	1:B:127:GLY:HA3	1.79	0.64
1:B:98:MET:HG2	7:B:410:HOH:O	1.97	0.63
1:B:1:MET:HG3	1:B:4:GLN:HE22	1.58	0.62
5:A:703:HDD:CAB	6:A:704:HEB:HBC1	2.29	0.61
1:B:68:ALA:O	1:B:72:ILE:HG13	2.00	0.61
2:A:279:VAL:HG22	2:A:289:THR:HB	1.83	0.61
1:B:252:ASP:OD1	1:B:329:ARG:NH2	2.30	0.61
2:A:177:ASN:OD1	2:A:178:THR:N	2.35	0.60
2:A:252:PHE:CE1	2:A:311:LEU:CD2	2.83	0.60
2:A:252:PHE:HE1	2:A:311:LEU:HD23	1.66	0.60
1:B:110:LYS:HE3	2:A:56:LYS:HE3	1.84	0.60
2:A:350:ILE:HG22	2:A:380:THR:HG23	1.82	0.60
1:B:187:LEU:HD13	1:B:252:ASP:HB3	1.84	0.58
1:B:307:VAL:HG11	2:A:97:MET:HG2	1.86	0.58
4:A:702:MQ9:C23	4:A:702:MQ9:H171	2.33	0.58
2:A:292:ILE:O	2:A:292:ILE:HG22	2.02	0.58
2:A:349:ALA:O	2:A:353:LEU:CB	2.52	0.57
1:B:77:PRO:HB3	2:A:88:GLY:HA3	1.87	0.57
5:A:703:HDD:HAB	6:A:704:HEB:HBC1	1.86	0.57
1:B:137:VAL:HG13	1:B:166:THR:HB	1.87	0.57
1:B:188:LYS:NZ	1:B:326:PHE:O	2.38	0.56
2:A:98:GLU:CD	3:A:701:OXY:O2	2.48	0.56
2:A:220:ALA:O	2:A:224:PRO:CD	2.52	0.56
2:A:360:TRP:O	2:A:363:ARG:NH2	2.35	0.56
2:A:100:LEU:HA	2:A:104:PHE:HD2	1.71	0.56
2:A:252:PHE:HE1	2:A:311:LEU:CD2	2.18	0.56
2:A:284:ASN:N	2:A:284:ASN:OD1	2.38	0.56
1:B:1:MET:CE	1:B:4:GLN:NE2	2.53	0.56
4:A:702:MQ9:C23	4:A:702:MQ9:C17	2.85	0.54
2:A:44:ASN:HB3	2:A:47:TRP:HD1	1.73	0.54
4:A:702:MQ9:C10	4:A:702:MQ9:C28	2.86	0.54
1:B:110:LYS:HE3	2:A:56:LYS:CE	2.37	0.54
2:A:25:THR:HG21	5:A:703:HDD:HBD2	1.89	0.54
4:A:702:MQ9:C8	4:A:702:MQ9:C5M	2.85	0.54
2:A:4:VAL:HG22	2:A:422:VAL:HG11	1.89	0.54
2:A:193:THR:OG1	2:A:388:ASN:ND2	2.40	0.54
2:A:278:THR:HG21	2:A:288:LEU:HD22	1.90	0.54
2:A:94:PRO:HB2	2:A:146:ALA:HB2	1.91	0.53
1:B:1:MET:HE2	1:B:298:PRO:HG3	1.89	0.53
2:A:78:MET:O	2:A:425:HIS:NE2	2.39	0.53
2:A:90:VAL:HG13	2:A:167:LEU:HD13	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:220:ALA:O	2:A:224:PRO:HD3	2.09	0.52
4:A:702:MQ9:H72	6:A:704:HEB:HMA2	1.90	0.52
2:A:98:GLU:OE1	3:A:701:OXY:O2	2.26	0.52
1:B:300:THR:OG1	2:A:89:ASP:OD1	2.27	0.52
2:A:345:ILE:CG2	6:A:705:HEB:HBB3	2.18	0.52
1:B:248:ARG:O	1:B:248:ARG:HG3	2.09	0.52
2:A:245:ASP:CG	2:A:249:LYS:HZ1	2.18	0.52
1:B:110:LYS:CD	2:A:56:LYS:HE3	2.40	0.51
1:B:187:LEU:CD1	1:B:252:ASP:HB3	2.40	0.51
2:A:273:ASN:HB3	2:A:293:GLU:HB3	1.92	0.51
2:A:252:PHE:CE1	2:A:311:LEU:HD23	2.43	0.51
4:A:702:MQ9:H501	4:A:702:MQ9:H461	1.93	0.50
1:B:185:ILE:O	1:B:189:THR:OG1	2.28	0.50
1:B:187:LEU:CD1	1:B:252:ASP:CB	2.89	0.50
2:A:17:TYR:HE1	4:A:702:MQ9:H202	1.75	0.50
2:A:31:LEU:O	2:A:35:MET:HG3	2.12	0.49
1:B:141:ILE:HD11	1:B:161:VAL:HG13	1.94	0.48
1:B:107:TRP:HH2	2:A:64:ILE:HD12	1.78	0.48
2:A:278:THR:CG2	2:A:288:LEU:HD22	2.44	0.47
2:A:397:MET:HE1	4:A:702:MQ9:C3A	2.44	0.47
2:A:344:MET:HE3	2:A:344:MET:HB3	1.76	0.47
1:B:198:TYR:CE1	1:B:249:ARG:HG3	2.49	0.47
2:A:151:GLN:OE1	2:A:255:GLN:NE2	2.39	0.47
2:A:376:LEU:O	2:A:380:THR:OG1	2.29	0.47
2:A:314:ILE:HD13	2:A:334:LEU:HD21	1.97	0.47
2:A:73:GLU:OE1	5:A:703:HDD:HHB	2.15	0.46
2:A:143:ILE:HB	3:A:701:OXY:O2	2.15	0.46
1:B:87:LEU:HB3	1:B:90:PRO:HG2	1.97	0.46
2:A:303:GLU:HG3	2:A:309:VAL:HG13	1.97	0.46
1:B:110:LYS:HE3	2:A:56:LYS:HZ2	1.81	0.45
2:A:21:PHE:HE1	2:A:448:TRP:CD2	2.34	0.45
2:A:343:MET:CE	2:A:386:LEU:HB3	2.46	0.45
1:B:73:PHE:HD1	1:B:73:PHE:O	1.99	0.45
2:A:300:PHE:O	2:A:304:GLY:HA2	2.16	0.45
1:B:30:MET:HB3	1:B:129:TRP:CE2	2.52	0.45
2:A:328:ASN:OD1	2:A:329:ASP:N	2.49	0.45
4:A:702:MQ9:H322	4:A:702:MQ9:H303	1.68	0.45
1:B:139:PHE:HB3	1:B:270:LEU:HD13	1.99	0.45
2:A:117:TRP:HD1	7:A:801:HOH:O	2.00	0.45
2:A:189:GLY:HA2	6:A:705:HEB:HBC1	1.99	0.44
2:A:11:PHE:CD1	2:A:11:PHE:O	2.70	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:98:GLU:OE1	3:A:701:OXY:O1	2.35	0.44
1:B:86:ALA:HB2	1:B:154:VAL:HG21	1.99	0.44
2:A:86:PHE:O	2:A:165:ALA:N	2.42	0.43
1:B:110:LYS:CE	2:A:56:LYS:HE3	2.47	0.43
1:B:198:TYR:CD1	1:B:249:ARG:HG3	2.53	0.43
1:B:249:ARG:HD2	1:B:249:ARG:N	2.33	0.43
2:A:345:ILE:CD1	6:A:705:HEB:HBB3	2.48	0.43
1:B:303:ILE:HD13	1:B:303:ILE:HA	1.88	0.43
2:A:153:PRO:HG2	2:A:407:ASN:HB2	2.00	0.43
4:A:702:MQ9:H102	4:A:702:MQ9:H311	2.00	0.43
2:A:326:GLY:O	2:A:330:TYR:OH	2.31	0.43
1:B:66:ILE:HG23	2:A:73:GLU:HG2	2.00	0.43
1:B:206:LEU:HB2	1:B:207:PRO:HD3	2.00	0.42
1:B:249:ARG:N	1:B:249:ARG:CD	2.83	0.42
1:B:15:PHE:CE2	1:B:72:ILE:HD11	2.54	0.42
2:A:349:ALA:O	2:A:353:LEU:HB2	2.17	0.42
1:B:252:ASP:OD1	1:B:329:ARG:NH1	2.52	0.42
2:A:349:ALA:O	2:A:353:LEU:HB3	2.18	0.42
2:A:299:PRO:CB	2:A:306:ILE:O	2.68	0.42
1:B:16:LEU:O	1:B:20:ILE:HG12	2.20	0.42
2:A:247:GLN:HE22	6:A:705:HEB:CGD	2.32	0.42
2:A:339:TRP:HB2	4:A:702:MQ9:H362	1.99	0.42
2:A:28:LEU:HG	2:A:32:ILE:HD11	2.00	0.42
1:B:220:GLN:NE2	1:B:225:LYS:O	2.53	0.42
2:A:298:LEU:HB2	2:A:299:PRO:HD2	2.01	0.42
1:B:148:VAL:O	1:B:281:SER:OG	2.34	0.41
2:A:205:TRP:NE1	2:A:456:ILE:O	2.49	0.41
4:A:702:MQ9:H71	4:A:702:MQ9:H112	1.81	0.41
1:B:18:PHE:CD1	1:B:65:LEU:HB2	2.56	0.41
2:A:399:ARG:HH12	6:A:704:HEB:HBD2	1.86	0.41
1:B:187:LEU:CD1	1:B:252:ASP:HB2	2.50	0.41
2:A:74:PHE:O	2:A:78:MET:HG3	2.20	0.41
2:A:262:ALA:HB2	2:A:394:PHE:CZ	2.56	0.41
5:A:703:HDD:CBB	6:A:704:HEB:HBC1	2.51	0.41
6:A:705:HEB:HAA2	6:A:705:HEB:HMA3	1.79	0.41
2:A:72:GLN:HB3	5:A:703:HDD:HBB1	2.02	0.41
2:A:349:ALA:O	2:A:353:LEU:N	2.46	0.41
4:A:702:MQ9:H422	4:A:702:MQ9:C36	2.50	0.41
1:B:47:ARG:HE	1:B:108:ARG:NH2	2.19	0.41
5:A:703:HDD:HMD2	5:A:703:HDD:HAD2	1.79	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	333/346 (96%)	332 (100%)	1 (0%)	0	100	100
2	A	451/485 (93%)	443 (98%)	8 (2%)	0	100	100
All	All	784/831 (94%)	775 (99%)	9 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	258/264 (98%)	257 (100%)	1 (0%)	84	93
2	A	377/399 (94%)	374 (99%)	3 (1%)	73	88
All	All	635/663 (96%)	631 (99%)	4 (1%)	76	91

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	89	LEU
2	A	284	ASN
2	A	285	CYS
2	A	344	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	4	GLN
2	A	10	GLN
2	A	61	ASN
2	A	75	GLN
2	A	247	GLN
2	A	283	ASN
2	A	312	GLN
2	A	318	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	MQ9	A	702	-	59,59,59	2.26	17 (28%)	73,75,75	1.65	19 (26%)
5	HDD	A	703	2	46,52,52	2.41	20 (43%)	62,89,89	2.42	23 (37%)
3	OXY	A	701	-	1,1,1	0.16	0	-		
6	HEB	A	705	2	50,50,50	4.79	29 (58%)	66,82,82	5.33	41 (62%)
6	HEB	A	704	2	50,50,50	4.78	29 (58%)	66,82,82	5.30	39 (59%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HDD	A	703	2	-	4/9/89/89	0/1/9/9
4	MQ9	A	702	-	-	15/53/73/73	0/2/2/2
6	HEB	A	705	2	1/1/3/8	4/14/54/54	-
6	HEB	A	704	2	1/1/3/8	7/14/54/54	-

All (95) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	704	HEB	FE-ND	13.15	2.35	1.94
6	A	705	HEB	FE-ND	13.12	2.35	1.94
4	A	702	MQ9	C6-C5	8.92	1.51	1.35
6	A	704	HEB	C4A-NA	8.63	1.55	1.39
6	A	705	HEB	C4A-NA	8.59	1.55	1.39
6	A	704	HEB	C1C-C2C	-8.58	1.23	1.43
6	A	705	HEB	C1C-C2C	-8.42	1.23	1.43
6	A	704	HEB	C4D-ND	7.63	1.53	1.38
6	A	705	HEB	C4D-ND	7.62	1.53	1.38
6	A	704	HEB	C1A-C2A	-7.46	1.32	1.45
6	A	705	HEB	C1A-C2A	-7.34	1.32	1.45
6	A	705	HEB	CHA-C4D	7.31	1.55	1.39
6	A	704	HEB	CHA-C4D	7.29	1.55	1.39
6	A	704	HEB	C1B-C2B	-7.06	1.30	1.44
6	A	705	HEB	FE-NB	7.04	2.16	1.94
6	A	704	HEB	FE-NB	6.98	2.16	1.94
6	A	705	HEB	C1B-C2B	-6.97	1.30	1.44
6	A	705	HEB	C1C-NC	6.86	1.52	1.39
6	A	704	HEB	C1C-NC	6.78	1.52	1.39
6	A	704	HEB	FE-NC	6.69	2.17	1.95
6	A	705	HEB	FE-NC	6.67	2.17	1.95
6	A	704	HEB	CHD-C1D	6.09	1.50	1.38
6	A	705	HEB	C4B-NB	5.87	1.50	1.40
6	A	705	HEB	CHD-C1D	5.83	1.50	1.38
6	A	705	HEB	C3B-C2B	-5.75	1.24	1.36
6	A	704	HEB	C3B-C2B	-5.74	1.24	1.36
6	A	705	HEB	C2A-C3A	-5.71	1.24	1.36
6	A	704	HEB	C4B-NB	5.69	1.50	1.40
6	A	705	HEB	CHC-C1C	5.66	1.52	1.39
6	A	704	HEB	C2A-C3A	-5.63	1.24	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	704	HEB	CHC-C1C	5.52	1.51	1.39
6	A	705	HEB	C1D-C2D	-5.47	1.33	1.44
6	A	705	HEB	CHB-C4A	5.38	1.48	1.38
6	A	704	HEB	CHB-C4A	5.38	1.48	1.38
6	A	705	HEB	C3C-C2C	-5.37	1.23	1.41
6	A	705	HEB	FE-NA	5.32	2.12	1.95
6	A	704	HEB	FE-NA	5.27	2.12	1.95
6	A	704	HEB	C3C-C2C	-5.24	1.23	1.41
4	A	702	MQ9	C3-C4	5.21	1.58	1.48
6	A	704	HEB	C1D-C2D	-5.19	1.34	1.44
4	A	702	MQ9	C7-C8	5.01	1.58	1.50
6	A	705	HEB	C1B-NB	4.87	1.48	1.38
6	A	704	HEB	C1B-NB	4.86	1.48	1.38
5	A	703	HDD	O1D-CGD	4.84	1.43	1.35
6	A	705	HEB	CHA-C1A	4.69	1.47	1.38
5	A	703	HDD	C3B-C2B	4.59	1.46	1.37
6	A	704	HEB	CHA-C1A	4.58	1.47	1.38
6	A	704	HEB	CBC-CAC	4.56	1.52	1.30
6	A	705	HEB	CBC-CAC	4.51	1.52	1.30
6	A	705	HEB	C4A-C3A	-4.49	1.36	1.45
5	A	703	HDD	CHC-C4B	4.49	1.47	1.38
6	A	704	HEB	C4A-C3A	-4.48	1.36	1.45
6	A	705	HEB	CHC-C4B	4.46	1.47	1.38
5	A	703	HDD	CHB-C1B	4.38	1.47	1.38
6	A	704	HEB	C4B-C3B	-4.36	1.37	1.45
4	A	702	MQ9	C2-C1	4.33	1.56	1.48
6	A	704	HEB	CHC-C4B	4.31	1.47	1.38
6	A	705	HEB	CHB-C1B	4.21	1.48	1.39
6	A	704	HEB	CHB-C1B	4.20	1.48	1.39
5	A	703	HDD	C4C-NC	-4.16	1.31	1.39
6	A	705	HEB	C4B-C3B	-4.14	1.38	1.45
5	A	703	HDD	O1D-C3D	-4.06	1.40	1.46
6	A	704	HEB	C4C-NC	4.03	1.47	1.39
6	A	705	HEB	C4C-NC	4.02	1.47	1.39
5	A	703	HDD	C1A-NA	-3.70	1.32	1.39
5	A	703	HDD	C4A-NA	-3.69	1.32	1.39
5	A	703	HDD	C1C-NC	-3.64	1.32	1.39
5	A	703	HDD	CHB-C4A	3.36	1.46	1.39
4	A	702	MQ9	C21-C19	3.21	1.57	1.51
4	A	702	MQ9	O1-C1	-3.19	1.16	1.23
6	A	705	HEB	C1A-NA	3.19	1.45	1.39
5	A	703	HDD	CHD-C4C	3.07	1.46	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	704	HEB	C1A-NA	3.02	1.45	1.39
5	A	703	HDD	CHA-C1A	3.02	1.46	1.39
5	A	703	HDD	C1B-NB	-2.97	1.34	1.39
5	A	703	HDD	C4D-ND	-2.76	1.33	1.37
5	A	703	HDD	CHC-C1C	2.75	1.45	1.39
5	A	703	HDD	C2A-C3A	2.70	1.45	1.38
5	A	703	HDD	C1C-C2C	2.67	1.49	1.43
4	A	702	MQ9	C7-C6	2.67	1.56	1.51
4	A	702	MQ9	O4-C4	-2.64	1.17	1.23
6	A	704	HEB	C1D-ND	2.58	1.44	1.40
4	A	702	MQ9	C5M-C5	2.58	1.56	1.50
5	A	703	HDD	C4A-C3A	2.54	1.49	1.43
6	A	705	HEB	C1D-ND	2.52	1.44	1.40
4	A	702	MQ9	C11-C9	2.45	1.56	1.51
4	A	702	MQ9	C36-C34	2.45	1.56	1.51
4	A	702	MQ9	C37-C38	2.30	1.57	1.50
5	A	703	HDD	C4B-NB	-2.30	1.35	1.39
5	A	703	HDD	C1D-ND	-2.29	1.33	1.37
4	A	702	MQ9	C42-C43	2.22	1.57	1.50
4	A	702	MQ9	C31-C29	2.14	1.55	1.51
4	A	702	MQ9	C38-C39	2.10	1.37	1.33
4	A	702	MQ9	C16-C14	2.06	1.55	1.51
4	A	702	MQ9	C12-C13	2.01	1.56	1.50

All (122) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	704	HEB	C1D-C2D-C3D	15.89	123.69	106.98
6	A	705	HEB	C1D-C2D-C3D	15.88	123.68	106.98
6	A	705	HEB	C1B-C2B-C3B	13.27	120.94	106.98
6	A	704	HEB	C1B-C2B-C3B	13.06	120.72	106.98
6	A	705	HEB	C3C-C4C-NC	-12.67	99.13	109.80
6	A	704	HEB	C3C-C4C-NC	-12.62	99.17	109.80
6	A	705	HEB	C2A-C1A-NA	-11.59	99.14	110.32
6	A	704	HEB	C2A-C1A-NA	-11.44	99.28	110.32
6	A	705	HEB	C3C-C2C-C1C	11.35	120.55	107.17
6	A	704	HEB	C3C-C2C-C1C	11.20	120.38	107.17
6	A	704	HEB	C2D-C1D-ND	-10.98	97.22	109.84
6	A	704	HEB	C1A-C2A-C3A	10.94	121.51	107.11
6	A	705	HEB	C1A-C2A-C3A	10.84	121.39	107.11
6	A	704	HEB	C3D-C4D-ND	-10.79	99.93	110.35
6	A	705	HEB	C3D-C4D-ND	-10.76	99.95	110.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	705	HEB	C2D-C1D-ND	-10.75	97.49	109.84
6	A	705	HEB	C2B-C1B-NB	-9.45	98.98	109.90
6	A	704	HEB	C2B-C1B-NB	-9.35	99.09	109.90
6	A	705	HEB	C3B-C4B-NB	-9.25	100.02	110.17
6	A	704	HEB	C3B-C4B-NB	-9.17	100.12	110.17
6	A	704	HEB	C1D-ND-C4D	8.00	114.69	105.21
6	A	705	HEB	C1D-ND-C4D	7.84	114.49	105.21
5	A	703	HDD	C3C-C4C-NC	6.74	115.47	109.80
5	A	703	HDD	C3C-C2C-C1C	-5.88	100.24	107.17
5	A	703	HDD	C2A-C1A-NA	5.80	116.59	110.15
6	A	705	HEB	C3A-C4A-NA	-5.49	99.48	109.64
6	A	704	HEB	C3A-C4A-NA	-5.39	99.66	109.64
6	A	705	HEB	CHB-C1B-C2B	5.34	133.46	125.03
6	A	704	HEB	CHB-C1B-C2B	5.23	133.28	125.03
6	A	704	HEB	CHA-C1A-NA	5.10	130.00	124.45
6	A	705	HEB	C2C-C1C-NC	-5.09	101.99	110.14
6	A	705	HEB	CHA-C4D-C3D	5.06	132.15	124.77
6	A	704	HEB	CHA-C4D-C3D	5.03	132.11	124.77
6	A	705	HEB	CMD-C2D-C1D	-4.96	117.28	125.03
6	A	705	HEB	CHA-C1A-NA	4.83	129.72	124.45
6	A	704	HEB	C2C-C1C-NC	-4.78	102.48	110.14
5	A	703	HDD	C3B-C2B-C1B	-4.74	102.56	107.05
6	A	705	HEB	CAA-C2A-C3A	-4.71	119.04	127.87
6	A	704	HEB	CMC-C2C-C1C	-4.66	118.33	125.42
5	A	703	HDD	C2D-C1D-CHD	-4.36	117.49	124.27
6	A	705	HEB	CHC-C4B-C3B	4.26	133.07	125.23
6	A	704	HEB	CMB-C2B-C1B	-4.18	118.50	125.03
6	A	704	HEB	CHC-C4B-C3B	4.08	132.75	125.23
6	A	704	HEB	CMD-C2D-C1D	-4.07	118.68	125.03
6	A	704	HEB	CAA-C2A-C3A	-4.03	120.32	127.87
6	A	705	HEB	CHA-C1A-C2A	3.98	131.14	124.86
4	A	702	MQ9	C12-C13-C14	-3.81	118.90	127.62
5	A	703	HDD	C2C-C1C-NC	3.75	116.16	110.14
6	A	705	HEB	CMB-C2B-C1B	-3.74	119.20	125.03
6	A	704	HEB	CHA-C1A-C2A	3.70	130.71	124.86
6	A	705	HEB	CMC-C2C-C1C	-3.66	119.85	125.42
6	A	705	HEB	CHB-C4A-C3A	3.60	132.97	125.49
6	A	704	HEB	CHB-C4A-C3A	3.54	132.85	125.49
6	A	705	HEB	C4C-C3C-C2C	3.50	111.66	107.30
5	A	703	HDD	CMC-C2C-C1C	3.42	130.63	125.42
5	A	703	HDD	C1A-C2A-C3A	-3.39	101.63	106.87
4	A	702	MQ9	C7-C8-C9	-3.35	121.06	126.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	703	HDD	C4B-C3B-C2B	-3.33	103.92	106.81
5	A	703	HDD	C4A-C3A-C2A	-3.33	103.00	106.82
6	A	704	HEB	C4C-C3C-C2C	3.31	111.42	107.30
6	A	704	HEB	CHA-C4D-ND	3.29	127.96	124.42
6	A	704	HEB	CAA-C2A-C1A	-3.29	118.16	124.85
6	A	704	HEB	C4B-C3B-C2B	3.26	111.64	106.89
5	A	703	HDD	CMA-C3A-C4A	3.26	130.38	125.42
6	A	705	HEB	CHD-C4C-NC	3.25	129.75	123.86
6	A	705	HEB	C4A-C3A-C2A	3.24	111.78	106.97
6	A	705	HEB	CHA-C4D-ND	3.23	127.90	124.42
6	A	705	HEB	C4B-C3B-C2B	3.18	111.52	106.89
4	A	702	MQ9	C17-C18-C19	-3.18	120.35	127.62
5	A	703	HDD	O1D-C3D-CAD	3.17	108.92	103.06
4	A	702	MQ9	C32-C33-C34	-3.16	120.39	127.62
6	A	704	HEB	CMD-C2D-C3D	-3.15	117.63	126.15
4	A	702	MQ9	C30-C29-C31	3.13	120.67	115.23
5	A	703	HDD	CHD-C1D-ND	3.03	128.45	124.28
4	A	702	MQ9	C25-C24-C26	3.02	120.47	115.23
6	A	704	HEB	C4A-C3A-C2A	3.01	111.45	106.97
5	A	703	HDD	C2B-C1B-NB	2.99	115.16	109.64
5	A	703	HDD	CHB-C1B-C2B	-2.98	119.29	125.49
6	A	704	HEB	CHB-C1B-NB	2.97	127.62	124.42
6	A	705	HEB	CMC-C2C-C3C	-2.95	119.61	126.55
6	A	704	HEB	CHD-C1D-C2D	2.94	135.31	126.95
4	A	702	MQ9	C35-C34-C36	2.92	120.29	115.23
6	A	705	HEB	CHB-C1B-NB	2.91	127.56	124.42
6	A	704	HEB	CHD-C4C-NC	2.89	129.10	123.86
4	A	702	MQ9	C7-C6-C1	-2.87	115.56	118.58
6	A	705	HEB	CHB-C4A-NA	2.84	127.55	124.45
5	A	703	HDD	C3A-C4A-NA	2.81	114.65	110.14
6	A	705	HEB	C4B-NB-C1B	2.81	108.53	105.21
6	A	704	HEB	CHB-C4A-NA	2.79	127.49	124.45
4	A	702	MQ9	C37-C38-C39	-2.78	121.26	127.62
6	A	705	HEB	CHD-C1D-ND	2.78	127.80	124.37
6	A	704	HEB	CHC-C1C-NC	2.77	128.88	123.86
4	A	702	MQ9	C42-C43-C44	-2.75	121.34	127.62
6	A	705	HEB	CHD-C1D-C2D	2.73	134.71	126.95
6	A	704	HEB	C4B-NB-C1B	2.72	108.43	105.21
4	A	702	MQ9	C20-C19-C21	2.70	119.92	115.23
6	A	705	HEB	CHC-C1C-NC	2.69	128.74	123.86
4	A	702	MQ9	C22-C23-C24	-2.69	121.46	127.62
6	A	705	HEB	CMD-C2D-C3D	-2.63	119.03	126.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	703	HDD	CMD-C2D-C1D	-2.61	108.27	112.68
5	A	703	HDD	C3D-O1D-CGD	-2.60	108.72	111.14
6	A	705	HEB	CAA-C2A-C1A	-2.60	119.57	124.85
6	A	705	HEB	CBC-CAC-C3C	-2.59	114.57	127.53
5	A	703	HDD	CHA-C4D-ND	2.59	127.85	124.28
5	A	703	HDD	C4C-C3C-C2C	-2.53	104.16	107.30
4	A	702	MQ9	C15-C14-C16	2.51	119.58	115.23
6	A	704	HEB	CHD-C1D-ND	2.51	127.47	124.37
5	A	703	HDD	CAB-C3B-C4B	2.50	130.80	124.82
4	A	702	MQ9	C40-C39-C41	2.50	119.56	115.23
4	A	702	MQ9	C10-C9-C11	2.48	119.53	115.23
4	A	702	MQ9	C51-C49-C50	2.42	120.16	114.59
5	A	703	HDD	CHC-C1C-NC	-2.34	119.62	123.86
6	A	705	HEB	CMB-C2B-C3B	-2.32	119.86	126.15
5	A	703	HDD	OND-C2D-C3D	2.32	115.91	110.46
6	A	704	HEB	CHC-C4B-NB	2.24	127.13	124.37
6	A	704	HEB	CMC-C2C-C3C	-2.23	121.30	126.55
6	A	705	HEB	CAB-C3B-C2B	-2.23	123.46	127.56
6	A	704	HEB	CBC-CAC-C3C	-2.22	116.46	127.53
4	A	702	MQ9	C45-C44-C46	2.21	119.06	115.23
4	A	702	MQ9	C27-C28-C29	-2.19	122.61	127.62
6	A	705	HEB	CHC-C4B-NB	2.05	126.90	124.37
4	A	702	MQ9	C47-C48-C49	-2.04	120.85	127.64

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	A	704	HEB	NA
6	A	705	HEB	NA

All (30) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	702	MQ9	C5-C6-C7-C8
4	A	702	MQ9	C1-C6-C7-C8
6	A	704	HEB	C2C-C3C-CAC-CBC
6	A	704	HEB	C4C-C3C-CAC-CBC
6	A	705	HEB	C2C-C3C-CAC-CBC
6	A	705	HEB	C4C-C3C-CAC-CBC
4	A	702	MQ9	C30-C29-C31-C32
4	A	702	MQ9	C28-C29-C31-C32
4	A	702	MQ9	C34-C36-C37-C38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	702	MQ9	C14-C16-C17-C18
4	A	702	MQ9	C40-C39-C41-C42
4	A	702	MQ9	C44-C46-C47-C48
4	A	702	MQ9	C38-C39-C41-C42
6	A	704	HEB	C3D-CAD-CBD-CGD
4	A	702	MQ9	C24-C26-C27-C28
5	A	703	HDD	C2B-C3B-CAB-CBB
4	A	702	MQ9	C29-C31-C32-C33
4	A	702	MQ9	C19-C21-C22-C23
6	A	705	HEB	CAD-CBD-CGD-O1D
4	A	702	MQ9	C20-C19-C21-C22
6	A	705	HEB	CAD-CBD-CGD-O2D
4	A	702	MQ9	C46-C47-C48-C49
4	A	702	MQ9	C39-C41-C42-C43
5	A	703	HDD	C4B-C3B-CAB-CBB
5	A	703	HDD	CAA-CBA-CGA-O1A
5	A	703	HDD	CAA-CBA-CGA-O2A
6	A	704	HEB	CAD-CBD-CGD-O1D
6	A	704	HEB	CAD-CBD-CGD-O2D
6	A	704	HEB	CAA-CBA-CGA-O2A
6	A	704	HEB	CAA-CBA-CGA-O1A



There are no ring outliers.


5 monomers are involved in 46 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	702	MQ9	23	0
5	A	703	HDD	9	0
3	A	701	OXY	5	0
6	A	705	HEB	8	0
6	A	704	HEB	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-12451. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 122




Y Index: 133




Z Index: 119


6.3.2 Raw map



X Index: 127



Y Index: 128




Z Index: 119


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

This section was not generated.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_12451_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 47 nm^3 ; this corresponds to an approximate mass of 42 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.400 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.400 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.50	-	-
Author-provided FSC curve	2.51	2.83	2.58
Unmasked-calculated*	2.82	3.16	2.88

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.82 differs from the reported value 2.5 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-12451 and PDB model 7NKZ. Per-residue inclusion information can be found in section [3](#) on page [7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0239 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0239).

9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 96% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0239) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9570	0.6360
A	0.9580	0.6370
B	0.9600	0.6360

