



wwPDB EM Validation Summary Report ⓘ

Mar 4, 2026 – 11:51 PM UTC

PDB ID : 9NKL / pdb_00009nkl
EMDB ID : EMD-40932
Title : E. coli 70S initiation complex
Authors : Singh, S.; Hunt, J.F.
Deposited on : 2025-03-01
Resolution : 3.30 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis	:	0.0.1.dev132
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	4-5-2 with Phenix2.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics	:	202505.v01 (Using data in the EMD archive up until May 2025)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	15087 (2.80 - 3.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	13	142	7% 73% 27%
2	14	122	11% 66% 33% .
3	15	144	7% 75% 25%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	16	136	
5	17	120	
6	18	116	
7	19	114	
8	2	271	
9	20	117	
10	21	103	
11	22	110	
12	23	93	
13	24	102	
14	25	94	
15	27	76	
16	28	77	
17	29	63	
18	3	209	
19	30	58	
20	31	66	
21	32	56	
22	34	46	
23	35	64	
24	36	38	
25	4	201	
26	5	177	
27	6	176	
28	9	149	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	M	9	
30	R1	2903	
31	R2	119	
32	R3	1531	
33	sb	218	
34	sc	206	
35	sd	205	
36	se	157	
37	sf	100	
38	sg	151	
39	sh	129	
40	si	127	
41	sj	98	
42	sk	116	
43	sl	123	
44	sm	114	
45	sn	100	
46	so	88	
47	sp	82	
48	sq	80	
49	sr	65	
50	ss	79	
51	st	85	
52	su	65	
53	T	78	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	33	50	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
53	H2U	T	20	X	-	-	-
53	4OC	T	32	X	-	-	-
53	MUM	T	54	X	-	-	-
53	4SU	T	8	X	-	-	-

2 Entry composition

There are 55 unique types of molecules in this entry. The entry contains 144154 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	13	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 2 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	14	122	Total	C	N	O	S	0	0
			938	587	180	165	6		

- Molecule 3 is a protein called Large ribosomal subunit protein uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	15	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 4 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	16	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 5 is a protein called Large ribosomal subunit protein bL17.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	17	120	Total	C	N	O	S	0	0
			960	593	196	166	5		

- Molecule 6 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms				AltConf	Trace
6	18	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 7 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	19	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 8 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	2	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 9 is a protein called Large ribosomal subunit protein bL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	20	117	Total	C	N	O	S	0	0
			947	604	192	151			

- Molecule 10 is a protein called Large ribosomal subunit protein bL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	21	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 11 is a protein called Large ribosomal subunit protein uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	22	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 12 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	23	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 13 is a protein called Large ribosomal subunit protein uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	24	102	Total	C	N	O	S	0	0
			779	492	146	141			

- Molecule 14 is a protein called Large ribosomal subunit protein bL25.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	25	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 15 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	27	76	Total	C	N	O	S	0	0
			582	360	117	104	1		

- Molecule 16 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	28	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 17 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	29	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 18 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	3	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 19 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	30	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 20 is a protein called Large ribosomal subunit protein bL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	31	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 21 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	32	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 22 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	34	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 23 is a protein called Large ribosomal subunit protein bL35.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	35	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 24 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	36	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 25 is a protein called Large ribosomal subunit protein uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	4	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 26 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	5	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 27 is a protein called Large ribosomal subunit protein uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	6	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 28 is a protein called Large ribosomal subunit protein bL9.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	9	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 29 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	M	9	Total	C	N	O	P	0	0
			195	88	40	58	9		

- Molecule 30 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	R1	2903	Total	C	N	O	P	0	0
			62318	27801	11467	20148	2902		

- Molecule 31 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	R2	119	Total	C	N	O	P	0	0
			2546	1135	466	827	118		

- Molecule 32 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	R3	1531	Total	C	N	O	P	0	0
			32850	14652	6028	10640	1530		

- Molecule 33 is a protein called Small ribosomal subunit protein uS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	sb	218	Total	C	N	O	S	0	0
			1704	1081	305	311	7		

- Molecule 34 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	sc	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 35 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	sd	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 36 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	se	157	Total	C	N	O	S	0	0
			1156	719	218	213	6		

- Molecule 37 is a protein called 30S ribosomal protein S6, non-modified isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	sf	100	Total	C	N	O	S	0	0
			817	515	148	148	6		

- Molecule 38 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	sg	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 39 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	sh	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 40 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	si	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 41 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	sj	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 42 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	sk	116	Total	C	N	O	S	0	0
			869	535	173	158	3		

- Molecule 43 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	sl	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 44 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	sm	114	Total	C	N	O	S	0	0
			883	546	178	156	3		

- Molecule 45 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	sn	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 46 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	so	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 47 is a protein called Small ribosomal subunit protein bS16.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	sp	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 48 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	sq	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 49 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	sr	65	Total	C	N	O	S	0	0
			535	339	100	95	1		

- Molecule 50 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	ss	79	Total	C	N	O	S	0	0
			637	408	120	107	2		

- Molecule 51 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	st	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 52 is a protein called Small ribosomal subunit protein bS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	su	65	Total	C	N	O	S	0	0
			544	335	117	91	1		

- Molecule 53 is a RNA chain called tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	T	78	Total	C	N	O	P S	0	0
			1649	740	295	536	76 2		

- Molecule 54 is a protein called Large ribosomal subunit protein bL33.

Mol	Chain	Residues	Atoms				AltConf	Trace
54	33	50	Total	C	N	O	0	0
			409	263	75	71		

- Molecule 55 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
55	3	1	Total	Mg	0
			1	1	
55	32	1	Total	Mg	0
			1	1	
55	R1	126	Total	Mg	0
			126	126	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
55	R3	33	Total	Mg	0
			33	33	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Large ribosomal subunit protein uL13




- Molecule 2: 50S ribosomal protein L14



- Molecule 3: Large ribosomal subunit protein uL15





- Molecule 4: 50S ribosomal protein L16









- Molecule 5: Large ribosomal subunit protein bL17





- Molecule 6: Large ribosomal subunit protein uL18



- Molecule 7: 50S ribosomal protein L19




- Molecule 8: 50S ribosomal protein L2




- Molecule 9: Large ribosomal subunit protein bL20

Chain 20:  86% 14%




- Molecule 10: Large ribosomal subunit protein bL21

Chain 21:  13% 72% 28%




- Molecule 11: Large ribosomal subunit protein uL22

Chain 22:  5% 80% 19%




- Molecule 12: Large ribosomal subunit protein uL23

Chain 23:  17% 75% 25%



- Molecule 13: Large ribosomal subunit protein uL24

Chain 24:  15% 74% 25%



- Molecule 14: Large ribosomal subunit protein bL25

Chain 25:  19% 76% 24%




- Molecule 15: Large ribosomal subunit protein bL27


Chain 27:  9% 80% 18%




- Molecule 16: 50S ribosomal protein L28




- Molecule 17: Large ribosomal subunit protein uL29




- Molecule 18: 50S ribosomal protein L3




- Molecule 19: 50S ribosomal protein L30




- Molecule 20: Large ribosomal subunit protein bL31




- Molecule 21: 50S ribosomal protein L32







- Molecule 22: 50S ribosomal protein L34






- Molecule 23: Large ribosomal subunit protein bL35





- Molecule 24: 50S ribosomal protein L36




- Molecule 25: Large ribosomal subunit protein uL4




- Molecule 26: 50S ribosomal protein L5







- Molecule 27: Large ribosomal subunit protein uL6




- Molecule 28: Large ribosomal subunit protein bL9




- Molecule 29: mRNA




- Molecule 30: 23S ribosomal RNA






G2553 U2554	G2557 C2558	U2562 U2563	A2564 A2565	A2566 G2567	G2570 A2571	A2572 C2573	G2574 C2575	A2577 G2578	C2579 U2580	G2583 U2584	U2585 U2586	A2590 C2591	G2592 G2593	G2595 U2596	A2597 A2598	C2601 A2602	G2603 U2609	C2610 U2613	U2616 U2617	C2618 A2619	A2626 G2627	C2628 U2629	C2636 U2637	C2638 U2639	C2640 G2641	C2462 A2469	G2470 U2473	U2474 C2475	A2476 A2477	A2478 G2481	G2487 G2488	G2494 G2495	A2497 C2498	C2499 U2500	C2501 G2502	A2503 U2504	G2505 U2506	C2507 G2508	A2513 U2514	C2515 A2516	U2517 U2518	U2519 C2520	C2521 U2522	A2530 G2535	C2536 U2537	C2538 C2539	C2540 G2545	G2546 A2547	A2548 G2549	G2550 G2551																																																																																																																																																																																																																																																																																						
C1596 U1597	A1598 C1512	A1610 A1616	G1619 G1620	U1629 A1630	A1631 A1632	U1636 A1640	G1645 G1646	U1647 U1648	G1649 A1654	A1658 A1659	C1670 U1671	G1681 C1682	U1683 A1698	U1709 G1710	U1714 G1715	U1716 U1720	G1721 G1722	G1723 G1724	U1725 C1726	C1727 A1808	A1809 A1810	C1728 U1729	G1732 G1733	U1736 G1737	G1738 A1739	U1740 A1744	A1745 A1746	U1747 G1750	U1751 C1752	A1755 G1756	U1757 U1758	A1759 C1760	A1772 A1773	A1776 U1779	A1780 U1781	A1784 A1785	A1789 G1795	U1796 G1797	U1798 G1799	A1801 A1802	A1803 G1806	A1808 A1809	A1810 C1813	G1816 G1817	U1818 A1819	U1820 G1823	U1827 G1828	A1829 G1831	C1832 C1843	C1844 G1845	G1846 A1847	A1848 A1853	A1854 G1862	G1863 U1864	U1865 A1866	G1869 C1870	A1871 A1872	G1873 C1874	C1879 U1880	G1881 C1882	U1883 A1884	A1889 G1897	A1900 A1901	G1906 G1910	A1913 C1914	U1915 A1919	C1920 G1921	G1929 G1930	A1936 A1937	A1938 U1943	G1954 U1955	U1956 A1966	C1967 A1970	U1971 G1972	G1983 U1991	G1992 U1993	C1994 U1995	C1996 C1997	G2004 A2005	C2006 U2011	G2012 A2013	A2014 A2015	A2020 C2021	U2022 C2023	G2024 C2025	U2026 U2027	U2028 G2029	A2030 A2031	G2032 C2033	C2034 U2035	U2036 U2037	U2038 G2039	A2042 C2043	A2052 C2055	G2056 A2059	A2060 A2061	A2062 G2067	U2068 G2069	A2070 A2071	C2072 C2073	U2074 U2075	U2076 A2077	A2080 U2081	A2082 A2090	A2095 C2096	A2097 U2098	U2099 G2100	A2101 G2102	C2103 C2104	U2105 U2106	G2107 A2108	U2109 G2110	U2111 G2112	U2113 A2114	G2115 G2116	A2117 U2118	U2119 G2120	G2121 U2122	G2123 A2123	G2124 G2125	A2126 G2127	G2128 C2129	U2130 U2131	U2132 G2133	A2134 A2135	G2136 U2137	U2138 U2139	G2140 G2141	A2142 G2143	G2144 C2145	C2146 A2147	G2148 U2149	C2150 U2151	G2152 C2153	A2154 U2155	G2156 G2157	A2158 U2159	G2160 C2161	G2162 A2163	C2164 C2165	U2166 U2167	G2168 A2169	A2170 A2171	U2172 A2173	C2174 C2175																																																																																																																																																																																							
A1509 G1510	G1511 C1512	A1515 G1516	A1519 G1519	A1522 U1523	A1528 G1529	G1530 C1531	C1532 C1533	A1535 U1534	A1536 G1537	G1538 U1539	G1540 C1541	U1542 G1543	A1544 U1545	G1546 A1549	C1550 C1558	U1559 G1560	A1566 A1569	U1578 A1579	A1583 U1584	C1585 A1495	A1496 G1587	U1588 U1589	A1590 A1591	C1592 U1593	C1595 U1594	C1599	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1510	A1509 G1




• Molecule 31: 5S ribosomal RNA









• Molecule 34: Small ribosomal subunit protein uS3




• Molecule 35: 30S ribosomal protein S4




• Molecule 36: Small ribosomal subunit protein uS5









- Molecule 37: 30S ribosomal protein S6, non-modified isoform




- Molecule 38: 30S ribosomal protein S7




- Molecule 39: 30S ribosomal protein S8




- Molecule 40: Small ribosomal subunit protein uS9








- Molecule 41: 30S ribosomal protein S10




- Molecule 42: Small ribosomal subunit protein uS11





- Molecule 43: Small ribosomal subunit protein uS12





- Molecule 44: 30S ribosomal protein S13




- Molecule 45: Small ribosomal subunit protein uS14





- Molecule 46: Small ribosomal subunit protein uS15





- Molecule 47: Small ribosomal subunit protein bS16




- Molecule 48: Small ribosomal subunit protein uS17




- Molecule 49: 30S ribosomal protein S18




- Molecule 50: 30S ribosomal protein S19




- Molecule 51: 30S ribosomal protein S20




- Molecule 52: Small ribosomal subunit protein bS21



- Molecule 53: tRNA



- Molecule 54: Large ribosomal subunit protein bL33



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	146197	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	64	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	2.767	Depositor
Minimum map value	-1.785	Depositor
Average map value	0.007	Depositor
Map value standard deviation	0.137	Depositor
Recommended contour level	0.55	Depositor
Map size (Å)	380.0, 380.0, 380.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.95, 0.95, 0.95	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 4SU, FME, H2U, PSU, MUM, MG, 4OC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	13	0.26	0/1152	0.35	0/1551
2	14	0.31	0/947	0.46	0/1268
3	15	0.28	0/1062	0.42	0/1413
4	16	0.26	0/1093	0.39	0/1460
5	17	0.28	0/973	0.39	0/1301
6	18	0.21	0/902	0.40	0/1209
7	19	0.28	0/929	0.39	0/1242
8	2	0.31	0/2121	0.41	0/2852
9	20	0.31	0/960	0.36	0/1278
10	21	0.26	0/829	0.42	0/1107
11	22	0.28	0/864	0.38	0/1156
12	23	0.26	0/744	0.39	0/994
13	24	0.84	4/787 (0.5%)	0.86	4/1051 (0.4%)
14	25	0.22	0/766	0.35	0/1025
15	27	0.27	0/589	0.36	0/779
16	28	0.29	0/635	0.38	0/848
17	29	0.22	0/510	0.34	0/677
18	3	0.28	0/1586	0.40	0/2134
19	30	0.26	0/453	0.37	0/605
20	31	0.17	0/531	0.42	0/709
21	32	0.28	0/450	0.42	0/599
22	34	0.32	0/380	0.42	0/498
23	35	0.29	0/513	0.40	0/676
24	36	0.30	0/303	0.49	0/397
25	4	0.26	0/1571	0.36	0/2113
26	5	0.21	0/1434	0.43	0/1926
27	6	0.24	0/1343	0.60	2/1816 (0.1%)
28	9	0.17	0/1122	0.52	0/1515
29	M	0.22	0/219	0.25	0/339
30	R1	0.30	0/69792	0.33	0/108870
31	R2	0.23	0/2847	0.29	0/4440
32	R3	0.26	0/36782	0.33	0/57377

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	sb	0.18	0/1735	0.42	0/2338
34	sc	0.22	0/1651	0.41	0/2225
35	sd	0.22	0/1665	0.43	0/2227
36	se	0.25	0/1169	0.49	0/1573
37	sf	0.22	0/835	0.50	0/1128
38	sg	0.18	0/1195	0.36	0/1602
39	sh	0.23	0/989	0.33	0/1326
40	si	0.20	0/1034	0.48	0/1375
41	sj	0.21	0/796	0.44	0/1077
42	sk	0.26	0/885	0.47	0/1195
43	sl	0.26	0/969	0.49	0/1300
44	sm	0.20	0/892	0.41	0/1193
45	sn	0.24	0/817	0.48	0/1088
46	so	0.21	0/722	0.32	0/964
47	sp	0.21	0/659	0.38	0/884
48	sq	0.23	0/657	0.47	0/881
49	sr	0.19	0/544	0.35	0/731
50	ss	0.21	0/652	0.44	0/877
51	st	0.20	0/671	0.34	0/888
52	su	0.26	0/550	0.68	0/728
53	T	0.23	0/1716	0.30	0/2672
54	33	0.29	0/416	0.50	0/554
All	All	0.28	4/156408 (0.0%)	0.36	6/234051 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
26	5	0	1
28	9	0	1
35	sd	0	1
45	sn	0	1
52	su	0	2
53	T	6	0
All	All	6	6

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	24	49	PRO	CG-CD	-17.74	0.90	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	24	49	PRO	N-CD	10.38	1.62	1.47
13	24	49	PRO	CB-CG	6.66	1.82	1.49
13	24	49	PRO	N-CA	-5.26	1.41	1.47

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	24	49	PRO	N-CD-CG	-16.14	78.99	103.20
13	24	49	PRO	CA-N-CD	-11.41	96.02	112.00
27	6	111	PRO	CA-N-CD	-10.21	97.71	112.00
27	6	11	PRO	CA-N-CD	-8.93	99.50	112.00
13	24	49	PRO	CA-CB-CG	-8.90	87.59	104.50

5 of 6 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
53	T	8	4SU	C2',C3'
53	T	20	H2U	C2',C1'
53	T	32	4OC	C2'
53	T	54	MUM	C5

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
26	5	132	ARG	Sidechain
28	9	8	LYS	Peptide
35	sd	27	ILE	Peptide
45	sn	86	ALA	Peptide
52	su	7	GLU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	13	1129	0	1162	28	0
2	14	938	0	1012	30	0
3	15	1053	0	1129	30	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	16	1074	0	1157	20	0
5	17	960	0	1000	20	0
6	18	892	0	923	28	0
7	19	917	0	965	21	0
8	2	2082	0	2157	54	0
9	20	947	0	1022	15	0
10	21	816	0	839	23	0
11	22	857	0	922	13	0
12	23	738	0	807	17	0
13	24	779	0	834	29	0
14	25	753	0	780	14	0
15	27	582	0	599	16	0
16	28	625	0	655	11	0
17	29	509	0	543	19	0
18	3	1565	0	1616	39	0
19	30	449	0	491	8	0
20	31	522	0	524	23	0
21	32	444	0	461	14	0
22	34	377	0	418	6	0
23	35	504	0	574	21	0
24	36	302	0	343	10	0
25	4	1552	0	1619	26	0
26	5	1410	0	1447	66	0
27	6	1323	0	1374	44	0
28	9	1111	0	1148	24	0
29	M	195	0	99	0	0
30	R1	62318	0	31350	816	0
31	R2	2546	0	1292	51	0
32	R3	32850	0	16534	561	0
33	sb	1704	0	1732	63	0
34	sc	1624	0	1699	44	0
35	sd	1643	0	1710	56	0
36	se	1156	0	1199	33	0
37	sf	817	0	808	34	0
38	sg	1181	0	1240	29	0
39	sh	979	0	1034	17	0
40	si	1022	0	1070	55	0
41	sj	786	0	828	26	0
42	sk	869	0	878	30	0
43	sl	955	0	1019	29	0
44	sm	883	0	944	30	0
45	sn	805	0	847	38	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
46	so	714	0	737	14	0
47	sp	649	0	666	16	0
48	sq	648	0	691	10	0
49	sr	535	0	552	15	0
50	ss	637	0	665	29	0
51	st	665	0	714	16	0
52	su	544	0	579	40	0
53	T	1649	0	841	21	0
54	33	409	0	440	16	0
55	3	1	0	0	0	0
55	32	1	0	0	0	0
55	R1	126	0	0	0	0
55	R3	33	0	0	0	0
All	All	144154	0	96689	2463	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 2463 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:24:49:PRO:CB	13:24:49:PRO:CG	1.82	1.50
13:24:49:PRO:CG	13:24:49:PRO:N	1.69	1.44
13:24:49:PRO:CG	13:24:49:PRO:HD2	1.60	1.11
13:24:49:PRO:CG	13:24:49:PRO:CA	2.31	1.08
13:24:49:PRO:CG	13:24:49:PRO:HD3	1.60	1.06

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	13	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
2	14	120/122 (98%)	101 (84%)	19 (16%)	0	100	100
3	15	142/144 (99%)	127 (89%)	15 (11%)	0	100	100
4	16	134/136 (98%)	124 (92%)	10 (8%)	0	100	100
5	17	118/120 (98%)	104 (88%)	14 (12%)	0	100	100
6	18	114/116 (98%)	107 (94%)	7 (6%)	0	100	100
7	19	112/114 (98%)	103 (92%)	9 (8%)	0	100	100
8	2	269/271 (99%)	239 (89%)	30 (11%)	0	100	100
9	20	115/117 (98%)	112 (97%)	3 (3%)	0	100	100
10	21	101/103 (98%)	90 (89%)	11 (11%)	0	100	100
11	22	108/110 (98%)	99 (92%)	8 (7%)	1 (1%)	14	43
12	23	91/93 (98%)	77 (85%)	14 (15%)	0	100	100
13	24	100/102 (98%)	88 (88%)	12 (12%)	0	100	100
14	25	92/94 (98%)	85 (92%)	7 (8%)	0	100	100
15	27	74/76 (97%)	69 (93%)	5 (7%)	0	100	100
16	28	75/77 (97%)	73 (97%)	2 (3%)	0	100	100
17	29	61/63 (97%)	59 (97%)	2 (3%)	0	100	100
18	3	207/209 (99%)	187 (90%)	20 (10%)	0	100	100
19	30	56/58 (97%)	55 (98%)	1 (2%)	0	100	100
20	31	64/66 (97%)	54 (84%)	10 (16%)	0	100	100
21	32	54/56 (96%)	47 (87%)	7 (13%)	0	100	100
22	34	44/46 (96%)	38 (86%)	5 (11%)	1 (2%)	5	25
23	35	62/64 (97%)	56 (90%)	6 (10%)	0	100	100
24	36	36/38 (95%)	33 (92%)	3 (8%)	0	100	100
25	4	199/201 (99%)	187 (94%)	12 (6%)	0	100	100
26	5	175/177 (99%)	166 (95%)	9 (5%)	0	100	100
27	6	174/176 (99%)	156 (90%)	18 (10%)	0	100	100
28	9	147/149 (99%)	130 (88%)	17 (12%)	0	100	100
33	sb	216/218 (99%)	194 (90%)	21 (10%)	1 (0%)	24	55
34	sc	204/206 (99%)	192 (94%)	12 (6%)	0	100	100
35	sd	203/205 (99%)	179 (88%)	24 (12%)	0	100	100
36	se	155/157 (99%)	127 (82%)	27 (17%)	1 (1%)	21	52

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
37	sf	98/100 (98%)	87 (89%)	11 (11%)	0	100	100
38	sg	149/151 (99%)	138 (93%)	11 (7%)	0	100	100
39	sh	127/129 (98%)	124 (98%)	3 (2%)	0	100	100
40	si	125/127 (98%)	101 (81%)	23 (18%)	1 (1%)	16	45
41	sj	96/98 (98%)	85 (88%)	10 (10%)	1 (1%)	12	40
42	sk	114/116 (98%)	102 (90%)	12 (10%)	0	100	100
43	sl	121/123 (98%)	90 (74%)	31 (26%)	0	100	100
44	sm	112/114 (98%)	96 (86%)	16 (14%)	0	100	100
45	sn	98/100 (98%)	80 (82%)	18 (18%)	0	100	100
46	so	86/88 (98%)	80 (93%)	6 (7%)	0	100	100
47	sp	80/82 (98%)	71 (89%)	9 (11%)	0	100	100
48	sq	78/80 (98%)	67 (86%)	11 (14%)	0	100	100
49	sr	63/65 (97%)	58 (92%)	5 (8%)	0	100	100
50	ss	77/79 (98%)	69 (90%)	8 (10%)	0	100	100
51	st	83/85 (98%)	82 (99%)	1 (1%)	0	100	100
52	su	63/65 (97%)	41 (65%)	22 (35%)	0	100	100
54	33	48/50 (96%)	47 (98%)	1 (2%)	0	100	100
All	All	5580/5678 (98%)	5009 (90%)	565 (10%)	6 (0%)	49	75

5 of 6 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
33	sb	18	GLN
36	se	122	VAL
11	22	2	GLU
40	si	91	GLU
41	sj	57	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	13	116/116 (100%)	113 (97%)	3 (3%)	40	64
2	14	103/103 (100%)	101 (98%)	2 (2%)	50	68
3	15	103/103 (100%)	103 (100%)	0	100	100
4	16	109/109 (100%)	109 (100%)	0	100	100
5	17	100/100 (100%)	100 (100%)	0	100	100
6	18	86/86 (100%)	86 (100%)	0	100	100
7	19	99/99 (100%)	99 (100%)	0	100	100
8	2	216/216 (100%)	216 (100%)	0	100	100
9	20	89/89 (100%)	88 (99%)	1 (1%)	65	76
10	21	84/84 (100%)	84 (100%)	0	100	100
11	22	93/93 (100%)	92 (99%)	1 (1%)	65	76
12	23	80/80 (100%)	80 (100%)	0	100	100
13	24	83/83 (100%)	83 (100%)	0	100	100
14	25	78/78 (100%)	76 (97%)	2 (3%)	40	64
15	27	58/58 (100%)	56 (97%)	2 (3%)	32	59
16	28	67/67 (100%)	67 (100%)	0	100	100
17	29	55/55 (100%)	55 (100%)	0	100	100
18	3	164/164 (100%)	164 (100%)	0	100	100
19	30	48/48 (100%)	48 (100%)	0	100	100
20	31	59/59 (100%)	59 (100%)	0	100	100
21	32	47/47 (100%)	47 (100%)	0	100	100
22	34	38/38 (100%)	37 (97%)	1 (3%)	40	64
23	35	51/51 (100%)	51 (100%)	0	100	100
24	36	34/34 (100%)	34 (100%)	0	100	100
25	4	165/165 (100%)	164 (99%)	1 (1%)	78	81
26	5	148/148 (100%)	148 (100%)	0	100	100
27	6	137/137 (100%)	137 (100%)	0	100	100
28	9	114/114 (100%)	113 (99%)	1 (1%)	70	78
33	sb	180/180 (100%)	180 (100%)	0	100	100
34	sc	170/170 (100%)	170 (100%)	0	100	100
35	sd	172/172 (100%)	172 (100%)	0	100	100
36	se	119/119 (100%)	118 (99%)	1 (1%)	73	79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	sf	87/87 (100%)	87 (100%)	0	100	100
38	sg	124/124 (100%)	123 (99%)	1 (1%)	73	79
39	sh	104/104 (100%)	103 (99%)	1 (1%)	68	76
40	si	105/105 (100%)	105 (100%)	0	100	100
41	sj	86/86 (100%)	84 (98%)	2 (2%)	44	66
42	sk	89/89 (100%)	88 (99%)	1 (1%)	65	76
43	sl	103/103 (100%)	103 (100%)	0	100	100
44	sm	92/92 (100%)	92 (100%)	0	100	100
45	sn	83/83 (100%)	82 (99%)	1 (1%)	63	75
46	so	76/76 (100%)	76 (100%)	0	100	100
47	sp	65/65 (100%)	64 (98%)	1 (2%)	57	72
48	sq	74/74 (100%)	73 (99%)	1 (1%)	59	73
49	sr	56/56 (100%)	56 (100%)	0	100	100
50	ss	70/70 (100%)	69 (99%)	1 (1%)	59	73
51	st	65/65 (100%)	65 (100%)	0	100	100
52	su	55/55 (100%)	55 (100%)	0	100	100
54	33	45/45 (100%)	45 (100%)	0	100	100
All	All	4644/4644 (100%)	4620 (100%)	24 (0%)	78	83

5 of 24 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
36	se	18	ASN
41	sj	63	ASP
39	sh	84	ILE
41	sj	71	LEU
11	22	85	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 43 such sidechains are listed below:

Mol	Chain	Res	Type
36	se	121	ASN
45	sn	65	GLN
36	se	147	ASN
42	sk	63	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
46	so	37	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
29	M	8/9 (88%)	0	0
30	R1	2899/2903 (99%)	566 (19%)	14 (0%)
31	R2	118/119 (99%)	23 (19%)	0
32	R3	1530/1531 (99%)	405 (26%)	24 (1%)
53	T	76/78 (97%)	16 (21%)	2 (2%)
All	All	4631/4640 (99%)	1010 (21%)	40 (0%)

5 of 1010 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
30	R1	3	U
30	R1	10	A
30	R1	12	U
30	R1	14	A
30	R1	15	G

5 of 40 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
32	R3	672	U
32	R3	1270	G
32	R3	753	A
32	R3	1125	U
32	R3	1305	G

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
53	PSU	T	55	53	18,21,22	2.28	8 (44%)	21,30,33	2.07	4 (19%)
53	4OC	T	32	53	20,23,24	2.86	4 (20%)	25,32,35	2.11	6 (24%)
53	MUM	T	54	53	18,22,22	2.84	3 (16%)	19,32,32	2.14	5 (26%)
53	H2U	T	20	53	18,21,22	4.42	5 (27%)	19,30,33	4.09	6 (31%)
53	FME	T	101	53	8,9,10	0.99	0	8,9,11	0.96	0
53	4SU	T	8	53	18,21,22	3.37	7 (38%)	25,30,33	2.31	6 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
53	PSU	T	55	53	-	1/7/25/26	0/2/2/2
53	4OC	T	32	53	1/1/5/6	4/9/29/30	0/2/2/2
53	MUM	T	54	53	1/1/9/10	0/7/41/41	0/2/2/2
53	H2U	T	20	53	2/2/8/9	4/7/38/39	0/2/2/2
53	FME	T	101	53	-	1/7/9/11	-
53	4SU	T	8	53	2/2/5/5	4/7/25/26	0/2/2/2

The worst 5 of 27 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
53	T	54	MUM	C6-N1	-10.45	1.34	1.46
53	T	20	H2U	O4-C4	10.42	1.43	1.23
53	T	32	4OC	O2-C2	9.48	1.41	1.23
53	T	20	H2U	C2-N1	9.32	1.48	1.35
53	T	8	4SU	C4-S4	8.73	1.84	1.68

The worst 5 of 27 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	T	20	H2U	O2-C2-N1	-12.11	108.54	123.10
53	T	20	H2U	O4-C4-N3	-7.30	109.04	120.30
53	T	20	H2U	O2-C2-N3	-6.81	108.92	121.49
53	T	20	H2U	O4-C4-C5	-6.64	108.61	122.20
53	T	8	4SU	C4-N3-C2	-6.18	121.39	127.31

5 of 6 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
53	T	8	4SU	C2'
53	T	8	4SU	C3'
53	T	20	H2U	C2'
53	T	20	H2U	C1'
53	T	32	4OC	C2'

5 of 14 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
53	T	8	4SU	C3'-C4'-C5'-O5'
53	T	20	H2U	O4'-C1'-N1-C6
53	T	32	4OC	O4'-C4'-C5'-O5'
53	T	20	H2U	C2'-C1'-N1-C2
53	T	101	FME	CA-CB-CG-SD

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
53	T	32	4OC	2	0
53	T	101	FME	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 161 ligands modelled in this entry, 161 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
30	R1	5
32	R3	2

The worst 5 of 7 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	R3	210:C	O3'	211:G	P	6.13
1	R1	2101:A	O3'	2102:G	P	3.78
1	R1	2194:U	O3'	2195:U	P	3.78
1	R1	2186:G	O3'	2187:U	P	3.51
1	R1	2097:A	O3'	2098:U	P	3.46


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-40932. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 208




Y Index: 181




Z Index: 182


6.3.2 Raw map



X Index: 208



Y Index: 182




Z Index: 182


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.55. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 671 nm³; this corresponds to an approximate mass of 606 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.303 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.30	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.13	5.26	4.22

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.13 differs from the reported value 3.3 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-40932 and PDB model 9NKL. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.55 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.55).

9.4 Atom inclusion [i](#)



At the recommended contour level, 77% of all backbone atoms, 69% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.55) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6940	 0.4760
13	 0.6750	 0.5350
14	 0.6360	 0.5480
15	 0.6740	 0.5340
16	 0.6370	 0.5370
17	 0.7200	 0.5360
18	 0.5630	 0.4810
19	 0.6430	 0.5350
2	 0.6680	 0.5530
20	 0.7270	 0.5450
21	 0.6370	 0.5190
22	 0.6590	 0.5360
23	 0.5750	 0.5030
24	 0.5980	 0.5090
25	 0.5790	 0.5130
27	 0.6750	 0.5500
28	 0.6700	 0.5390
29	 0.5880	 0.4790
3	 0.6810	 0.5400
30	 0.6250	 0.5290
31	 0.1120	 0.3770
32	 0.6900	 0.5330
33	 0.6910	 0.5080
34	 0.7100	 0.5550
35	 0.7090	 0.5550
36	 0.6270	 0.5280
4	 0.5710	 0.5120
5	 0.4250	 0.4530
6	 0.4550	 0.4610
9	 0.1120	 0.3380
M	 0.6100	 0.4960
R1	 0.7750	 0.4740
R2	 0.7880	 0.4580
R3	 0.7430	 0.4590
T	 0.4990	 0.4240



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
sb	 0.3150	 0.4310
sc	 0.5050	 0.4900
sd	 0.4770	 0.4800
se	 0.5800	 0.5050
sf	 0.4950	 0.4730
sg	 0.4000	 0.4560
sh	 0.6070	 0.5170
si	 0.4210	 0.4500
sj	 0.3440	 0.4340
sk	 0.5420	 0.4980
sl	 0.5370	 0.5170
sm	 0.4410	 0.4670
sn	 0.4730	 0.4450
so	 0.5970	 0.5110
sp	 0.5530	 0.4960
sq	 0.5210	 0.4970
sr	 0.4590	 0.4590
ss	 0.4350	 0.4500
st	 0.5230	 0.4930
su	 0.3370	 0.3910