



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 07:33 AM UTC

PDB ID : 4NMB / pdb_00004nmb
Title : Crystal structure of proline utilization A (PutA) from *Geobacter sulfurreducens* PCA in complex with L-lactate
Authors : Singh, H.; Almo, S.C.; Tanner, J.J.
Deposited on : 2013-11-14
Resolution : 2.20 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1005	 2% 89% 8%
1	B	1005	 % 91% 6%

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 15839 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Proline dehydrogenase and Delta-1-pyrroline-5-carboxylate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	976	Total 7515	C 4796	N 1302	O 1379	S 38	0	0	0
1	B	976	Total 7553	C 4818	N 1304	O 1393	S 38	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	expression tag	UNP Q746X3
B	0	SER	-	expression tag	UNP Q746X3

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total 53	C 27	N 9	O 15	P 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	B	1	53	27	9	15	2	0	0

- Molecule 3 is (2S)-2-HYDROXYPROPANOIC ACID (CCD ID: 2OP) (formula: C₃H₆O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
3	A	1	6	3	3	0	0
3	B	1	6	3	3	0	0

- Molecule 4 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
4	A	1	12	6	1	4	1	0	0
4	B	1	12	6	1	4	1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
5	A	319	319	319	0	0
5	B	310	310	310	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	95.65Å 152.06Å 175.13Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	114.82 – 2.20 114.82 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.4 (114.82-2.20) 99.3 (114.82-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.19 (at 2.20Å)	Xtrriage
Refinement program	PHENIX 1.8_1069	Depositor
R, R_{free}	0.180 , 0.220 0.184 , 0.223	Depositor DCC
R_{free} test set	6513 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	23.2	Xtrriage
Anisotropy	0.561	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 37.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	15839	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MES, FAD, 2OP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/7686	0.79	5/10431 (0.0%)
1	B	0.48	0/7724	0.80	5/10472 (0.0%)
All	All	0.47	0/15410	0.80	10/20903 (0.0%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	836	ALA	N-CA-C	5.47	116.92	111.07
1	A	778	VAL	CA-C-N	-5.44	113.42	119.19
1	A	778	VAL	C-N-CA	-5.44	113.42	119.19
1	B	778	VAL	CA-C-N	-5.41	114.10	119.56
1	B	778	VAL	C-N-CA	-5.41	114.10	119.56
1	B	656	PHE	CA-C-N	5.37	124.98	119.56
1	B	656	PHE	C-N-CA	5.37	124.98	119.56
1	B	282	ASN	N-CA-C	5.31	117.98	111.82
1	A	656	PHE	CA-C-N	5.22	125.02	119.28
1	A	656	PHE	C-N-CA	5.22	125.02	119.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7515	0	7290	36	0
1	B	7553	0	7360	29	0
2	A	53	0	31	1	0
2	B	53	0	31	1	0
3	A	6	0	5	0	0
3	B	6	0	5	0	0
4	A	12	0	13	1	0
4	B	12	0	13	1	0
5	A	319	0	0	0	0
5	B	310	0	0	0	0
All	All	15839	0	14748	65	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (65) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:533:PRO:HD2	1:B:867:GLU:HG2	1.71	0.72
1:B:810:ILE:HD11	1:B:897:VAL:HG11	1.70	0.72
1:B:412:MET:HE2	1:B:416:MET:HE1	1.76	0.67
1:B:534:SER:N	1:B:867:GLU:OE2	2.27	0.67
1:B:287:ASP:OD1	1:B:343:LYS:NZ	2.26	0.67
1:A:637:LEU:HD21	1:A:997:GLU:HG3	1.77	0.66
1:A:412:MET:HE2	1:A:416:MET:HE1	1.77	0.65
1:A:632:HIS:HD2	1:A:1001:ASP:HB2	1.64	0.63
1:A:117:ARG:HA	1:A:120:ILE:HG12	1.85	0.59
1:A:82:MET:HE1	1:A:104:LEU:HD21	1.85	0.56
1:B:143:VAL:HG13	1:B:406:TYR:HA	1.87	0.56
1:B:169:GLU:OE1	1:B:233:LYS:NZ	2.40	0.52
1:B:406:TYR:HB2	2:B:2001:FAD:HM72	1.92	0.51
1:A:86:MET:HE1	1:A:108:LEU:HD21	1.94	0.50
1:B:13:ARG:NH1	1:B:368:GLU:OE2	2.44	0.50
1:B:329:ILE:HB	1:B:332:GLU:HG3	1.94	0.50
1:A:406:TYR:HB2	2:A:2001:FAD:HM72	1.95	0.49
1:A:424:LEU:HD21	1:B:993:PHE:HB2	1.96	0.48
1:B:119:PHE:HE1	1:B:388:MET:HG3	1.79	0.48
1:B:187:ASP:O	1:B:193:GLY:HA2	2.14	0.47
1:A:133:GLU:O	1:A:137:LYS:HG2	2.15	0.47
1:A:134:LYS:HE3	1:A:134:LYS:HB2	1.59	0.47
1:A:28:LEU:HA	1:A:35:MET:HE3	1.96	0.47
1:B:740:ILE:HG12	1:B:756:ILE:HG21	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:483:MET:HE3	1:A:484:VAL:H	1.80	0.46
1:B:513:PHE:HB3	1:B:706:PHE:HB3	1.97	0.46
4:B:2003:MES:H32	4:B:2003:MES:H81	1.66	0.46
1:A:203:LYS:NZ	1:A:244:ASP:OD2	2.49	0.46
1:B:765:ALA:HA	1:B:798:ARG:O	2.16	0.45
1:B:4:SER:O	1:B:8:THR:OG1	2.34	0.45
1:A:645:LYS:HD2	1:A:726:LEU:HD12	1.98	0.45
1:A:993:PHE:HB2	1:B:424:LEU:HD21	1.98	0.45
1:A:810:ILE:HD11	1:A:897:VAL:HG11	1.98	0.44
4:A:2003:MES:H81	4:A:2003:MES:H32	1.45	0.44
1:A:135:LEU:HD13	1:A:405:LEU:HD12	2.00	0.43
1:A:810:ILE:HD13	1:A:810:ILE:HA	1.70	0.43
1:A:531:ASN:CG	1:A:824:PRO:HA	2.43	0.43
1:A:27:SER:OG	1:A:390:GLU:OE2	2.33	0.43
1:A:765:ALA:HA	1:A:798:ARG:O	2.19	0.43
1:A:35:MET:SD	1:A:115:MET:HG3	2.59	0.42
1:B:251:LYS:HE3	1:B:251:LYS:HB3	1.91	0.42
1:A:484:VAL:HB	1:A:604:TYR:CG	2.55	0.42
1:B:85:PHE:CE1	1:B:86:MET:HE3	2.55	0.42
1:A:657:PRO:HB2	1:A:686:ILE:HG21	2.02	0.42
1:A:475:LEU:HD11	1:A:575:LEU:HD11	2.01	0.42
1:B:413:VAL:HB	1:B:414:PRO:HD3	2.02	0.42
1:A:353:PHE:O	1:A:380:TYR:HA	2.20	0.42
1:A:450:PRO:O	1:A:454:VAL:HG23	2.20	0.41
1:B:128:ALA:O	1:B:132:LEU:HG	2.19	0.41
1:B:488:ARG:HB3	1:B:490:ASP:OD1	2.20	0.41
1:A:28:LEU:HD22	1:A:426:ASN:HB3	2.02	0.41
1:B:393:ARG:HD2	1:B:405:LEU:HD21	2.02	0.41
1:A:660:ILE:HG22	1:A:664:MET:HE2	2.03	0.41
1:B:851:GLY:HA3	1:B:885:ILE:HD13	2.01	0.41
1:A:171:LEU:HD22	1:A:178:TRP:HH2	1.86	0.41
1:B:120:ILE:HG22	1:B:122:GLY:H	1.86	0.41
1:B:411:ASN:C	1:B:414:PRO:HD2	2.46	0.41
1:A:595:GLU:OE1	1:A:686:ILE:HG12	2.20	0.40
1:B:121:VAL:HG12	1:B:386:TYR:CE1	2.55	0.40
1:A:321:ASP:HB2	1:A:482:ALA:HA	2.03	0.40
1:A:660:ILE:HD13	1:A:730:THR:HG21	2.03	0.40
1:A:942:TYR:CD1	1:A:947:ASN:HA	2.56	0.40
1:A:383:GLN:HA	1:A:404:ARG:O	2.21	0.40
1:A:848:ALA:O	1:A:852:LYS:HG3	2.21	0.40
1:B:120:ILE:HG12	1:B:147:LEU:HD11	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	970/1005 (96%)	946 (98%)	23 (2%)	1 (0%)	48 57
1	B	970/1005 (96%)	953 (98%)	17 (2%)	0	100 100
All	All	1940/2010 (96%)	1899 (98%)	40 (2%)	1 (0%)	48 57

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	22	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	753/821 (92%)	732 (97%)	21 (3%)	38 52
1	B	765/821 (93%)	751 (98%)	14 (2%)	51 68
All	All	1518/1642 (92%)	1483 (98%)	35 (2%)	44 59

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	SER
1	A	21	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	27	SER
1	A	49	LYS
1	A	81	ASP
1	A	108	LEU
1	A	143	VAL
1	A	237	LEU
1	A	278	TYR
1	A	295	GLU
1	A	321	ASP
1	A	372	GLU
1	A	399	VAL
1	A	403	ILE
1	A	585	LEU
1	A	626	GLN
1	A	695	ARG
1	A	810	ILE
1	A	843	SER
1	A	882	GLU
1	A	976	LEU
1	B	13	ARG
1	B	86	MET
1	B	108	LEU
1	B	115	MET
1	B	143	VAL
1	B	237	LEU
1	B	278	TYR
1	B	527	THR
1	B	537	LEU
1	B	585	LEU
1	B	628	GLN
1	B	695	ARG
1	B	759	GLU
1	B	811	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	250	HIS
1	A	374	ASN
1	A	411	ASN
1	A	856	HIS
1	B	542	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	856	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	2OP	B	2002	-	4,5,5	1.17	0	2,6,6	1.24	0
3	2OP	A	2002	-	4,5,5	1.16	0	2,6,6	1.20	0
4	MES	B	2003	-	12,12,12	0.65	0	15,16,16	2.76	6 (40%)
4	MES	A	2003	-	12,12,12	0.59	0	15,16,16	2.46	5 (33%)
2	FAD	A	2001	-	58,58,58	2.33	17 (29%)	85,89,89	1.72	19 (22%)
2	FAD	B	2001	-	58,58,58	2.28	16 (27%)	85,89,89	1.74	20 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	2OP	B	2002	-	-	2/4/4/4	-
3	2OP	A	2002	-	-	0/4/4/4	-
4	MES	B	2003	-	-	4/6/14/14	0/1/1/1
4	MES	A	2003	-	-	3/6/14/14	0/1/1/1
2	FAD	A	2001	-	-	7/34/50/50	0/6/6/6
2	FAD	B	2001	-	-	9/34/50/50	0/6/6/6

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2001	FAD	PA-O3P	-8.59	1.50	1.59
2	A	2001	FAD	O4-C4	7.74	1.38	1.23
2	B	2001	FAD	O4-C4	7.63	1.38	1.23
2	B	2001	FAD	PA-O3P	-7.01	1.51	1.59
2	A	2001	FAD	O2-C2	5.94	1.36	1.24
2	B	2001	FAD	O2-C2	5.91	1.36	1.24
2	B	2001	FAD	C4X-N5	4.20	1.39	1.30
2	A	2001	FAD	C6A-N6A	4.19	1.44	1.34
2	B	2001	FAD	C6A-N6A	4.17	1.44	1.34
2	B	2001	FAD	P-O3P	4.02	1.63	1.59
2	A	2001	FAD	C4X-N5	3.94	1.39	1.30
2	B	2001	FAD	C2-N1	3.39	1.44	1.36
2	A	2001	FAD	C2-N1	3.25	1.44	1.36
2	B	2001	FAD	C10-N1	3.13	1.39	1.33
2	A	2001	FAD	P-O3P	2.84	1.62	1.59
2	A	2001	FAD	C10-N1	2.72	1.38	1.33
2	A	2001	FAD	PA-O5B	-2.67	1.48	1.59
2	B	2001	FAD	C5A-C4A	2.52	1.43	1.39
2	B	2001	FAD	PA-O5B	-2.50	1.49	1.59
2	A	2001	FAD	O4'-C4'	-2.46	1.38	1.43
2	A	2001	FAD	O2'-C2'	-2.37	1.38	1.43
2	B	2001	FAD	P-O1P	2.36	1.59	1.50
2	B	2001	FAD	C4A-N9A	2.31	1.42	1.37
2	B	2001	FAD	O2'-C2'	-2.29	1.38	1.43
2	A	2001	FAD	O4B-C4B	-2.28	1.39	1.45
2	A	2001	FAD	C5A-C4A	2.27	1.43	1.39
2	B	2001	FAD	O4'-C4'	-2.22	1.38	1.43
2	A	2001	FAD	P-O1P	2.21	1.58	1.50
2	A	2001	FAD	PA-O2A	-2.14	1.45	1.55
2	B	2001	FAD	C9A-N10	2.13	1.44	1.41
2	B	2001	FAD	O3'-C3'	-2.10	1.37	1.43
2	A	2001	FAD	O2B-C2B	-2.06	1.37	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2001	FAD	C5'-C4'	2.03	1.54	1.51

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	2003	MES	O2S-S-C8	6.73	116.89	106.73
2	A	2001	FAD	N3A-C2A-N1A	-5.77	119.85	128.58
2	B	2001	FAD	N3A-C2A-N1A	-5.35	120.48	128.58
2	B	2001	FAD	C5A-C4A-N3A	-5.22	119.52	126.72
4	B	2003	MES	O1S-S-C8	5.00	114.28	106.73
4	A	2003	MES	O2S-S-C8	4.73	113.88	106.73
4	A	2003	MES	O1S-S-C8	4.65	113.75	106.73
2	A	2001	FAD	O2P-P-O3P	-4.63	94.76	107.27
2	A	2001	FAD	C5A-C4A-N3A	-4.36	120.71	126.72
2	B	2001	FAD	O2P-P-O3P	-4.22	95.88	107.27
2	B	2001	FAD	N3A-C4A-N9A	4.14	134.21	127.17
4	A	2003	MES	O3S-S-C8	4.10	114.02	106.00
2	A	2001	FAD	N3A-C4A-N9A	3.80	133.63	127.17
2	B	2001	FAD	C5A-N7A-C8A	3.63	109.16	103.45
4	A	2003	MES	O3S-S-O2S	-3.57	102.47	111.40
4	B	2003	MES	O3S-S-C8	3.56	112.97	106.00
2	B	2001	FAD	C2A-N3A-C4A	3.55	120.50	111.83
2	A	2001	FAD	C5A-N7A-C8A	3.49	108.93	103.45
2	A	2001	FAD	C2A-N3A-C4A	3.45	120.27	111.83
2	A	2001	FAD	O3P-P-O1P	3.30	120.64	110.70
4	B	2003	MES	O2S-S-O1S	-3.22	103.35	113.82
4	A	2003	MES	O3S-S-O1S	-3.20	103.39	111.40
4	B	2003	MES	O3S-S-O2S	-3.20	103.40	111.40
2	B	2001	FAD	O3P-P-O1P	3.03	119.82	110.70
2	A	2001	FAD	N9A-C8A-N7A	-2.99	109.69	113.94
2	B	2001	FAD	C4-N3-C2	-2.86	120.56	125.64
2	A	2001	FAD	O2A-PA-O3P	-2.86	99.54	107.27
2	B	2001	FAD	C4A-C5A-N7A	-2.83	107.35	110.58
2	B	2001	FAD	C4X-C4-N3	2.79	120.35	113.25
4	B	2003	MES	O3S-S-O1S	-2.75	104.52	111.40
2	A	2001	FAD	O4-C4-C4X	-2.70	119.40	126.53
2	A	2001	FAD	C4-N3-C2	-2.67	120.89	125.64
2	B	2001	FAD	C4-C4X-N5	2.66	121.88	118.21
2	A	2001	FAD	O5B-PA-O1A	2.61	119.27	108.94
2	B	2001	FAD	O2A-PA-O3P	-2.57	100.34	107.27
2	A	2001	FAD	C4X-C4-N3	2.55	119.74	113.25
2	B	2001	FAD	O4-C4-C4X	-2.54	119.82	126.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2001	FAD	N9A-C8A-N7A	-2.49	110.40	113.94
2	A	2001	FAD	O5'-P-O1P	2.41	118.48	108.94
2	A	2001	FAD	C5X-C9A-N10	2.41	120.14	117.97
2	A	2001	FAD	C4A-C5A-N7A	-2.40	107.84	110.58
2	B	2001	FAD	C5X-C9A-N10	2.40	120.13	117.97
2	B	2001	FAD	C9A-C5X-N5	-2.39	119.92	122.45
2	B	2001	FAD	O5B-PA-O1A	2.31	118.08	108.94
2	B	2001	FAD	O5'-P-O1P	2.30	118.04	108.94
2	B	2001	FAD	O2P-P-O5'	-2.17	97.74	107.57
2	A	2001	FAD	O2A-PA-O5B	-2.14	97.85	107.57
2	A	2001	FAD	C4A-N9A-C8A	2.04	107.88	105.74
2	B	2001	FAD	C10-C4X-N5	-2.02	120.69	124.81
2	A	2001	FAD	O2P-P-O5'	-2.01	98.46	107.57

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	2001	FAD	P-O3P-PA-O5B
2	A	2001	FAD	N10-C1'-C2'-O2'
2	A	2001	FAD	N10-C1'-C2'-C3'
2	A	2001	FAD	C1'-C2'-C3'-C4'
2	B	2001	FAD	C5B-O5B-PA-O3P
2	B	2001	FAD	N10-C1'-C2'-O2'
2	B	2001	FAD	N10-C1'-C2'-C3'
2	B	2001	FAD	C1'-C2'-C3'-C4'
2	B	2001	FAD	C5'-O5'-P-O2P
4	A	2003	MES	C8-C7-N4-C3
2	B	2001	FAD	C3B-C4B-C5B-O5B
2	A	2001	FAD	C3B-C4B-C5B-O5B
2	B	2001	FAD	O4B-C4B-C5B-O5B
2	B	2001	FAD	P-O3P-PA-O5B
4	B	2003	MES	C7-C8-S-O3S
4	B	2003	MES	C7-C8-S-O1S
4	B	2003	MES	C7-C8-S-O2S
4	A	2003	MES	N4-C7-C8-S
3	B	2002	2OP	O-C-CA-OHN
2	A	2001	FAD	C5B-O5B-PA-O3P
2	B	2001	FAD	C5'-O5'-P-O1P
2	A	2001	FAD	O4B-C4B-C5B-O5B
4	A	2003	MES	C7-C8-S-O2S
4	B	2003	MES	C8-C7-N4-C3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	B	2002	2OP	OXT-C-CA-OHN


There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	2003	MES	1	0
4	A	2003	MES	1	0
2	A	2001	FAD	1	0
2	B	2001	FAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	976/1005 (97%)	-0.20	23 (2%) 59 56	12, 25, 53, 79	0
1	B	976/1005 (97%)	-0.31	13 (1%) 75 73	14, 24, 44, 68	0
All	All	1952/2010 (97%)	-0.25	36 (1%) 67 64	12, 25, 49, 79	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1003	VAL	6.2
1	A	3	ASN	5.3
1	A	440	ASP	4.9
1	A	472	LEU	4.5
1	B	1002	TRP	4.2
1	A	1002	TRP	4.1
1	B	472	LEU	3.8
1	B	3	ASN	3.8
1	A	24	GLU	3.6
1	A	102	ALA	3.4
1	B	471	GLY	3.4
1	B	88	THR	3.4
1	A	441	ALA	3.4
1	A	439	GLU	3.1
1	A	443	ILE	3.0
1	A	461	ARG	2.9
1	B	1003	VAL	2.7
1	B	441	ALA	2.7
1	A	21	ILE	2.6
1	A	1001	ASP	2.6
1	A	23	GLY	2.6
1	B	996	ILE	2.6
1	A	321	ASP	2.6
1	B	473	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	993	PHE	2.4
1	A	35	MET	2.4
1	A	460	ALA	2.4
1	B	148	GLY	2.4
1	A	4	SER	2.3
1	B	458	ARG	2.3
1	A	459	ALA	2.3
1	A	22	SER	2.2
1	A	84	ALA	2.2
1	B	102	ALA	2.1
1	A	33	ALA	2.1
1	A	120	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MES	B	2003	12/12	0.95	0.14	31,52,59,60	0
3	2OP	B	2002	6/6	0.96	0.07	25,30,35,36	0
4	MES	A	2003	12/12	0.96	0.11	19,38,50,53	0
3	2OP	A	2002	6/6	0.96	0.09	22,29,32,33	0
2	FAD	A	2001	53/53	0.97	0.06	15,20,26,35	0
2	FAD	B	2001	53/53	0.97	0.06	11,19,24,29	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around FAD A 2001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD B 2001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.