



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:38 PM UTC

PDB ID : 4NMC / pdb_00004nmc
Title : Crystal structure of oxidized proline utilization A (PutA) from *Geobacter sulfurreducens* PCA complexed with Zwittergent 3-12
Authors : Singh, H.; Tanner, J.J.
Deposited on : 2013-11-14
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1005	8% 86% 7% 6%
1	B	1005	3% 91% 5% .

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 15901 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Proline dehydrogenase and Delta-1-pyrroline-5-carboxylate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	941	Total	C	N	O	S	0	1	0
			7149	4552	1230	1332	35			
1	B	969	Total	C	N	O	S	0	1	0
			7473	4764	1289	1384	36			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	expression tag	UNP Q746X3
B	0	SER	-	expression tag	UNP Q746X3

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			13	8	5		
3	B	1	Total	C	O	0	0
			10	6	4		
3	B	1	Total	C	O	0	0
			11	7	4		

- Molecule 4 is POTASSIUM ION (CCD ID: K) (formula: K).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	K	0	0
			1	1		
4	B	1	Total	K	0	0
			1	1		

- Molecule 5 is N-DODECYL-N,N-DIMETHYL-3-AMMONIO-1-PROPANESULFONATE (CCD ID: C15) (formula: $C_{17}H_{38}NO_3S$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	C	0	0
			9	9		

- Molecule 6 is (2S)-2-HYDROXYPROPANOIC ACID (CCD ID: 2OP) (formula: C₃H₆O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	492	Total 492	O 492	0	0
7	B	630	Total 630	O 630	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proline dehydrogenase and Delta-1-pyrroline-5-carboxylate dehydrogenase



- Molecule 1: Proline dehydrogenase and Delta-1-pyrroline-5-carboxylate dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	94.08Å 157.21Å 190.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.04 – 1.90 47.04 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.3 (47.04-1.90) 99.2 (47.04-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.06 (at 1.90Å)	Xtriage
Refinement program	PHENIX 1.8_1069	Depositor
R, R_{free}	0.180 , 0.213 0.183 , 0.216	Depositor DCC
R_{free} test set	11085 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	25.0	Xtriage
Anisotropy	0.623	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 47.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	15901	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PG4, FAD, 2OP, C15, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/7312	0.77	2/9936 (0.0%)
1	B	0.44	0/7642	0.75	2/10363 (0.0%)
All	All	0.43	0/14954	0.76	4/20299 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	181	LEU	CA-C-N	5.97	127.30	119.84
1	A	181	LEU	C-N-CA	5.97	127.30	119.84
1	B	836	ALA	N-CA-C	5.82	117.63	111.28
1	B	476	PRO	O-C-N	5.41	123.80	121.31

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7149	0	6839	40	0
1	B	7473	0	7270	26	0
2	A	53	0	31	1	0
2	B	53	0	31	1	0
3	A	13	0	18	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	21	0	26	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	B	9	0	14	0	0
6	B	6	0	5	0	0
7	A	492	0	0	3	0
7	B	630	0	0	2	0
All	All	15901	0	14234	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:412:MET:HE2	1:B:416:MET:HE1	1.74	0.69
1:A:8:THR:O	1:A:12:ASN:ND2	2.31	0.62
1:B:810:ILE:HD11	1:B:897:VAL:HG11	1.81	0.61
1:B:393:ARG:HD2	1:B:405:LEU:HD21	1.82	0.59
1:A:383:GLN:HG2	1:A:404:ARG:HB3	1.84	0.59
1:A:187:ASP:O	1:A:193:GLY:HA2	2.03	0.58
1:A:78:ASN:ND2	1:A:81:ASP:OD2	2.37	0.58
1:A:299:GLN:NE2	1:A:349:GLN:O	2.36	0.58
1:B:112:ILE:HG22	1:B:412:MET:HE1	1.85	0.56
1:B:775:ASP:CG	1:B:812:ARG:HH12	2.13	0.56
1:A:508:LYS:NZ	7:A:2588:HOH:O	2.38	0.56
1:B:143:VAL:HG13	1:B:406:TYR:HA	1.89	0.54
1:B:716:ASP:OD1	1:B:738:ARG:NH1	2.30	0.53
1:B:363:ILE:HD13	1:B:396:ILE:HD11	1.91	0.53
1:A:171:LEU:HD23	1:A:198:VAL:HG13	1.91	0.53
1:A:10:ILE:HG12	1:A:365:ALA:HA	1.91	0.51
1:A:65:SER:HB3	1:A:101:GLY:HA3	1.94	0.49
1:A:355:CYS:HB3	1:A:382:PHE:HD1	1.77	0.49
1:B:595:GLU:OE1	1:B:686:ILE:HG12	2.14	0.48
1:A:48:PHE:HE1	1:A:86:MET:HG3	1.80	0.47
1:B:160:TYR:CZ	1:B:164:TYR:HE2	2.33	0.47
1:A:355:CYS:HB3	1:A:382:PHE:CD1	2.50	0.47
1:A:48:PHE:CE1	1:A:86:MET:HG3	2.50	0.47
1:B:342:ARG:HB2	1:B:369:MET:SD	2.55	0.46
1:A:143:VAL:HG13	1:A:406:TYR:HA	1.96	0.46
1:A:136:ARG:C	1:A:138:ASP:H	2.24	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:145:ASP:OD2	1:A:406:TYR:OH	2.22	0.46
1:A:282:ASN:ND2	1:A:340:GLN:OE1	2.46	0.45
1:A:488:ARG:HB3	1:A:490:ASP:OD1	2.17	0.45
1:A:7:ASN:OD1	1:A:449:ASP:HB2	2.16	0.45
1:A:7:ASN:O	1:A:11:VAL:HG23	2.16	0.45
1:A:532:LYS:HD2	1:A:535:GLU:HB2	1.98	0.45
1:B:125:THR:O	1:B:129:VAL:HG23	2.16	0.45
1:A:382:PHE:CD2	1:A:400:ALA:HB1	2.52	0.45
1:A:733:MET:HA	1:A:760:MET:HB3	1.98	0.45
1:B:59:PHE:CZ	1:B:109:THR:HA	2.51	0.45
1:B:112:ILE:CG2	1:B:412:MET:HE1	2.47	0.45
1:B:759:GLU:HG3	7:B:2213:HOH:O	2.17	0.44
1:B:6:LEU:HD21	1:B:369:MET:HG2	2.00	0.44
1:B:251:LYS:NZ	1:B:252:GLU:OE2	2.49	0.44
1:A:765:ALA:HA	1:A:798:ARG:O	2.18	0.43
1:A:400:ALA:HB3	1:A:403:ILE:HD11	2.01	0.43
1:A:309:TYR:O	1:A:313:GLU:HG2	2.19	0.42
1:A:449:ASP:HB3	1:A:452:VAL:HG23	2.00	0.42
1:A:757:ILE:HD13	1:A:978:PHE:CZ	2.54	0.42
1:B:789:GLN:HG2	1:B:833:GLY:O	2.20	0.42
2:B:2001:FAD:H4'	2:B:2001:FAD:H1'1	1.84	0.42
1:A:132:LEU:HD12	1:A:132:LEU:HA	1.90	0.42
1:B:305:VAL:HG12	1:B:356:ALA:HB3	2.02	0.42
1:B:729:PHE:CZ	1:B:731:GLY:HA3	2.54	0.42
1:A:376:PRO:HG2	1:A:379:ARG:HG2	2.01	0.42
1:A:171:LEU:HD12	1:A:171:LEU:HA	1.87	0.41
1:A:4:SER:O	1:A:8:THR:OG1	2.35	0.41
1:A:262:LYS:NZ	1:A:299:GLN:O	2.46	0.41
1:A:353:PHE:O	1:A:380:TYR:HA	2.21	0.41
2:A:2001:FAD:HM73	2:A:2001:FAD:HM81	1.82	0.41
1:B:171:LEU:HD12	1:B:171:LEU:HA	1.92	0.41
1:A:67:LEU:HD21	1:A:770:ASP:OD1	2.21	0.41
1:A:238:ASN:ND2	7:A:2478:HOH:O	2.52	0.41
1:B:59:PHE:HZ	1:B:109:THR:HA	1.86	0.41
1:B:810:ILE:HD13	1:B:810:ILE:HA	1.85	0.41
1:A:846:GLU:HG2	7:A:2444:HOH:O	2.21	0.40
1:B:187:ASP:HA	1:B:188:PRO:HD2	1.98	0.40
1:B:483:MET:SD	7:B:2538:HOH:O	2.62	0.40
1:A:121:VAL:HG22	1:A:408:PRO:O	2.20	0.40
1:A:172:LYS:C	1:A:174:GLU:H	2.29	0.40
1:B:30:ASN:O	1:B:36:GLY:HA3	2.20	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:268:TYR:CE2	1:A:270:HIS:HB2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	934/1005 (93%)	905 (97%)	26 (3%)	3 (0%)	36	29
1	B	964/1005 (96%)	945 (98%)	19 (2%)	0	100	100
All	All	1898/2010 (94%)	1850 (98%)	45 (2%)	3 (0%)	43	36

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	194	HIS
1	A	128	ALA
1	A	129	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	705/821 (86%)	693 (98%)	12 (2%)	53	52
1	B	752/821 (92%)	740 (98%)	12 (2%)	55	54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1457/1642 (89%)	1433 (98%)	24 (2%)	55 54

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	ASN
1	A	8	THR
1	A	87	SER
1	A	117	ARG
1	A	132	LEU
1	A	138	ASP
1	A	171	LEU
1	A	278	TYR
1	A	396	ILE
1	A	520	ARG
1	A	585	LEU
1	A	999	ASP
1	B	132	LEU
1	B	143	VAL
1	B	171	LEU
1	B	278	TYR
1	B	323	GLU
1	B	342	ARG
1	B	403	ILE
1	B	413	VAL
1	B	520	ARG
1	B	585	LEU
1	B	775	ASP
1	B	802	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	299	GLN
1	A	479	ASN
1	A	856	HIS
1	B	296	HIS
1	B	320	ASN
1	B	639	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 9 ligands modelled in this entry, 2 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PG4	A	2002	-	12,12,12	0.65	0	11,11,11	0.83	0
3	PG4	B	2003	-	10,10,12	0.62	0	9,9,11	0.87	0
6	2OP	B	2006	-	4,5,5	0.95	0	2,6,6	1.07	0
3	PG4	B	2002	-	9,9,12	0.60	0	8,8,11	0.77	0
2	FAD	B	2001	-	58,58,58	2.33	17 (29%)	85,89,89	1.81	20 (23%)
5	C15	B	2005	-	8,8,21	0.36	0	7,7,26	0.63	0
2	FAD	A	2001	-	58,58,58	2.47	19 (32%)	85,89,89	1.91	24 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PG4	A	2002	-	-	5/10/10/10	-
3	PG4	B	2003	-	-	4/8/8/10	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	2OP	B	2006	-	-	0/4/4/4	-
3	PG4	B	2002	-	-	1/7/7/10	-
2	FAD	B	2001	-	-	6/34/50/50	0/6/6/6
5	C15	B	2005	-	-	4/6/6/21	-
2	FAD	A	2001	-	-	15/34/50/50	0/6/6/6

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2001	FAD	PA-O3P	-10.01	1.48	1.59
2	B	2001	FAD	PA-O3P	-9.85	1.48	1.59
2	A	2001	FAD	O4-C4	7.54	1.37	1.23
2	B	2001	FAD	O4-C4	6.99	1.36	1.23
2	A	2001	FAD	O2-C2	6.13	1.36	1.24
2	B	2001	FAD	O2-C2	5.50	1.35	1.24
2	A	2001	FAD	C4X-N5	4.26	1.39	1.30
2	B	2001	FAD	C6A-N6A	4.18	1.44	1.34
2	A	2001	FAD	C6A-N6A	4.13	1.44	1.34
2	B	2001	FAD	C4X-N5	4.13	1.39	1.30
2	A	2001	FAD	C2-N1	3.65	1.44	1.36
2	A	2001	FAD	C10-N1	3.16	1.39	1.33
2	A	2001	FAD	P-O3P	3.05	1.62	1.59
2	A	2001	FAD	O2'-C2'	-2.93	1.37	1.43
2	A	2001	FAD	PA-O5B	-2.89	1.48	1.59
2	B	2001	FAD	C2-N1	2.68	1.42	1.36
2	B	2001	FAD	P-O3P	2.65	1.62	1.59
2	A	2001	FAD	O4'-C4'	-2.62	1.37	1.43
2	B	2001	FAD	PA-O5B	-2.60	1.49	1.59
2	B	2001	FAD	C10-N1	2.46	1.38	1.33
2	B	2001	FAD	O4B-C4B	-2.43	1.39	1.45
2	B	2001	FAD	O2'-C2'	-2.39	1.38	1.43
2	A	2001	FAD	PA-O2A	-2.31	1.44	1.55
2	B	2001	FAD	C4A-N9A	2.28	1.42	1.37
2	B	2001	FAD	PA-O2A	-2.28	1.44	1.55
2	B	2001	FAD	C5A-C4A	2.27	1.43	1.39
2	A	2001	FAD	O4B-C4B	-2.22	1.40	1.45
2	B	2001	FAD	P-O1P	2.17	1.58	1.50
2	B	2001	FAD	O4'-C4'	-2.15	1.38	1.43
2	A	2001	FAD	P-O1P	2.12	1.58	1.50
2	B	2001	FAD	O2B-C2B	-2.11	1.37	1.43
2	A	2001	FAD	O3'-C3'	-2.08	1.37	1.43
2	A	2001	FAD	C10-N10	2.05	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2001	FAD	O2B-C2B	-2.03	1.37	1.43
2	A	2001	FAD	C4A-N9A	2.02	1.41	1.37
2	A	2001	FAD	O3B-C3B	-2.01	1.38	1.43

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2001	FAD	N3A-C2A-N1A	-5.77	119.85	128.58
2	B	2001	FAD	N3A-C2A-N1A	-5.77	119.85	128.58
2	A	2001	FAD	C5A-C4A-N3A	-5.22	119.53	126.72
2	A	2001	FAD	O2P-P-O3P	-5.11	93.46	107.27
2	B	2001	FAD	C5A-C4A-N3A	-5.03	119.79	126.72
2	A	2001	FAD	O2A-PA-O3P	-4.29	95.67	107.27
2	B	2001	FAD	C5A-N7A-C8A	4.18	110.03	103.45
2	B	2001	FAD	O2P-P-O3P	-4.17	96.00	107.27
2	A	2001	FAD	N3A-C4A-N9A	4.11	134.16	127.17
2	B	2001	FAD	N3A-C4A-N9A	4.00	133.96	127.17
2	A	2001	FAD	O3P-P-O1P	3.91	122.45	110.70
2	A	2001	FAD	C5A-N7A-C8A	3.82	109.45	103.45
2	A	2001	FAD	C2A-N3A-C4A	3.76	121.02	111.83
2	B	2001	FAD	C2A-N3A-C4A	3.59	120.60	111.83
2	B	2001	FAD	C4-C4X-N5	3.50	123.05	118.21
2	B	2001	FAD	C4-N3-C2	-3.44	119.53	125.64
2	B	2001	FAD	N9A-C8A-N7A	-3.35	109.19	113.94
2	A	2001	FAD	O2P-P-O5'	-3.15	93.28	107.57
2	B	2001	FAD	C4X-C4-N3	3.07	121.06	113.25
2	B	2001	FAD	C4A-C5A-N7A	-3.07	107.08	110.58
2	A	2001	FAD	O5'-P-O1P	3.05	121.04	108.94
2	A	2001	FAD	C4A-C5A-N7A	-3.01	107.14	110.58
2	A	2001	FAD	C4-C4X-N5	2.99	122.34	118.21
2	A	2001	FAD	C4-N3-C2	-2.88	120.53	125.64
2	A	2001	FAD	N9A-C8A-N7A	-2.81	109.94	113.94
2	A	2001	FAD	C4X-C4-N3	2.73	120.20	113.25
2	B	2001	FAD	O3P-P-O1P	2.66	118.70	110.70
2	B	2001	FAD	O2-C2-N1	-2.65	117.40	121.80
2	B	2001	FAD	O4-C4-C4X	-2.58	119.72	126.53
2	B	2001	FAD	O5'-P-O1P	2.53	118.96	108.94
2	A	2001	FAD	C5'-C4'-C3'	-2.46	107.58	112.22
2	A	2001	FAD	O5B-PA-O1A	2.44	118.60	108.94
2	A	2001	FAD	O3P-PA-O1A	2.34	117.75	110.70
2	A	2001	FAD	O2A-PA-O5B	-2.34	96.97	107.57
2	A	2001	FAD	O4-C4-C4X	-2.29	120.49	126.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2001	FAD	O2P-P-O5'	-2.29	97.20	107.57
2	B	2001	FAD	C4X-C10-N10	2.27	119.74	116.48
2	A	2001	FAD	C4X-C10-N1	-2.26	119.05	124.59
2	A	2001	FAD	C10-C4X-N5	-2.22	120.28	124.81
2	B	2001	FAD	C10-C4X-N5	-2.19	120.33	124.81
2	B	2001	FAD	C2A-N1A-C6A	2.06	122.12	118.73
2	A	2001	FAD	C5X-C9A-N10	2.03	119.80	117.97
2	B	2001	FAD	C5X-C9A-N10	2.03	119.80	117.97
2	A	2001	FAD	C9A-C5X-N5	-2.01	120.32	122.45

There are no chirality outliers.

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	2001	FAD	C5B-O5B-PA-O1A
2	A	2001	FAD	C5B-O5B-PA-O3P
2	A	2001	FAD	C2'-C3'-C4'-O4'
2	A	2001	FAD	O3'-C3'-C4'-O4'
2	A	2001	FAD	C5'-O5'-P-O1P
2	A	2001	FAD	C5'-O5'-P-O3P
2	B	2001	FAD	P-O3P-PA-O5B
2	B	2001	FAD	N10-C1'-C2'-O2'
2	B	2001	FAD	N10-C1'-C2'-C3'
2	B	2001	FAD	C1'-C2'-C3'-C4'
2	A	2001	FAD	O3'-C3'-C4'-C5'
2	A	2001	FAD	C2'-C3'-C4'-C5'
3	B	2003	PG4	O3-C5-C6-O4
3	A	2002	PG4	O3-C5-C6-O4
3	B	2003	PG4	O2-C3-C4-O3
2	A	2001	FAD	C3B-C4B-C5B-O5B
3	A	2002	PG4	O2-C3-C4-O3
5	B	2005	C15	C7-C8-C9-C10
2	A	2001	FAD	O4B-C4B-C5B-O5B
2	B	2001	FAD	C3B-C4B-C5B-O5B
5	B	2005	C15	C9-C10-C11-C12
5	B	2005	C15	C6-C7-C8-C9
3	A	2002	PG4	O1-C1-C2-O2
3	A	2002	PG4	O4-C7-C8-O5
2	A	2001	FAD	P-O3P-PA-O5B
3	B	2003	PG4	C3-C4-O3-C5
3	B	2003	PG4	C5-C6-O4-C7
3	A	2002	PG4	C1-C2-O2-C3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	B	2002	PG4	O2-C3-C4-O3
2	A	2001	FAD	C5'-O5'-P-O2P
2	B	2001	FAD	C5B-O5B-PA-O3P
5	B	2005	C15	C11-C10-C9-C8
2	A	2001	FAD	O2'-C2'-C3'-C4'
2	A	2001	FAD	C1'-C2'-C3'-C4'
2	A	2001	FAD	O2'-C2'-C3'-O3'


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	2001	FAD	1	0
2	A	2001	FAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	941/1005 (93%)	0.12	77 (8%) 17 18	10, 27, 81, 104	1 (0%)
1	B	969/1005 (96%)	-0.29	27 (2%) 55 59	11, 24, 48, 67	1 (0%)
All	All	1910/2010 (95%)	-0.09	104 (5%) 31 33	10, 25, 71, 104	2 (0%)

All (104) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	994	ALA	6.3
1	B	996	ILE	4.7
1	A	4	SER	4.5
1	B	100	GLY	4.4
1	B	993	PHE	4.3
1	A	472	LEU	4.3
1	A	85	PHE	4.1
1	A	181	LEU	4.1
1	B	995	PRO	4.0
1	A	444	GLU	3.9
1	A	473	GLY	3.9
1	B	992	GLY	3.7
1	A	419	LEU	3.7
1	A	418	TYR	3.7
1	B	990	ARG	3.7
1	B	440	ASP	3.7
1	A	471	GLY	3.7
1	B	462	ALA	3.6
1	A	1002	TRP	3.6
1	B	473	GLY	3.5
1	A	47	GLN	3.4
1	A	350	ILE	3.4
1	A	360	ILE	3.4
1	A	399	VAL	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	460	ALA	3.4
1	A	18	PHE	3.4
1	A	394	LYS	3.2
1	A	363	ILE	3.2
1	A	371	ARG	3.2
1	A	413	VAL	3.2
1	A	48	PHE	3.1
1	A	356	ALA	3.1
1	B	438	ALA	3.1
1	A	167	LEU	3.0
1	A	461	ARG	3.0
1	A	50	ILE	2.9
1	A	372	GLU	2.9
1	B	77	GLY	2.9
1	A	178	TRP	2.9
1	A	184	LYS	2.9
1	A	345	LEU	2.8
1	A	8	THR	2.8
1	A	135	LEU	2.8
1	A	80	GLN	2.8
1	A	20	SER	2.7
1	A	183	GLY	2.7
1	A	396	ILE	2.7
1	A	5	GLU	2.7
1	B	999	ASP	2.7
1	A	445	ARG	2.7
1	B	989	MET	2.6
1	B	1001	ASP	2.6
1	A	188	PRO	2.6
1	A	186	GLY	2.6
1	A	79	GLU	2.6
1	A	182	PRO	2.6
1	B	104	LEU	2.6
1	A	369	MET	2.5
1	B	441	ALA	2.5
1	B	103	VAL	2.5
1	B	461	ARG	2.4
1	A	459	ALA	2.4
1	A	7	ASN	2.4
1	A	185	GLY	2.4
1	A	179	LYS	2.4
1	A	417	GLY	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	17	PHE	2.4
1	A	10	ILE	2.4
1	A	452	VAL	2.4
1	A	6	LEU	2.3
1	A	370	ALA	2.3
1	A	366	VAL	2.3
1	A	299	GLN	2.3
1	A	400	ALA	2.3
1	B	471	GLY	2.3
1	A	83	PRO	2.3
1	A	382	PHE	2.2
1	B	185	GLY	2.2
1	A	194	HIS	2.2
1	A	470	LYS	2.2
1	B	991	ARG	2.2
1	B	472	LEU	2.2
1	A	189	GLY	2.2
1	A	376	PRO	2.2
1	A	11	VAL	2.2
1	A	349	GLN	2.2
1	A	397	LEU	2.2
1	A	1001	ASP	2.2
1	A	447	LEU	2.2
1	A	195	ALA	2.2
1	A	374	ASN	2.1
1	B	437	PHE	2.1
1	A	19	GLY	2.1
1	A	236	GLU	2.1
1	A	460	ALA	2.1
1	A	142	ALA	2.1
1	A	378	ASP	2.1
1	B	1000	ASP	2.1
1	A	141	ALA	2.1
1	A	291	ALA	2.1
1	A	266	ARG	2.1
1	A	375	VAL	2.0
1	A	176	GLY	2.0
1	B	399	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	PG4	B	2003	11/13	0.77	0.18	47,50,61,63	0
5	C15	B	2005	9/22	0.87	0.15	38,43,49,49	0
3	PG4	A	2002	13/13	0.89	0.14	47,50,55,57	0
3	PG4	B	2002	10/13	0.91	0.10	28,32,36,36	0
2	FAD	A	2001	53/53	0.92	0.09	31,36,50,55	0
6	2OP	B	2006	6/6	0.95	0.10	22,28,37,41	0
2	FAD	B	2001	53/53	0.97	0.05	11,17,22,23	0
4	K	A	2003	1/1	0.99	0.05	18,18,18,18	0
4	K	B	2004	1/1	0.99	0.03	17,17,17,17	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around C15 B 2005:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 2001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.