



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:36 AM UTC

PDB ID : 2NNI / pdb_00002nni
Title : CYP2C8dH complexed with montelukast
Authors : Schoch, G.A.; Yano, J.K.; Stout, C.D.; Johnson, E.F.
Deposited on : 2006-10-24
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	476	 50% 41% 6%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 3811 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450 2C8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	463	Total	C	N	O	S	0	0	0
			3693	2362	635	674	22			

There are 13 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	19	MET	-	expression tag	UNP P10632
A	20	ALA	-	expression tag	UNP P10632
A	21	LYS	-	expression tag	UNP P10632
A	22	LYS	-	expression tag	UNP P10632
A	23	THR	-	expression tag	UNP P10632
A	24	SER	-	expression tag	UNP P10632
A	25	SER	-	expression tag	UNP P10632
A	26	LYS	-	expression tag	UNP P10632
A	27	GLY	-	expression tag	UNP P10632
A	491	HIS	-	expression tag	UNP P10632
A	492	HIS	-	expression tag	UNP P10632
A	493	HIS	-	expression tag	UNP P10632
A	494	HIS	-	expression tag	UNP P10632

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	O	S		0	0
			5	4	1			

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	

- Molecule 4 is MONTELUKAST (CCD ID: MTK) (formula: $C_{35}H_{36}ClNO_3S$).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	11	Total	O	0	0
			11	11		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cytochrome P450 2C8



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	74.14Å 140.52Å 164.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.70 – 2.80 48.70 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.70-2.80) 99.5 (48.70-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.00 (at 2.81Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.227 , 0.266 0.222 , 0.262	Depositor DCC
R_{free} test set	1082 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	59.9	Xtriage
Anisotropy	0.268	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 41.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3811	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PLM, SO4, HEM, MTK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/3778	1.03	16/5115 (0.3%)

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	62	GLY	CA-C-N	9.10	128.70	119.24
1	A	62	GLY	C-N-CA	9.10	128.70	119.24
1	A	333	ARG	N-CA-C	-7.83	103.31	113.17
1	A	316	HIS	CA-C-N	7.56	127.44	119.05
1	A	316	HIS	C-N-CA	7.56	127.44	119.05
1	A	426	MET	CA-C-N	-6.58	112.92	119.56
1	A	426	MET	C-N-CA	-6.58	112.92	119.56
1	A	488	ILE	N-CA-C	5.99	113.01	107.56
1	A	36	LEU	N-CA-C	-5.95	102.39	110.36
1	A	258	ASN	N-CA-C	5.93	118.69	111.82
1	A	423	ASP	N-CA-C	-5.66	106.33	113.18
1	A	167	THR	N-CA-C	5.33	117.51	111.11
1	A	114	SER	N-CA-C	5.28	119.77	113.23
1	A	403	ASN	CA-C-N	5.20	124.92	119.82
1	A	403	ASN	C-N-CA	5.20	124.92	119.82
1	A	52	LYS	N-CA-C	-5.09	105.86	111.71

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3693	0	3715	203	1
2	A	5	0	0	0	0
3	A	43	0	30	2	0
4	A	41	0	35	5	0
5	A	18	0	31	5	0
6	A	11	0	0	0	0
All	All	3811	0	3811	205	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (205) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:141:ILE:HA	1:A:144:ARG:HD2	1.37	1.04
1:A:184:GLN:HG2	1:A:185:LYS:H	1.18	1.04
1:A:75:VAL:HG13	1:A:387:ILE:HD13	1.53	0.88
1:A:184:GLN:HG2	1:A:185:LYS:N	1.87	0.88
1:A:457:ASN:ND2	1:A:490:VAL:HG12	1.94	0.82
1:A:221:LEU:HD12	1:A:221:LEU:H	1.49	0.77
1:A:331:ILE:HD13	1:A:337:PRO:HB3	1.64	0.76
1:A:166:PRO:HB2	1:A:170:LEU:HD22	1.67	0.76
1:A:403:ASN:HB3	1:A:406:ILE:HD11	1.68	0.76
1:A:308:TYR:CD1	1:A:359:SER:HB2	2.20	0.75
1:A:403:ASN:CB	1:A:406:ILE:HD11	2.15	0.75
1:A:245:ARG:O	1:A:248:VAL:HG12	1.87	0.75
1:A:97:ARG:HD2	1:A:113:ILE:O	1.88	0.73
1:A:271:MET:HE3	1:A:283:ASN:HA	1.71	0.73
1:A:350:ALA:HB2	1:A:413:LEU:HD13	1.71	0.73
1:A:221:LEU:H	1:A:221:LEU:CD1	2.02	0.73
1:A:126:PHE:O	1:A:130:THR:HG22	1.90	0.72
1:A:272:GLU:O	1:A:275:LYS:HB2	1.92	0.69
1:A:31:PRO:HD3	1:A:379:TYR:CE2	2.28	0.68
1:A:218:ASN:C	1:A:220:PRO:HD3	2.18	0.68
1:A:421:LYS:HD2	1:A:422:SER:H	1.59	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:267:PHE:CG	1:A:287:LEU:HD13	2.29	0.68
1:A:284:ILE:O	1:A:288:VAL:HG23	1.95	0.66
1:A:333:ARG:H	1:A:333:ARG:HD2	1.61	0.66
1:A:118:LYS:HE3	1:A:122:GLU:OE2	1.95	0.66
1:A:173:ALA:HB3	1:A:174:PRO:HD3	1.78	0.65
1:A:403:ASN:HB3	1:A:406:ILE:CD1	2.26	0.65
1:A:77:PHE:HE2	1:A:387:ILE:HD12	1.62	0.63
1:A:107:THR:HG21	4:A:501:MTK:HAL	1.79	0.63
1:A:462:ASP:CG	1:A:463:ASP:H	2.06	0.62
1:A:221:LEU:HD12	1:A:221:LEU:N	2.14	0.61
1:A:311:LEU:HB2	1:A:483:TYR:CE2	2.34	0.61
1:A:98:GLY:HA2	1:A:369:ALA:HB2	1.82	0.61
1:A:147:GLU:O	1:A:150:HIS:HB3	2.00	0.60
1:A:163:PRO:HB3	1:A:461:VAL:HG22	1.83	0.60
1:A:255:LEU:HD11	1:A:269:ILE:HD11	1.84	0.60
1:A:218:ASN:O	1:A:220:PRO:HD3	2.02	0.59
1:A:255:LEU:HD21	1:A:269:ILE:HD13	1.84	0.59
1:A:83:VAL:HG13	1:A:389:ALA:HB1	1.85	0.59
1:A:320:THR:HG23	1:A:453:LEU:HD13	1.85	0.59
1:A:387:ILE:HG22	1:A:388:MET:N	2.15	0.59
1:A:119:ARG:HD3	1:A:281:GLU:OE2	2.02	0.59
1:A:177:VAL:O	1:A:181:VAL:HG23	2.03	0.59
1:A:33:PRO:HB2	1:A:41:ASN:ND2	2.18	0.58
1:A:476:ILE:HG23	1:A:477:VAL:HG23	1.84	0.58
1:A:185:LYS:HD2	1:A:185:LYS:C	2.29	0.57
1:A:184:GLN:CG	1:A:185:LYS:N	2.63	0.57
1:A:382:PRO:HG2	1:A:385:THR:OG1	2.03	0.57
1:A:308:TYR:CG	1:A:480:PRO:HB3	2.39	0.57
1:A:442:ARG:HB3	1:A:442:ARG:HH11	1.68	0.57
1:A:64:VAL:HG21	1:A:376:PHE:CE2	2.40	0.57
1:A:145:VAL:CG1	1:A:447:LEU:HD12	2.35	0.57
1:A:247:LYS:HE2	1:A:250:GLU:OE1	2.04	0.56
1:A:185:LYS:HD2	1:A:185:LYS:O	2.05	0.56
1:A:30:PRO:HA	1:A:379:TYR:CE2	2.41	0.56
1:A:311:LEU:HD13	1:A:483:TYR:CD2	2.41	0.56
1:A:331:ILE:HD13	1:A:337:PRO:CB	2.37	0.55
1:A:102:ILE:HG23	5:A:502:PLM:HD1	1.89	0.54
1:A:455:ASN:HD22	1:A:455:ASN:N	2.05	0.54
1:A:92:GLU:HG2	1:A:432:LYS:HE3	1.90	0.54
1:A:30:PRO:HA	1:A:379:TYR:CD2	2.43	0.54
1:A:84:LYS:HG3	1:A:88:ILE:HD12	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:265:ASP:O	1:A:269:ILE:HG12	2.08	0.54
1:A:38:ILE:HD12	1:A:71:MET:HE1	1.90	0.53
1:A:198:MET:O	1:A:199:LYS:C	2.51	0.53
1:A:156:LEU:O	1:A:159:THR:HG23	2.08	0.53
1:A:387:ILE:CG2	1:A:388:MET:N	2.71	0.53
1:A:253:ALA:O	1:A:254:SER:HB3	2.09	0.53
1:A:308:TYR:CD1	1:A:480:PRO:HB3	2.44	0.53
1:A:77:PHE:CE2	1:A:387:ILE:HG23	2.44	0.53
1:A:28:LYS:O	1:A:28:LYS:HG3	2.09	0.53
1:A:155:GLU:HG3	1:A:189:TYR:CD1	2.44	0.52
1:A:127:SER:HA	1:A:130:THR:HG22	1.91	0.52
1:A:51:CYS:SG	1:A:364:THR:HG22	2.50	0.52
1:A:155:GLU:O	1:A:158:LYS:HB2	2.08	0.52
1:A:271:MET:HG2	1:A:282:PHE:O	2.09	0.52
1:A:77:PHE:CE2	1:A:387:ILE:HD12	2.44	0.52
1:A:403:ASN:O	1:A:406:ILE:HG12	2.10	0.52
1:A:472:VAL:HG22	1:A:472:VAL:O	2.10	0.52
1:A:473:THR:O	1:A:475:GLY:N	2.40	0.51
1:A:331:ILE:CD1	1:A:337:PRO:HB3	2.39	0.51
4:A:501:MTK:HAW1	4:A:501:MTK:HAA2	1.92	0.51
1:A:55:THR:O	1:A:58:SER:OG	2.26	0.51
1:A:414:ASP:C	1:A:414:ASP:OD2	2.54	0.51
1:A:428:PHE:O	1:A:429:SER:HB3	2.10	0.51
1:A:183:PHE:O	1:A:184:GLN:HG2	2.10	0.51
1:A:445:LEU:O	1:A:449:LEU:HB2	2.11	0.51
1:A:127:SER:HA	1:A:130:THR:CG2	2.41	0.51
1:A:77:PHE:HE2	1:A:387:ILE:HG23	1.75	0.51
1:A:170:LEU:HD21	1:A:310:LEU:HD12	1.92	0.51
1:A:64:VAL:HG21	1:A:376:PHE:HE2	1.76	0.50
1:A:437:GLY:HA3	3:A:500:HEM:HBC2	1.92	0.50
1:A:202:ASN:OD1	1:A:206:ARG:NH1	2.44	0.50
1:A:459:LYS:HB3	1:A:486:CYS:HB2	1.94	0.50
1:A:350:ALA:CB	1:A:413:LEU:HD13	2.41	0.50
1:A:429:SER:OG	1:A:430:ALA:N	2.45	0.50
1:A:124:ARG:HH12	1:A:436:ALA:HB2	1.75	0.49
1:A:126:PHE:CD1	1:A:126:PHE:C	2.89	0.49
1:A:249:LYS:HA	1:A:252:GLN:OE1	2.12	0.49
1:A:172:CYS:O	1:A:176:ASN:HB2	2.12	0.49
1:A:213:ILE:HG21	4:A:501:MTK:HAY1	1.93	0.49
1:A:38:ILE:HA	1:A:71:MET:HE1	1.94	0.49
1:A:134:PHE:CE1	1:A:140:SER:HB3	2.47	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:242:SER:O	1:A:246:GLU:HG3	2.12	0.49
1:A:38:ILE:HG22	1:A:39:ILE:HG23	1.95	0.49
1:A:421:LYS:HD2	1:A:422:SER:N	2.27	0.49
1:A:75:VAL:HG13	1:A:387:ILE:CD1	2.34	0.49
1:A:183:PHE:O	1:A:184:GLN:NE2	2.46	0.49
1:A:397:ASP:OD1	1:A:424:TYR:HE2	1.95	0.48
1:A:459:LYS:CD	1:A:488:ILE:HD11	2.43	0.48
1:A:472:VAL:O	1:A:472:VAL:CG2	2.61	0.48
1:A:225:CYS:C	1:A:227:PRO:HD3	2.39	0.48
1:A:367:PRO:HB3	1:A:388:MET:CE	2.43	0.48
1:A:49:ASP:OD2	1:A:52:LYS:HB2	2.14	0.48
1:A:106:ILE:HD11	5:A:502:PLM:HF2	1.95	0.48
1:A:141:ILE:HA	1:A:144:ARG:CD	2.28	0.47
1:A:85:GLU:O	1:A:89:ASP:HB2	2.13	0.47
1:A:348:THR:O	1:A:352:VAL:HG23	2.14	0.47
1:A:245:ARG:HA	1:A:248:VAL:HG12	1.96	0.47
1:A:333:ARG:HD2	1:A:333:ARG:N	2.30	0.47
1:A:372:THR:HA	1:A:383:LYS:HB2	1.95	0.47
1:A:421:LYS:HE3	1:A:422:SER:O	2.15	0.47
1:A:155:GLU:HG3	1:A:189:TYR:CE1	2.50	0.47
1:A:187:PHE:HZ	1:A:243:TYR:HH	1.61	0.47
1:A:31:PRO:HD3	1:A:379:TYR:HE2	1.79	0.47
1:A:36:LEU:HD22	1:A:43:LEU:HD11	1.96	0.46
1:A:459:LYS:HB2	1:A:488:ILE:HD11	1.97	0.46
1:A:362:VAL:HG12	1:A:365:GLY:H	1.81	0.46
1:A:41:ASN:O	1:A:42:MET:C	2.59	0.46
1:A:92:GLU:OE1	1:A:432:LYS:HD3	2.16	0.46
1:A:197:LEU:HD13	1:A:197:LEU:O	2.15	0.46
1:A:342:ARG:HD3	1:A:349:ASP:OD1	2.16	0.46
1:A:403:ASN:HB2	1:A:406:ILE:HD11	1.97	0.45
1:A:269:ILE:O	1:A:272:GLU:HB3	2.16	0.45
1:A:318:GLU:N	1:A:318:GLU:OE2	2.49	0.45
1:A:79:GLY:O	1:A:83:VAL:HG23	2.16	0.45
1:A:462:ASP:CG	1:A:463:ASP:N	2.74	0.45
1:A:473:THR:O	1:A:473:THR:HG22	2.17	0.45
1:A:124:ARG:HH11	1:A:124:ARG:HG3	1.82	0.45
1:A:75:VAL:CG1	1:A:387:ILE:HD13	2.36	0.45
1:A:183:PHE:O	1:A:184:GLN:CG	2.64	0.45
1:A:277:ASN:ND2	1:A:280:SER:HB2	2.32	0.45
1:A:226:PHE:N	1:A:227:PRO:HD3	2.32	0.45
1:A:267:PHE:CE2	1:A:287:LEU:HB2	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:VAL:O	1:A:237:VAL:HG23	2.16	0.44
1:A:187:PHE:HZ	1:A:243:TYR:OH	2.00	0.44
1:A:54:PHE:HD2	1:A:390:LEU:HD21	1.81	0.44
4:A:501:MTK:HAV2	4:A:501:MTK:HAB3	1.99	0.44
1:A:185:LYS:NZ	1:A:247:LYS:NZ	2.65	0.44
1:A:191:ASP:C	1:A:191:ASP:OD2	2.60	0.44
1:A:87:LEU:HD11	1:A:389:ALA:CB	2.48	0.44
1:A:199:LYS:HD3	1:A:199:LYS:HA	1.72	0.44
1:A:362:VAL:HG12	1:A:365:GLY:N	2.32	0.44
1:A:415:LYS:CD	1:A:415:LYS:H	2.26	0.44
1:A:267:PHE:CD2	1:A:287:LEU:HD13	2.53	0.43
1:A:339:MET:CE	1:A:342:ARG:HH21	2.31	0.43
1:A:100:SER:HB2	1:A:101:PRO:HD2	2.00	0.43
1:A:173:ALA:HB1	1:A:448:PHE:CZ	2.54	0.43
1:A:284:ILE:O	1:A:284:ILE:HG22	2.18	0.43
1:A:272:GLU:HA	1:A:272:GLU:OE2	2.17	0.43
1:A:277:ASN:HD22	1:A:280:SER:HB2	1.84	0.43
1:A:315:LYS:C	1:A:317:PRO:HD3	2.43	0.43
1:A:333:ARG:HH11	1:A:333:ARG:HG2	1.84	0.43
1:A:329:HIS:O	1:A:329:HIS:ND1	2.52	0.43
1:A:370:VAL:HG21	1:A:381:ILE:HG22	2.00	0.43
1:A:60:VAL:HG12	1:A:60:VAL:O	2.18	0.43
1:A:105:ARG:HD2	5:A:502:PLM:HG3	2.00	0.43
1:A:100:SER:HB2	1:A:101:PRO:CD	2.48	0.42
1:A:133:ASN:O	1:A:140:SER:HA	2.18	0.42
1:A:193:ASN:O	1:A:197:LEU:HB2	2.19	0.42
1:A:434:ILE:O	1:A:435:CYS:C	2.61	0.42
1:A:229:THR:HG21	5:A:502:PLM:H61	2.01	0.42
1:A:83:VAL:CG1	1:A:87:LEU:HD12	2.50	0.42
1:A:274:GLU:O	1:A:275:LYS:C	2.62	0.42
1:A:294:LEU:HD23	1:A:294:LEU:HA	1.89	0.42
1:A:274:GLU:O	1:A:276:ASP:N	2.53	0.42
1:A:459:LYS:HB2	1:A:488:ILE:CD1	2.50	0.42
1:A:124:ARG:NH1	1:A:436:ALA:HB2	2.34	0.42
1:A:153:VAL:HG13	1:A:456:PHE:CE2	2.54	0.42
1:A:206:ARG:HH11	1:A:206:ARG:HG3	1.85	0.42
1:A:229:THR:HG21	5:A:502:PLM:H81	2.00	0.42
1:A:124:ARG:NH2	1:A:434:ILE:O	2.45	0.42
1:A:310:LEU:HD23	1:A:310:LEU:HA	1.82	0.42
1:A:148:GLU:C	1:A:150:HIS:N	2.76	0.42
1:A:306:LEU:HD23	1:A:306:LEU:HA	1.89	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:455:ASN:N	1:A:455:ASN:ND2	2.64	0.42
1:A:237:VAL:HA	4:A:501:MTK:CAO	2.50	0.41
1:A:376:PHE:O	1:A:377:ARG:C	2.63	0.41
1:A:400:GLU:HG3	1:A:400:GLU:O	2.19	0.41
1:A:145:VAL:HG12	1:A:447:LEU:HD12	2.02	0.41
1:A:301:THR:HA	1:A:361:LEU:HD21	2.01	0.41
1:A:382:PRO:O	1:A:385:THR:OG1	2.36	0.41
1:A:50:ILE:H	1:A:50:ILE:HG22	1.58	0.41
1:A:322:LYS:HB2	1:A:347:TYR:CE2	2.55	0.41
1:A:166:PRO:O	1:A:170:LEU:HB2	2.20	0.41
1:A:237:VAL:O	1:A:241:ARG:HG3	2.20	0.41
1:A:352:VAL:O	1:A:356:GLN:HG3	2.21	0.41
1:A:375:LYS:HE3	1:A:375:LYS:HB2	1.90	0.41
1:A:52:LYS:HA	1:A:52:LYS:HD2	1.93	0.40
1:A:54:PHE:CD2	1:A:390:LEU:HD21	2.56	0.40
1:A:90:ASN:O	1:A:91:GLY:C	2.64	0.40
1:A:248:VAL:O	1:A:252:GLN:HG3	2.21	0.40
1:A:255:LEU:HD21	1:A:269:ILE:CD1	2.48	0.40
1:A:297:ALA:HB1	3:A:500:HEM:C1D	2.57	0.40
1:A:251:HIS:NE2	1:A:262:ASP:OD1	2.51	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:LEU:CD2	1:A:43:LEU:CD2[3_655]	2.02	0.18

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	461/476 (97%)	414 (90%)	38 (8%)	9 (2%)	6 21

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	254	SER
1	A	377	ARG
1	A	275	LYS
1	A	31	PRO
1	A	135	GLY
1	A	429	SER
1	A	48	LYS
1	A	133	ASN
1	A	91	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	419/430 (97%)	393 (94%)	26 (6%)	16	45

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	LEU
1	A	43	LEU
1	A	50	ILE
1	A	51	CYS
1	A	75	VAL
1	A	97	ARG
1	A	99	ASN
1	A	103	SER
1	A	114	SER
1	A	154	GLU
1	A	159	THR
1	A	170	LEU
1	A	184	GLN
1	A	185	LYS
1	A	198	MET
1	A	221	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	314	LEU
1	A	335	ARG
1	A	340	GLN
1	A	388	MET
1	A	406	ILE
1	A	413	LEU
1	A	415	LYS
1	A	442	ARG
1	A	455	ASN
1	A	472	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	230	HIS
1	A	259	ASN
1	A	277	ASN
1	A	278	GLN
1	A	334	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	PLM	A	502	-	17,17,17	0.57	1 (5%)	17,17,17	1.10	1 (5%)
4	MTK	A	501	-	43,45,45	2.36	13 (30%)	54,65,65	1.43	5 (9%)
2	SO4	A	503	-	4,4,4	1.13	0	6,6,6	1.32	1 (16%)
3	HEM	A	500	1	50,50,50	2.38	21 (42%)	67,82,82	1.42	13 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PLM	A	502	-	-	4/15/15/15	-
4	MTK	A	501	-	-	2/28/35/35	0/5/5/5
3	HEM	A	500	1	-	4/14/54/54	-

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	501	MTK	CBN-CBJ	8.96	1.61	1.54
4	A	501	MTK	CBH-CBJ	5.17	1.47	1.40
3	A	500	HEM	C4A-NA	-4.32	1.31	1.39
3	A	500	HEM	C1B-NB	-4.32	1.32	1.40
3	A	500	HEM	C1D-ND	-4.32	1.30	1.38
3	A	500	HEM	C1C-NC	-4.18	1.31	1.39
3	A	500	HEM	FE-NB	3.95	2.07	1.94
4	A	501	MTK	CBG-NBB	3.92	1.37	1.33
3	A	500	HEM	CAC-C3C	-3.83	1.37	1.47
3	A	500	HEM	FE-ND	3.79	2.06	1.94
3	A	500	HEM	CMA-C3A	3.76	1.58	1.50
3	A	500	HEM	CBB-CAB	3.76	1.48	1.30
3	A	500	HEM	C4B-NB	-3.71	1.31	1.38
3	A	500	HEM	C4D-ND	-3.54	1.34	1.40
4	A	501	MTK	CAR-CAO	3.24	1.43	1.36
4	A	501	MTK	CAU-CBE	3.22	1.42	1.36
3	A	500	HEM	CMC-C2C	3.17	1.57	1.50
3	A	500	HEM	C1C-C2C	-3.10	1.39	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	500	HEM	FE-NC	3.07	2.05	1.95
4	A	501	MTK	CBG-CAH	-3.00	1.40	1.47
3	A	500	HEM	FE-NA	2.89	2.04	1.95
4	A	501	MTK	CAP-CBJ	2.85	1.43	1.39
4	A	501	MTK	CAS-CAQ	2.78	1.42	1.36
3	A	500	HEM	C4C-NC	-2.76	1.34	1.39
3	A	500	HEM	O2A-CGA	-2.68	1.22	1.30
4	A	501	MTK	CBF-CAG	-2.51	1.40	1.47
4	A	501	MTK	CAO-CBE	2.50	1.42	1.38
4	A	501	MTK	CAT-CBI	2.49	1.42	1.39
3	A	500	HEM	CAD-C3D	2.43	1.57	1.51
3	A	500	HEM	CBC-CAC	2.39	1.41	1.30
3	A	500	HEM	C3B-C2B	2.35	1.41	1.37
4	A	501	MTK	CAY-CAX	2.31	1.55	1.50
4	A	501	MTK	CAQ-CBG	2.26	1.43	1.39
5	A	502	PLM	O1-C1	-2.12	1.23	1.30
3	A	500	HEM	CMD-C2D	2.08	1.55	1.50

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	501	MTK	CBG-NBB-CBL	5.82	123.11	117.79
4	A	501	MTK	CAY-CAX-CBO	-3.25	57.74	60.14
3	A	500	HEM	CHD-C4C-NC	-3.24	120.92	124.45
4	A	501	MTK	CAV-CBH-CAM	-3.02	112.89	119.42
3	A	500	HEM	CHB-C1B-NB	-2.99	120.67	124.37
2	A	503	SO4	O4-S-O3	2.89	124.50	108.54
3	A	500	HEM	C4B-C3B-C2B	-2.83	104.67	107.28
3	A	500	HEM	CHC-C1C-NC	-2.74	121.47	124.45
3	A	500	HEM	C4C-C3C-C2C	-2.70	104.47	106.81
3	A	500	HEM	C3B-C4B-NB	2.64	111.36	109.47
3	A	500	HEM	C1C-CHC-C4B	2.59	131.53	126.02
3	A	500	HEM	C3B-C2B-C1B	-2.45	104.57	106.41
4	A	501	MTK	CAQ-CBG-NBB	-2.41	119.78	122.78
3	A	500	HEM	C1B-NB-C4B	2.37	108.01	105.21
5	A	502	PLM	C3-C2-C1	-2.34	108.39	114.51
3	A	500	HEM	O2A-CGA-CBA	2.26	121.15	114.00
3	A	500	HEM	C4D-ND-C1D	2.24	107.86	105.21
4	A	501	MTK	CBO-CBA-CBD	-2.23	110.62	115.99
3	A	500	HEM	C4C-CHD-C1D	2.13	130.54	126.02
3	A	500	HEM	CHD-C4C-C3C	2.07	128.70	125.21

There are no chirality outliers.

All (10) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	A	500	HEM	C2C-C3C-CAC-CBC
4	A	501	MTK	CAV-CAW-CBM-CBI
5	A	502	PLM	C2-C3-C4-C5
5	A	502	PLM	C8-C9-CA-CB
4	A	501	MTK	CBH-CAV-CAW-CBM
3	A	500	HEM	C4C-C3C-CAC-CBC
3	A	500	HEM	CAA-CBA-CGA-O2A
3	A	500	HEM	CAA-CBA-CGA-O1A
5	A	502	PLM	O2-C1-C2-C3
5	A	502	PLM	O1-C1-C2-C3


There are no ring outliers.

3 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	502	PLM	5	0
4	A	501	MTK	5	0
3	A	500	HEM	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	463/476 (97%)	-0.06	6 (1%) 75 66	29, 55, 76, 99	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	474	LYS	4.0
1	A	43	LEU	2.7
1	A	415	LYS	2.7
1	A	490	VAL	2.5
1	A	334	HIS	2.2
1	A	184	GLN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MTK	A	501	41/41	0.81	0.22	41,79,89,89	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	A	503	5/5	0.82	0.22	83,84,84,84	0
5	PLM	A	502	18/18	0.91	0.17	50,57,65,65	0
3	HEM	A	500	43/43	0.98	0.08	45,48,51,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around PLM A 502:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.