



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 06:14 AM UTC

PDB ID : 4NNZ / pdb_00004nnz
Title : Subunit PA0372 of heterodimeric zinc protease PA0371-PA0372
Authors : Mamelli, L.; Goemaere, E.; Spinelli, S.; Vuillard, L.
Deposited on : 2013-11-19
Resolution : 2.48 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7589 (2.50-2.46)
Clashscore	190562	8295 (2.50-2.46)
Ramachandran outliers	187476	8164 (2.50-2.46)
Sidechain outliers	187428	8166 (2.50-2.46)
RSRZ outliers	180081	7593 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	439	2% 56% 28% 5% • 9%
1	B	439	2% 57% 27% 6% • 10%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PEG	A	501	-	-	X	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6403 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Probable zinc protease.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	398	Total	C	N	O	S	0	0	0
			3151	1996	548	598	9			
1	B	397	Total	C	N	O	S	0	2	0
			3156	2000	550	597	9			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP Q9I6C2
A	434	HIS	-	expression tag	UNP Q9I6C2
A	435	HIS	-	expression tag	UNP Q9I6C2
A	436	HIS	-	expression tag	UNP Q9I6C2
A	437	HIS	-	expression tag	UNP Q9I6C2
A	438	HIS	-	expression tag	UNP Q9I6C2
A	439	HIS	-	expression tag	UNP Q9I6C2
B	1	MET	-	expression tag	UNP Q9I6C2
B	434	HIS	-	expression tag	UNP Q9I6C2
B	435	HIS	-	expression tag	UNP Q9I6C2
B	436	HIS	-	expression tag	UNP Q9I6C2
B	437	HIS	-	expression tag	UNP Q9I6C2
B	438	HIS	-	expression tag	UNP Q9I6C2
B	439	HIS	-	expression tag	UNP Q9I6C2

- Molecule 2 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			7	4	3		
2	A	1	Total	C	O	0	0
			7	4	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	53	Total	O	0	0
			53	53		
3	B	29	Total	O	0	0
			29	29		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Probable zinc protease



• Molecule 1: Probable zinc protease





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	79.88Å 106.51Å 112.66Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	77.40 – 2.48 77.40 – 2.48	Depositor EDS
% Data completeness (in resolution range)	99.1 (77.40-2.48) 99.1 (77.40-2.48)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.40 (at 2.48Å)	Xtriage
Refinement program	REFMAC 5.7.0032, CNS	Depositor
R, R_{free}	0.202 , 0.227 0.206 , 0.229	Depositor DCC
R_{free} test set	1521 reflections (4.36%)	wwPDB-VP
Wilson B-factor (Å ²)	43.5	Xtriage
Anisotropy	0.259	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 41.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6403	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.85	11/3220 (0.3%)	1.10	14/4375 (0.3%)
1	B	1.84	21/3231 (0.6%)	1.22	26/4389 (0.6%)
All	All	1.85	32/6451 (0.5%)	1.16	40/8764 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	194	VAL	C-O	-6.49	1.17	1.24
1	B	213[A]	GLU	CA-C	6.38	1.61	1.52
1	B	213[B]	GLU	CA-C	6.38	1.61	1.52
1	B	209[A]	ARG	CA-C	6.29	1.61	1.52
1	B	209[B]	ARG	CA-C	6.29	1.61	1.52
1	A	248	ILE	C-O	-6.27	1.17	1.24
1	B	18	VAL	C-O	-6.10	1.17	1.24
1	B	310	LEU	C-O	-5.92	1.17	1.24
1	A	312	VAL	C-O	-5.89	1.18	1.24
1	A	234	ARG	C-O	-5.80	1.17	1.24
1	B	38	GLY	C-O	-5.75	1.18	1.23
1	B	161	PRO	C-O	-5.67	1.17	1.23
1	A	84	THR	C-O	-5.61	1.17	1.24
1	B	37	ILE	C-O	-5.61	1.17	1.23
1	A	191	THR	C-O	-5.56	1.17	1.24
1	B	373	SER	C-O	-5.50	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	214	ILE	C-N	5.45	1.40	1.33
1	B	20	VAL	C-O	-5.41	1.18	1.24
1	A	418	ALA	C-O	-5.36	1.17	1.24
1	B	264	GLU	C-O	-5.27	1.18	1.24
1	B	370	GLN	C-O	-5.25	1.17	1.24
1	A	215	PRO	N-CD	5.23	1.55	1.47
1	B	90	ALA	C-O	-5.16	1.17	1.24
1	B	309	SER	C-O	-5.11	1.18	1.23
1	A	232	GLY	C-O	-5.10	1.18	1.23
1	A	311	PHE	C-O	-5.07	1.17	1.24
1	B	235	ARG	C-O	-5.06	1.17	1.23
1	B	223	ARG	C-O	-5.06	1.18	1.24
1	B	229	ALA	C-O	-5.05	1.18	1.24
1	A	296	GLY	C-O	-5.04	1.18	1.24
1	B	248	ILE	C-O	-5.04	1.19	1.24
1	B	193	VAL	C-O	-5.01	1.18	1.24

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	372	SER	N-CA-CB	-18.77	84.58	110.67
1	B	372	SER	N-CA-C	-13.73	96.40	113.97
1	B	319	VAL	N-CA-CB	-12.27	85.75	111.76
1	B	209[A]	ARG	CA-C-O	11.01	132.38	120.82
1	B	209[B]	ARG	CA-C-O	11.01	132.38	120.82
1	B	213[A]	GLU	CA-C-O	9.42	130.39	119.18
1	B	213[B]	GLU	CA-C-O	9.42	130.39	119.18
1	B	112	ALA	N-CA-C	9.35	121.24	111.14
1	A	365	ASP	N-CA-C	-8.39	98.94	110.35
1	A	286	ARG	N-CA-C	8.15	120.24	111.36
1	B	81	ASN	N-CA-C	8.06	119.25	107.88
1	A	32	GLN	CA-C-N	-7.80	112.00	123.00
1	A	32	GLN	C-N-CA	-7.80	112.00	123.00
1	B	209[A]	ARG	N-CA-C	7.00	118.56	111.07
1	B	209[B]	ARG	N-CA-C	7.00	118.56	111.07
1	A	275	LEU	N-CA-C	6.96	118.66	111.14
1	A	95	LEU	N-CA-C	6.95	118.70	108.14
1	A	278	GLY	N-CA-C	6.51	118.68	112.04
1	A	214	ILE	CA-C-N	-6.49	113.59	120.66
1	A	214	ILE	C-N-CA	-6.49	113.59	120.66
1	B	183	SER	N-CA-C	6.40	118.05	111.14
1	B	387	ILE	N-CA-C	-6.28	104.22	110.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	286	ARG	N-CA-C	6.26	118.19	111.36
1	B	210	TYR	N-CA-C	6.15	118.90	111.40
1	A	289	ARG	N-CA-C	-6.15	101.36	110.46
1	A	364	LYS	N-CA-C	-6.11	104.54	111.07
1	A	312	VAL	N-CA-C	5.96	117.06	108.48
1	B	312	VAL	N-CA-C	5.80	116.23	108.11
1	B	260	GLU	N-CA-C	5.78	117.66	111.36
1	B	289	ARG	N-CA-C	-5.77	98.51	110.80
1	B	387	ILE	CB-CA-C	-5.71	104.43	112.14
1	B	213[A]	GLU	CA-C-N	-5.41	112.12	122.13
1	B	213[A]	GLU	C-N-CA	-5.41	112.12	122.13
1	B	213[B]	GLU	CA-C-N	-5.41	112.12	122.13
1	B	213[B]	GLU	C-N-CA	-5.41	112.12	122.13
1	B	309	SER	N-CA-C	5.35	115.19	108.45
1	A	282	ARG	N-CA-C	5.15	116.58	111.07
1	B	92	TYR	N-CA-C	5.10	117.14	109.23
1	A	409	TYR	N-CA-C	5.07	119.59	113.41
1	B	206	LEU	N-CA-C	5.04	116.85	111.36

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	217	ARG	Sidechain
1	A	351	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3151	0	3120	122	0
1	B	3156	0	3133	93	0
2	A	14	0	20	4	0
3	A	53	0	0	12	0
3	B	29	0	0	1	0
All	All	6403	0	6273	213	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (213) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:199:THR:OG1	1:B:202:GLU:HG3	1.42	1.17
1:B:263:ARG:HD3	1:B:401:ASP:OD2	1.48	1.14
1:B:21:ARG:NE	1:B:370:GLN:OE1	1.81	1.13
1:A:353:ARG:HH11	1:A:395:LYS:HA	1.14	1.08
1:A:8:HIS:ND1	3:A:644:HOH:O	1.92	1.03
1:A:125:ILE:CD1	1:A:172:MET:HE2	1.89	1.02
1:A:9:GLU:OE1	1:A:17:LYS:CE	2.08	1.01
1:A:6:PRO:N	3:A:643:HOH:O	1.92	1.00
1:A:9:GLU:OE1	1:A:17:LYS:HE2	1.63	0.99
1:A:353:ARG:NH1	1:A:395:LYS:HA	1.80	0.96
1:B:167:ALA:O	1:B:171:ARG:HD2	1.68	0.94
1:A:105:GLU:HB2	1:A:210:TYR:CE1	2.04	0.91
1:A:125:ILE:HD13	1:A:172:MET:HE2	1.49	0.90
1:A:56:MET:HE1	1:A:121:PHE:CD1	2.07	0.90
1:B:263:ARG:CD	1:B:401:ASP:OD2	2.20	0.90
1:A:56:MET:CE	1:A:121:PHE:HD1	1.84	0.89
1:A:126:GLU:OE2	3:A:619:HOH:O	1.89	0.88
1:B:114:LEU:O	1:B:115:SER:OG	1.92	0.88
1:B:199:THR:OG1	1:B:202:GLU:CG	2.23	0.87
1:A:240:VAL:HG23	1:A:242:THR:HG22	1.59	0.84
1:A:202:GLU:O	1:A:206:LEU:HD12	1.79	0.82
1:A:363:GLU:N	1:A:363:GLU:OE1	2.13	0.82
1:A:56:MET:HE1	1:A:121:PHE:HD1	1.41	0.81
1:B:270:LEU:HD12	1:B:397:VAL:HG11	1.65	0.79
1:A:111:MET:HE2	1:A:214:ILE:HD12	1.64	0.78
1:B:21:ARG:CZ	1:B:370:GLN:OE1	2.30	0.78
1:B:114:LEU:HD11	1:B:116:LEU:HD12	1.64	0.78
1:A:56:MET:HE3	1:A:121:PHE:HA	1.64	0.77
1:B:293:LEU:HD13	1:B:323:LYS:HE3	1.66	0.77
1:B:384:TRP:O	1:B:387:ILE:HG12	1.84	0.77
1:A:125:ILE:HD11	1:A:172:MET:HE2	1.65	0.75
1:A:209:ARG:O	1:A:213:GLU:OE2	2.06	0.74
1:A:204:LYS:HG2	1:A:208:LYS:HZ1	1.54	0.73
1:B:195:VAL:HG21	1:B:371:ALA:HB2	1.69	0.73
1:A:202:GLU:O	1:A:206:LEU:CD1	2.36	0.73
1:A:195:VAL:HG22	1:A:367:ILE:HB	1.69	0.72
1:B:152:ALA:HA	1:B:416:THR:HG21	1.71	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:TYR:O	1:A:159:HIS:HD2	1.72	0.72
1:B:224:LYS:HE2	3:B:518:HOH:O	1.89	0.72
1:B:349:ILE:HD12	1:B:399:PRO:HG3	1.71	0.72
1:B:240:VAL:O	1:B:423:VAL:HG13	1.90	0.71
1:B:366:SER:O	1:B:370:GLN:HB2	1.90	0.71
1:A:56:MET:CE	1:A:121:PHE:CD1	2.70	0.70
1:B:293:LEU:CD1	1:B:323:LYS:HE3	2.21	0.70
1:A:199:THR:OG1	1:A:202:GLU:HB2	1.92	0.69
1:B:30:VAL:HG23	1:B:367:ILE:HD12	1.74	0.69
1:B:114:LEU:HD21	1:B:116:LEU:HD12	1.77	0.67
1:B:213[A]:GLU:H	1:B:213[A]:GLU:CD	1.99	0.66
1:A:57:MET:HE3	1:A:114:LEU:HD13	1.77	0.66
1:B:178:ARG:O	1:B:182:GLU:HG3	1.97	0.64
1:A:375:GLY:O	1:A:379:SER:OG	2.16	0.64
1:B:7:THR:OG1	1:B:21:ARG:HG3	1.97	0.64
1:A:125:ILE:HD13	1:A:172:MET:CE	2.26	0.63
1:B:133:ARG:NH1	1:B:133:ARG:HG3	2.14	0.63
1:A:93:GLN:HG3	1:A:95:LEU:HD21	1.81	0.62
1:B:167:ALA:O	1:B:171:ARG:CD	2.46	0.62
1:B:20:VAL:CG2	1:B:203:VAL:HG11	2.30	0.62
1:B:292:GLU:O	1:B:318:ASN:ND2	2.29	0.62
1:A:56:MET:HE2	1:A:121:PHE:HD1	1.63	0.61
1:A:195:VAL:CG2	1:A:367:ILE:HB	2.30	0.61
1:A:276:ASP:HB2	1:A:299:THR:HG23	1.81	0.61
1:A:240:VAL:HG23	1:A:242:THR:CG2	2.29	0.61
1:B:343:PRO:HD3	1:B:403:GLN:NE2	2.15	0.61
1:A:204:LYS:CG	1:A:208:LYS:HZ1	2.14	0.61
1:A:110:ARG:HH11	1:A:110:ARG:HG3	1.66	0.61
1:B:133:ARG:CG	1:B:133:ARG:HH11	2.13	0.61
1:A:297:ALA:HA	1:A:314:SER:O	2.01	0.60
1:A:56:MET:CE	1:A:121:PHE:HA	2.30	0.60
1:A:153:TYR:O	1:A:159:HIS:CD2	2.54	0.60
1:B:364:LYS:O	1:B:366:SER:N	2.34	0.60
1:B:135:ARG:O	1:B:139:ASN:HB3	2.03	0.59
1:B:133:ARG:O	1:B:137:ASP:HB2	2.03	0.59
1:A:33:LEU:N	1:A:91:TYR:O	2.29	0.58
1:A:291:GLU:C	1:A:292:GLU:HG3	2.27	0.58
1:B:100:LEU:HB3	1:B:101:PRO:HD3	1.84	0.58
1:B:387:ILE:HG13	1:B:388:ASP:H	1.69	0.58
1:A:92:TYR:CE2	3:A:649:HOH:O	2.52	0.58
1:B:123:SER:O	1:B:127:VAL:HG23	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:133:ARG:HG3	1:B:133:ARG:HH11	1.67	0.58
3:A:653:HOH:O	1:B:123:SER:HB3	2.03	0.58
1:B:349:ILE:O	1:B:353:ARG:HB2	2.04	0.58
1:B:96:ALA:O	1:B:99:ARG:HB2	2.04	0.57
1:A:353:ARG:NH1	1:A:395:LYS:CA	2.63	0.57
1:A:343:PRO:HD3	1:A:403:GLN:NE2	2.20	0.57
1:A:92:TYR:HE2	3:A:649:HOH:O	1.86	0.57
1:A:118:VAL:HG13	1:A:119:ASP:N	2.18	0.57
1:A:29:VAL:CG1	1:A:95:LEU:HD12	2.35	0.56
1:B:195:VAL:CG2	1:B:371:ALA:HB2	2.33	0.56
1:B:240:VAL:HG23	1:B:242:THR:HG22	1.86	0.56
1:A:110:ARG:HG3	1:A:110:ARG:NH1	2.18	0.56
1:A:224:LYS:HE3	2:A:501:PEG:C4	2.35	0.56
1:A:186:ALA:HA	1:A:217:ARG:NH1	2.21	0.55
1:A:22:GLU:HG2	1:A:198:VAL:O	2.07	0.55
1:B:56:MET:HE1	1:B:124:GLU:HB2	1.88	0.55
1:B:114:LEU:C	1:B:115:SER:OG	2.50	0.55
1:B:157:GLY:O	1:B:160:THR:HG23	2.07	0.55
1:A:417:LEU:C	1:A:417:LEU:HD23	2.32	0.55
1:B:21:ARG:NH2	1:B:370:GLN:OE1	2.40	0.54
1:B:316:THR:HG23	1:B:317:PRO:HD2	1.89	0.54
1:A:87:ASP:OD2	1:A:306:ARG:HB2	2.07	0.54
1:B:49:LEU:CD2	1:B:177:LEU:HD23	2.38	0.54
1:B:368:ALA:O	1:B:372:SER:HB2	2.08	0.54
1:A:157:GLY:O	1:A:160:THR:HG23	2.08	0.54
1:B:136:THR:O	1:B:143:LEU:HB2	2.08	0.54
1:A:100:LEU:N	1:A:101:PRO:HD2	2.23	0.53
1:A:55:HIS:NE2	1:A:124:GLU:OE1	2.40	0.53
1:A:125:ILE:CD1	1:A:172:MET:CE	2.76	0.53
1:A:365:ASP:O	1:A:366:SER:CB	2.57	0.53
1:A:187:PRO:HD2	1:A:217:ARG:NH1	2.24	0.53
1:A:206:LEU:HD12	1:A:206:LEU:H	1.72	0.53
1:B:363:GLU:HA	1:B:363:GLU:OE1	2.08	0.53
1:A:204:LYS:HE2	1:A:208:LYS:HZ3	1.75	0.51
1:A:263:ARG:HD2	1:A:401:ASP:OD2	2.10	0.51
1:B:253:VAL:HB	1:B:254:PRO:CD	2.40	0.51
1:B:107:GLU:CD	1:B:110:ARG:HH11	2.18	0.51
1:A:100:LEU:HB3	1:A:101:PRO:HD3	1.93	0.50
1:A:246:ASN:ND2	3:A:612:HOH:O	1.82	0.50
1:A:363:GLU:O	1:A:365:ASP:O	2.27	0.50
1:B:270:LEU:HD12	1:B:397:VAL:CG1	2.39	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:111:MET:CE	1:A:214:ILE:HD12	2.37	0.50
1:B:234:ARG:CG	1:B:416:THR:HB	2.41	0.50
1:B:114:LEU:HG	1:B:116:LEU:HB2	1.93	0.50
1:A:353:ARG:O	1:A:357:ILE:HG13	2.11	0.49
1:A:265:VAL:O	1:A:269:ARG:HG3	2.12	0.49
1:B:397:VAL:CG1	1:B:402:ILE:HD11	2.42	0.49
1:A:204:LYS:CE	1:A:208:LYS:HZ3	2.26	0.49
1:A:107:GLU:OE1	1:A:110:ARG:NE	2.42	0.49
1:A:38:GLY:HA3	1:A:86:ASP:O	2.12	0.48
1:A:57:MET:O	1:A:58:PHE:HD1	1.95	0.48
1:A:100:LEU:N	1:A:101:PRO:CD	2.76	0.48
1:A:181:TYR:CD1	1:A:181:TYR:C	2.91	0.48
1:B:397:VAL:CG1	1:B:402:ILE:CD1	2.92	0.48
1:A:9:GLU:OE1	1:A:17:LYS:HE3	2.04	0.48
1:A:160:THR:HG21	3:A:652:HOH:O	2.14	0.47
1:B:132:ARG:HD3	1:B:166:MET:HE2	1.97	0.47
1:B:184:TRP:CH2	1:B:220:PRO:HB2	2.49	0.47
1:B:132:ARG:NH1	1:B:164:GLY:O	2.47	0.47
1:B:30:VAL:CG2	1:B:367:ILE:HD12	2.44	0.47
1:B:49:LEU:HD23	1:B:177:LEU:HD23	1.97	0.47
1:A:29:VAL:HG12	1:A:95:LEU:HD12	1.95	0.47
1:A:56:MET:HG2	1:A:116:LEU:HD13	1.97	0.47
1:A:56:MET:HG2	1:A:116:LEU:CD1	2.44	0.47
1:A:224:LYS:NZ	1:A:257:GLY:O	2.44	0.47
1:A:234:ARG:N	1:A:234:ARG:HD3	2.30	0.47
1:A:97:ARG:HD2	3:A:630:HOH:O	2.14	0.46
1:B:309:SER:OG	1:B:310:LEU:N	2.38	0.46
1:B:20:VAL:HG22	1:B:203:VAL:HG11	1.97	0.46
1:A:9:GLU:OE1	1:A:17:LYS:NZ	2.49	0.46
1:A:204:LYS:CG	1:A:208:LYS:NZ	2.78	0.46
1:B:99:ARG:HH11	1:B:102:VAL:HG11	1.80	0.46
1:A:52:ALA:CB	1:A:172:MET:HE1	2.46	0.46
1:B:387:ILE:HG13	1:B:388:ASP:N	2.31	0.46
1:A:10:PHE:CZ	1:A:204:LYS:HA	2.51	0.45
1:A:206:LEU:HD12	1:A:206:LEU:N	2.32	0.45
1:A:359:GLY:O	1:A:363:GLU:OE1	2.35	0.45
1:A:8:HIS:CE1	3:A:644:HOH:O	2.57	0.45
1:A:343:PRO:HG3	1:A:403:GLN:CD	2.42	0.45
1:B:234:ARG:HG2	1:B:416:THR:HB	1.99	0.45
1:A:282:ARG:NH1	1:A:348:GLU:OE2	2.50	0.45
1:B:114:LEU:HD11	1:B:116:LEU:CD1	2.41	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:108:ALA:HA	1:A:211:PHE:CE1	2.52	0.45
1:A:365:ASP:OD1	1:A:366:SER:N	2.50	0.45
1:A:57:MET:O	1:A:58:PHE:CD1	2.70	0.44
1:A:174:ILE:HG23	1:A:175:ASP:N	2.32	0.44
1:A:353:ARG:NH1	1:A:395:LYS:O	2.49	0.44
1:A:21:ARG:O	1:A:195:VAL:HA	2.18	0.44
1:B:154:PRO:HD2	1:B:227:GLU:OE1	2.18	0.44
1:B:184:TRP:CZ2	1:B:220:PRO:HB2	2.53	0.44
1:A:365:ASP:O	1:A:366:SER:HB3	2.16	0.44
1:B:214:ILE:HA	1:B:215:PRO:HD3	1.85	0.44
1:B:253:VAL:HB	1:B:254:PRO:HD2	2.00	0.44
1:B:384:TRP:O	1:B:387:ILE:CG1	2.62	0.44
1:A:357:ILE:HG23	1:A:391:LEU:HD12	1.99	0.43
1:B:117:PRO:HG2	1:B:120:GLN:HB3	2.00	0.43
1:A:204:LYS:O	1:A:208:LYS:HE3	2.18	0.43
1:A:278:GLY:HA3	1:B:98:ASP:OD2	2.17	0.43
1:B:122:LYS:O	1:B:126:GLU:HG2	2.18	0.43
1:B:342:ASN:HA	1:B:343:PRO:HD2	1.79	0.43
1:A:361:VAL:O	1:A:364:LYS:HB3	2.18	0.43
1:B:334:LYS:HB2	1:B:334:LYS:HE3	1.82	0.43
1:B:37:ILE:HD11	1:B:180:TRP:CZ2	2.54	0.43
1:A:204:LYS:HG2	1:A:208:LYS:NZ	2.30	0.43
1:A:107:GLU:OE2	1:A:110:ARG:NH2	2.41	0.42
1:B:114:LEU:C	1:B:114:LEU:HD12	2.44	0.42
1:A:184:TRP:CH2	1:A:220:PRO:HB2	2.55	0.42
1:A:195:VAL:HG13	1:A:371:ALA:HB2	2.01	0.42
1:A:118:VAL:CG1	1:A:119:ASP:N	2.83	0.42
1:A:224:LYS:CE	2:A:501:PEG:C4	2.98	0.42
1:B:106:MET:HE3	1:B:106:MET:HB3	1.60	0.42
1:A:349:ILE:HD12	1:A:399:PRO:HG3	2.01	0.42
1:A:407:ARG:HG2	1:A:407:ARG:NH1	2.35	0.42
1:B:234:ARG:HG3	1:B:416:THR:HB	2.02	0.42
1:B:282:ARG:O	1:B:286:ARG:HB2	2.20	0.42
1:A:42:GLU:OE2	1:A:50:SER:OG	2.23	0.41
1:A:174:ILE:CG2	1:A:175:ASP:N	2.83	0.41
1:B:209[B]:ARG:NH1	1:B:210:TYR:OH	2.49	0.41
1:B:52:ALA:O	1:B:56:MET:HG2	2.20	0.41
1:A:33:LEU:HD12	1:A:34:TRP:N	2.35	0.41
1:A:138:ASP:HB2	3:A:653:HOH:O	2.20	0.41
1:A:204:LYS:HG3	1:A:208:LYS:HE3	2.02	0.41
1:A:224:LYS:HE3	2:A:501:PEG:H42	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:394:LEU:HD23	1:A:394:LEU:HA	1.86	0.41
1:B:100:LEU:HD22	1:B:104:LEU:HG	2.02	0.41
1:B:353:ARG:HH11	1:B:353:ARG:HD2	1.75	0.41
1:A:6:PRO:CA	3:A:643:HOH:O	2.56	0.40
1:A:99:ARG:HG2	1:A:99:ARG:HH11	1.86	0.40
1:A:362:TYR:CE2	1:B:94:VAL:HG11	2.56	0.40
1:A:257:GLY:O	2:A:501:PEG:H22	2.22	0.40
1:B:160:THR:HA	1:B:161:PRO:HD3	1.91	0.40
1:B:361:VAL:C	1:B:363:GLU:H	2.28	0.40
1:A:29:VAL:HG13	1:A:95:LEU:HD12	2.03	0.40
1:B:421:LEU:HD23	1:B:421:LEU:HA	1.88	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	394/439 (90%)	388 (98%)	4 (1%)	2 (0%)	24	40
1	B	395/439 (90%)	385 (98%)	8 (2%)	2 (0%)	24	40
All	All	789/878 (90%)	773 (98%)	12 (2%)	4 (0%)	24	40

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	365	ASP
1	A	366	SER
1	B	364	LYS
1	A	291	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	334/366 (91%)	283 (85%)	51 (15%)	3	4
1	B	335/366 (92%)	294 (88%)	41 (12%)	5	9
All	All	669/732 (91%)	577 (86%)	92 (14%)	3	6

All (92) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	VAL
1	A	46	LEU
1	A	50	SER
1	A	56	MET
1	A	58	PHE
1	A	79	GLU
1	A	80	GLU
1	A	93	GLN
1	A	94	VAL
1	A	95	LEU
1	A	97	ARG
1	A	98	ASP
1	A	99	ARG
1	A	107	GLU
1	A	115	SER
1	A	119	ASP
1	A	122	LYS
1	A	132	ARG
1	A	134	LEU
1	A	160	THR
1	A	177	LEU
1	A	195	VAL
1	A	213	GLU
1	A	214	ILE
1	A	215	PRO
1	A	219	LEU
1	A	234	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	241	ARG
1	A	242	THR
1	A	243	GLN
1	A	260	GLU
1	A	270	LEU
1	A	282	ARG
1	A	285	SER
1	A	292	GLU
1	A	310	LEU
1	A	313	LEU
1	A	314	SER
1	A	321	LYS
1	A	334	LYS
1	A	356	MET
1	A	363	GLU
1	A	364	LYS
1	A	376	GLN
1	A	379	SER
1	A	380	VAL
1	A	386	LEU
1	A	389	GLN
1	A	395	LYS
1	A	399	PRO
1	A	404	LYS
1	B	17	LYS
1	B	54	GLU
1	B	57	MET
1	B	80	GLU
1	B	81	ASN
1	B	100	LEU
1	B	102	VAL
1	B	116	LEU
1	B	119	ASP
1	B	120	GLN
1	B	123	SER
1	B	132	ARG
1	B	133	ARG
1	B	134	LEU
1	B	149	LYS
1	B	160	THR
1	B	171	ARG
1	B	204	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	213[A]	GLU
1	B	213[B]	GLU
1	B	218	GLN
1	B	234	ARG
1	B	238	LEU
1	B	243	GLN
1	B	256	LEU
1	B	276	ASP
1	B	285	SER
1	B	299	THR
1	B	310	LEU
1	B	319	VAL
1	B	334	LYS
1	B	337	ASP
1	B	339	LEU
1	B	363	GLU
1	B	367	ILE
1	B	377	LEU
1	B	386	LEU
1	B	387	ILE
1	B	391	LEU
1	B	415	LEU
1	B	416	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	159	HIS
1	A	218	GLN
1	B	113	HIS
1	B	141	ASN
1	B	261	ASN
1	B	320	GLN
1	B	403	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PEG	A	501	-	6,6,6	0.90	0	5,5,5	0.83	0
2	PEG	A	502	-	6,6,6	0.25	0	5,5,5	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PEG	A	501	-	-	2/4/4/4	-
2	PEG	A	502	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	PEG	O1-C1-C2-O2
2	A	502	PEG	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	501	PEG	O2-C3-C4-O4
2	A	502	PEG	C4-C3-O2-C2

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	PEG	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	398/439 (90%)	0.06	9 (2%) 61 58	31, 49, 76, 87	5 (1%)
1	B	397/439 (90%)	0.07	10 (2%) 58 55	17, 48, 75, 94	12 (3%)
All	All	795/878 (90%)	0.07	19 (2%) 59 56	17, 48, 76, 94	17 (2%)

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	364	LYS	7.7
1	B	319	VAL	6.3
1	A	391	LEU	4.8
1	A	6	PRO	4.1
1	B	136	THR	4.1
1	B	114	LEU	3.5
1	A	202	GLU	3.4
1	A	364	LYS	3.3
1	B	25	ARG	3.1
1	A	83	PHE	3.1
1	B	135	ARG	2.9
1	B	243	GLN	2.9
1	A	217	ARG	2.5
1	B	320	GLN	2.4
1	B	241	ARG	2.3
1	A	423	VAL	2.2
1	B	387	ILE	2.1
1	A	58	PHE	2.1
1	A	346	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PEG	A	501	7/7	0.88	0.12	53,58,64,68	0
2	PEG	A	502	7/7	0.88	0.12	60,65,73,74	0

6.5 Other polymers [i](#)

There are no such residues in this entry.