



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:44 AM UTC

PDB ID : 2NOS / pdb_00002nos
Title : MURINE INDUCIBLE NITRIC OXIDE SYNTHASE OXYGENASE DOMAIN (DELTA 114), AMINOGUANIDINE COMPLEX
Authors : Crane, B.R.; Arvai, A.S.; Getzoff, E.D.; Stuehr, D.J.; Tainer, J.A.
Deposited on : 1997-09-28
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	388	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 2873 atoms, of which 0 are hydrogens and 0 are deuteriums.


In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called INDUCIBLE NITRIC OXIDE SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	322	Total	C	N	O	S	0	0	0
			2615	1672	449	479	15			


- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	N	0	0
			5	3	2		

- Molecule 4 is AMINOGUANIDINE (CCD ID: AGU) (formula: CH_6N_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			5	1	4		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	205	Total 205	O 205	0	0

i

Note EDS was not executed.

Chain A: 58% 19% 5% 17%



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	63.00 Å 73.80 Å 92.80 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.30	Depositor
% Data completeness (in resolution range)	99.7 (30.00-2.30)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.04	Depositor
Refinement program	X-PLOR 3.8	Depositor
R, R_{free}	0.204 , 0.267	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2873	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: IMD, HEM, AGU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/2686	1.08	30/3649 (0.8%)

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	377	PHE	N-CA-C	13.83	129.75	109.14
1	A	336	LEU	N-CA-C	-9.31	90.97	110.80
1	A	292	ARG	N-CA-C	-8.43	96.92	110.32
1	A	376	ASP	N-CA-C	-8.01	93.75	108.24
1	A	375	ARG	N-CA-C	-7.92	104.57	112.97
1	A	378	CYS	N-CA-C	-7.25	95.37	110.80
1	A	380	THR	N-CA-C	-7.20	104.36	113.01
1	A	122	GLY	CA-C-N	7.17	127.09	120.21
1	A	122	GLY	C-N-CA	7.17	127.09	120.21
1	A	348	ASN	N-CA-C	6.93	121.44	112.92
1	A	343	LEU	N-CA-C	6.43	120.26	108.69
1	A	414	VAL	N-CA-C	6.41	116.44	110.42
1	A	371	GLU	N-CA-C	5.91	122.19	114.75
1	A	488	GLU	CA-C-N	5.86	126.27	119.47
1	A	488	GLU	C-N-CA	5.86	126.27	119.47
1	A	234	ILE	N-CA-C	5.73	116.80	109.30
1	A	368	MET	N-CA-C	-5.46	105.75	112.90
1	A	338	LEU	N-CA-C	5.44	118.09	109.50
1	A	337	GLY	N-CA-C	5.37	125.90	113.18
1	A	256	SER	N-CA-C	-5.33	105.92	112.90
1	A	358	PHE	CA-C-N	5.27	124.88	119.56
1	A	358	PHE	C-N-CA	5.27	124.88	119.56
1	A	377	PHE	CA-C-N	5.25	131.56	121.54
1	A	377	PHE	C-N-CA	5.25	131.56	121.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	498	GLU	N-CA-C	5.17	116.96	110.24
1	A	271	ILE	N-CA-C	5.12	115.84	108.48
1	A	176	THR	N-CA-C	-5.11	103.18	110.59
1	A	500	HIS	N-CA-C	5.08	118.00	110.48
1	A	251	PHE	N-CA-C	-5.04	101.03	109.24
1	A	365	GLY	N-CA-C	-5.01	101.30	113.18

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2615	0	2514	59	0
2	A	43	0	30	4	0
3	A	5	0	4	1	0
4	A	5	0	5	1	0
5	A	205	0	0	9	0
All	All	2873	0	2553	61	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (61) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:271:ILE:HD12	1:A:275:ALA:HB2	1.59	0.85
1:A:152:LYS:HD3	1:A:155:GLU:HG3	1.68	0.75
1:A:141:ILE:HD11	1:A:163:VAL:HG21	1.69	0.73
1:A:372:ILE:HD12	1:A:416:VAL:HG11	1.71	0.72
1:A:435:GLU:HG2	5:A:1108:HOH:O	1.90	0.71
1:A:377:PHE:HB2	1:A:379:ASP:H	1.61	0.65
1:A:435:GLU:HG3	5:A:1033:HOH:O	1.99	0.63
1:A:266:MET:HB3	1:A:267:PRO:HD2	1.81	0.63
1:A:298:VAL:HG11	5:A:1063:HOH:O	2.00	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:260:ARG:HH21	1:A:375:ARG:NH2	2.01	0.58
1:A:223:ARG:HD3	5:A:1082:HOH:O	2.04	0.58
1:A:374:VAL:C	1:A:376:ASP:H	2.11	0.57
1:A:152:LYS:CD	1:A:155:GLU:HG3	2.33	0.57
1:A:271:ILE:HD11	1:A:273:GLY:O	2.04	0.56
1:A:115:ASN:N	1:A:116:PRO:HD2	2.20	0.56
1:A:191:ALA:HB1	2:A:901:HEM:O1D	2.07	0.55
1:A:309:ASP:H	1:A:496:GLN:NE2	2.05	0.55
1:A:410:THR:HG22	1:A:410:THR:O	2.07	0.54
1:A:148:PHE:HB3	1:A:151:ALA:HB3	1.90	0.53
1:A:413:ASN:HA	5:A:975:HOH:O	2.07	0.53
1:A:444:GLU:HB2	5:A:968:HOH:O	2.07	0.53
1:A:371:GLU:O	1:A:372:ILE:C	2.51	0.53
1:A:260:ARG:HH21	1:A:375:ARG:HH21	1.56	0.52
1:A:152:LYS:HA	5:A:1048:HOH:O	2.08	0.52
1:A:267:PRO:HD3	5:A:1067:HOH:O	2.09	0.52
1:A:371:GLU:O	1:A:373:GLY:N	2.43	0.51
1:A:256:SER:HA	1:A:348:ASN:ND2	2.24	0.51
1:A:368:MET:HG2	4:A:903:AGU:N2	2.26	0.51
1:A:115:ASN:N	1:A:116:PRO:CD	2.74	0.51
1:A:265:GLN:O	1:A:266:MET:HE2	2.12	0.50
1:A:241:PHE:HB3	1:A:242:PRO:CD	2.42	0.50
1:A:292:ARG:HG3	5:A:965:HOH:O	2.12	0.48
2:A:901:HEM:C1C	3:A:902:IMD:H5	2.49	0.47
1:A:325:MET:HE1	1:A:420:PHE:HE1	1.80	0.47
1:A:275:ALA:O	1:A:278:LEU:HD23	2.14	0.47
1:A:372:ILE:HG22	1:A:374:VAL:HG23	1.96	0.47
1:A:372:ILE:HD12	1:A:416:VAL:CG1	2.44	0.47
1:A:286:ASP:HB3	1:A:501:HIS:O	2.15	0.47
1:A:375:ARG:HA	1:A:377:PHE:CD2	2.51	0.45
1:A:241:PHE:HB2	1:A:360:ALA:HB3	1.99	0.44
1:A:241:PHE:HB3	1:A:242:PRO:HD2	2.00	0.43
1:A:254:TRP:HB2	1:A:302:VAL:HB	1.98	0.43
1:A:337:GLY:O	1:A:338:LEU:HD23	2.18	0.43
1:A:180:LEU:O	1:A:184:THR:HG23	2.18	0.43
1:A:239:THR:O	1:A:361:CYS:HA	2.18	0.43
1:A:254:TRP:HE3	1:A:283:LEU:HD21	1.83	0.43
1:A:177:LEU:O	1:A:181:ILE:HG13	2.18	0.42
1:A:188:TRP:CE3	1:A:200:TRP:HA	2.54	0.42
1:A:379:ASP:C	1:A:381:GLN:N	2.78	0.42
1:A:257:GLN:HA	1:A:345:ALA:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:149:LYS:H	1:A:149:LYS:HG2	1.67	0.41
1:A:418:HIS:O	1:A:422:LYS:HG2	2.19	0.41
1:A:366:TRP:H	2:A:901:HEM:HAB	1.85	0.41
1:A:213:THR:OG1	1:A:216:GLU:HG3	2.19	0.41
2:A:901:HEM:HHA	2:A:901:HEM:HBD1	2.02	0.41
1:A:131:GLU:H	1:A:131:GLU:CD	2.29	0.41
1:A:325:MET:HB2	1:A:338:LEU:HB2	2.03	0.41
1:A:309:ASP:CG	1:A:496:GLN:HE21	2.28	0.41
1:A:254:TRP:CE2	1:A:489:PRO:HB2	2.56	0.40
1:A:479:LEU:HD23	1:A:479:LEU:HA	1.91	0.40
1:A:165:LYS:HE3	1:A:165:LYS:HB2	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	314/388 (81%)	285 (91%)	22 (7%)	7 (2%)	5 4

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	372	ILE
1	A	373	GLY
1	A	378	CYS
1	A	499	HIS
1	A	379	ASP
1	A	497	ASN
1	A	149	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/340 (82%)	260 (93%)	20 (7%)	13	19

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	117	LYS
1	A	149	LYS
1	A	150	GLU
1	A	177	LEU
1	A	178	ASP
1	A	199	GLN
1	A	226	LEU
1	A	271	ILE
1	A	318	ASP
1	A	325	MET
1	A	371	GLU
1	A	377	PHE
1	A	413	ASN
1	A	417	LEU
1	A	427	ILE
1	A	438	MET
1	A	498	GLU
1	A	500	HIS
1	A	501	HIS
1	A	502	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	136	HIS
1	A	156	HIS
1	A	199	GLN
1	A	202	ASN
1	A	204	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	230	ASN
1	A	381	GLN
1	A	421	GLN
1	A	443	ASN
1	A	496	GLN
1	A	500	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HEM	A	901	3,1	50,50,50	1.08	2 (4%)	67,82,82	1.02	0
3	IMD	A	902	2	5,5,5	0.55	0	5,5,5	0.60	0
4	AGU	A	903	-	3,4,4	3.29	1 (33%)	2,4,4	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	901	3,1	-	4/14/54/54	-
3	IMD	A	902	2	-	-	0/1/1/1
4	AGU	A	903	-	-	0/2/2/2	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	903	AGU	N4-N3	-5.69	1.33	1.41
2	A	901	HEM	CAB-C3B	-3.23	1.38	1.47
2	A	901	HEM	CAC-C3C	-2.79	1.39	1.47

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	901	HEM	C4D-C3D-CAD-CBD
2	A	901	HEM	CAA-CBA-CGA-O2A
2	A	901	HEM	CAA-CBA-CGA-O1A
2	A	901	HEM	C2D-C3D-CAD-CBD


There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	901	HEM	4	0
3	A	902	IMD	1	0
4	A	903	AGU	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.