



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 27, 2026 – 01:34 AM UTC

PDB ID : 2NP9 / pdb_00002np9
Title : Crystal structure of a dioxygenase in the Crotonase superfamily
Authors : Bruner, S.D.; Widboom, P.F.; Fielding, E.N.
Deposited on : 2006-10-26
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1190 (2.46-2.46)
Clashscore	190562	1229 (2.46-2.46)
Ramachandran outliers	187476	1218 (2.46-2.46)
Sidechain outliers	187428	1218 (2.46-2.46)
RSRZ outliers	180081	1190 (2.46-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	440	11% 71% 22% • •
1	B	440	5% 70% 25% • •
1	C	440	8% 69% 25% • •

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 10186 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called DpgC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	423	Total	C	N	O	S	0	0	0
			3250	2043	603	594	10			
1	B	422	Total	C	N	O	S	0	0	0
			3271	2054	610	597	10			
1	C	421	Total	C	N	O	S	0	0	0
			3258	2047	606	595	10			

There are 9 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	ALA	-	cloning artifact	UNP Q8KLLK7
A	0	MET	-	cloning artifact	UNP Q8KLLK7
A	1	GLY	-	cloning artifact	UNP Q8KLLK7
B	-1	ALA	-	cloning artifact	UNP Q8KLLK7
B	0	MET	-	cloning artifact	UNP Q8KLLK7
B	1	GLY	-	cloning artifact	UNP Q8KLLK7
C	-1	ALA	-	cloning artifact	UNP Q8KLLK7
C	0	MET	-	cloning artifact	UNP Q8KLLK7
C	1	GLY	-	cloning artifact	UNP Q8KLLK7

- Molecule 2 is [(2R,3S,4R,5R)-5-(6-AMINO-9H-PURIN-9-YL)-4-HYDROXY-3-(PHOSPHONOXY)TETRAHYDROFURAN-2-YL]METHYL (3R)-4-({3-[(2-{[(3,5-DIHYDROXYPHENYL)ACETYL]AMINO}ETHYL)AMINO]-3-OXOPROPYL}AMINO)-3-HYDROXY-2,2-DIMETHYL-4-OXOBUTYL DIHYDROGEN DIPHOSPHATE (CCD ID: YE1) (formula: C₂₉H₄₃N₈O₁₉P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			59	29	8	19	3		
2	B	1	Total	C	N	O	P	0	0
			59	29	8	19	3		
2	C	1	Total	C	N	O	P	0	0
			59	29	8	19	3		

- Molecule 3 is OXYGEN MOLECULE (CCD ID: OXY) (formula: O₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	O	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	O	0	0
			2	2		
3	C	1	Total	O	0	0
			2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	83	Total	O	0	0
			83	83		
4	B	74	Total	O	0	0
			74	74		
4	C	67	Total	O	0	0
			67	67		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DpgC



• Molecule 1: DpgC



Chain C:

69% 25% 8%

Amino Acid	Frequency (%)
ALA	0.1
MET	0.1
GLY	0.1
THR	0.1
THR	0.1
VAL	0.1
LEU	0.1
PRO	0.1
PRO	0.1
GLU	0.1
ASP	0.1
THR	0.1
D12	0.1
G13	0.1
E20	0.1
S24	0.1
V25	0.1
E26	0.1
K27	0.1
L28	0.1
L29	0.1
A30	0.1
L31	0.1
L32	0.1
P33	0.1
E34	0.1
H35	0.1
G36	0.1
A37	0.1
R38	0.1
S39	0.1
S40	0.1
A41	0.1
V58	0.1
D62	0.1
R81	0.1
L82	0.1
A83	0.1
E84	0.1
V97	0.1
P98	0.1
T99	0.1
Q100	0.1
Q101	0.1
Q102	0.1
L103	0.1
R107	0.1
Q111	0.1
K114	0.1

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	139.86Å 156.66Å 171.02Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.45 50.00 – 2.45	Depositor EDS
% Data completeness (in resolution range)	93.0 (50.00-2.45) 93.0 (50.00-2.45)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.87 (at 2.39Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.328 , 0.356 0.343 , 0.347	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	33.9	Xtrriage
Anisotropy	0.520	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 31.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.83	EDS
Total number of atoms	10186	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 22.96 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.1261e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: OXY, YE1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.78	12/3310 (0.4%)	1.03	21/4490 (0.5%)
1	B	0.93	16/3332 (0.5%)	1.01	18/4517 (0.4%)
1	C	1.32	42/3319 (1.3%)	1.11	33/4500 (0.7%)
All	All	1.04	70/9961 (0.7%)	1.05	72/13507 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	1	0

All (70) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	163	GLU	C-O	-23.04	0.97	1.23
1	A	303	VAL	C-O	-22.92	0.96	1.24
1	C	416	GLN	C-O	-20.53	0.99	1.24
1	C	365	GLU	C-O	-19.69	0.99	1.24
1	C	300	LEU	C-O	-18.61	1.02	1.24
1	C	321	LYS	CA-C	-17.83	1.28	1.52
1	B	321	LYS	C-O	-17.77	1.01	1.24
1	C	103	LEU	C-O	-17.07	1.02	1.24
1	B	103	LEU	CA-C	-15.27	1.31	1.52
1	C	416	GLN	CD-NE2	-14.54	1.02	1.33
1	C	300	LEU	CG-CD2	-14.27	1.05	1.52
1	C	321	LYS	N-CA	-13.57	1.28	1.46
1	C	151	GLU	C-O	-13.13	1.08	1.24
1	B	163	GLU	CA-C	-12.20	1.38	1.52
1	C	416	GLN	CD-OE1	-12.03	1.00	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	303	VAL	CB-CG2	-11.88	1.13	1.52
1	C	242	GLN	C-O	-11.83	1.09	1.24
1	C	151	GLU	N-CA	-11.70	1.32	1.46
1	B	163	GLU	CA-CB	-11.65	1.34	1.53
1	C	365	GLU	CD-OE1	-11.20	1.04	1.25
1	C	321	LYS	C-O	-11.19	1.09	1.24
1	C	365	GLU	CD-OE2	-10.90	1.04	1.25
1	B	163	GLU	N-CA	-10.85	1.33	1.46
1	C	103	LEU	CG-CD1	-10.76	1.17	1.52
1	C	300	LEU	N-CA	-10.60	1.33	1.46
1	B	321	LYS	N-CA	-10.48	1.32	1.46
1	A	303	VAL	CA-C	-10.40	1.39	1.52
1	C	365	GLU	N-CA	-10.14	1.34	1.46
1	A	321	LYS	C-O	-9.82	1.11	1.24
1	C	416	GLN	N-CA	-9.26	1.34	1.46
1	C	300	LEU	C-N	-9.18	1.21	1.34
1	C	151	GLU	CA-CB	-9.12	1.39	1.53
1	B	321	LYS	CA-CB	-9.04	1.39	1.53
1	B	103	LEU	C-O	-8.65	1.12	1.24
1	C	300	LEU	CG-CD1	-8.48	1.24	1.52
1	A	103	LEU	C-O	-8.45	1.13	1.24
1	B	103	LEU	CG-CD2	-8.27	1.25	1.52
1	C	242	GLN	CD-OE1	-8.13	1.08	1.23
1	C	320	ALA	C-N	-8.12	1.22	1.33
1	B	163	GLU	CB-CG	-7.97	1.28	1.52
1	C	416	GLN	CA-C	-7.91	1.42	1.52
1	C	321	LYS	CA-CB	-7.83	1.40	1.53
1	B	321	LYS	CA-C	-7.73	1.42	1.52
1	C	242	GLN	CD-NE2	-7.56	1.17	1.33
1	C	300	LEU	CA-C	-7.48	1.42	1.52
1	C	103	LEU	C-N	-7.41	1.24	1.33
1	C	416	GLN	C-N	-7.36	1.24	1.33
1	A	303	VAL	N-CA	-7.30	1.37	1.46
1	C	150	LEU	C-N	-7.26	1.24	1.33
1	C	103	LEU	CG-CD2	-7.14	1.28	1.52
1	C	321	LYS	CB-CG	-7.08	1.31	1.52
1	C	365	GLU	CA-CB	-6.98	1.38	1.53
1	C	151	GLU	CA-C	-6.94	1.44	1.52
1	A	103	LEU	CG-CD1	-6.91	1.29	1.52
1	B	162	VAL	C-N	-6.89	1.25	1.33
1	B	320	ALA	C-N	-6.67	1.24	1.33
1	A	321	LYS	CA-CB	-6.49	1.43	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	415	MET	C-N	-6.48	1.25	1.33
1	B	163	GLU	C-N	-6.28	1.24	1.33
1	C	416	GLN	CG-CD	-6.24	1.36	1.52
1	C	299	GLN	C-N	-6.22	1.25	1.33
1	A	103	LEU	CG-CD2	-6.03	1.32	1.52
1	B	103	LEU	N-CA	-6.02	1.38	1.46
1	A	321	LYS	C-N	-6.00	1.25	1.33
1	C	103	LEU	N-CA	-5.84	1.38	1.46
1	A	321	LYS	CA-C	-5.78	1.44	1.52
1	C	321	LYS	CG-CD	-5.48	1.36	1.52
1	A	303	VAL	CB-CG1	-5.45	1.34	1.52
1	C	103	LEU	CA-C	-5.34	1.45	1.52
1	C	102	GLN	C-N	-5.24	1.26	1.33

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	321	LYS	N-CA-C	11.73	135.80	110.80
1	B	384	ASP	N-CA-C	11.21	123.25	111.14
1	A	317	LEU	CA-C-N	9.83	130.09	119.28
1	A	317	LEU	C-N-CA	9.83	130.09	119.28
1	C	300	LEU	CA-CB-CG	9.64	150.03	116.30
1	A	103	LEU	N-CA-C	9.58	122.93	111.82
1	C	365	GLU	N-CA-C	9.22	123.14	107.93
1	A	321	LYS	N-CA-C	9.06	124.47	113.41
1	C	384	ASP	N-CA-C	8.96	121.13	111.36
1	B	317	LEU	CA-C-N	8.81	128.83	119.05
1	B	317	LEU	C-N-CA	8.81	128.83	119.05
1	B	321	LYS	N-CA-C	8.75	124.61	112.45
1	A	384	ASP	N-CA-C	8.72	122.04	111.40
1	C	416	GLN	N-CA-C	8.28	120.38	111.36
1	C	151	GLU	N-CA-CB	-8.06	98.38	110.07
1	A	318	PRO	N-CA-C	7.62	123.94	113.65
1	A	338	GLY	CA-C-N	7.59	127.13	119.24
1	A	338	GLY	C-N-CA	7.59	127.13	119.24
1	C	151	GLU	CA-CB-CG	7.27	128.64	114.10
1	C	299	GLN	CA-C-N	7.22	130.27	120.38
1	C	299	GLN	C-N-CA	7.22	130.27	120.38
1	C	385	GLY	N-CA-C	7.12	124.25	112.30
1	C	97	VAL	CA-C-N	7.07	127.04	119.76
1	C	97	VAL	C-N-CA	7.07	127.04	119.76
1	C	300	LEU	N-CA-C	7.03	119.84	111.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	318	PRO	N-CA-C	7.02	122.81	113.40
1	A	103	LEU	CA-CB-CG	6.94	140.60	116.30
1	C	364	ASP	CA-C-N	6.85	132.67	121.58
1	C	364	ASP	C-N-CA	6.85	132.67	121.58
1	C	415	MET	O-C-N	-6.83	114.99	122.09
1	B	318	PRO	N-CA-C	6.72	122.88	113.53
1	A	303	VAL	CA-CB-CG1	6.43	121.34	110.40
1	C	181	CYS	N-CA-C	6.41	120.46	111.30
1	C	317	LEU	CA-C-N	6.34	125.76	118.85
1	C	317	LEU	C-N-CA	6.34	125.76	118.85
1	B	317	LEU	N-CA-C	-6.32	95.11	108.39
1	B	163	GLU	N-CA-C	6.31	118.74	108.26
1	B	181	CYS	N-CA-C	6.31	120.32	111.30
1	A	289	VAL	N-CA-C	6.30	116.90	107.51
1	A	332	ARG	N-CA-C	6.13	120.79	113.12
1	C	332	ARG	N-CA-C	6.01	120.74	113.41
1	B	332	ARG	N-CA-C	5.94	120.66	113.41
1	C	317	LEU	N-CA-C	-5.88	94.47	108.40
1	A	316	SER	N-CA-C	5.81	117.94	108.76
1	A	361	LEU	N-CA-C	-5.77	106.08	113.23
1	B	338	GLY	CA-C-N	5.69	125.36	119.56
1	B	338	GLY	C-N-CA	5.69	125.36	119.56
1	B	258	TYR	N-CA-C	5.66	117.53	111.36
1	A	346	ILE	N-CA-C	5.59	117.09	111.00
1	A	248	VAL	N-CA-C	5.57	115.81	110.74
1	A	102	GLN	CA-C-N	5.56	128.76	120.31
1	A	102	GLN	C-N-CA	5.56	128.76	120.31
1	C	298	ALA	N-CA-C	-5.56	105.37	111.82
1	B	103	LEU	N-CA-C	5.48	119.23	112.54
1	A	391	ASN	N-CA-C	5.48	117.25	111.28
1	B	163	GLU	N-CA-CB	-5.47	101.86	110.77
1	C	365	GLU	CB-CG-CD	5.44	121.86	112.60
1	C	372	LEU	N-CA-C	5.41	116.86	110.97
1	C	415	MET	CA-C-N	5.36	127.91	120.29
1	C	415	MET	C-N-CA	5.36	127.91	120.29
1	C	365	GLU	CA-CB-CG	5.31	124.73	114.10
1	A	159	THR	N-CA-C	5.30	118.21	111.69
1	C	361	LEU	N-CA-C	-5.26	106.36	112.89
1	B	163	GLU	CB-CA-C	-5.22	102.09	110.14
1	C	103	LEU	CA-CB-CG	5.16	134.37	116.30
1	B	346	ILE	N-CA-C	5.16	116.25	111.45
1	B	251	LEU	N-CA-C	5.09	117.22	111.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	189	GLU	N-CA-C	5.06	118.36	110.32
1	C	249	ASP	N-CA-C	5.05	118.70	112.54
1	B	232	SER	N-CA-C	5.01	116.66	108.55
1	C	346	ILE	N-CA-C	5.01	116.89	111.58
1	C	352	ILE	N-CA-C	5.00	115.06	107.80

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	C	321	LYS	CA

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3250	0	3248	77	0
1	B	3271	0	3280	71	0
1	C	3258	0	3262	78	0
2	A	59	0	37	10	0
2	B	59	0	37	7	0
2	C	59	0	37	8	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
4	A	83	0	0	6	0
4	B	74	0	0	4	0
4	C	67	0	0	3	0
All	All	10186	0	9901	236	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (236) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:SER:HB2	1:A:429:VAL:HG12	1.47	0.94
1:A:159:THR:HG22	1:A:161:GLU:H	1.31	0.93
1:C:241:SER:HB2	1:C:429:VAL:HG12	1.52	0.91
1:C:319:ALA:HB1	1:C:323:GLY:HA3	1.55	0.88
1:A:159:THR:HG21	4:A:1055:HOH:O	1.73	0.87
1:B:319:ALA:HB1	1:B:323:GLY:HA3	1.55	0.86
1:B:241:SER:HB2	1:B:429:VAL:HG12	1.58	0.84
1:B:99:THR:OG1	1:B:102:GLN:HG3	1.80	0.81
1:A:12:ASP:OD2	1:A:14:LEU:HB2	1.83	0.79
1:B:165:GLU:OE1	1:B:192:GLN:HG2	1.83	0.78
1:C:99:THR:OG1	1:C:102:GLN:HG3	1.82	0.78
1:A:99:THR:OG1	1:A:102:GLN:HB2	1.84	0.77
1:C:99:THR:H	1:C:102:GLN:HE21	1.33	0.77
1:A:159:THR:HG22	1:A:161:GLU:N	2.00	0.76
1:A:419:ARG:O	1:A:425:VAL:HG11	1.85	0.76
1:C:99:THR:H	1:C:102:GLN:NE2	1.84	0.75
1:B:271:ASP:OD1	1:B:272:ARG:HG2	1.87	0.74
1:C:182:ARG:HG3	4:C:1035:HOH:O	1.87	0.74
1:A:182:ARG:HB2	1:A:187:ASN:HA	1.68	0.74
1:C:378:ARG:HG2	1:C:382:ARG:NH1	2.02	0.74
1:C:146:THR:HG23	1:C:149:ALA:H	1.53	0.73
1:C:325:ILE:H	1:C:416:GLN:HE22	1.37	0.72
2:A:999:YE1:O9A	2:A:999:YE1:O2'	2.04	0.72
2:B:999:YE1:O9A	2:B:999:YE1:O2'	2.08	0.69
1:A:182:ARG:HG3	4:A:1011:HOH:O	1.93	0.69
1:C:99:THR:HG23	1:C:102:GLN:HE21	1.58	0.68
1:B:212:VAL:HG22	1:B:284:PRO:HG2	1.76	0.68
1:B:305:ASP:OD1	1:B:392:ARG:HD2	1.93	0.67
1:C:82:LEU:HD11	1:C:256:LEU:HD12	1.75	0.67
2:C:999:YE1:OAD	2:C:999:YE1:HAE	1.95	0.67
1:B:163:GLU:O	1:B:163:GLU:CG	2.29	0.66
1:B:385:GLY:HA3	4:B:1043:HOH:O	1.95	0.66
2:A:999:YE1:OAD	2:A:999:YE1:HAE	1.95	0.66
2:B:999:YE1:OAD	2:B:999:YE1:HAE	1.95	0.65
1:A:25:VAL:HG22	1:A:49:ALA:HB1	1.78	0.65
1:C:319:ALA:CB	1:C:323:GLY:HA3	2.27	0.65
1:B:182:ARG:HB2	1:B:187:ASN:HA	1.78	0.64
1:C:111:GLN:HG2	1:C:243:GLY:HA2	1.80	0.63
1:A:422:GLY:O	1:A:426:ILE:HG13	1.98	0.63
1:C:378:ARG:HG2	1:C:382:ARG:HH12	1.61	0.63
1:B:111:GLN:HE21	1:B:243:GLY:HA2	1.63	0.63
1:A:170:GLU:OE2	1:A:172:ARG:HD3	1.99	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:397:LEU:C	1:A:397:LEU:HD23	2.24	0.62
1:C:12:ASP:CG	1:C:13:GLY:H	2.08	0.62
2:A:999:YE1:O10	2:A:999:YE1:HC8	2.01	0.61
1:A:425:VAL:O	1:A:429:VAL:HG23	2.00	0.61
1:A:118:GLU:HG3	4:A:1078:HOH:O	2.00	0.61
1:B:99:THR:H	1:B:102:GLN:HE21	1.49	0.60
2:C:999:YE1:O10	2:C:999:YE1:HC8	2.02	0.60
1:A:254:ARG:HD3	2:A:999:YE1:HAI	1.84	0.60
1:A:264:ARG:HG2	1:A:264:ARG:HH11	1.66	0.60
1:A:272:ARG:HG2	1:A:272:ARG:HH11	1.67	0.60
1:C:357:PRO:O	1:C:360:ARG:HG2	2.01	0.59
1:C:314:TYR:CD2	1:C:351:ARG:HD2	2.38	0.59
1:C:99:THR:HG1	1:C:102:GLN:HG3	1.67	0.58
1:B:226:ARG:HG3	1:B:226:ARG:HH11	1.68	0.58
1:B:385:GLY:CA	4:B:1043:HOH:O	2.48	0.58
2:A:999:YE1:O10	2:A:999:YE1:C8A	2.51	0.58
1:A:308:LEU:CD1	1:A:365:GLU:HB2	2.33	0.58
1:C:264:ARG:HG2	1:C:264:ARG:HH11	1.68	0.58
1:A:39:SER:OG	1:A:42:GLU:HG3	2.02	0.58
1:A:308:LEU:N	1:A:308:LEU:HD22	2.19	0.57
1:A:343:ARG:O	1:A:347:LEU:HB2	2.04	0.57
1:C:319:ALA:HB1	1:C:323:GLY:CA	2.33	0.57
1:A:321:LYS:C	1:A:322:GLU:HG3	2.29	0.57
1:C:295:GLY:O	1:C:299:GLN:HG3	2.04	0.57
2:A:999:YE1:C8A	2:A:999:YE1:HO10	2.18	0.56
1:C:99:THR:HG23	1:C:102:GLN:NE2	2.20	0.56
1:A:308:LEU:HD13	1:A:365:GLU:HB2	1.87	0.56
1:C:353:TRP:O	1:C:356:GLU:HG2	2.05	0.56
2:C:999:YE1:O10	2:C:999:YE1:C8A	2.53	0.56
1:B:222:HIS:CD2	2:B:999:YE1:H4'	2.40	0.56
1:A:379:SER:HB2	4:A:1043:HOH:O	2.06	0.56
1:A:153:LEU:O	1:A:157:VAL:HG23	2.06	0.55
1:A:135:GLY:HA3	1:A:406:ARG:HD2	1.87	0.54
1:C:268:THR:OG1	1:C:272:ARG:NH1	2.37	0.54
1:C:28:LEU:HD23	1:C:28:LEU:O	2.07	0.54
1:C:222:HIS:CD2	2:C:999:YE1:H4'	2.43	0.54
1:B:339:PRO:HG2	1:C:336:PHE:CD1	2.43	0.54
1:C:111:GLN:HG3	1:C:240:LEU:O	2.08	0.54
1:A:340:ARG:NH1	1:A:340:ARG:HA	2.23	0.54
1:A:178:LEU:N	1:A:178:LEU:HD12	2.24	0.53
1:A:285:TRP:HB3	1:A:304:PHE:CE1	2.44	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:HIS:CD2	2:A:999:YE1:H4'	2.43	0.53
1:C:262:LEU:O	1:C:392:ARG:NH2	2.38	0.53
2:B:999:YE1:O10	2:B:999:YE1:C8A	2.57	0.53
2:B:999:YE1:O10	2:B:999:YE1:HC8	2.08	0.53
1:C:81:ARG:HB2	1:C:84:GLU:OE1	2.09	0.53
1:A:394:MET:HE3	1:C:408:TYR:CE1	2.44	0.52
1:B:106:GLU:O	1:B:114:LYS:HE2	2.08	0.52
1:C:32:LEU:HG	1:C:33:PRO:HD2	1.91	0.52
1:A:234:GLY:HA3	2:A:999:YE1:HC22	1.92	0.52
1:A:111:GLN:HG2	1:A:243:GLY:HA2	1.92	0.51
1:B:416:GLN:HA	1:B:416:GLN:OE1	2.09	0.51
1:A:299:GLN:OE1	1:A:327:GLY:HA3	2.10	0.51
1:B:39:SER:O	1:B:43:ARG:HG3	2.11	0.51
1:A:272:ARG:HG2	1:A:272:ARG:NH1	2.26	0.51
1:B:331:LEU:HB2	1:B:408:TYR:CD1	2.45	0.51
1:C:146:THR:HG22	1:C:202:ASP:OD2	2.11	0.51
1:A:331:LEU:HB2	1:A:408:TYR:CD1	2.46	0.51
1:C:111:GLN:HE21	1:C:243:GLY:HA2	1.77	0.50
1:B:28:LEU:O	1:B:32:LEU:HB2	2.10	0.50
1:C:264:ARG:NH1	4:C:1062:HOH:O	2.42	0.50
1:A:182:ARG:CG	4:A:1011:HOH:O	2.56	0.50
1:B:98:PRO:HG3	1:B:117:HIS:HB3	1.93	0.49
1:A:305:ASP:OD2	1:A:392:ARG:NH1	2.46	0.49
1:A:314:TYR:CD2	1:A:351:ARG:HD2	2.46	0.49
1:A:341:VAL:O	1:A:345:VAL:HG23	2.13	0.49
1:C:235:ILE:HB	2:C:999:YE1:HAE	1.94	0.49
1:A:157:VAL:O	1:A:171:ARG:NH2	2.46	0.49
1:B:264:ARG:HH11	1:B:264:ARG:HG2	1.77	0.49
1:A:305:ASP:CG	1:A:392:ARG:HH11	2.22	0.48
1:B:226:ARG:HG3	1:B:226:ARG:NH1	2.27	0.48
1:C:296:GLY:HA2	1:C:299:GLN:CD	2.38	0.48
1:C:321:LYS:HE2	1:C:321:LYS:HB3	1.61	0.48
1:C:189:GLU:OE1	2:C:999:YE1:OAL	2.32	0.48
1:A:423:HIS:O	1:A:427:ASP:HB2	2.13	0.47
1:B:235:ILE:HB	2:B:999:YE1:HAE	1.96	0.47
1:A:422:GLY:O	1:A:425:VAL:HG12	2.13	0.47
1:C:305:ASP:CG	1:C:392:ARG:HH11	2.23	0.47
1:B:358:GLU:HG3	4:B:1041:HOH:O	2.15	0.47
1:B:367:VAL:HG12	1:B:368:GLU:O	2.14	0.47
1:C:343:ARG:HG3	1:C:343:ARG:HH11	1.80	0.47
1:A:164:MET:HE1	1:A:200:ALA:HB2	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:319:ALA:HB1	1:A:323:GLY:HA3	1.96	0.47
1:B:11:THR:HG23	1:B:12:ASP:N	2.30	0.47
1:B:35:HIS:CD2	1:B:113:ALA:HA	2.49	0.47
1:B:153:LEU:O	1:B:157:VAL:HG23	2.14	0.47
1:B:164:MET:HE1	1:B:200:ALA:HB2	1.96	0.47
1:C:182:ARG:HB2	1:C:187:ASN:HA	1.95	0.47
1:C:198:GLU:HA	1:C:258:TYR:HB3	1.96	0.47
1:A:371:GLU:OE2	1:A:374:ALA:HB3	2.15	0.47
1:C:215:LEU:HD23	1:C:304:PHE:CZ	2.50	0.47
1:A:385:GLY:HA3	4:C:1002:HOH:O	2.15	0.47
1:C:315:PHE:CD1	1:C:315:PHE:N	2.83	0.47
1:A:383:LEU:HD21	1:C:348:GLU:OE2	2.16	0.46
1:A:156:PHE:CD1	1:A:162:VAL:HG23	2.51	0.46
2:C:999:YE1:O9A	2:C:999:YE1:O2'	2.23	0.46
1:B:156:PHE:CD1	1:B:162:VAL:HG23	2.50	0.46
1:C:197:MET:O	1:C:201:VAL:HG23	2.15	0.46
1:C:269:ASN:HB2	1:C:271:ASP:OD2	2.15	0.46
1:C:315:PHE:CZ	1:C:363:VAL:HG21	2.50	0.46
1:A:397:LEU:HD23	1:A:397:LEU:O	2.16	0.46
1:A:403:ASP:HB2	4:A:1047:HOH:O	2.16	0.46
1:A:416:GLN:OE1	1:A:416:GLN:HA	2.16	0.46
1:C:416:GLN:HE21	1:C:416:GLN:HA	1.81	0.46
1:A:156:PHE:HD1	1:A:162:VAL:HG23	1.81	0.46
1:A:408:TYR:CE1	1:B:394:MET:HE3	2.51	0.46
1:B:53:ALA:O	1:B:57:ARG:HG3	2.15	0.46
1:A:367:VAL:HG13	1:A:372:LEU:HD13	1.96	0.46
1:B:42:GLU:O	1:B:46:ILE:HG22	2.16	0.45
2:A:999:YE1:OAD	2:A:999:YE1:CAE	2.62	0.45
1:B:123:ILE:HD11	1:C:276:TRP:CZ3	2.52	0.45
1:A:148:ARG:NH1	1:A:195:ASP:OD1	2.49	0.45
1:C:305:ASP:OD2	1:C:392:ARG:NH1	2.49	0.45
1:A:343:ARG:HG3	1:A:343:ARG:HH11	1.82	0.45
1:B:282:GLU:C	1:B:283:LYS:HG3	2.41	0.45
1:B:330:ASN:HB2	1:B:408:TYR:OH	2.17	0.45
1:C:24:SER:O	1:C:28:LEU:HB2	2.17	0.45
1:B:68:VAL:HG13	1:B:93:PHE:CE2	2.51	0.45
1:C:337:ALA:HB1	1:C:341:VAL:HB	1.99	0.45
1:A:27:LYS:O	1:A:30:ALA:HB3	2.16	0.45
1:A:28:LEU:HG	1:A:32:LEU:CD1	2.46	0.45
1:A:46:ILE:O	1:A:49:ALA:HB3	2.17	0.44
1:B:82:LEU:HD12	1:B:142:MET:HE2	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:183:ASP:HA	1:C:220:MET:SD	2.58	0.44
2:C:999:YE1:OAD	2:C:999:YE1:CAE	2.62	0.44
1:B:163:GLU:O	1:B:163:GLU:HG2	2.15	0.44
1:C:425:VAL:O	1:C:429:VAL:HG23	2.17	0.44
1:B:153:LEU:N	1:B:154:PRO:HD2	2.32	0.44
1:C:171:ARG:HD3	1:C:207:ASP:OD2	2.18	0.44
2:B:999:YE1:OAD	2:B:999:YE1:CAE	2.62	0.44
1:C:338:GLY:O	1:C:342:SER:HB2	2.17	0.44
1:B:319:ALA:CB	1:B:323:GLY:HA3	2.39	0.44
1:B:162:VAL:HG12	1:B:163:GLU:N	2.33	0.44
1:B:237:LEU:O	1:B:429:VAL:CG1	2.66	0.44
1:A:192:GLN:NE2	1:A:196:ASP:OD1	2.51	0.44
1:B:85:LEU:HD22	1:B:138:LEU:HD13	1.99	0.44
1:A:308:LEU:N	1:A:308:LEU:CD2	2.81	0.43
1:C:240:LEU:HA	1:C:245:ILE:HG12	1.99	0.43
1:B:261:LYS:HE2	1:B:266:VAL:HG12	2.00	0.43
1:A:353:TRP:O	1:A:356:GLU:HG2	2.19	0.43
1:C:171:ARG:HG2	1:C:171:ARG:HH11	1.83	0.43
1:B:235:ILE:HD11	1:B:245:ILE:HG21	2.00	0.43
1:B:343:ARG:HG3	1:B:343:ARG:HH11	1.83	0.43
1:C:207:ASP:HA	1:C:208:PRO:HD3	1.93	0.43
1:A:321:LYS:O	1:A:322:GLU:HG3	2.19	0.43
1:B:423:HIS:O	1:B:427:ASP:HB2	2.18	0.43
1:B:296:GLY:HA2	1:B:299:GLN:NE2	2.34	0.43
1:A:189:GLU:OE1	2:A:999:YE1:OAL	2.37	0.43
1:C:111:GLN:NE2	1:C:114:LYS:NZ	2.67	0.43
1:C:264:ARG:O	1:C:280:ARG:HD2	2.19	0.42
1:B:222:HIS:CG	1:B:223:PRO:HD2	2.53	0.42
1:A:12:ASP:OD2	1:A:14:LEU:HD22	2.19	0.42
1:B:167:VAL:HG12	1:B:168:HIS:N	2.35	0.42
1:B:178:LEU:N	1:B:178:LEU:HD12	2.35	0.42
1:B:27:LYS:O	1:B:31:THR:HG23	2.19	0.42
1:A:364:ASP:OD1	1:C:340:ARG:HD3	2.20	0.42
1:B:379:SER:HA	1:B:382:ARG:NH1	2.35	0.42
1:C:264:ARG:HG2	1:C:264:ARG:NH1	2.33	0.42
1:B:266:VAL:O	1:B:280:ARG:HA	2.19	0.42
1:B:335:ARG:HD3	1:B:399:ASP:HB3	2.02	0.42
1:A:21:ALA:O	1:A:25:VAL:HG23	2.19	0.42
1:A:72:LEU:HD11	1:A:89:ALA:HB2	2.01	0.42
1:B:282:GLU:O	1:B:283:LYS:HG3	2.20	0.42
1:A:368:GLU:OE1	1:A:369:PRO:HD2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:264:ARG:HG2	1:B:264:ARG:NH1	2.35	0.42
1:B:223:PRO:HA	1:B:226:ARG:HG2	2.00	0.41
1:B:379:SER:HA	1:B:382:ARG:CZ	2.50	0.41
1:A:264:ARG:HG2	1:A:264:ARG:NH1	2.33	0.41
1:B:295:GLY:HA2	4:B:1035:HOH:O	2.20	0.41
1:C:28:LEU:O	1:C:32:LEU:HB2	2.21	0.41
1:C:185:ARG:HG3	1:C:188:ALA:H	1.86	0.41
1:A:72:LEU:HD21	1:A:89:ALA:HA	2.01	0.41
1:A:139:LEU:O	1:A:143:LEU:HG	2.21	0.41
1:B:353:TRP:O	1:B:356:GLU:HG2	2.20	0.41
1:B:11:THR:HG23	1:B:12:ASP:H	1.84	0.41
1:B:206:LEU:O	1:B:208:PRO:HD3	2.21	0.41
1:C:98:PRO:CG	1:C:117:HIS:HB3	2.50	0.41
1:C:183:ASP:HA	1:C:220:MET:CE	2.51	0.41
1:C:383:LEU:HA	1:C:388:VAL:HG21	2.03	0.41
1:C:58:VAL:HG12	1:C:62:ASP:OD2	2.20	0.41
1:C:156:PHE:CD1	1:C:162:VAL:HG23	2.55	0.41
1:C:179:THR:HA	1:C:216:ARG:O	2.21	0.41
1:B:144:ARG:NH2	1:B:269:ASN:OD1	2.54	0.41
1:C:164:MET:HB2	1:C:167:VAL:O	2.21	0.41
1:A:72:LEU:CD1	1:A:89:ALA:HB2	2.51	0.40
1:B:240:LEU:O	1:B:240:LEU:HD23	2.21	0.40
1:C:254:ARG:HH12	1:C:299:GLN:NE2	2.19	0.40
1:C:397:LEU:O	1:C:397:LEU:HD23	2.22	0.40
1:B:111:GLN:HG3	1:B:240:LEU:O	2.21	0.40
1:B:308:LEU:N	1:B:308:LEU:CD2	2.85	0.40
1:C:111:GLN:NE2	1:C:114:LYS:CE	2.85	0.40
1:A:267:LEU:HA	1:A:280:ARG:HG2	2.04	0.40
1:B:157:VAL:HA	1:B:171:ARG:NH2	2.36	0.40
1:C:315:PHE:HD1	1:C:352:ILE:O	2.05	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	421/440 (96%)	401 (95%)	17 (4%)	3 (1%)	18	24
1	B	420/440 (96%)	393 (94%)	27 (6%)	0	100	100
1	C	419/440 (95%)	405 (97%)	12 (3%)	2 (0%)	24	32
All	All	1260/1320 (96%)	1199 (95%)	56 (4%)	5 (0%)	30	37

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	183	ASP
1	A	111	GLN
1	A	270	ASP
1	C	242	GLN
1	A	385	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	325/345 (94%)	314 (97%)	11 (3%)	32	47
1	B	330/345 (96%)	321 (97%)	9 (3%)	39	54
1	C	328/345 (95%)	321 (98%)	7 (2%)	47	62
All	All	983/1035 (95%)	956 (97%)	27 (3%)	39	54

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	LEU
1	A	159	THR
1	A	193	GLN
1	A	271	ASP
1	A	300	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	308	LEU
1	A	321	LYS
1	A	340	ARG
1	A	367	VAL
1	A	392	ARG
1	A	397	LEU
1	B	51	ASP
1	B	62	ASP
1	B	186	LEU
1	B	193	GLN
1	B	271	ASP
1	B	300	LEU
1	B	308	LEU
1	B	397	LEU
1	B	427	ASP
1	C	186	LEU
1	C	303	VAL
1	C	321	LYS
1	C	340	ARG
1	C	348	GLU
1	C	402	PRO
1	C	416	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	100	GLN
1	A	102	GLN
1	A	111	GLN
1	A	193	GLN
1	B	64	HIS
1	B	75	HIS
1	B	102	GLN
1	B	111	GLN
1	B	117	HIS
1	B	193	GLN
1	C	64	HIS
1	C	102	GLN
1	C	111	GLN
1	C	121	GLN
1	C	299	GLN
1	C	416	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	OXY	B	888	-	1,1,1	0.15	0	-		
3	OXY	A	888	-	1,1,1	0.15	0	-		
2	YE1	C	999	-	60,62,62	1.99	11 (18%)	87,92,92	2.07	13 (14%)
2	YE1	B	999	-	60,62,62	1.99	11 (18%)	87,92,92	2.07	13 (14%)
2	YE1	A	999	-	60,62,62	1.98	11 (18%)	87,92,92	2.07	13 (14%)
3	OXY	C	888	-	1,1,1	0.15	0	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	YE1	C	999	-	-	4/55/71/71	0/4/4/4
2	YE1	A	999	-	-	4/55/71/71	0/4/4/4
2	YE1	B	999	-	-	4/55/71/71	0/4/4/4

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	999	YE1	OAD-CAB	9.74	1.42	1.23
2	B	999	YE1	OAD-CAB	9.71	1.42	1.23
2	A	999	YE1	OAD-CAB	9.70	1.42	1.23
2	C	999	YE1	P1A-O3A	-5.33	1.53	1.59
2	A	999	YE1	P1A-O3A	-5.32	1.53	1.59
2	B	999	YE1	P1A-O3A	-5.32	1.53	1.59
2	C	999	YE1	C2P-NAA	-4.83	1.35	1.46
2	B	999	YE1	C2P-NAA	-4.82	1.35	1.46
2	A	999	YE1	C2P-NAA	-4.80	1.35	1.46
2	B	999	YE1	P3'-O3'	-3.51	1.53	1.59
2	A	999	YE1	P3'-O3'	-3.46	1.53	1.59
2	C	999	YE1	P3'-O3'	-3.43	1.53	1.59
2	A	999	YE1	CAB-NAA	3.01	1.40	1.33
2	B	999	YE1	CAB-NAA	2.99	1.40	1.33
2	C	999	YE1	CAB-NAA	2.99	1.40	1.33
2	C	999	YE1	C5P-N4P	2.95	1.40	1.33
2	B	999	YE1	C5P-N4P	2.93	1.40	1.33
2	A	999	YE1	C5P-N4P	2.93	1.40	1.33
2	C	999	YE1	C9P-N8P	2.89	1.40	1.33
2	B	999	YE1	C9P-N8P	2.87	1.40	1.33
2	A	999	YE1	C9P-N8P	2.87	1.40	1.33
2	B	999	YE1	P2A-O3A	2.73	1.62	1.59
2	A	999	YE1	P2A-O3A	2.66	1.62	1.59
2	C	999	YE1	P2A-O3A	2.64	1.62	1.59
2	B	999	YE1	C3P-N4P	-2.51	1.40	1.46
2	A	999	YE1	C3P-N4P	-2.51	1.40	1.46
2	C	999	YE1	C3P-N4P	-2.48	1.40	1.46
2	B	999	YE1	C2A-N1A	2.25	1.37	1.33
2	C	999	YE1	C2A-N1A	2.23	1.37	1.33
2	A	999	YE1	C2A-N1A	2.22	1.37	1.33
2	C	999	YE1	CAC-CAB	2.14	1.56	1.52
2	B	999	YE1	CAC-CAB	2.12	1.56	1.52
2	A	999	YE1	CAC-CAB	2.11	1.56	1.52

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	999	YE1	C2P-NAA-CAB	-7.34	109.15	122.82
2	C	999	YE1	C2P-NAA-CAB	-7.34	109.15	122.82
2	A	999	YE1	C2P-NAA-CAB	-7.34	109.17	122.82
2	B	999	YE1	C7P-N8P-C9P	-7.22	109.57	122.55
2	A	999	YE1	C7P-N8P-C9P	-7.22	109.58	122.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	999	YE1	C7P-N8P-C9P	-7.21	109.59	122.55
2	C	999	YE1	C3P-N4P-C5P	-7.17	109.47	122.82
2	A	999	YE1	C3P-N4P-C5P	-7.17	109.47	122.82
2	B	999	YE1	C3P-N4P-C5P	-7.15	109.51	122.82
2	A	999	YE1	C6P-C7P-N8P	-6.50	98.17	112.00
2	B	999	YE1	C6P-C7P-N8P	-6.49	98.18	112.00
2	C	999	YE1	C6P-C7P-N8P	-6.47	98.23	112.00
2	C	999	YE1	P3'-O3'-C3'	-5.26	109.38	123.43
2	B	999	YE1	P3'-O3'-C3'	-5.26	109.38	123.43
2	A	999	YE1	P3'-O3'-C3'	-5.25	109.40	123.43
2	A	999	YE1	O4A-P2A-O6A	-5.18	84.10	107.57
2	B	999	YE1	O4A-P2A-O6A	-5.17	84.13	107.57
2	C	999	YE1	O4A-P2A-O6A	-5.16	84.17	107.57
2	A	999	YE1	C7P-C6P-C5P	-4.67	104.61	112.39
2	B	999	YE1	C7P-C6P-C5P	-4.66	104.62	112.39
2	C	999	YE1	C7P-C6P-C5P	-4.65	104.64	112.39
2	B	999	YE1	O1A-P1A-O3A	3.23	116.02	107.27
2	A	999	YE1	O1A-P1A-O3A	3.23	116.01	107.27
2	A	999	YE1	C14-C11-C10	3.22	114.26	108.77
2	B	999	YE1	C14-C11-C10	3.22	114.25	108.77
2	C	999	YE1	O1A-P1A-O3A	3.22	115.97	107.27
2	C	999	YE1	C14-C11-C10	3.19	114.20	108.77
2	B	999	YE1	C2'-C1'-N9A	-2.87	106.18	113.30
2	A	999	YE1	C2'-C1'-N9A	-2.87	106.18	113.30
2	C	999	YE1	C2'-C1'-N9A	-2.86	106.21	113.30
2	A	999	YE1	O9P-C9P-N8P	-2.38	117.95	122.98
2	B	999	YE1	O9P-C9P-N8P	-2.38	117.95	122.98
2	C	999	YE1	O9P-C9P-N8P	-2.37	117.97	122.98
2	B	999	YE1	O4A-P2A-O3A	2.23	113.30	107.27
2	C	999	YE1	O4A-P2A-O3A	2.23	113.30	107.27
2	A	999	YE1	P2A-O6A-C12	-2.22	109.00	121.12
2	A	999	YE1	O4A-P2A-O3A	2.22	113.28	107.27
2	B	999	YE1	P2A-O6A-C12	-2.22	109.02	121.12
2	C	999	YE1	P2A-O6A-C12	-2.22	109.05	121.12

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	999	YE1	C12-O6A-P2A-O5A
2	B	999	YE1	C12-O6A-P2A-O5A
2	C	999	YE1	C12-O6A-P2A-O5A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	999	YE1	CAB-CAC-CAF-CAE
2	B	999	YE1	CAB-CAC-CAF-CAE
2	C	999	YE1	CAB-CAC-CAF-CAE
2	A	999	YE1	CAB-CAC-CAF-CAG
2	B	999	YE1	CAB-CAC-CAF-CAG
2	C	999	YE1	CAB-CAC-CAF-CAG
2	A	999	YE1	P1A-O3A-P2A-O4A
2	B	999	YE1	P1A-O3A-P2A-O4A
2	C	999	YE1	P1A-O3A-P2A-O4A


There are no ring outliers.

3 monomers are involved in 25 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	999	YE1	8	0
2	B	999	YE1	7	0
2	A	999	YE1	10	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand YE1 C 999



Ligand YE1 B 999





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	423/440 (96%)	0.69	47 (11%) 10 8	17, 35, 61, 71	0
1	B	422/440 (95%)	0.45	22 (5%) 33 30	17, 34, 52, 61	0
1	C	421/440 (95%)	0.51	33 (7%) 19 16	16, 33, 57, 68	0
All	All	1266/1320 (95%)	0.55	102 (8%) 18 16	16, 34, 55, 71	0

All (102) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	37	ALA	6.7
1	B	107	ARG	6.7
1	A	11	THR	5.7
1	C	26	GLU	4.8
1	B	11	THR	4.7
1	A	370	ASP	4.4
1	A	101	GLN	4.2
1	B	371	GLU	3.9
1	C	315	PHE	3.9
1	A	36	GLY	3.9
1	C	37	ALA	3.8
1	C	101	GLN	3.8
1	B	370	ASP	3.5
1	A	43	ARG	3.4
1	C	107	ARG	3.4
1	A	31	THR	3.4
1	A	433	GLY	3.3
1	A	34	GLU	3.3
1	C	24	SER	3.2
1	A	41	ALA	3.2
1	A	33	PRO	3.1
1	B	273	PRO	3.1
1	C	384	ASP	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	226	ARG	3.1
1	C	34	GLU	3.0
1	C	223	PRO	3.0
1	C	151	GLU	3.0
1	A	27	LYS	3.0
1	C	36	GLY	3.0
1	A	371	GLU	2.9
1	A	35	HIS	2.9
1	C	371	GLU	2.9
1	C	163	GLU	2.9
1	A	430	GLY	2.8
1	C	100	GLN	2.8
1	C	35	HIS	2.8
1	A	360	ARG	2.8
1	B	378	ARG	2.8
1	C	20	GLU	2.8
1	C	13	GLY	2.7
1	A	12	ASP	2.7
1	A	75	HIS	2.7
1	A	429	VAL	2.7
1	A	28	LEU	2.7
1	C	224	ARG	2.7
1	A	32	LEU	2.7
1	B	103	LEU	2.7
1	B	315	PHE	2.7
1	C	369	PRO	2.7
1	A	107	ARG	2.7
1	A	26	GLU	2.7
1	A	315	PHE	2.6
1	C	39	SER	2.6
1	C	62	ASP	2.6
1	C	27	LYS	2.6
1	A	94	PRO	2.6
1	C	12	ASP	2.6
1	A	321	LYS	2.6
1	A	71	ARG	2.5
1	C	370	ASP	2.5
1	B	101	GLN	2.5
1	A	29	LEU	2.5
1	A	431	ARG	2.5
1	B	160	GLY	2.5
1	B	173	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	270	ASP	2.5
1	A	228	LYS	2.5
1	B	182	ARG	2.5
1	C	41	ALA	2.5
1	A	384	ASP	2.4
1	B	384	ASP	2.4
1	C	103	LEU	2.4
1	C	360	ARG	2.4
1	A	425	VAL	2.4
1	C	30	ALA	2.3
1	B	183	ASP	2.3
1	A	428	LYS	2.3
1	B	181	CYS	2.3
1	A	182	ARG	2.3
1	C	431	ARG	2.3
1	A	23	ALA	2.2
1	C	162	VAL	2.2
1	B	428	LYS	2.2
1	A	112	ALA	2.2
1	A	109	LEU	2.2
1	C	38	ARG	2.2
1	A	18	LEU	2.2
1	A	45	GLU	2.2
1	B	165	GLU	2.1
1	A	221	SER	2.1
1	C	427	ASP	2.1
1	A	223	PRO	2.1
1	A	64	HIS	2.1
1	A	92	ALA	2.1
1	B	228	LYS	2.1
1	A	44	ALA	2.1
1	C	28	LEU	2.1
1	B	34	GLU	2.1
1	A	104	ALA	2.1
1	A	423	HIS	2.1
1	B	100	GLN	2.0
1	B	221	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	OXY	C	888	2/2	0.71	0.29	55,55,55,55	0
3	OXY	A	888	2/2	0.79	0.23	49,49,49,49	0
3	OXY	B	888	2/2	0.80	0.22	44,44,44,45	0
2	YE1	A	999	59/59	0.87	0.16	26,39,78,96	0
2	YE1	C	999	59/59	0.90	0.13	18,36,66,80	0
2	YE1	B	999	59/59	0.91	0.13	17,45,68,84	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around YE1 A 999:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around YE1 C 999:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around YE1 B 999:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.