



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 03:33 AM UTC

PDB ID : 7NPX / pdb_00007npx
Title : Thioredoxin glutathione reductase from *Schistosoma mansoni* in complex with 3-(3-Methoxyquinoxalin-2-yl)propanoic acid at 24 hours of soaking
Authors : Fata, F.; Silvestri, I.; Williams, D.L.; Angelucci, F.
Deposited on : 2021-02-28
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	598	
1	B	598	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	PEG	A	606	-	-	X	-

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 9396 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Thioredoxin glutathione reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	589	Total	C	N	O	S	0	8	0
			4556	2894	768	872	22			
1	B	590	Total	C	N	O	S	0	4	0
			4533	2878	762	871	22			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	597	SEC	UNK	engineered mutation	UNP Q962Y6
B	597	SEC	UNK	engineered mutation	UNP Q962Y6

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is 3-(3-methoxyquinoxalin-2-yl)propanoic acid (CCD ID: EY7) (formula: $C_{12}H_{12}N_2O_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			17	12	2	3		
3	B	1	Total	C	N	O	0	0
			17	12	2	3		

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Cl	0	0
			2	2		
4	B	2	Total	Cl	0	0
			2	2		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 7 4 3	0	0
5	A	1	Total C O 7 4 3	0	0
5	A	1	Total C O 7 4 3	0	0
5	B	1	Total C O 7 4 3	0	0

- Molecule 6 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	3	Total K 3 3	0	0
6	B	1	Total K 1 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	77	Total O 77 77	0	0
7	B	54	Total O 54 54	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Thioredoxin glutathione reductase



• Molecule 1: Thioredoxin glutathione reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	84.27Å 87.93Å 185.41Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.76 – 2.70 39.76 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.7 (39.76-2.70) 99.8 (39.76-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.56 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.211 , 0.261 0.215 , 0.261	Depositor DCC
R_{free} test set	2005 reflections (5.20%)	wwPDB-VP
Wilson B-factor (Å ²)	52.6	Xtriage
Anisotropy	0.427	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 38.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.014 for k,h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9396	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CL, K, FAD, EY7, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.15	4/4664 (0.1%)	1.49	12/6315 (0.2%)
1	B	1.15	3/4632 (0.1%)	1.53	15/6273 (0.2%)
All	All	1.15	7/9296 (0.1%)	1.51	27/12588 (0.2%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	317[A]	ARG	C-O	7.97	1.33	1.24
1	A	317[B]	ARG	C-O	7.97	1.33	1.24
1	B	416	VAL	C-O	5.32	1.29	1.23
1	B	322	ARG	C-O	5.31	1.30	1.23
1	A	270	VAL	C-O	-5.27	1.18	1.24
1	B	552	ALA	C-O	5.20	1.30	1.24
1	A	503	SER	CA-CB	-5.04	1.45	1.53

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	590	SER	CA-C-N	10.51	130.18	119.56
1	B	590	SER	C-N-CA	10.51	130.18	119.56
1	A	400	VAL	N-CA-C	-6.25	106.84	111.90
1	A	392	GLY	CA-C-O	-6.21	117.30	122.33
1	B	277	ASP	CA-CB-CG	5.80	118.40	112.60
1	B	16	ASP	CA-CB-CG	5.69	118.29	112.60
1	B	330	GLU	CB-CG-CD	5.43	121.83	112.60
1	A	304	PHE	CA-CB-CG	5.40	119.20	113.80
1	B	395	PRO	N-CA-C	-5.30	102.87	111.03
1	B	177	ASP	CA-CB-CG	5.21	117.81	112.60
1	A	9	GLN	CA-C-N	5.20	127.19	120.44
1	A	9	GLN	C-N-CA	5.20	127.19	120.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	15	VAL	CA-C-N	5.19	127.19	120.44
1	B	15	VAL	C-N-CA	5.19	127.19	120.44
1	B	15	VAL	O-C-N	5.15	126.86	121.87
1	A	494	GLY	CA-C-N	5.12	127.14	120.28
1	A	494	GLY	C-N-CA	5.12	127.14	120.28
1	A	57	SER	CA-C-N	5.09	127.10	120.28
1	A	57	SER	C-N-CA	5.09	127.10	120.28
1	A	168	ALA	CA-C-N	5.09	125.48	119.94
1	A	168	ALA	C-N-CA	5.09	125.48	119.94
1	B	399	LYS	CA-C-N	-5.07	112.84	121.97
1	B	399	LYS	C-N-CA	-5.07	112.84	121.97
1	B	9	GLN	CA-C-N	5.05	127.01	120.44
1	B	9	GLN	C-N-CA	5.05	127.01	120.44
1	A	304	PHE	CA-C-O	-5.04	115.07	120.42
1	B	586	LYS	CB-CA-C	-5.03	102.77	110.81

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4556	0	4592	59	0
1	B	4533	0	4554	45	0
2	A	53	0	31	1	0
2	B	53	0	31	1	0
3	A	17	0	0	0	0
3	B	17	0	0	1	0
4	A	2	0	0	1	0
4	B	2	0	0	0	0
5	A	21	0	30	5	0
5	B	7	0	10	0	0
6	A	3	0	0	0	0
6	B	1	0	0	0	0
7	A	77	0	0	0	0
7	B	54	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	9396	0	9248	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:138:TYR:CD1	5:A:606:PEG:H31	1.85	1.11
1:B:227:LYS:NZ	1:B:229:ARG:HH22	1.52	1.05
1:B:229:ARG:HG2	1:B:401:LEU:HD21	1.43	0.97
1:A:138:TYR:CE1	5:A:606:PEG:H31	2.00	0.95
1:B:227:LYS:NZ	1:B:229:ARG:NH2	2.12	0.95
1:B:227:LYS:HZ1	1:B:229:ARG:HH22	1.15	0.94
1:A:317[A]:ARG:NH1	1:A:348:VAL:HG11	1.94	0.82
1:B:229:ARG:HG2	1:B:401:LEU:CD2	2.09	0.81
1:A:549:GLN:HE22	1:B:570:ILE:H	1.30	0.78
1:A:138:TYR:CE1	5:A:606:PEG:C3	2.67	0.78
1:B:227:LYS:HZ3	1:B:229:ARG:NH2	1.81	0.76
1:A:400:VAL:HG22	2:A:601:FAD:H61A	1.55	0.72
1:B:403:GLU:OE1	1:B:403:GLU:HA	1.90	0.70
1:B:227:LYS:HZ1	1:B:229:ARG:NH2	1.81	0.67
1:A:50:LEU:HD13	1:A:60:GLN:HG3	1.77	0.66
1:A:570:ILE:H	1:B:549:GLN:HE22	1.43	0.66
1:B:50:LEU:HD13	1:B:60:GLN:HG3	1.77	0.65
1:A:549:GLN:NE2	1:B:570:ILE:H	1.94	0.65
1:A:561:LYS:NZ	1:A:565:ASP:OD1	2.31	0.64
1:A:317[B]:ARG:CG	1:A:348:VAL:HG12	2.29	0.63
1:A:317[B]:ARG:HG2	1:A:348:VAL:CG1	2.30	0.61
1:A:317[B]:ARG:HG2	1:A:348:VAL:HG12	1.81	0.61
1:A:124:LYS:HE2	1:A:215:ALA:HB1	1.83	0.59
1:B:61:LYS:HA	1:B:70:GLU:HG2	1.85	0.59
1:B:229:ARG:CG	1:B:401:LEU:CD2	2.79	0.59
1:A:21:ILE:HD11	1:A:48:ILE:HD12	1.84	0.58
1:A:422:GLN:HG3	1:A:423:THR:O	2.04	0.58
1:A:361:GLU:HB2	1:A:362:ASN:HD22	1.69	0.58
1:A:317[A]:ARG:HG3	1:A:348:VAL:CG1	2.35	0.56
1:A:42:LYS:HE3	1:A:42:LYS:HA	1.88	0.55
1:A:257:THR:HG21	1:A:400:VAL:HG11	1.88	0.55
1:A:317[A]:ARG:NH1	1:A:348:VAL:CG1	2.69	0.54
1:A:42:LYS:HA	1:A:42:LYS:CE	2.39	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:283:PRO:O	1:A:363:ASN:ND2	2.41	0.53
1:A:185:LEU:H	1:A:185:LEU:HD23	1.74	0.53
1:B:417:CYS:SG	1:B:430:ALA:HB3	2.49	0.52
1:B:42:LYS:HA	1:B:42:LYS:CE	2.39	0.52
1:B:157:VAL:HG11	1:B:277:ASP:OD1	2.09	0.52
1:A:138:TYR:HD1	5:A:606:PEG:H31	1.64	0.52
1:A:317[A]:ARG:HG3	1:A:348:VAL:HG12	1.90	0.52
1:A:213:LYS:NZ	4:A:605:CL:CL	2.80	0.51
1:B:590:SER:OG	1:B:592:ILE:HG12	2.11	0.51
1:A:417:CYS:SG	1:A:430:ALA:HB3	2.51	0.51
1:B:185:LEU:H	1:B:185:LEU:HD23	1.76	0.51
1:B:42:LYS:HA	1:B:42:LYS:HE3	1.93	0.50
1:B:210:TRP:CZ2	1:B:214:VAL:HG21	2.46	0.50
1:B:61:LYS:HG2	1:B:70:GLU:OE1	2.12	0.50
1:B:317:ARG:HG2	3:B:602:EY7:O2	2.12	0.49
1:B:157:VAL:CG1	1:B:157:VAL:O	2.60	0.49
1:B:315:MET:HG3	1:B:347:CYS:HB3	1.95	0.48
1:A:75:MET:SD	1:A:82:ILE:HD11	2.53	0.48
1:A:568:ILE:HG21	1:B:444:VAL:HG23	1.95	0.48
1:A:501:TYR:OH	1:A:532:MET:HE3	2.14	0.48
1:B:361:GLU:HB2	1:B:362:ASN:HD22	1.79	0.48
1:A:317[B]:ARG:HG3	1:A:348:VAL:HG12	1.96	0.47
1:A:418:THR:OG1	1:A:420:ASP:OD1	2.33	0.47
1:B:232:SER:HB2	1:B:233:PRO:CD	2.45	0.46
1:A:408:LYS:HD3	1:A:416:VAL:HG21	1.96	0.46
1:B:257:THR:O	2:B:601:FAD:H8A	2.16	0.46
1:A:361:GLU:HB2	1:A:362:ASN:ND2	2.30	0.46
1:A:232:SER:HB2	1:A:233:PRO:CD	2.45	0.46
1:B:284:TYR:CE1	1:B:365:PRO:HB3	2.51	0.46
1:B:504:ASN:HB3	1:B:518:ASN:HA	1.96	0.46
1:A:317[A]:ARG:HH11	1:A:348:VAL:HG11	1.77	0.46
1:B:361:GLU:HB2	1:B:362:ASN:ND2	2.32	0.45
1:A:442:THR:HB	1:A:443:PRO:HD3	1.99	0.45
1:B:50:LEU:HD13	1:B:60:GLN:CG	2.47	0.44
1:A:230:LEU:HD23	1:A:401[B]:LEU:CD2	2.48	0.44
1:A:19:ALA:O	1:A:77:VAL:HA	2.18	0.44
1:A:537:LEU:C	1:A:537:LEU:HD23	2.42	0.44
1:A:570:ILE:H	1:B:549:GLN:NE2	2.14	0.43
1:B:19:ALA:O	1:B:77:VAL:HA	2.18	0.43
1:A:50:LEU:HD13	1:A:60:GLN:CG	2.46	0.43
1:A:178:ALA:HA	1:B:171:LEU:HD13	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:304:PHE:O	1:A:308:LEU:HG	2.19	0.43
1:A:549:GLN:HE22	1:B:570:ILE:N	2.07	0.43
1:A:379:LYS:HD3	1:A:379:LYS:HA	1.86	0.42
1:A:44:LYS:HE3	1:A:44:LYS:HB2	1.71	0.42
1:B:537:LEU:C	1:B:537:LEU:HD23	2.44	0.42
1:A:315:MET:HG3	1:A:347:CYS:HB3	2.01	0.42
1:A:346:LEU:O	1:A:374:TYR:HA	2.20	0.42
1:A:325:ASP:HA	1:A:485:SER:HB2	2.02	0.41
1:A:138:TYR:CE1	5:A:606:PEG:H32	2.54	0.41
1:B:346:LEU:O	1:B:374:TYR:HA	2.19	0.41
1:A:120:LEU:HD13	1:A:212:TYR:CD1	2.56	0.41
1:B:210:TRP:CH2	1:B:214:VAL:HG21	2.56	0.41
1:B:477:LEU:HD12	1:B:477:LEU:HA	1.93	0.41
1:A:586:LYS:HD3	1:A:586:LYS:HA	1.91	0.41
1:A:8:SER:HB3	1:A:62:CYS:SG	2.61	0.41
1:B:21:ILE:HD11	1:B:48:ILE:HD12	2.03	0.41
1:A:242:ASN:O	1:A:243:GLN:HB2	2.21	0.41
1:A:194:TRP:CZ3	1:A:197:MET:HE1	2.56	0.40
1:A:475:THR:O	1:A:476:PRO:C	2.65	0.40
1:A:576:GLU:HA	1:B:549:GLN:NE2	2.37	0.40
1:B:500:VAL:HG11	1:B:585:LYS:HD2	2.02	0.40
1:B:108:TYR:O	1:B:250:GLY:HA2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	595/598 (100%)	573 (96%)	22 (4%)	0	100	100
1	B	592/598 (99%)	566 (96%)	26 (4%)	0	100	100
All	All	1187/1196 (99%)	1139 (96%)	48 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	498/495 (101%)	475 (95%)	23 (5%)	24	51
1	B	494/495 (100%)	470 (95%)	24 (5%)	22	49
All	All	992/990 (100%)	945 (95%)	47 (5%)	23	51

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	THR
1	A	33	LYS
1	A	42	LYS
1	A	55	ASN
1	A	57	SER
1	A	61	LYS
1	A	62	CYS
1	A	80	LYS
1	A	100	ILE
1	A	124	LYS
1	A	159	CYS
1	A	162	LYS
1	A	213	LYS
1	A	229	ARG
1	A	241	LYS
1	A	274	ILE
1	A	357	VAL
1	A	363	ASN
1	A	399	LYS
1	A	422	GLN
1	A	475	THR
1	A	476	PRO
1	A	496	LYS
1	B	13	LYS
1	B	16	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	37	VAL
1	B	42	LYS
1	B	48	ILE
1	B	55	ASN
1	B	57	SER
1	B	62	CYS
1	B	124	LYS
1	B	132	LYS
1	B	157	VAL
1	B	159	CYS
1	B	162	LYS
1	B	274	ILE
1	B	317	ARG
1	B	342	LYS
1	B	345	LYS
1	B	357	VAL
1	B	400	VAL
1	B	403	GLU
1	B	442	THR
1	B	475	THR
1	B	496	LYS
1	B	586	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	HIS
1	A	204	HIS
1	A	242	ASN
1	A	362	ASN
1	A	422	GLN
1	A	504	ASN
1	A	518	ASN
1	A	549	GLN
1	B	94	ASN
1	B	362	ASN
1	B	412	ASN
1	B	422	GLN
1	B	504	ASN
1	B	549	GLN
1	B	582	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 8 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	PEG	A	606	-	6,6,6	0.12	0	5,5,5	0.07	0
2	FAD	B	601	-	58,58,58	0.62	0	85,89,89	0.66	1 (1%)
3	EY7	A	602	-	17,18,18	1.54	3 (17%)	20,24,24	1.43	3 (15%)
5	PEG	A	604	-	6,6,6	0.21	0	5,5,5	0.23	0
5	PEG	B	604	-	6,6,6	0.26	0	5,5,5	0.15	0
2	FAD	A	601	-	58,58,58	0.56	0	85,89,89	0.71	1 (1%)
3	EY7	B	602	-	17,18,18	1.71	2 (11%)	20,24,24	1.23	3 (15%)
5	PEG	A	607	-	6,6,6	0.30	0	5,5,5	0.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	A	606	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	B	601	-	-	5/34/50/50	0/6/6/6
3	EY7	A	602	-	-	2/7/7/7	0/2/2/2
5	PEG	A	604	-	-	0/4/4/4	-
5	PEG	B	604	-	-	2/4/4/4	-
2	FAD	A	601	-	-	5/34/50/50	0/6/6/6
3	EY7	B	602	-	-	2/7/7/7	0/2/2/2
5	PEG	A	607	-	-	2/4/4/4	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	602	EY7	O-C1	4.76	1.42	1.35
3	A	602	EY7	O-C1	4.18	1.41	1.35
3	B	602	EY7	C1-N1	2.30	1.35	1.30
3	A	602	EY7	C1-N1	2.24	1.35	1.30
3	A	602	EY7	C6-N	-2.07	1.34	1.37

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	602	EY7	C-O-C1	-3.69	113.74	117.20
3	A	602	EY7	C2-N-C6	2.23	120.31	117.67
3	B	602	EY7	C4-C3-C2	2.23	116.52	113.13
2	B	601	FAD	C2B-C1B-N9A	2.22	118.82	113.30
3	B	602	EY7	C1-N1-C11	2.08	120.73	116.38
2	A	601	FAD	C2B-C1B-N9A	2.04	118.38	113.30
3	B	602	EY7	C6-C11-N1	-2.03	118.69	121.18
3	A	602	EY7	C7-C6-C11	2.03	121.65	119.25

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	601	FAD	PA-O3P-P-O5'
3	A	602	EY7	C2-C1-O-C
5	B	604	PEG	C1-C2-O2-C3
3	A	602	EY7	N1-C1-O-C
5	A	607	PEG	O2-C3-C4-O4
2	B	601	FAD	O4B-C4B-C5B-O5B
2	B	601	FAD	C3B-C4B-C5B-O5B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	606	PEG	O2-C3-C4-O4
5	A	606	PEG	C1-C2-O2-C3
2	A	601	FAD	O4B-C4B-C5B-O5B
2	A	601	FAD	C2B-C1B-N9A-C8A
5	A	606	PEG	O1-C1-C2-O2
5	A	606	PEG	C4-C3-O2-C2
2	A	601	FAD	C3B-C4B-C5B-O5B
3	B	602	EY7	C3-C4-C5-O1
3	B	602	EY7	C3-C4-C5-O2
2	B	601	FAD	P-O3P-PA-O1A
5	B	604	PEG	O1-C1-C2-O2
2	A	601	FAD	O4B-C1B-N9A-C8A
2	A	601	FAD	C2B-C1B-N9A-C4A
2	B	601	FAD	P-O3P-PA-O2A
5	A	607	PEG	O1-C1-C2-O2


There are no ring outliers.

4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	606	PEG	5	0
2	B	601	FAD	1	0
2	A	601	FAD	1	0
3	B	602	EY7	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand FAD B 601




Ligand EY7 A 602



Ligand FAD A 601



Ligand EY7 B 602



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	589/598 (98%)	-0.08	10 (1%) 69 67	23, 56, 128, 149	8 (1%)
1	B	590/598 (98%)	-0.01	9 (1%) 72 70	32, 67, 108, 124	4 (0%)
All	All	1179/1196 (98%)	-0.04	19 (1%) 70 68	23, 62, 117, 149	12 (1%)

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	595	GLY	7.6
1	B	398	SER	4.8
1	A	6	GLY	3.6
1	B	399	LYS	3.5
1	A	594	SER	3.0
1	B	400	VAL	2.9
1	B	6	GLY	2.8
1	A	90	LYS	2.5
1	B	356[A]	LYS	2.5
1	A	30	TYR	2.5
1	A	400	VAL	2.4
1	B	402	CYS	2.4
1	A	98	ALA	2.2
1	A	401[A]	LEU	2.2
1	A	88	VAL	2.2
1	A	64	ALA	2.1
1	B	58	ALA	2.1
1	A	22	LEU	2.1
1	B	71	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	PEG	A	604	7/7	0.68	0.14	65,68,76,82	0
5	PEG	A	606	7/7	0.74	0.15	63,73,76,77	0
5	PEG	B	604	7/7	0.78	0.12	65,77,84,86	0
3	EY7	B	602	17/17	0.83	0.12	66,77,83,86	0
5	PEG	A	607	7/7	0.86	0.15	73,77,82,83	0
3	EY7	A	602	17/17	0.86	0.11	58,67,81,84	0
4	CL	B	606	1/1	0.93	0.06	53,53,53,53	0
6	K	A	608	1/1	0.94	0.13	69,69,69,69	0
6	K	A	610	1/1	0.94	0.07	61,61,61,61	0
2	FAD	B	601	53/53	0.95	0.07	35,51,72,74	0
6	K	B	605	1/1	0.95	0.09	58,58,58,58	0
4	CL	A	603	1/1	0.96	0.07	55,55,55,55	0
6	K	A	609	1/1	0.97	0.05	53,53,53,53	0
2	FAD	A	601	53/53	0.97	0.06	27,44,56,60	0
4	CL	B	603	1/1	0.97	0.09	60,60,60,60	0
4	CL	A	605	1/1	0.98	0.04	54,54,54,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around EY7 B 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EY7 A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.