



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 01:15 AM UTC

PDB ID : 1NQ9 / pdb_00001nq9
Title : Crystal Structure of Antithrombin in the Pentasaccharide-Bound Intermediate State
Authors : Huntington, J.A.; Johnson, D.J.D.
Deposited on : 2003-01-21
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	I	432	58% 33% 6%
1	L	432	66% 26% ...
2	A	2	100%
2	B	2	50% 50%
2	C	2	50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	D	5	 20%80%
3	E	5	 100%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6779 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Antithrombin-III.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	I	406	Total	C	N	O	S	0	1	0
			3162	2021	529	595	17			
1	L	413	Total	C	N	O	S	0	0	0
			3216	2055	530	613	18			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	A	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	B	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is an oligosaccharide called 3,4-di-O-methyl-2,6-di-O-sulfo-alpha-D-glucopyranose-(1-4)-2,3-di-O-methyl-beta-D-glucopyranuronic acid-(1-4)-2,3,6-tri-O-sulfo-alpha-D-glucopyranose-(1-4)-3-O-methyl-2-O-sulfo-alpha-L-idopyranuronic acid-(1-4)-methyl 2,3,6-tri-O-sulfo-alpha-D-glucopyranoside.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	5	Total	C	O	S	0	0	0
			100	36	55	9			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	E	5	Total	C	O	S	0	0	0
			100	36	55	9			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	I	1	Total	C	N	O	0	0
			14	8	1	5		
4	L	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	I	36	Total	O	0	0
			36	36		
5	L	53	Total	O	0	0
			53	53		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Antithrombin-III



• Molecule 1: Antithrombin-III



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain A:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B:  50% 50%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  50% 50%


MAG1
MAG2

- Molecule 3: 3,4-di-O-methyl-2,6-di-O-sulfo-alpha-D-glucopyranose-(1-4)-2,3-di-O-methyl-beta-D-glucopyranuronic acid-(1-4)-2,3,6-tri-O-sulfo-alpha-D-glucopyranose-(1-4)-3-O-methyl-2-O-sulfo-alpha-L-idopyranuronic acid-(1-4)-methyl 2,3,6-tri-O-sulfo-alpha-D-glucopyranoside

Chain D:  20% 80%

Z9L1
Z9K2
GU63
GU14
Z9H5

- Molecule 3: 3,4-di-O-methyl-2,6-di-O-sulfo-alpha-D-glucopyranose-(1-4)-2,3-di-O-methyl-beta-D-glucopyranuronic acid-(1-4)-2,3,6-tri-O-sulfo-alpha-D-glucopyranose-(1-4)-3-O-methyl-2-O-sulfo-alpha-L-idopyranuronic acid-(1-4)-methyl 2,3,6-tri-O-sulfo-alpha-D-glucopyranoside

Chain E:  100%

Z9L1
Z9K2
GU63
GU14
Z9H5

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	69.68Å 86.76Å 96.92Å 90.00° 109.54° 90.00°	Depositor
Resolution (Å)	24.43 – 2.60 24.43 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.5 (24.43-2.60) 99.5 (24.43-2.60)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.95 (at 2.60Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.209 , 0.250 0.212 , 0.253	Depositor DCC
R_{free} test set	1666 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	47.3	Xtriage
Anisotropy	0.473	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 54.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.019 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6779	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GU6, GU1, Z9H, Z9L, Z9K, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	I	0.44	0/3226	0.94	8/4374 (0.2%)
1	L	0.47	0/3279	0.98	14/4440 (0.3%)
All	All	0.46	0/6505	0.96	22/8814 (0.2%)

There are no bond length outliers.

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	226	LYS	N-CA-C	-8.17	102.31	111.71
1	L	165	VAL	N-CA-C	7.72	118.31	110.82
1	I	88	ALA	N-CA-C	-7.44	102.86	112.23
1	L	123	PHE	N-CA-C	-6.70	104.06	111.36
1	I	322	ARG	N-CA-C	-6.37	101.05	110.48
1	I	140	LEU	N-CA-C	-6.35	101.59	110.35
1	L	38	GLN	N-CA-C	6.24	124.09	110.80
1	I	113	GLU	N-CA-C	6.18	117.68	111.07
1	I	430	CYS	N-CA-C	5.95	119.57	110.36
1	L	216	VAL	N-CA-C	5.85	117.17	108.46
1	L	88	ALA	N-CA-C	-5.82	104.93	111.28
1	L	321	PRO	N-CA-C	5.70	119.96	111.41
1	L	240	TYR	N-CA-C	5.62	117.81	108.20
1	L	322	ARG	N-CA-C	-5.46	97.59	107.75
1	I	341	VAL	N-CA-C	5.43	116.50	111.45
1	L	37	GLU	N-CA-C	-5.37	104.00	110.44
1	L	226	LYS	N-CA-C	-5.34	106.60	113.01
1	L	96	ASN	CB-CA-C	-5.23	110.52	116.54
1	L	396	ASN	CA-C-N	5.21	125.20	119.89
1	L	396	ASN	C-N-CA	5.21	125.20	119.89
1	I	228	LYS	N-CA-C	5.12	117.29	110.53
1	L	354	ILE	N-CA-C	5.02	115.31	110.74

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	I	3162	0	3061	135	0
1	L	3216	0	3136	110	0
2	A	28	0	25	5	0
2	B	28	0	25	3	0
2	C	28	0	25	2	0
3	D	100	0	16	4	0
3	E	100	0	16	0	0
4	I	14	0	13	0	0
4	L	14	0	13	0	0
5	I	36	0	0	0	0
5	L	53	0	0	2	0
All	All	6779	0	6330	249	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (249) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:263:VAL:HG12	1:L:264:ALA:H	1.07	1.12
1:L:62:PHE:HD1	1:L:338:MET:HE1	1.19	1.04
1:L:428:ASN:HD21	1:L:430:CYS:HB2	1.27	0.97
1:L:263:VAL:HG12	1:L:264:ALA:N	1.82	0.93
1:L:62:PHE:CD1	1:L:338:MET:HE1	2.04	0.92
1:I:62:PHE:HD2	1:I:338:MET:HE1	1.33	0.91
1:L:263:VAL:CG1	1:L:264:ALA:H	1.83	0.91
1:L:428:ASN:ND2	1:L:430:CYS:H	1.70	0.90
1:I:281:MET:HE3	1:I:283:LEU:HD21	1.60	0.84
1:I:351:LEU:HB3	1:I:354:ILE:HD13	1.59	0.84
1:L:91:LYS:CD	1:L:103:MET:HE3	2.08	0.84
1:L:5:VAL:HG23	1:L:6:ASP:H	1.44	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:66:LEU:HA	1:I:334:GLN:OE1	1.83	0.78
1:I:18:ASN:H	2:A:2:NAG:C8	1.95	0.78
1:I:283:LEU:HD11	1:I:320:MET:HE3	1.65	0.78
1:I:335:LEU:HD23	1:I:338:MET:HE3	1.66	0.78
1:I:281:MET:CE	1:I:320:MET:HE1	2.15	0.76
1:L:258:PHE:HB2	1:L:316:LEU:HD21	1.67	0.76
2:B:1:NAG:H62	2:B:2:NAG:O5	1.85	0.76
1:I:14:ASP:O	1:I:16:PRO:HD3	1.87	0.75
1:I:23:TYR:CE2	1:I:100:GLN:HG3	2.22	0.75
1:L:428:ASN:HD22	1:L:430:CYS:H	1.32	0.74
2:C:1:NAG:H61	2:C:2:NAG:N2	2.02	0.74
2:C:1:NAG:H61	2:C:2:NAG:HN2	1.51	0.74
2:A:1:NAG:H62	2:A:2:NAG:HN2	1.53	0.73
1:L:183:ARG:HB2	1:L:207:ILE:HD12	1.70	0.72
1:L:235:ARG:HG3	1:L:235:ARG:HH11	1.55	0.71
1:I:18:ASN:H	2:A:2:NAG:H82	1.55	0.71
1:I:124:ALA:HB2	1:I:165:VAL:HG13	1.74	0.70
1:L:428:ASN:HD22	1:L:428:ASN:C	1.99	0.70
1:I:425:ARG:HD3	1:I:427:ALA:HB2	1.75	0.69
1:I:133:LYS:HB3	1:I:278:ASP:OD2	1.93	0.69
1:L:91:LYS:HD2	1:L:103:MET:HE3	1.73	0.69
1:I:207:ILE:HG23	1:I:211:THR:HG21	1.75	0.68
1:L:286:PRO:HD3	1:L:292:LEU:HD13	1.77	0.67
1:I:258:PHE:HB2	1:I:316:LEU:HD21	1.77	0.66
1:I:325:ILE:HD11	1:I:426:VAL:HG22	1.78	0.65
1:I:62:PHE:CD2	1:I:338:MET:HE1	2.25	0.64
1:L:204:SER:O	1:L:205:GLU:HB2	1.96	0.63
1:L:362:LEU:HB3	1:L:390:ILE:CG2	2.29	0.63
1:L:103:MET:HE2	1:L:103:MET:HA	1.78	0.63
1:I:11:LYS:O	1:I:14:ASP:HB2	1.99	0.63
1:L:17:MET:HB2	1:L:161:ILE:HD13	1.80	0.63
1:I:108:PHE:O	1:I:111:ILE:HG12	1.99	0.62
1:L:415:VAL:O	1:L:416:PRO:C	2.43	0.62
1:L:130:LEU:CD2	1:L:414:GLU:HG3	2.29	0.62
1:I:204:SER:O	1:I:205:GLU:HG3	2.00	0.62
1:I:190:VAL:HG11	1:I:201:VAL:HG21	1.80	0.62
1:I:75:ASN:HB3	1:I:325:ILE:HG23	1.82	0.61
1:I:77:PHE:CZ	1:I:373:LEU:HB2	2.35	0.61
1:L:235:ARG:HG3	1:L:235:ARG:NH1	2.14	0.61
1:L:414:GLU:OE1	1:L:417:LEU:HD23	2.00	0.61
1:I:288:PRO:HB2	1:I:289:GLU:OE2	2.01	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:57:ARG:HG2	1:L:301:PRO:HG2	1.83	0.61
1:L:404:ALA:HB2	1:L:428:ASN:HB2	1.83	0.60
1:L:12:PRO:HB3	1:L:118:GLN:OE1	2.01	0.60
1:L:322:ARG:HD2	1:L:377:GLU:OE1	2.01	0.60
1:I:281:MET:HE3	1:I:320:MET:HE1	1.83	0.60
1:I:62:PHE:HD2	1:I:338:MET:CE	2.11	0.59
1:I:289:GLU:H	1:I:289:GLU:CD	2.09	0.59
1:L:103:MET:HE2	1:L:108:PHE:HD2	1.66	0.59
1:I:163:GLU:OE1	1:I:168:ALA:HA	2.03	0.58
1:I:91:LYS:HD2	1:I:119:ILE:HG21	1.86	0.58
1:I:281:MET:HE1	1:I:320:MET:HE1	1.86	0.58
1:I:332:LYS:O	1:I:336:GLN:HG3	2.04	0.58
1:L:428:ASN:HD21	1:L:430:CYS:CB	2.08	0.58
1:L:126:LEU:CD1	1:L:417:LEU:HD11	2.34	0.57
1:I:23:TYR:HE2	1:I:100:GLN:HG3	1.66	0.57
1:I:91:LYS:HD3	1:I:91:LYS:C	2.29	0.57
1:L:316:LEU:N	1:L:316:LEU:HD23	2.20	0.57
1:I:413:ARG:HH11	1:I:413:ARG:HG2	1.71	0.56
1:I:42:GLU:HG2	1:I:43:ALA:N	2.20	0.56
1:I:269:VAL:HG12	1:I:311:LEU:HD21	1.88	0.56
1:I:99:LEU:O	1:I:103:MET:HG2	2.06	0.56
1:I:7:ILE:HD12	1:I:7:ILE:N	2.22	0.55
1:L:77:PHE:CZ	1:L:373:LEU:HB2	2.40	0.55
1:I:120:HIS:H	1:I:120:HIS:CD2	2.22	0.55
1:I:350:LYS:C	1:I:352:PRO:HD3	2.31	0.55
1:I:13:ARG:HH11	1:I:13:ARG:CG	2.20	0.55
1:I:400:VAL:HG12	1:I:401:THR:N	2.21	0.55
1:L:322:ARG:HD2	1:L:377:GLU:CD	2.31	0.54
1:I:144:ASN:HB3	1:I:166:TYR:OH	2.08	0.54
1:I:335:LEU:HD23	1:I:338:MET:CE	2.35	0.54
1:I:190:VAL:HG21	1:I:201:VAL:HG21	1.89	0.54
1:I:219:ILE:O	1:I:371:ALA:HA	2.06	0.54
1:L:18:ASN:HD22	2:B:2:NAG:H62	1.72	0.54
1:L:308:LEU:HD13	1:L:413:ARG:CZ	2.37	0.54
1:L:130:LEU:HD23	1:L:414:GLU:HG3	1.90	0.54
1:L:415:VAL:HB	1:L:416:PRO:HD3	1.89	0.54
1:L:417:LEU:HD23	1:L:417:LEU:H	1.73	0.53
1:I:13:ARG:NH1	1:I:13:ARG:HG3	2.22	0.53
1:I:316:LEU:HD23	1:I:316:LEU:H	1.72	0.53
1:L:91:LYS:NZ	1:L:120:HIS:NE2	2.37	0.53
1:L:77:PHE:CE1	1:L:373:LEU:HD22	2.42	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:347:GLU:OE2	1:L:347:GLU:N	2.41	0.53
1:I:130:LEU:C	1:I:132:ARG:H	2.16	0.53
1:L:285:LEU:HD12	1:L:285:LEU:N	2.24	0.53
1:I:91:LYS:HD3	1:I:91:LYS:O	2.09	0.52
1:L:145:ARG:HG2	1:L:147:PHE:CZ	2.43	0.52
1:L:263:VAL:HG11	1:L:307:TRP:HE1	1.74	0.52
1:L:298:GLU:O	1:L:300:THR:HG23	2.10	0.52
1:L:5:VAL:HG23	1:L:6:ASP:N	2.19	0.52
1:L:428:ASN:ND2	1:L:428:ASN:C	2.68	0.52
1:I:47:ARG:O	1:I:50:GLU:HG2	2.10	0.51
1:L:67:ALA:C	1:L:69:SER:H	2.18	0.51
1:I:79:SER:HB3	1:I:82:SER:HB3	1.92	0.51
1:L:64:GLN:O	1:L:68:ASP:HB2	2.10	0.51
1:I:45:ASN:HA	3:D:4:GU1:H82	1.91	0.51
1:L:119:ILE:N	1:L:119:ILE:HD12	2.25	0.51
1:I:260:TYR:CG	1:I:261:ARG:N	2.79	0.51
1:L:91:LYS:HZ1	1:L:120:HIS:CE1	2.24	0.51
1:I:138:SER:HB3	1:I:221:PHE:CZ	2.45	0.50
1:I:257:LYS:HA	1:I:314:MET:O	2.12	0.50
1:L:365:SER:HB3	1:L:392:GLY:H	1.75	0.50
1:I:183:ARG:NH1	1:I:187:ASN:ND2	2.60	0.50
1:L:163:GLU:OE2	1:L:169:LYS:HE2	2.11	0.50
1:L:413:ARG:HH21	1:L:418:ASN:ND2	2.09	0.50
1:I:148:GLY:O	1:I:172:PRO:HA	2.11	0.50
1:L:287:LYS:HG3	1:L:288:PRO:HD2	1.94	0.50
1:L:322:ARG:HD2	1:L:377:GLU:OE2	2.12	0.50
1:L:12:PRO:HG3	1:L:121:PHE:CD2	2.47	0.50
1:L:51:LEU:CD2	1:L:123:PHE:HA	2.42	0.50
1:I:40:ILE:HD11	1:I:44:THR:O	2.13	0.49
1:I:319:HIS:HB2	1:I:403:LYS:HA	1.94	0.49
1:I:197:ARG:HB3	1:I:372:PHE:CE2	2.48	0.49
1:I:413:ARG:HH11	1:I:413:ARG:CG	2.25	0.49
1:I:263:VAL:HG22	1:I:267:THR:O	2.13	0.49
1:I:260:TYR:OH	1:I:268:GLN:HG2	2.14	0.48
1:I:283:LEU:CD1	1:I:320:MET:HE3	2.40	0.48
1:I:12:PRO:HG2	3:D:3:GU6:O16	2.14	0.48
1:I:89:MET:HE1	1:I:120:HIS:HB2	1.95	0.48
1:I:253:TYR:CE1	1:I:317:VAL:HG13	2.49	0.48
1:I:283:LEU:HD11	1:I:320:MET:CE	2.40	0.48
1:I:390:ILE:HG12	1:L:319:HIS:HB2	1.95	0.48
1:L:335:LEU:HA	1:L:338:MET:HE3	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:329:PHE:N	1:I:329:PHE:CD2	2.82	0.47
1:I:45:ASN:OD1	1:I:47:ARG:HB2	2.14	0.47
1:L:17:MET:HE1	1:L:165:VAL:HG21	1.96	0.47
1:L:401:THR:HG22	1:L:402:PHE:N	2.29	0.47
1:I:271:GLU:OE2	1:I:413:ARG:NH1	2.38	0.47
1:L:40:ILE:HB	1:L:41:PRO:HD2	1.95	0.47
1:L:428:ASN:HD22	1:L:429:PRO:N	2.11	0.47
1:I:351:LEU:N	1:I:352:PRO:HD3	2.29	0.47
1:I:390:ILE:HA	1:L:319:HIS:HB2	1.96	0.47
1:I:306:GLU:O	1:I:310:GLU:HG3	2.14	0.47
1:L:255:GLU:OE2	1:L:315:MET:HE1	2.14	0.47
1:I:170:LEU:C	1:I:170:LEU:HD23	2.40	0.47
1:I:255:GLU:HG2	1:I:317:VAL:HG22	1.95	0.47
1:I:316:LEU:HD23	1:I:316:LEU:N	2.30	0.47
1:I:324:ARG:HA	1:I:373:LEU:O	2.15	0.47
1:L:71:ASN:C	1:L:73:ASN:H	2.23	0.47
1:L:212:VAL:HG21	1:L:362:LEU:HD22	1.95	0.47
1:L:91:LYS:HE3	1:L:120:HIS:CE1	2.50	0.47
1:I:204:SER:O	1:I:205:GLU:CG	2.63	0.46
1:I:225:TRP:HH2	1:I:281:MET:HE2	1.79	0.46
1:I:18:ASN:H	2:A:2:NAG:H83	1.80	0.46
1:L:103:MET:CE	1:L:108:PHE:HD2	2.28	0.46
1:I:218:THR:HA	1:I:370:LYS:O	2.15	0.46
1:L:12:PRO:HG3	1:L:121:PHE:CE2	2.50	0.46
1:L:47:ARG:HG2	1:L:47:ARG:HH11	1.80	0.46
1:L:428:ASN:ND2	1:L:430:CYS:N	2.52	0.46
1:I:253:TYR:HE1	1:I:317:VAL:CG1	2.29	0.46
1:L:103:MET:HE2	1:L:108:PHE:CD2	2.47	0.46
1:L:284:ILE:HD13	1:L:307:TRP:CZ3	2.51	0.46
1:I:13:ARG:CG	1:I:13:ARG:NH1	2.77	0.46
1:I:208:ASN:OD1	1:I:209:GLU:N	2.49	0.45
1:I:292:LEU:HD11	1:I:409:LEU:HG	1.99	0.45
1:L:125:LYS:HD2	5:L:915:HOH:O	2.16	0.45
1:I:159:GLN:OE1	1:I:169:LYS:HB2	2.16	0.45
1:I:332:LYS:HG3	1:I:344:PHE:CD1	2.51	0.45
1:I:58:PHE:HA	1:I:61:THR:HG22	1.99	0.45
1:I:119:ILE:HG23	1:I:120:HIS:N	2.31	0.45
1:L:38:GLN:H	1:L:38:GLN:HG2	1.55	0.45
1:L:50:GLU:OE2	1:L:111:ILE:HB	2.17	0.45
1:L:346:PRO:HG3	1:L:363:TYR:CE2	2.52	0.45
1:L:103:MET:CE	1:L:108:PHE:CD2	3.00	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:306:GLU:OE1	1:I:310:GLU:OE2	2.35	0.45
1:I:183:ARG:HG2	1:I:183:ARG:HH11	1.82	0.44
1:I:289:GLU:CD	1:I:289:GLU:N	2.75	0.44
1:L:414:GLU:OE2	1:L:416:PRO:HD2	2.16	0.44
1:I:76:ILE:HA	1:I:327:ASP:OD2	2.17	0.44
1:L:263:VAL:HG11	1:L:307:TRP:NE1	2.31	0.44
1:I:13:ARG:HH11	1:I:13:ARG:HG3	1.81	0.44
1:I:149:ASP:HA	1:I:173:LEU:O	2.17	0.44
1:L:316:LEU:N	1:L:316:LEU:CD2	2.81	0.44
1:I:430:CYS:O	1:I:431:VAL:HB	2.17	0.44
1:I:316:LEU:N	1:I:316:LEU:CD2	2.81	0.44
1:I:351:LEU:HB3	1:I:354:ILE:CD1	2.39	0.43
1:I:400:VAL:CG1	1:I:401:THR:N	2.80	0.43
1:I:257:LYS:N	1:I:315:MET:HE2	2.33	0.43
1:L:198:ILE:HG23	1:L:370:LYS:HG2	1.99	0.43
1:L:47:ARG:HG2	1:L:47:ARG:NH1	2.34	0.43
1:L:81:LEU:HD21	1:L:130:LEU:HD13	1.99	0.43
1:L:340:LEU:HD23	1:L:340:LEU:HA	1.80	0.43
1:L:71:ASN:C	1:L:73:ASN:N	2.74	0.43
1:L:47:ARG:CZ	1:L:114:LYS:HD3	2.48	0.43
1:L:145:ARG:HG3	1:L:146:LEU:N	2.29	0.43
1:I:62:PHE:CD2	1:I:338:MET:CE	2.95	0.43
1:L:66:LEU:O	1:L:70:LYS:HG3	2.18	0.43
1:I:269:VAL:CG1	1:I:311:LEU:HD21	2.48	0.43
1:L:17:MET:O	1:L:18:ASN:C	2.61	0.43
1:L:124:ALA:HB2	1:L:165:VAL:HG13	2.00	0.43
1:L:71:ASN:O	1:L:73:ASN:N	2.52	0.43
1:I:13:ARG:NH1	3:D:1:Z9L:O7	2.52	0.42
1:L:314:MET:O	1:L:316:LEU:HD22	2.18	0.42
1:I:62:PHE:HE1	1:I:78:LEU:HD13	1.84	0.42
1:I:86:ALA:O	1:I:89:MET:HB2	2.19	0.42
1:I:125:LYS:O	1:I:128:CYS:HB2	2.18	0.42
1:I:183:ARG:NH1	1:I:183:ARG:HG2	2.35	0.42
1:L:7:ILE:HG22	5:L:924:HOH:O	2.18	0.42
1:L:417:LEU:O	1:L:418:ASN:C	2.63	0.42
3:D:2:Z9K:O10	3:D:3:GU6:H5	2.19	0.42
1:I:313:GLU:O	1:I:314:MET:HG3	2.19	0.42
1:L:62:PHE:CD1	1:L:338:MET:CE	2.90	0.42
2:B:2:NAG:O7	2:B:2:NAG:H3	2.20	0.42
1:I:190:VAL:HG11	1:I:201:VAL:CG2	2.47	0.42
1:I:287:LYS:HD2	1:I:289:GLU:OE1	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:154:PHE:O	1:I:155:ASN:C	2.61	0.42
1:L:91:LYS:HD3	1:L:103:MET:HE3	1.95	0.42
1:I:258:PHE:CD2	1:I:316:LEU:HD21	2.55	0.42
1:I:47:ARG:NH1	1:I:114:LYS:HB3	2.34	0.42
1:I:94:ALA:HB3	1:I:99:LEU:HD13	2.02	0.42
1:L:273:PRO:HA	1:L:280:THR:HG22	2.02	0.42
1:I:130:LEU:C	1:I:132:ARG:N	2.77	0.42
1:I:197:ARG:NE	1:I:381:GLU:OE1	2.53	0.42
1:I:140:LEU:HD12	1:I:140:LEU:HA	1.90	0.41
1:I:332:LYS:HE2	1:I:365:SER:O	2.20	0.41
1:L:404:ALA:HB3	1:L:427:ALA:HB1	2.01	0.41
1:I:146:LEU:HG	1:I:215:LEU:HD13	2.03	0.41
1:I:183:ARG:HH12	1:I:187:ASN:ND2	2.17	0.41
1:L:126:LEU:HD12	1:L:417:LEU:HD11	2.02	0.41
1:I:20:MET:CE	2:A:1:NAG:H2	2.51	0.41
1:I:115:THR:HA	1:I:122:PHE:CE2	2.56	0.41
1:L:93:GLY:O	1:L:351:LEU:HA	2.21	0.41
1:I:42:GLU:HG2	1:I:43:ALA:H	1.84	0.41
1:L:18:ASN:HA	1:L:19:PRO:HD2	1.98	0.41
1:I:207:ILE:HG23	1:I:211:THR:CG2	2.47	0.41
1:L:91:LYS:CE	1:L:103:MET:HE3	2.49	0.41
1:L:119:ILE:N	1:L:119:ILE:CD1	2.84	0.41
1:I:397:PRO:HA	1:I:399:ARG:HH21	1.85	0.41
1:L:215:LEU:HD12	1:L:215:LEU:N	2.36	0.41
1:L:349:SER:O	1:L:350:LYS:HD2	2.21	0.41
1:I:412:ILE:HB	1:I:422:PHE:HB2	2.02	0.40
1:I:329:PHE:H	1:I:329:PHE:HD2	1.69	0.40
1:I:40:ILE:HA	1:I:41:PRO:HD3	1.78	0.40
1:I:61:THR:HG23	1:I:62:PHE:N	2.36	0.40
1:I:76:ILE:HG22	1:I:77:PHE:N	2.36	0.40
1:I:252:MET:N	1:I:320:MET:O	2.47	0.40
1:L:17:MET:O	1:L:18:ASN:O	2.40	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	I	399/432 (92%)	365 (92%)	31 (8%)	3 (1%)	16	34
1	L	405/432 (94%)	368 (91%)	30 (7%)	7 (2%)	7	15
All	All	804/864 (93%)	733 (91%)	61 (8%)	10 (1%)	10	23

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	L	38	GLN
1	L	361	ASP
1	I	141	VAL
1	L	418	ASN
1	I	14	ASP
1	L	72	ASP
1	L	68	ASP
1	I	263	VAL
1	L	18	ASN
1	L	416	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	I	338/383 (88%)	325 (96%)	13 (4%)	29	56
1	L	348/383 (91%)	324 (93%)	24 (7%)	14	32
All	All	686/766 (90%)	649 (95%)	37 (5%)	20	42

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	I	7	ILE
1	I	13	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	42	GLU
1	I	102	LEU
1	I	141	VAL
1	I	205	GLU
1	I	212	VAL
1	I	217	ASN
1	I	302	GLU
1	I	316	LEU
1	I	329	PHE
1	I	334	GLN
1	I	414	GLU
1	L	15	ILE
1	L	17	MET
1	L	18	ASN
1	L	23	TYR
1	L	36	SER
1	L	38	GLN
1	L	78	LEU
1	L	119	ILE
1	L	145	ARG
1	L	201	VAL
1	L	205	GLU
1	L	209	GLU
1	L	265	GLU
1	L	285	LEU
1	L	294	LYS
1	L	304	LEU
1	L	316	LEU
1	L	334	GLN
1	L	340	LEU
1	L	355	VAL
1	L	361	ASP
1	L	362	LEU
1	L	389	VAL
1	L	416	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	I	55	ASN
1	I	118	GLN
1	I	120	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	127	ASN
1	I	171	GLN
1	I	217	ASN
1	I	233	ASN
1	I	305	GLN
1	I	319	HIS
1	L	18	ASN
1	L	159	GLN
1	L	233	ASN
1	L	305	GLN
1	L	336	GLN
1	L	428	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

16 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	1	1,2	14,14,15	0.60	0	17,19,21	0.72	1 (5%)
2	NAG	A	2	2	14,14,15	0.58	0	17,19,21	0.74	1 (5%)
2	NAG	B	1	1,2	14,14,15	0.67	0	17,19,21	1.19	1 (5%)
2	NAG	B	2	2	14,14,15	0.63	0	17,19,21	0.54	0
2	NAG	C	1	1,2	14,14,15	0.61	0	17,19,21	0.99	1 (5%)
2	NAG	C	2	2	14,14,15	0.64	0	17,19,21	0.59	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	Z9L	D	1	3	25,25,25	1.35	3 (12%)	34,39,39	0.91	1 (2%)
3	Z9K	D	2	3	17,17,18	1.56	3 (17%)	17,25,27	1.18	4 (23%)
3	GU6	D	3	3	23,23,24	1.41	1 (4%)	28,36,38	1.17	3 (10%)
3	GU1	D	4	3	14,14,15	1.74	3 (21%)	15,19,21	1.15	1 (6%)
3	Z9H	D	5	3	21,21,22	1.12	1 (4%)	26,31,33	1.29	2 (7%)
3	Z9L	E	1	3	25,25,25	1.27	2 (8%)	34,39,39	0.98	2 (5%)
3	Z9K	E	2	3	17,17,18	1.43	3 (17%)	17,25,27	1.17	3 (17%)
3	GU6	E	3	3	23,23,24	1.55	3 (13%)	28,36,38	0.85	0
3	GU1	E	4	3	14,14,15	1.64	3 (21%)	15,19,21	1.14	1 (6%)
3	Z9H	E	5	3	21,21,22	1.31	3 (14%)	26,31,33	1.38	3 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1	1,2	-	4/6/23/26	0/1/1/1
2	NAG	A	2	2	-	4/6/23/26	0/1/1/1
2	NAG	B	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	B	2	2	-	6/6/23/26	0/1/1/1
2	NAG	C	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	4/6/23/26	0/1/1/1
3	Z9L	D	1	3	-	7/18/38/38	0/1/1/1
3	Z9K	D	2	3	-	0/11/28/31	0/1/1/1
3	GU6	D	3	3	-	2/16/33/36	0/1/1/1
3	GU1	D	4	3	-	3/8/25/28	0/1/1/1
3	Z9H	D	5	3	-	5/15/32/35	0/1/1/1
3	Z9L	E	1	3	-	3/18/38/38	0/1/1/1
3	Z9K	E	2	3	-	0/11/28/31	0/1/1/1
3	GU6	E	3	3	-	5/16/33/36	0/1/1/1
3	GU1	E	4	3	-	2/8/25/28	0/1/1/1
3	Z9H	E	5	3	-	5/15/32/35	0/1/1/1

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	3	GU6	C1-C2	4.09	1.58	1.51
3	D	4	GU1	C4-C5	3.94	1.59	1.53
3	D	2	Z9K	C1-C2	3.82	1.57	1.51
3	E	4	GU1	C4-C5	3.70	1.59	1.53
3	D	3	GU6	C1-C2	3.59	1.57	1.51
3	D	4	GU1	C1-C2	3.28	1.56	1.51
3	E	4	GU1	C1-C2	3.10	1.56	1.51
3	D	2	Z9K	C4-C5	2.88	1.57	1.53
3	E	3	GU6	O5-C1	2.86	1.48	1.43
3	E	2	Z9K	C1-C2	2.82	1.56	1.51
3	E	3	GU6	O6-S6	2.71	1.64	1.56
3	E	1	Z9L	O1-C1	2.69	1.44	1.40
3	D	1	Z9L	O6-S1	2.62	1.63	1.56
3	E	2	Z9K	C4-C5	2.58	1.57	1.53
3	D	1	Z9L	O1-C1	2.57	1.44	1.40
3	E	5	Z9H	O5-C5	2.49	1.48	1.43
3	E	2	Z9K	O2-C2	-2.43	1.43	1.47
3	D	4	GU1	C4-C3	2.42	1.58	1.52
3	E	5	Z9H	C3-C4	2.36	1.57	1.52
3	E	5	Z9H	O6-S1	2.30	1.63	1.56
3	E	4	GU1	C4-C3	2.23	1.58	1.52
3	D	1	Z9L	O2-S3	2.18	1.63	1.57
3	E	1	Z9L	O2-S3	2.17	1.63	1.57
3	D	2	Z9K	O2-C2	-2.05	1.44	1.47
3	D	5	Z9H	O5-C5	2.04	1.47	1.43

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	5	Z9H	O2-C2-C3	4.25	111.36	106.65
3	D	5	Z9H	O2-C2-C3	4.02	111.10	106.65
3	D	3	GU6	O2-C2-C3	3.43	110.45	106.65
2	B	1	NAG	C4-C3-C2	3.14	115.63	111.02
2	C	1	NAG	C4-C3-C2	-2.68	107.09	111.02
3	E	4	GU1	O6B-C6-O6A	-2.47	118.47	124.08
3	D	4	GU1	O6B-C6-O6A	-2.45	118.53	124.08
3	E	2	Z9K	O6-C6-O10	-2.34	118.77	124.08
3	D	2	Z9K	O6-C6-O10	-2.33	118.80	124.08
3	E	5	Z9H	C1-O5-C5	2.24	115.19	112.19
3	E	5	Z9H	O6-C6-C5	2.22	111.53	107.57
2	A	2	NAG	C2-N2-C7	-2.19	119.96	122.90
3	E	1	Z9L	C4-C3-C2	-2.18	106.81	111.72
3	E	2	Z9K	O6-C6-C5	2.14	121.36	113.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1	Z9L	C4-C3-C2	-2.13	106.92	111.72
3	E	2	Z9K	O5-C1-C2	2.11	113.78	109.51
3	E	1	Z9L	O2-C2-C1	2.11	110.42	107.58
3	D	2	Z9K	O5-C1-C2	2.08	113.73	109.51
2	A	1	NAG	C2-N2-C7	-2.08	120.11	122.90
3	D	5	Z9H	C1-O5-C5	2.08	114.97	112.19
3	D	2	Z9K	O6-C6-C5	2.07	121.10	113.64
3	D	2	Z9K	O2-C2-C3	2.06	108.93	106.65
3	D	3	GU6	O18-S3-O16	2.04	115.69	108.56
3	D	3	GU6	O18-S3-O3	-2.01	101.76	106.37

There are no chirality outliers.

All (54) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1	NAG	C8-C7-N2-C2
2	A	1	NAG	O7-C7-N2-C2
2	A	2	NAG	C8-C7-N2-C2
2	A	2	NAG	O7-C7-N2-C2
2	B	1	NAG	C8-C7-N2-C2
2	B	1	NAG	O7-C7-N2-C2
2	B	2	NAG	C1-C2-N2-C7
2	C	2	NAG	O7-C7-N2-C2
3	D	3	GU6	C1-C2-O2-S2
3	D	5	Z9H	C4-C5-C6-O6
3	D	5	Z9H	O5-C5-C6-O6
3	D	5	Z9H	C6-O6-S1-O8
3	D	5	Z9H	C6-O6-S1-O12
3	E	3	GU6	O5-C5-C6-O6
3	E	3	GU6	C6-O6-S6-O19
3	E	5	Z9H	C4-C5-C6-O6
3	E	5	Z9H	O5-C5-C6-O6
3	E	5	Z9H	C6-O6-S1-O8
3	E	5	Z9H	C6-O6-S1-O12
2	C	2	NAG	C8-C7-N2-C2
2	A	1	NAG	O5-C5-C6-O6
2	A	2	NAG	O5-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
3	D	1	Z9L	C6-O6-S1-O11
3	D	4	GU1	C2-C3-O3-C8
3	E	4	GU1	C2-C3-O3-C8
2	B	2	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	1	NAG	C4-C5-C6-O6
2	A	2	NAG	C4-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6
2	B	2	NAG	O7-C7-N2-C2
2	C	1	NAG	C8-C7-N2-C2
3	D	1	Z9L	C2-O2-S3-O13
3	D	1	Z9L	C2-O2-S3-O14
3	E	1	Z9L	C2-O2-S3-O13
3	E	1	Z9L	C2-O2-S3-O14
3	D	1	Z9L	C6-O6-S1-O15
3	D	5	Z9H	C6-O6-S1-O7
3	E	5	Z9H	C6-O6-S1-O7
2	B	2	NAG	O5-C5-C6-O6
2	B	2	NAG	C4-C5-C6-O6
3	D	1	Z9L	C6-O6-S1-O7
3	E	3	GU6	C6-O6-S6-O20
3	E	3	GU6	C6-O6-S6-O21
2	C	1	NAG	O7-C7-N2-C2
3	D	1	Z9L	C2-O2-S3-O12
3	E	1	Z9L	C2-O2-S3-O12
3	D	3	GU6	C3-C2-O2-S2
2	B	2	NAG	C3-C2-N2-C7
3	D	1	Z9L	C4-C5-C6-O6
3	E	3	GU6	C4-C5-C6-O6
3	E	4	GU1	C4-C3-O3-C8
3	D	4	GU1	C4-C3-O3-C8
3	D	4	GU1	O5-C5-C6-O6A


There are no ring outliers.



10 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	NAG	2	0
3	D	4	GU1	1	0
3	D	3	GU6	2	0
2	C	1	NAG	2	0
2	B	1	NAG	1	0
3	D	2	Z9K	1	0
2	B	2	NAG	3	0
2	A	2	NAG	4	0
2	C	2	NAG	2	0
3	D	1	Z9L	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	I	801	1	14,14,15	0.66	0	17,19,21	0.68	0
4	NAG	L	801	1	14,14,15	0.56	0	17,19,21	0.74	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	I	801	1	-	3/6/23/26	0/1/1/1
4	NAG	L	801	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	I	801	NAG	C3-C2-N2-C7
4	L	801	NAG	C8-C7-N2-C2
4	L	801	NAG	O7-C7-N2-C2
4	I	801	NAG	C8-C7-N2-C2
4	I	801	NAG	O7-C7-N2-C2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	I	406/432 (93%)	0.01	4 (0%) 79 76	17, 52, 85, 95	1 (0%)
1	L	413/432 (95%)	-0.28	5 (1%) 76 73	15, 40, 71, 94	0
All	All	819/864 (94%)	-0.14	9 (1%) 78 74	15, 46, 82, 95	1 (0%)

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	I	431	VAL	3.3
1	L	37	GLU	2.8
1	I	384	ALA	2.8
1	L	38	GLN	2.7
1	I	16	PRO	2.6
1	L	5	VAL	2.4
1	L	26	PRO	2.2
1	I	132	ARG	2.1
1	L	298	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	A	1	14/15	-	-	82,86,91,94	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	A	2	14/15	-	-	98,101,102,103	0
2	NAG	B	1	14/15	-	-	60,66,69,77	0
2	NAG	B	2	14/15	-	-	84,88,90,91	0
2	NAG	C	2	14/15	0.60	0.13	76,78,80,81	0
2	NAG	C	1	14/15	0.72	0.15	58,61,66,71	0
3	Z9L	D	1	25/25	-	-	66,69,72,73	0
3	Z9K	D	2	17/18	-	-	63,65,66,66	0
3	GU6	D	3	23/24	-	-	58,64,70,70	0
3	GU1	D	4	14/15	-	-	53,60,62,67	0
3	Z9H	D	5	21/22	-	-	72,77,83,84	0
3	Z9L	E	1	25/25	-	-	49,52,60,61	0
3	Z9K	E	2	17/18	-	-	52,53,56,57	0
3	GU6	E	3	23/24	-	-	45,54,63,64	0
3	GU1	E	4	14/15	-	-	55,59,67,68	0
3	Z9H	E	5	21/22	-	-	57,67,70,72	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain D:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	I	801	14/15	0.60	0.15	77,79,81,81	0
4	NAG	L	801	14/15	0.78	0.11	66,68,70,71	0

6.5 Other polymers [i](#)

There are no such residues in this entry.