



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 08:09 AM UTC

PDB ID : 5NQX / pdb_00005nqx
Title : Structure of a fHbp(V1.1):PorA(P1.16) chimera. Fusion at fHbp position 294.
Authors : Johnson, S.; Jongerius, I.; Lea, S.M.; Tang, C.M.
Deposited on : 2017-04-21
Resolution : 3.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 3.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1062 (3.78-3.54)
Clashscore	190562	1009 (3.76-3.56)
Ramachandran outliers	187476	1054 (3.78-3.54)
Sidechain outliers	187428	1052 (3.78-3.54)
RSRZ outliers	180081	1061 (3.78-3.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	269	 79% 16% 5%
1	B	269	 78% 14% 8%
1	C	269	 78% 15% 7%
1	D	269	 80% 15% 5%
1	E	269	 78% 15% 7%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 9572 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Factor H binding protein, Major outer membrane protein P.IA, Factor H binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	250	Total	C	N	O	S	0	0	0
			1903	1186	338	378	1			
1	A	255	Total	C	N	O	S	0	0	0
			1941	1208	346	386	1			
1	B	247	Total	C	N	O		0	0	0
			1881	1174	335	372				
1	D	255	Total	C	N	O	S	0	0	0
			1941	1208	346	386	1			
1	E	250	Total	C	N	O	S	0	0	0
			1906	1189	339	377	1			


There are 45 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	72	MET	GLY	conflict	UNP Q9JXV4
C	321	LEU	-	expression tag	UNP Q9JXV4
C	322	GLU	-	expression tag	UNP Q9JXV4
C	323	HIS	-	expression tag	UNP Q9JXV4
C	324	HIS	-	expression tag	UNP Q9JXV4
C	325	HIS	-	expression tag	UNP Q9JXV4
C	326	HIS	-	expression tag	UNP Q9JXV4
C	327	HIS	-	expression tag	UNP Q9JXV4
C	328	HIS	-	expression tag	UNP Q9JXV4
A	72	MET	GLY	conflict	UNP Q9JXV4
A	321	LEU	-	expression tag	UNP Q9JXV4
A	322	GLU	-	expression tag	UNP Q9JXV4
A	323	HIS	-	expression tag	UNP Q9JXV4
A	324	HIS	-	expression tag	UNP Q9JXV4
A	325	HIS	-	expression tag	UNP Q9JXV4
A	326	HIS	-	expression tag	UNP Q9JXV4
A	327	HIS	-	expression tag	UNP Q9JXV4
A	328	HIS	-	expression tag	UNP Q9JXV4



Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	72	MET	GLY	conflict	UNP Q9JXV4
B	321	LEU	-	expression tag	UNP Q9JXV4
B	322	GLU	-	expression tag	UNP Q9JXV4
B	323	HIS	-	expression tag	UNP Q9JXV4
B	324	HIS	-	expression tag	UNP Q9JXV4
B	325	HIS	-	expression tag	UNP Q9JXV4
B	326	HIS	-	expression tag	UNP Q9JXV4
B	327	HIS	-	expression tag	UNP Q9JXV4
B	328	HIS	-	expression tag	UNP Q9JXV4
D	72	MET	GLY	conflict	UNP Q9JXV4
D	321	LEU	-	expression tag	UNP Q9JXV4
D	322	GLU	-	expression tag	UNP Q9JXV4
D	323	HIS	-	expression tag	UNP Q9JXV4
D	324	HIS	-	expression tag	UNP Q9JXV4
D	325	HIS	-	expression tag	UNP Q9JXV4
D	326	HIS	-	expression tag	UNP Q9JXV4
D	327	HIS	-	expression tag	UNP Q9JXV4
D	328	HIS	-	expression tag	UNP Q9JXV4
E	72	MET	GLY	conflict	UNP Q9JXV4
E	321	LEU	-	expression tag	UNP Q9JXV4
E	322	GLU	-	expression tag	UNP Q9JXV4
E	323	HIS	-	expression tag	UNP Q9JXV4
E	324	HIS	-	expression tag	UNP Q9JXV4
E	325	HIS	-	expression tag	UNP Q9JXV4
E	326	HIS	-	expression tag	UNP Q9JXV4
E	327	HIS	-	expression tag	UNP Q9JXV4
E	328	HIS	-	expression tag	UNP Q9JXV4



- Molecule 1: Factor H binding protein, Major outer membrane protein P.IA, Factor H binding protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 ₁ 2 ₁ 2 ₁	Depositor
Cell constants a, b, c, α , β , γ	94.85Å 114.90Å 160.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	81.64 – 3.66 81.64 – 3.66	Depositor EDS
% Data completeness (in resolution range)	99.2 (81.64-3.66) 99.2 (81.64-3.66)	Depositor EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.02 (at 3.67Å)	Xtriage
Refinement program	PHENIX (1.10_2155: ???)	Depositor
R, R_{free}	0.232 , 0.281 0.233 , 0.281	Depositor DCC
R_{free} test set	978 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	93.7	Xtriage
Anisotropy	0.077	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 89.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	9572	wwPDB-VP
Average B, all atoms (Å ²)	111.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.10	0/1968	0.28	0/2645
1	B	0.10	0/1906	0.28	0/2562
1	C	0.10	0/1928	0.28	0/2591
1	D	0.08	0/1968	0.26	0/2645
1	E	0.09	0/1931	0.27	0/2594
All	All	0.09	0/9701	0.27	0/13037

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1941	0	1932	25	0
1	B	1881	0	1879	22	0
1	C	1903	0	1897	22	0
1	D	1941	0	1932	24	0
1	E	1906	0	1905	22	0
All	All	9572	0	9545	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:176:THR:O	1:A:192:ARG:HA	1.80	0.80
1:B:176:THR:O	1:B:192:ARG:HA	1.85	0.77
1:A:221:ALA:O	1:A:229:GLY:HA3	1.88	0.73
1:C:86:THR:HG22	1:D:293(L):LEU:HD11	1.70	0.73
1:B:221:ALA:O	1:B:229:GLY:HA3	1.90	0.71
1:D:143:PHE:HB3	1:D:161:PHE:HB2	1.73	0.71
1:A:86:THR:HG22	1:B:293(L):LEU:HD11	1.71	0.70
1:E:221:ALA:O	1:E:229:GLY:HA3	1.91	0.70
1:D:221:ALA:O	1:D:229:GLY:HA3	1.91	0.69
1:C:143:PHE:HB3	1:C:161:PHE:HB2	1.76	0.67
1:D:176:THR:O	1:D:192:ARG:HA	1.97	0.65
1:E:143:PHE:HB3	1:E:161:PHE:HB2	1.79	0.65
1:A:143:PHE:HB3	1:A:161:PHE:HB2	1.81	0.63
1:C:221:ALA:O	1:C:229:GLY:HA3	1.99	0.62
1:B:176:THR:HB	1:B:193:GLN:HB2	1.84	0.60
1:C:111:LEU:HD11	1:C:143:PHE:HB2	1.83	0.59
1:E:176:THR:O	1:E:192:ARG:HA	2.02	0.59
1:D:256:VAL:HG12	1:D:279:TYR:HB2	1.84	0.59
1:A:154:ILE:HD13	1:E:180:GLN:HB3	1.86	0.58
1:B:143:PHE:HB3	1:B:161:PHE:HB2	1.85	0.58
1:A:109:GLU:OE1	1:A:145:ARG:NH1	2.32	0.57
1:B:279:TYR:HB3	1:B:284:LYS:HG3	1.87	0.57
1:B:256:VAL:HG12	1:B:279:TYR:HB2	1.87	0.57
1:C:176:THR:O	1:C:192:ARG:HA	2.05	0.56
1:D:146:GLN:HG2	1:D:155:THR:HA	1.88	0.56
1:C:256:VAL:HG12	1:C:279:TYR:HB2	1.87	0.56
1:D:279:TYR:HB3	1:D:284:LYS:HG3	1.87	0.56
1:C:279:TYR:HB3	1:C:284:LYS:HG3	1.87	0.55
1:A:256:VAL:HG12	1:A:279:TYR:HB2	1.89	0.55
1:B:111:LEU:HD11	1:B:143:PHE:HB2	1.89	0.55
1:A:181:ASP:OD1	1:A:184:HIS:N	2.40	0.54
1:E:111:LEU:HD11	1:E:143:PHE:HB2	1.89	0.54
1:C:176:THR:HB	1:C:193:GLN:HB2	1.88	0.54
1:B:146:GLN:HG2	1:B:155:THR:HA	1.90	0.53
1:D:79:ALA:HB3	1:D:116:GLN:HE22	1.72	0.53
1:D:176:THR:HB	1:D:193:GLN:HB2	1.91	0.53
1:A:277:VAL:HG11	1:A:305:VAL:HG22	1.91	0.53
1:C:145:ARG:NH2	1:C:195:ARG:HH22	2.07	0.53
1:C:277:VAL:HG11	1:C:305:VAL:HG22	1.91	0.53
1:B:112:LYS:O	1:B:143:PHE:HA	2.10	0.52
1:C:189:VAL:HG13	1:E:260:ALA:HB3	1.91	0.51
1:A:111:LEU:HD11	1:A:143:PHE:HB2	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:279:TYR:HB3	1:E:284:LYS:HG3	1.93	0.51
1:E:113:LEU:O	1:E:119:GLU:HA	2.11	0.51
1:E:256:VAL:HG12	1:E:279:TYR:HB2	1.93	0.50
1:E:273:ILE:O	1:E:288:SER:HA	2.11	0.50
1:D:162:GLN:HB2	1:D:173:ALA:HB3	1.92	0.50
1:D:254:LEU:HD22	1:D:314:ILE:HD11	1.94	0.49
1:A:279:TYR:HB3	1:A:284:LYS:HG3	1.94	0.49
1:C:288:SER:O	1:C:301:GLY:HA3	2.13	0.49
1:A:112:LYS:HG2	1:A:121:THR:HG23	1.95	0.49
1:A:231:LEU:HD22	1:A:316:LEU:HB3	1.94	0.48
1:A:266:ASP:OD1	1:A:270:HIS:N	2.36	0.48
1:D:111:LEU:HD11	1:D:143:PHE:HB2	1.96	0.48
1:C:113:LEU:O	1:C:119:GLU:HA	2.13	0.48
1:C:149:VAL:O	1:C:151:GLY:N	2.46	0.48
1:C:285:GLY:HA3	1:C:304:GLU:O	2.13	0.47
1:C:208:LYS:O	1:C:294:VAL:HG11	2.15	0.47
1:B:273:ILE:O	1:B:288:SER:HA	2.13	0.47
1:D:307:THR:OG1	1:D:310:GLY:O	2.28	0.47
1:A:112:LYS:O	1:A:143:PHE:HA	2.15	0.46
1:D:113:LEU:O	1:D:119:GLU:HA	2.16	0.46
1:B:158:SER:OG	1:B:178:GLN:HB2	2.16	0.46
1:B:221:ALA:O	1:B:229:GLY:CA	2.63	0.46
1:B:219:GLY:HA3	1:B:318:ALA:HA	1.98	0.46
1:B:112:LYS:HG2	1:B:121:THR:HG23	1.97	0.45
1:D:120:LYS:HD3	1:D:122:TYR:CZ	2.51	0.45
1:D:208:LYS:O	1:D:294:VAL:HG11	2.16	0.45
1:A:174:PHE:O	1:A:194:PHE:HA	2.17	0.45
1:A:221:ALA:O	1:A:229:GLY:CA	2.61	0.45
1:E:271:ALA:HB3	1:E:291:ILE:HB	1.99	0.45
1:B:120:LYS:HD3	1:B:122:TYR:CZ	2.51	0.45
1:A:254:LEU:HD22	1:A:314:ILE:HD11	1.97	0.45
1:B:162:GLN:HB2	1:B:173:ALA:HB3	1.99	0.45
1:A:219:GLY:HA3	1:A:318:ALA:HA	1.99	0.44
1:C:231:LEU:HD22	1:C:316:LEU:HB3	1.98	0.44
1:D:191:LYS:HE2	1:D:193:GLN:HE21	1.82	0.44
1:E:219:GLY:HA3	1:E:318:ALA:HA	1.99	0.44
1:C:112:LYS:O	1:C:143:PHE:HA	2.18	0.43
1:D:231:LEU:HD22	1:D:316:LEU:HB3	2.01	0.43
1:A:273:ILE:O	1:A:288:SER:HA	2.18	0.43
1:B:140:ARG:HD3	1:B:160:GLU:OE2	2.18	0.43
1:A:156:LEU:HD21	1:E:156:LEU:HD21	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:254:LEU:HD22	1:B:314:ILE:HD11	2.00	0.43
1:A:120:LYS:HD3	1:A:122:TYR:CZ	2.54	0.42
1:C:181:ASP:OD1	1:C:182:SER:N	2.52	0.42
1:C:273:ILE:O	1:C:288:SER:HA	2.19	0.42
1:A:242:GLY:O	1:A:260:ALA:HA	2.19	0.42
1:E:109:GLU:OE2	1:E:145:ARG:NH1	2.52	0.42
1:D:181:ASP:HB3	1:D:184:HIS:O	2.19	0.42
1:C:160:GLU:HB3	1:C:175:GLN:HB3	2.02	0.42
1:E:193:GLN:HG2	1:E:194:PHE:H	1.84	0.42
1:D:144:ILE:HG22	1:D:146:GLN:HG3	2.01	0.42
1:D:290:GLY:O	1:D:299:VAL:HA	2.20	0.42
1:D:221:ALA:O	1:D:229:GLY:CA	2.66	0.41
1:B:277:VAL:HG11	1:B:305:VAL:HG22	2.02	0.41
1:D:112:LYS:O	1:D:143:PHE:HA	2.21	0.41
1:E:158:SER:OG	1:E:178:GLN:HB2	2.20	0.41
1:E:254:LEU:HD22	1:E:314:ILE:HD11	2.02	0.41
1:E:112:LYS:O	1:E:143:PHE:HA	2.20	0.41
1:B:96:LEU:O	1:B:165:LYS:HE3	2.20	0.41
1:B:285:GLY:HA3	1:B:304:GLU:O	2.21	0.41
1:D:219:GLY:HA3	1:D:318:ALA:HA	2.03	0.41
1:E:96:LEU:O	1:E:165:LYS:HE3	2.21	0.41
1:E:114:ALA:HA	1:E:118:ALA:O	2.21	0.41
1:E:231:LEU:HD22	1:E:316:LEU:HB3	2.02	0.41
1:C:158:SER:OG	1:C:178:GLN:HB2	2.20	0.41
1:A:146:GLN:HG2	1:A:155:THR:HA	2.02	0.41
1:E:208:LYS:O	1:E:294:VAL:HG11	2.22	0.40
1:A:79:ALA:HB3	1:A:116:GLN:HE22	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	253/269 (94%)	248 (98%)	5 (2%)	0	100	100
1	B	243/269 (90%)	238 (98%)	5 (2%)	0	100	100
1	C	246/269 (91%)	242 (98%)	3 (1%)	1 (0%)	30	58
1	D	253/269 (94%)	246 (97%)	7 (3%)	0	100	100
1	E	246/269 (91%)	240 (98%)	6 (2%)	0	100	100
All	All	1241/1345 (92%)	1214 (98%)	26 (2%)	1 (0%)	48	78

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	150	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	202/213 (95%)	199 (98%)	3 (2%)	57	67
1	B	195/213 (92%)	192 (98%)	3 (2%)	57	67
1	C	198/213 (93%)	196 (99%)	2 (1%)	68	72
1	D	202/213 (95%)	201 (100%)	1 (0%)	81	79
1	E	198/213 (93%)	195 (98%)	3 (2%)	57	67
All	All	995/1065 (93%)	983 (99%)	12 (1%)	63	70

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	94	LYS
1	C	179	ILE
1	A	96	LEU
1	A	121	THR
1	A	179	ILE
1	B	121	THR
1	B	154	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	179	ILE
1	D	179	ILE
1	E	94	LYS
1	E	153	LEU
1	E	179	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	103	GLN
1	C	116	GLN
1	C	203	HIS
1	C	248	HIS
1	C	297	GLN
1	A	108	ASN
1	A	116	GLN
1	A	152	GLN
1	A	168	HIS
1	A	248	HIS
1	A	320	GLN
1	B	103	GLN
1	B	108	ASN
1	B	166	GLN
1	B	193	GLN
1	B	203	HIS
1	B	248	HIS
1	B	293(I)	ASN
1	B	297	GLN
1	B	320	GLN
1	D	103	GLN
1	D	116	GLN
1	D	166	GLN
1	D	175	GLN
1	D	180	GLN
1	D	193	GLN
1	D	248	HIS
1	E	103	GLN
1	E	108	ASN
1	E	116	GLN
1	E	175	GLN
1	E	180	GLN
1	E	248	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	270	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	255/269 (94%)	-0.01	0 100 100	55, 91, 158, 218	0
1	B	247/269 (91%)	-0.04	0 100 100	53, 98, 155, 200	0
1	C	250/269 (92%)	-0.13	0 100 100	56, 94, 139, 185	0
1	D	255/269 (94%)	0.11	0 100 100	74, 134, 200, 284	0
1	E	250/269 (92%)	0.06	0 100 100	59, 118, 185, 234	0
All	All	1257/1345 (93%)	-0.00	0 100 100	53, 105, 178, 284	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.