



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 06:06 PM UTC

PDB ID : 1NR6 / pdb_00001nr6
Title : MICROSOMAL CYTOCHROME P450 2C5/3LVDH COMPLEX WITH DI-CLOFENAC
Authors : Wester, M.R.; Johnson, E.F.; Stout, C.D.
Deposited on : 2003-01-23
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	473	 78% 17% . .

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4031 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYTOCHROME P450 2C5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	462	3697	2384	619	672	22	0	0	0

There are 17 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	19	MET	-	engineered mutation	UNP P00179
A	20	ALA	-	engineered mutation	UNP P00179
A	21	LYS	-	engineered mutation	UNP P00179
A	22	LYS	-	engineered mutation	UNP P00179
A	23	THR	-	engineered mutation	UNP P00179
A	24	SER	-	engineered mutation	UNP P00179
A	25	SER	-	engineered mutation	UNP P00179
A	26	LYS	-	engineered mutation	UNP P00179
A	202	HIS	ASN	engineered mutation	UNP P00179
A	206	GLU	ARG	engineered mutation	UNP P00179
A	207	LEU	ILE	engineered mutation	UNP P00179
A	209	GLY	SER	engineered mutation	UNP P00179
A	210	THR	SER	engineered mutation	UNP P00179
A	488	HIS	-	expression tag	UNP P00179
A	489	HIS	-	expression tag	UNP P00179
A	490	HIS	-	expression tag	UNP P00179
A	491	HIS	-	expression tag	UNP P00179

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	

- Molecule 4 is 2-[2,6-DICHLOROPHENYL)AMINO]BENZENEACETIC ACID (CCD ID: DIF) (formula: $C_{14}H_{11}Cl_2NO_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Cl	N	O	0	0
			19	14	2	1	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	262	Total	O	0	0
			262	262		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: CYTOCHROME P450 2C5

Chain A: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	73.94Å 130.02Å 172.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.10	Depositor
% Data completeness (in resolution range)	(Not available) (50.00-2.10)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.231 , 0.268	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4031	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DIF, SO4, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	0/3785	1.01	22/5123 (0.4%)

There are no bond length outliers.

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	215	VAL	N-CA-C	8.63	118.71	110.42
1	A	331	HIS	N-CA-C	8.57	122.50	112.72
1	A	100	VAL	CA-C-N	8.44	128.50	119.89
1	A	100	VAL	C-N-CA	8.44	128.50	119.89
1	A	474	VAL	N-CA-C	8.32	121.10	108.71
1	A	231	LYS	N-CA-C	8.08	121.26	111.40
1	A	62	GLY	CA-C-N	7.12	126.82	119.56
1	A	62	GLY	C-N-CA	7.12	126.82	119.56
1	A	454	LYS	N-CA-C	-6.52	99.09	109.59
1	A	363	LEU	N-CA-C	-6.31	100.79	110.32
1	A	217	ASN	N-CA-C	-6.30	105.53	112.72
1	A	165	ASP	N-CA-C	-6.22	100.59	109.24
1	A	274	GLU	N-CA-C	6.10	123.80	110.80
1	A	400	ASN	CA-C-N	5.66	125.33	119.56
1	A	400	ASN	C-N-CA	5.66	125.33	119.56
1	A	113	ALA	N-CA-C	5.39	117.16	111.28
1	A	219	PHE	CA-C-N	5.38	125.05	119.56
1	A	219	PHE	C-N-CA	5.38	125.05	119.56
1	A	69	LEU	N-CA-C	-5.27	102.28	109.71
1	A	429	LYS	N-CA-C	5.17	117.65	111.71
1	A	112	ILE	CB-CA-C	-5.14	106.48	111.05
1	A	28	LYS	N-CA-C	5.02	121.48	110.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3697	0	3724	76	0
2	A	10	0	0	0	0
3	A	43	0	30	3	0
4	A	19	0	10	6	0
5	A	262	0	0	2	0
All	All	4031	0	3764	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:101:PRO:HB2	1:A:216:TYR:HB2	1.31	1.04
1:A:101:PRO:CB	1:A:216:TYR:HB2	2.05	0.86
1:A:100:VAL:HG13	1:A:104:GLU:HB3	1.58	0.83
1:A:234:LEU:O	1:A:238:ASP:HB2	1.77	0.83
1:A:213:LEU:HD23	1:A:364:PRO:HG2	1.63	0.81
1:A:103:LEU:HG	1:A:208:LEU:HD13	1.63	0.79
1:A:100:VAL:HG21	1:A:114:PHE:CE2	2.18	0.79
1:A:208:LEU:HD11	1:A:233:LEU:HD13	1.63	0.79
1:A:213:LEU:HD13	1:A:473:PHE:HZ	1.48	0.79
1:A:220:PRO:HA	1:A:223:LEU:HD13	1.65	0.78
1:A:213:LEU:HD22	1:A:473:PHE:CE1	2.19	0.77
1:A:100:VAL:HG11	1:A:114:PHE:CD2	2.20	0.76
1:A:100:VAL:HA	1:A:213:LEU:HG	1.66	0.76
1:A:99:SER:HB3	1:A:214:GLN:HG3	1.67	0.74
1:A:101:PRO:HG3	1:A:217:ASN:HB2	1.68	0.74
1:A:166:PRO:HB2	1:A:170:LEU:HD22	1.72	0.72
1:A:236:ASN:HD22	1:A:237:ALA:H	1.36	0.72
1:A:237:ALA:O	1:A:241:LYS:HG3	1.91	0.71
1:A:27:GLY:O	1:A:28:LYS:HG3	1.92	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:213:LEU:HD22	1:A:473:PHE:HE1	1.60	0.66
1:A:39:ILE:HD13	1:A:43:LEU:HD23	1.77	0.66
1:A:103:LEU:HD13	4:A:501:DIF:H11	1.79	0.63
1:A:41:ASN:HD22	1:A:44:GLN:HE22	1.46	0.63
1:A:123:MET:HE3	1:A:287:ALA:HB2	1.81	0.63
1:A:173:ALA:HB3	1:A:174:PRO:HD3	1.80	0.62
1:A:236:ASN:HD22	1:A:237:ALA:N	1.96	0.62
1:A:233:LEU:HA	1:A:236:ASN:HD21	1.65	0.61
1:A:282:GLU:O	1:A:286:ILE:HD13	2.01	0.61
1:A:155:GLU:HB3	1:A:169:ILE:HD11	1.81	0.61
1:A:155:GLU:HB3	1:A:169:ILE:CD1	2.32	0.60
1:A:264:ILE:HG22	1:A:268:LEU:HD22	1.86	0.58
1:A:97:ARG:HG2	1:A:114:PHE:HA	1.86	0.57
1:A:249:LYS:HA	1:A:252:GLN:HE21	1.70	0.57
1:A:100:VAL:HG23	1:A:213:LEU:HD21	1.86	0.57
1:A:36:PHE:HD1	1:A:39:ILE:HG13	1.70	0.56
1:A:218:ASN:O	1:A:220:PRO:HD3	2.05	0.56
1:A:41:ASN:HD22	1:A:44:GLN:NE2	2.03	0.56
1:A:271:MET:O	1:A:274:GLU:HG2	2.07	0.54
1:A:270:LYS:O	1:A:274:GLU:HB3	2.08	0.53
1:A:363:LEU:HD11	4:A:501:DIF:H9	1.91	0.53
1:A:103:LEU:HD13	4:A:501:DIF:C11	2.38	0.53
1:A:233:LEU:HA	1:A:236:ASN:ND2	2.24	0.53
1:A:213:LEU:HD13	1:A:473:PHE:CZ	2.38	0.52
1:A:213:LEU:HD22	1:A:473:PHE:CZ	2.45	0.51
1:A:100:VAL:O	1:A:100:VAL:HG22	2.10	0.50
1:A:236:ASN:ND2	1:A:237:ALA:N	2.58	0.50
1:A:101:PRO:HD2	1:A:213:LEU:O	2.11	0.50
1:A:236:ASN:ND2	1:A:237:ALA:H	2.07	0.50
1:A:100:VAL:HG23	1:A:213:LEU:HD11	1.94	0.49
1:A:100:VAL:CG2	1:A:213:LEU:HD21	2.43	0.49
1:A:211:PRO:HG2	1:A:212:TRP:CE3	2.48	0.48
1:A:100:VAL:HA	1:A:213:LEU:CG	2.38	0.48
1:A:426:SER:CB	3:A:500:HEM:HBA1	2.44	0.47
1:A:100:VAL:HG11	1:A:114:PHE:HD2	1.79	0.46
1:A:93:GLU:O	1:A:367:VAL:HA	2.16	0.46
3:A:500:HEM:C1A	4:A:501:DIF:H5	2.51	0.46
1:A:100:VAL:N	1:A:101:PRO:HD3	2.31	0.46
1:A:100:VAL:HB	1:A:213:LEU:HD21	1.99	0.45
1:A:325:GLU:HG2	5:A:657:HOH:O	2.16	0.45
1:A:103:LEU:CD1	4:A:501:DIF:H11	2.46	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:41:ASN:HA	1:A:44:GLN:NE2	2.32	0.44
1:A:36:PHE:CD2	1:A:37:PRO:HD2	2.53	0.44
1:A:308:LEU:HG	1:A:466:ILE:HG22	1.99	0.44
1:A:178:ILE:O	1:A:182:ILE:HG12	2.17	0.44
4:A:501:DIF:C8	4:A:501:DIF:CL2	3.03	0.44
1:A:27:GLY:C	1:A:28:LYS:HG3	2.43	0.43
1:A:231:LYS:HB2	5:A:651:HOH:O	2.17	0.43
1:A:365:HIS:HE2	3:A:500:HEM:CGA	2.31	0.43
1:A:100:VAL:CB	1:A:213:LEU:HD21	2.49	0.43
1:A:52:LYS:HE3	1:A:56:LYS:NZ	2.34	0.42
1:A:305:TYR:OH	1:A:468:ALA:HB2	2.19	0.42
1:A:192:GLU:O	1:A:196:LYS:HB2	2.20	0.42
1:A:147:GLU:HG3	1:A:150:ARG:NH1	2.35	0.42
1:A:152:LEU:HD21	1:A:449:ILE:HD11	2.02	0.42
1:A:236:ASN:O	1:A:239:TYR:N	2.53	0.41
1:A:347:ALA:HB2	1:A:410:LEU:HD13	2.02	0.41
1:A:375:ASN:H	1:A:375:ASN:ND2	2.18	0.41
1:A:268:LEU:HD12	1:A:268:LEU:HA	1.94	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	460/473 (97%)	437 (95%)	20 (4%)	3 (1%)	18 15

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	275	ASN
1	A	28	LYS
1	A	274	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	415/425 (98%)	402 (97%)	13 (3%)	35	39

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	PRO
1	A	71	MET
1	A	155	GLU
1	A	170	LEU
1	A	206	GLU
1	A	214	GLN
1	A	236	ASN
1	A	268	LEU
1	A	274	GLU
1	A	276	ASN
1	A	410	LEU
1	A	476	VAL
1	A	488	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	GLN
1	A	184	HIS
1	A	236	ASN
1	A	252	GLN
1	A	273	GLN
1	A	362	ASN
1	A	375	ASN
1	A	452	ASN
1	A	471	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	SO4	A	503	-	4,4,4	0.39	0	6,6,6	0.07	0
3	HEM	A	500	1	50,50,50	2.41	25 (50%)	67,82,82	1.22	8 (11%)
4	DIF	A	501	-	20,20,20	1.71	4 (20%)	27,27,27	1.61	5 (18%)
2	SO4	A	502	-	4,4,4	0.34	0	6,6,6	0.10	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	500	1	-	6/14/54/54	-
4	DIF	A	501	-	-	1/8/8/8	0/2/2/2

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	500	HEM	C4D-ND	-4.27	1.32	1.40
3	A	500	HEM	CAC-C3C	-4.26	1.36	1.47
3	A	500	HEM	C1D-ND	-4.23	1.30	1.38
3	A	500	HEM	C1B-NB	-4.04	1.33	1.40
4	A	501	DIF	C13-C7	-3.96	1.46	1.51
3	A	500	HEM	C4A-NA	-3.92	1.32	1.39
3	A	500	HEM	C4B-NB	-3.84	1.31	1.38
3	A	500	HEM	FE-NB	3.81	2.06	1.94
3	A	500	HEM	C1C-C2C	-3.80	1.37	1.45
3	A	500	HEM	CBB-CAB	3.67	1.48	1.30
3	A	500	HEM	C1C-NC	-3.62	1.32	1.39
4	A	501	DIF	C13-C14	-3.37	1.43	1.51
4	A	501	DIF	O2-C14	3.26	1.32	1.22
3	A	500	HEM	CMA-C3A	3.23	1.57	1.50
3	A	500	HEM	FE-ND	3.21	2.04	1.94
3	A	500	HEM	FE-NC	3.02	2.05	1.95
3	A	500	HEM	FE-NA	3.01	2.05	1.95
3	A	500	HEM	CMC-C2C	3.00	1.56	1.50
3	A	500	HEM	C3C-C4C	-2.77	1.41	1.46
3	A	500	HEM	C4D-C3D	-2.72	1.40	1.45
3	A	500	HEM	C4C-NC	-2.58	1.34	1.39
3	A	500	HEM	O2A-CGA	-2.52	1.22	1.30
4	A	501	DIF	O1-C14	-2.45	1.22	1.30
3	A	500	HEM	C1D-C2D	-2.29	1.39	1.44
3	A	500	HEM	CAB-C3B	-2.19	1.41	1.47
3	A	500	HEM	CBC-CAC	2.17	1.40	1.30
3	A	500	HEM	C3C-C2C	2.05	1.41	1.37
3	A	500	HEM	O2D-CGD	-2.02	1.24	1.30
3	A	500	HEM	CBD-CGD	2.00	1.55	1.50

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	501	DIF	C3-N1-C8	-3.92	114.53	123.02
4	A	501	DIF	C3-C2-CL2	3.16	122.87	119.28
4	A	501	DIF	C12-C7-C8	2.71	120.91	118.32
4	A	501	DIF	C7-C8-N1	-2.70	116.39	118.59
3	A	500	HEM	CHD-C4C-NC	-2.48	121.75	124.45
3	A	500	HEM	O2A-CGA-CBA	2.48	121.84	114.00
3	A	500	HEM	C3B-C2B-C1B	-2.44	104.58	106.41
3	A	500	HEM	C1C-CHC-C4B	2.36	131.03	126.02
3	A	500	HEM	C4D-ND-C1D	2.24	107.86	105.21
4	A	501	DIF	C2-C3-N1	-2.19	119.08	121.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	500	HEM	C1B-NB-C4B	2.17	107.77	105.21
3	A	500	HEM	C3B-C4B-NB	2.10	110.97	109.47
3	A	500	HEM	C4B-C3B-C2B	-2.08	105.37	107.28

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	501	DIF	C14-C13-C7-C8
3	A	500	HEM	CAA-CBA-CGA-O1A
3	A	500	HEM	CAA-CBA-CGA-O2A
3	A	500	HEM	C2C-C3C-CAC-CBC
3	A	500	HEM	C4C-C3C-CAC-CBC
3	A	500	HEM	CAD-CBD-CGD-O2D
3	A	500	HEM	CAD-CBD-CGD-O1D


There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	500	HEM	3	0
4	A	501	DIF	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.