



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 12:05 AM EDT

PDB ID : 1NRL / pdb_00001nrl
Title : Crystal Structure of the human PXR-LBD in complex with an SRC-1 coactivator peptide and SR12813
Authors : Watkins, R.E.; Davis-Searles, P.R.; Lambert, M.H.; Redinbo, M.R.
Deposited on : 2003-01-25
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	316	8% 64% 22% • 12%
1	B	316	11% 57% 28% • 13%
2	C	25	4% 52% 8% 40%
2	D	25	12% 40% 20% 40%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5346 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Orphan nuclear receptor PXR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	278	Total	C	N	O	S	0	3	0
			2274	1460	388	408	18			
1	B	275	Total	C	N	O	S	0	3	0
			2248	1445	387	398	18			


There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	119	MET	-	expression tag	UNP O75469
A	120	LYS	-	expression tag	UNP O75469
A	121	LYS	-	expression tag	UNP O75469
A	122	GLY	-	expression tag	UNP O75469
A	123	HIS	-	expression tag	UNP O75469
A	124	HIS	-	expression tag	UNP O75469
A	125	HIS	-	expression tag	UNP O75469
A	126	HIS	-	expression tag	UNP O75469
A	127	HIS	-	expression tag	UNP O75469
A	128	HIS	-	expression tag	UNP O75469
A	129	GLY	-	expression tag	UNP O75469
B	119	MET	-	expression tag	UNP O75469
B	120	LYS	-	expression tag	UNP O75469
B	121	LYS	-	expression tag	UNP O75469
B	122	GLY	-	expression tag	UNP O75469
B	123	HIS	-	expression tag	UNP O75469
B	124	HIS	-	expression tag	UNP O75469
B	125	HIS	-	expression tag	UNP O75469
B	126	HIS	-	expression tag	UNP O75469
B	127	HIS	-	expression tag	UNP O75469
B	128	HIS	-	expression tag	UNP O75469
B	129	GLY	-	expression tag	UNP O75469

- Molecule 2 is a protein called Nuclear Receptor Coactivator 1 isoform 3.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	15	Total	C	N	O	0	0	0
			127	80	26	21			
2	D	15	Total	C	N	O	0	0	0
			131	82	27	22			

- Molecule 3 is [2-(3,5-DI-TERT-BUTYL-4-HYDROXY-PHENYL)-1-(DIETHOXY-PHOSPHORYL)-VINYL]-PHOSPHONIC ACID DIETHYL ESTER (CCD ID: SRL) (formula: $C_{24}H_{42}O_7P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			33	24	7	2		
3	B	1	Total	C	O	P	0	0
			33	24	7	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	263	Total	O	0	0
			263	263		
4	B	211	Total	O	0	0
			211	211		
4	C	7	Total	O	0	0
			7	7		
4	D	19	Total	O	0	0
			19	19		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Orphan nuclear receptor PXR




- Molecule 1: Orphan nuclear receptor PXR




- Molecule 2: Nuclear Receptor Coactivator 1 isoform 3





● Molecule 2: Nuclear Receptor Coactivator 1 isoform 3



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	85.10Å 89.48Å 106.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.88 – 2.00 19.88 – 2.00	Depositor EDS
% Data completeness (in resolution range)	94.6 (19.88-2.00) 94.6 (19.88-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.99 (at 2.01Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.216 , 0.240 0.210 , 0.235	Depositor DCC
R_{free} test set	2661 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	29.1	Xtriage
Anisotropy	0.057	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 51.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.017 for k,h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5346	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SRL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	1/2325 (0.0%)	0.79	3/3132 (0.1%)
1	B	0.38	0/2299	0.78	2/3098 (0.1%)
2	C	0.30	0/128	0.66	0/170
2	D	0.35	0/132	0.71	0/175
All	All	0.39	1/4884 (0.0%)	0.78	5/6575 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	396	MET	SD-CE	-5.14	1.66	1.79

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	212	SER	N-CA-C	-5.77	101.97	110.52
1	A	381	ARG	CA-C-N	5.34	124.96	119.56
1	A	381	ARG	C-N-CA	5.34	124.96	119.56
1	B	212	SER	N-CA-C	-5.21	102.34	110.42
1	B	352	ASP	N-CA-C	5.07	118.61	112.93

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2274	0	2269	78	0
1	B	2248	0	2238	92	0
2	C	127	0	133	2	0
2	D	131	0	139	3	0
3	A	33	0	41	13	0
3	B	33	0	41	11	0
4	A	263	0	0	9	0
4	B	211	0	0	12	0
4	C	7	0	0	1	0
4	D	19	0	0	0	0
All	All	5346	0	4861	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:356:VAL:HB	1:B:359[B]:HIS:CE1	1.79	1.17
1:B:214:GLN:HE21	1:B:216:ARG:HH11	1.16	0.93
1:B:356:VAL:HB	1:B:359[B]:HIS:HE1	1.36	0.90
1:A:213:LEU:HD21	1:A:215:LEU:HD23	1.63	0.78
1:B:407:HIS:HA	4:B:2006:HOH:O	1.83	0.76
1:B:239:LEU:O	1:B:243:MET:HG2	1.87	0.75
1:A:333:LEU:HD11	1:A:396:MET:HE3	1.68	0.75
1:B:254:ILE:HD11	1:B:287:ARG:HD2	1.68	0.75
1:B:360:ARG:O	1:B:364:GLN:HG2	1.89	0.73
1:A:322:PRO:HB2	4:A:1861:HOH:O	1.87	0.72
3:B:2:SRL:P10	3:B:2:SRL:HC6	2.29	0.72
3:B:2:SRL:H162	3:B:2:SRL:H291	1.73	0.71
1:A:352:ASP:CG	1:A:401:ARG:HH12	1.97	0.71
1:B:382:PRO:HG2	1:B:383:GLN:NE2	2.06	0.71
1:B:142:GLY:N	1:B:379:CYS:HG	1.88	0.71
1:A:243:MET:HE1	3:A:1:SRL:H183	1.72	0.70
1:A:403:ILE:HG23	4:A:1861:HOH:O	1.92	0.70
1:B:159:MET:O	1:B:159:MET:HE2	1.92	0.69
1:A:214:GLN:HE21	1:A:216:ARG:HH11	1.39	0.69
1:B:144:THR:OG1	1:B:147:GLN:HG3	1.92	0.69
1:A:250:MET:HG3	1:A:288:PHE:CZ	2.29	0.68
1:A:311:THR:OG1	1:A:317:GLN:HG2	1.93	0.68
1:A:316:GLN:HA	1:A:319:LEU:HD12	1.75	0.68
1:A:282:GLU:HG2	1:A:400:LEU:HG	1.76	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:383:GLN:CD	1:A:383:GLN:H	2.03	0.67
1:A:213:LEU:HD21	1:A:215:LEU:CD2	2.25	0.66
1:A:360:ARG:HA	1:A:360:ARG:HE	1.59	0.66
1:B:359[A]:HIS:HD2	4:B:2151:HOH:O	1.78	0.66
1:B:360:ARG:HB3	4:B:1825:HOH:O	1.95	0.66
1:A:333:LEU:HD11	1:A:396:MET:CE	2.25	0.66
1:A:411:LEU:HD22	3:A:1:SRL:H261	1.76	0.66
1:B:201:GLN:HG3	1:B:413:ARG:HD3	1.78	0.66
1:B:296:THR:OG1	1:B:298:THR:HG23	1.95	0.66
1:B:405:ALA:O	1:B:409[B]:GLN:HG3	1.95	0.66
3:B:2:SRL:P10	3:B:2:SRL:C6	2.84	0.66
1:B:383:GLN:H	1:B:383:GLN:CD	2.04	0.66
3:B:2:SRL:C6	3:B:2:SRL:O28	2.45	0.65
1:A:315:PHE:O	1:A:319:LEU:HG	1.97	0.65
1:B:356:VAL:HB	1:B:359[B]:HIS:ND1	2.12	0.65
1:A:284:CYS:SG	1:A:288:PHE:CE1	2.90	0.65
1:B:411:LEU:HD22	3:B:2:SRL:H261	1.77	0.65
1:B:233:GLY:O	1:B:234:LYS:HB2	1.97	0.64
1:B:282:GLU:HG2	1:B:400:LEU:HG	1.80	0.64
3:A:1:SRL:O27	3:A:1:SRL:HC6	1.99	0.63
1:B:410:ARG:NE	4:B:2006:HOH:O	2.30	0.63
1:A:233:GLY:HA2	4:A:2155:HOH:O	1.99	0.63
1:B:159:MET:HE2	1:B:160:LYS:HA	1.80	0.62
3:A:1:SRL:O27	3:A:1:SRL:H153	1.99	0.62
1:B:214:GLN:HE21	1:B:216:ARG:NH1	1.92	0.62
1:A:259:LYS:HD2	2:C:694:LEU:HA	1.80	0.62
1:A:145:GLU:HA	1:A:148:ARG:HE	1.64	0.62
1:B:159:MET:HE2	1:B:159:MET:C	2.25	0.62
1:B:353:ARG:HD3	1:B:401[A]:ARG:HH12	1.65	0.61
1:B:146:GLU:O	1:B:149:MET:HG3	2.01	0.61
1:B:359[A]:HIS:CD2	4:B:2151:HOH:O	2.50	0.61
1:B:218:GLU:HB2	1:B:303:ARG:NH2	2.17	0.60
1:A:243:MET:HB2	3:A:1:SRL:H231	1.83	0.60
1:A:285:GLN:NE2	1:A:327:HIS:HE2	2.00	0.60
1:A:283:LEU:HD13	1:A:344:GLN:HB3	1.84	0.60
3:A:1:SRL:P10	3:A:1:SRL:C6	2.90	0.59
1:A:239:LEU:O	1:A:243:MET:HG2	2.02	0.59
1:B:409[B]:GLN:NE2	4:B:1957:HOH:O	2.35	0.59
3:A:1:SRL:HC6	3:A:1:SRL:P10	2.42	0.59
1:A:144:THR:OG1	1:A:147:GLN:HG3	2.03	0.58
1:A:254:ILE:HD11	1:A:287:ARG:HD2	1.83	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:333:LEU:CD1	1:A:396:MET:HE3	2.34	0.58
1:B:313:GLY:HA3	1:B:317:GLN:HB2	1.84	0.58
1:B:201:GLN:CG	1:B:413:ARG:HD3	2.34	0.58
2:D:692:ARG:O	2:D:696:GLU:HG2	2.04	0.57
1:A:213:LEU:CD2	1:A:215:LEU:HD23	2.34	0.57
1:B:155:MET:HE1	1:B:337:GLU:HB2	1.86	0.57
1:A:177:VAL:HG21	1:B:215:LEU:HD13	1.87	0.57
1:A:221:SER:HB3	1:B:228:PRO:HD3	1.86	0.56
1:B:356:VAL:CB	1:B:359[B]:HIS:CE1	2.72	0.56
1:B:215:LEU:HG	1:B:304:LEU:HD23	1.87	0.56
1:A:281:PHE:HZ	4:A:1815:HOH:O	1.88	0.56
1:B:205:ASP:HB3	1:B:410:ARG:HD3	1.87	0.56
1:B:199:TRP:O	1:B:203:ARG:HG3	2.06	0.55
1:A:352:ASP:OD2	1:A:401:ARG:NH1	2.40	0.55
1:B:214:GLN:NE2	1:B:216:ARG:HH11	1.97	0.55
1:A:285:GLN:HE21	1:A:327:HIS:HE2	1.54	0.55
1:A:215:LEU:CD2	1:A:304:LEU:HD23	2.38	0.54
1:A:243:MET:CB	3:A:1:SRL:H231	2.38	0.54
1:A:150:MET:HE1	1:A:368[A]:GLN:HB3	1.89	0.54
1:A:352:ASP:CG	1:A:401:ARG:NH1	2.66	0.54
1:A:377:ILE:O	1:A:381:ARG:HG2	2.08	0.53
1:A:411:LEU:HD22	3:A:1:SRL:C26	2.38	0.53
1:A:214:GLN:HE21	1:A:216:ARG:NH1	2.06	0.53
1:B:254:ILE:HD12	1:B:283:LEU:HB3	1.90	0.53
1:B:306:TYR:CG	3:B:2:SRL:H181	2.44	0.53
1:A:388:PHE:O	1:A:392:LYS:HG3	2.09	0.52
1:B:209:LEU:HD13	3:B:2:SRL:C29	2.39	0.52
1:B:326:PHE:CE1	1:B:396:MET:HE2	2.45	0.52
1:A:313:GLY:HA3	1:A:317:GLN:HB2	1.92	0.52
1:A:352:ASP:O	1:A:401:ARG:NH2	2.43	0.52
1:B:356:VAL:O	1:B:359[B]:HIS:CE1	2.63	0.52
1:B:412:LEU:HD12	4:B:2125:HOH:O	2.10	0.52
1:A:360:ARG:HG3	1:A:364:GLN:NE2	2.26	0.51
1:A:213:LEU:C	1:A:213:LEU:HD23	2.35	0.51
1:B:198:LYS:CB	1:B:417:ILE:HD11	2.41	0.51
1:B:250:MET:HG3	1:B:288:PHE:CZ	2.46	0.50
1:B:283:LEU:HD13	1:B:344:GLN:HB3	1.94	0.50
1:B:392:LYS:O	1:B:396:MET:HG3	2.12	0.50
1:A:352:ASP:C	1:A:401:ARG:HH22	2.18	0.50
1:B:213:LEU:HD23	1:B:213:LEU:C	2.37	0.50
1:B:205:ASP:OD2	1:B:413:ARG:HD2	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:254:ILE:CD1	1:B:287:ARG:HD2	2.41	0.49
3:A:1:SRL:H322	3:A:1:SRL:O24	2.12	0.49
1:A:360:ARG:HB3	4:A:1867:HOH:O	2.12	0.49
1:A:215:LEU:HD22	1:A:304:LEU:HD23	1.94	0.49
1:A:418:HIS:HE1	4:A:1915:HOH:O	1.95	0.48
1:A:315:PHE:CE1	1:A:319:LEU:HD21	2.49	0.47
1:A:243:MET:C	3:A:1:SRL:H231	2.40	0.47
1:B:284:CYS:SG	1:B:288:PHE:CE1	3.08	0.47
1:B:358:GLN:NE2	4:B:1825:HOH:O	2.48	0.47
1:B:198:LYS:HB3	1:B:417:ILE:HD11	1.96	0.47
1:B:339:GLU:OE2	1:B:381:ARG:HD2	2.14	0.47
1:B:155:MET:HE1	1:B:337:GLU:CB	2.45	0.46
1:B:316:GLN:O	1:B:320:LEU:HG	2.16	0.46
1:B:321:GLU:HB3	1:B:324:LEU:HB2	1.98	0.46
1:A:235:GLU:HB3	1:B:219:ASP:HB2	1.98	0.46
1:A:349:PHE:O	1:A:366:GLN:HB2	2.16	0.46
1:A:170:LYS:O	1:A:171:ASN:HB2	2.17	0.45
1:A:333:LEU:CD1	1:A:396:MET:CE	2.95	0.45
1:A:411:LEU:HB2	3:A:1:SRL:H331	1.97	0.45
1:B:342:LEU:HD13	1:B:373:LEU:HA	1.98	0.45
1:A:195:GLU:OE1	1:A:198:LYS:HD2	2.17	0.45
1:B:143:LEU:N	1:B:143:LEU:HD12	2.31	0.45
1:B:417:ILE:HG23	4:B:2185:HOH:O	2.17	0.45
1:A:216:ARG:HH11	1:A:216:ARG:HG3	1.81	0.45
1:A:350[B]:SER:OG	1:A:401:ARG:NH1	2.50	0.45
1:B:144:THR:HG23	1:B:147:GLN:OE1	2.17	0.45
1:A:150:MET:HE1	1:A:368[B]:GLN:HB3	1.99	0.45
1:B:202:VAL:HG13	1:B:414:ILE:HG12	1.99	0.45
1:A:228:PRO:HG3	1:A:235:GLU:HB2	1.99	0.44
2:C:684:THR:HG23	4:C:2060:HOH:O	2.17	0.44
1:A:315:PHE:HE1	1:A:319:LEU:HD21	1.82	0.44
1:A:283:LEU:CD1	1:A:344:GLN:HB3	2.47	0.44
1:B:353:ARG:NH1	1:B:401[A]:ARG:NH1	2.66	0.44
1:B:273:ILE:O	1:B:277:LYS:HG3	2.17	0.44
1:A:320:LEU:O	1:A:322:PRO:HD3	2.18	0.44
1:B:233:GLY:O	1:B:234:LYS:CB	2.66	0.43
1:A:247:SER:OG	3:A:1:SRL:H221	2.18	0.43
1:B:209:LEU:HD21	1:B:321:GLU:HG2	1.99	0.43
1:B:407:HIS:CA	4:B:2006:HOH:O	2.56	0.43
1:B:420:PHE:HE1	3:B:2:SRL:H233	1.82	0.43
1:B:420:PHE:CE1	3:B:2:SRL:H233	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:405:ALA:O	1:A:409:GLN:HG3	2.19	0.43
1:B:209:LEU:HD13	3:B:2:SRL:H292	2.00	0.43
1:B:299:TRP:HZ3	1:B:308:LEU:HD13	1.83	0.43
1:B:430:GLY:HA2	4:B:2082:HOH:O	2.19	0.43
1:A:209:LEU:HD11	1:A:410:ARG:NH1	2.34	0.42
1:A:259:LYS:HG2	4:A:2174:HOH:O	2.18	0.42
1:B:381:ARG:HB3	1:B:386:HIS:ND1	2.34	0.42
1:B:411:LEU:HD22	3:B:2:SRL:C26	2.48	0.42
1:A:239:LEU:O	1:A:243:MET:CG	2.66	0.42
1:B:194:GLU:O	1:B:197:ALA:HB3	2.19	0.42
1:B:213:LEU:HD23	1:B:214:GLN:N	2.34	0.42
1:B:270:GLU:HB3	2:D:683:LEU:HD12	2.03	0.41
1:A:215:LEU:HD21	1:A:304:LEU:CD2	2.51	0.41
1:B:198:LYS:HB2	1:B:417:ILE:HD11	2.02	0.41
1:B:265:ARG:HB3	1:B:265:ARG:HH11	1.86	0.41
1:B:324:LEU:HD12	1:B:324:LEU:HA	1.85	0.41
1:A:318:LEU:C	1:A:320:LEU:N	2.76	0.41
1:A:403:ILE:HG22	4:A:1815:HOH:O	2.21	0.41
1:A:234:LYS:HB3	4:B:2123:HOH:O	2.20	0.41
1:A:403:ILE:CG2	4:A:1815:HOH:O	2.69	0.41
1:B:310:ASP:OD1	1:B:318:LEU:HD11	2.20	0.41
1:B:338:GLU:O	1:B:341:VAL:HG12	2.20	0.41
1:A:143:LEU:HD21	1:A:376:TYR:HA	2.02	0.41
1:B:321:GLU:OE2	1:B:410:ARG:NH2	2.44	0.41
1:A:338:GLU:O	1:A:341:VAL:HG12	2.21	0.41
1:A:284:CYS:SG	1:A:288:PHE:HE1	2.41	0.40
1:B:214:GLN:NE2	1:B:216:ARG:NH1	2.65	0.40
1:B:298:THR:HB	1:B:307:CYS:HA	2.02	0.40
1:B:349:PHE:O	1:B:366:GLN:HB2	2.20	0.40
1:B:381:ARG:HD3	1:B:389:LEU:CD2	2.51	0.40
1:B:381:ARG:HD3	1:B:389:LEU:HD23	2.04	0.40
2:D:691:HIS:O	2:D:695:GLN:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	277/316 (88%)	265 (96%)	10 (4%)	2 (1%)	18	14
1	B	274/316 (87%)	265 (97%)	7 (3%)	2 (1%)	18	14
2	C	13/25 (52%)	12 (92%)	1 (8%)	0	100	100
2	D	13/25 (52%)	12 (92%)	1 (8%)	0	100	100
All	All	577/682 (85%)	554 (96%)	19 (3%)	4 (1%)	18	14

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	234	LYS
1	A	234	LYS
1	B	420	PHE
1	A	233	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	248/279 (89%)	240 (97%)	8 (3%)	34	35
1	B	243/279 (87%)	235 (97%)	8 (3%)	33	34
2	C	14/24 (58%)	14 (100%)	0	100	100
2	D	15/24 (62%)	15 (100%)	0	100	100
All	All	520/606 (86%)	504 (97%)	16 (3%)	35	37

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	154	LEU
1	A	159	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	206	LEU
1	A	213	LEU
1	A	239	LEU
1	A	243	MET
1	A	283	LEU
1	A	399	GLU
1	B	154	LEU
1	B	159	MET
1	B	215	LEU
1	B	234	LYS
1	B	283	LEU
1	B	298	THR
1	B	308	LEU
1	B	324	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	171	ASN
1	A	214	GLN
1	A	272	GLN
1	A	285	GLN
1	A	317	GLN
1	B	214	GLN
1	B	224	ASN
1	B	272	GLN
1	B	317	GLN
1	B	366	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SRL	B	2	-	30,33,33	1.92	6 (20%)	40,50,50	2.62	14 (35%)
3	SRL	A	1	-	30,33,33	1.91	6 (20%)	40,50,50	2.61	14 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SRL	B	2	-	-	1/36/44/44	0/1/1/1
3	SRL	A	1	-	-	4/36/44/44	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1	SRL	P9-O20	4.85	1.52	1.46
3	B	2	SRL	P9-O20	4.85	1.52	1.46
3	A	1	SRL	C4-C3	3.94	1.45	1.39
3	A	1	SRL	C2-C3	3.94	1.46	1.41
3	B	2	SRL	C4-C3	3.91	1.45	1.39
3	B	2	SRL	C2-C3	3.84	1.46	1.41
3	B	2	SRL	C2-C1	3.60	1.46	1.41
3	A	1	SRL	C2-C1	3.47	1.45	1.41
3	B	2	SRL	C6-C1	2.34	1.42	1.39
3	A	1	SRL	C6-C1	2.15	1.42	1.39
3	B	2	SRL	O11-C2	-2.11	1.32	1.36
3	A	1	SRL	O11-C2	-2.10	1.32	1.36

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1	SRL	C13-C3-C2	8.88	131.20	121.98
3	B	2	SRL	C13-C3-C2	8.86	131.18	121.98
3	A	1	SRL	C4-C3-C2	-4.70	112.59	116.87
3	B	2	SRL	C4-C3-C2	-4.66	112.62	116.87
3	A	1	SRL	O24-P9-O21	4.65	115.26	102.13
3	B	2	SRL	O24-P9-O21	4.62	115.16	102.13
3	B	2	SRL	C3-C2-C1	4.53	126.78	122.61
3	A	1	SRL	C3-C2-C1	4.50	126.75	122.61
3	B	2	SRL	O24-P9-O20	-4.45	103.59	115.00
3	A	1	SRL	O24-P9-O20	-4.43	103.66	115.00
3	A	1	SRL	O21-P9-O20	-4.25	104.12	115.00
3	B	2	SRL	O21-P9-O20	-4.22	104.20	115.00
3	B	2	SRL	C12-C1-C2	4.17	126.31	121.98
3	A	1	SRL	C12-C1-C2	4.11	126.25	121.98
3	B	2	SRL	C6-C1-C2	-3.74	113.46	116.87
3	A	1	SRL	C6-C1-C2	-3.62	113.58	116.87
3	B	2	SRL	P10-O28-C29	-3.40	110.66	121.87
3	A	1	SRL	P10-O28-C29	-3.37	110.74	121.87
3	B	2	SRL	C18-C13-C3	2.96	116.50	110.87
3	A	1	SRL	C18-C13-C3	2.95	116.48	110.87
3	B	2	SRL	P10-O31-C32	-2.94	112.16	121.87
3	A	1	SRL	P10-O31-C32	-2.93	112.19	121.87
3	B	2	SRL	P9-O21-C22	-2.40	113.94	121.87
3	A	1	SRL	P9-O21-C22	-2.36	114.07	121.87
3	A	1	SRL	O28-P10-O27	-2.35	108.97	115.00
3	B	2	SRL	O28-P10-O27	-2.34	109.00	115.00
3	A	1	SRL	C16-C12-C1	2.06	114.80	110.87
3	B	2	SRL	C16-C12-C1	2.06	114.78	110.87

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1	SRL	C7-C8-P10-O28
3	A	1	SRL	C22-O21-P9-C8
3	A	1	SRL	C7-C8-P10-O31
3	B	2	SRL	C7-C8-P10-O28
3	A	1	SRL	C22-O21-P9-O20


There are no ring outliers.

2 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	2	SRL	11	0
3	A	1	SRL	13	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	278/316 (87%)	0.30	24 (8%) 16 15	16, 29, 61, 90	3 (1%)
1	B	275/316 (87%)	0.46	35 (12%) 8 7	16, 31, 68, 86	3 (1%)
2	C	15/25 (60%)	0.77	1 (6%) 24 22	27, 41, 62, 63	0
2	D	15/25 (60%)	0.61	3 (20%) 3 2	25, 34, 61, 63	0
All	All	583/682 (85%)	0.40	63 (10%) 11 10	16, 31, 63, 90	6 (1%)

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	233	GLY	7.4
1	B	318	LEU	4.7
1	A	315	PHE	4.7
1	B	310	ASP	4.2
1	B	315	PHE	4.2
1	B	231	SER	4.0
1	A	232	GLY	3.8
1	B	177	VAL	3.8
1	B	311	THR	3.7
1	A	433	GLY	3.7
1	B	385	ALA	3.7
1	A	384	PRO	3.7
1	A	359[A]	HIS	3.7
1	B	359[A]	HIS	3.7
1	B	312	ALA	3.7
1	A	385	ALA	3.6
1	B	232	GLY	3.5
1	B	417	ILE	3.4
1	A	313	GLY	3.3
1	B	195	GLU	3.3
1	A	311	THR	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	149	MET	3.1
1	B	171	ASN	3.0
1	B	384	PRO	3.0
1	A	145	GLU	2.8
1	B	193	ARG	2.8
1	B	379	CYS	2.8
1	B	303	ARG	2.7
1	A	319	LEU	2.7
1	A	231	SER	2.7
1	A	143	LEU	2.7
1	B	319	LEU	2.6
1	B	357	LEU	2.6
1	A	357	LEU	2.6
2	D	684	THR	2.6
1	A	192	SER	2.6
1	B	317	GLN	2.5
1	B	218	GLU	2.4
1	A	206	LEU	2.3
1	B	194	GLU	2.3
1	B	380	ASN	2.3
1	B	314	GLY	2.3
2	D	683	LEU	2.2
1	B	313	GLY	2.2
2	C	683	LEU	2.2
1	B	167	SER	2.2
1	A	310	ASP	2.2
1	A	194	GLU	2.1
1	B	309	GLU	2.1
1	A	142	GLY	2.1
1	A	233	GLY	2.1
1	A	148	ARG	2.1
2	D	682	SER	2.1
1	B	145	GLU	2.1
1	A	229	ALA	2.1
1	A	167	SER	2.1
1	B	143	LEU	2.1
1	A	312	ALA	2.1
1	B	197	ALA	2.1
1	B	431	ILE	2.0
1	B	383	GLN	2.0
1	B	234	LYS	2.0
1	A	382	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SRL	A	1	33/33	0.80	0.26	58,62,68,70	0
3	SRL	B	2	33/33	0.82	0.22	53,60,69,71	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around SRL A 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.