



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 12:23 PM UTC

PDB ID : 2NRO / pdb_00002nro
Title : MoeA K279Q
Authors : Nicolas, J.; Xiang, S.; Schindelin, H.; Rajagopalan, K.V.
Deposited on : 2006-11-02
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	411	7% 75% 19% • •
1	B	411	16% 74% 20% • •

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 6080 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Molybdopterin biosynthesis protein moeA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	403	Total	C	N	O	S	0	0	0
			3040	1917	531	579	13			
1	B	403	Total	C	N	O	S	0	0	0
			3040	1917	531	579	13			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	279	GLN	LYS	engineered mutation	UNP P12281
B	279	GLN	LYS	engineered mutation	UNP P12281


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Molybdopterin biosynthesis protein moeA



• Molecule 1: Molybdopterin biosynthesis protein moeA



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	89.00Å 98.33Å 99.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.50 50.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	96.2 (50.00-2.50) 96.2 (50.00-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.24 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.242 , 0.283 0.248 , 0.287	Depositor DCC
R_{free} test set	1727 reflections (2.75%)	wwPDB-VP
Wilson B-factor (Å ²)	36.8	Xtriage
Anisotropy	0.236	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 23.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.014 for -h,l,k	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	6080	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.98	1/3099 (0.0%)	1.02	6/4213 (0.1%)
1	B	1.00	1/3099 (0.0%)	1.09	13/4213 (0.3%)
All	All	0.99	2/6198 (0.0%)	1.06	19/8426 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	90	TRP	CA-CB	6.76	1.57	1.52
1	A	36	PHE	C-O	-5.37	1.17	1.23

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	138	ARG	CA-C-N	13.44	145.90	121.70
1	B	138	ARG	C-N-CA	13.44	145.90	121.70
1	B	139	ARG	N-CA-C	-10.21	82.42	111.00
1	B	139	ARG	N-CA-CB	9.77	127.11	110.50
1	B	138	ARG	CA-C-O	-7.66	112.39	120.58
1	B	138	ARG	O-C-N	-6.07	115.65	122.93
1	A	347	ASP	N-CA-C	6.06	118.17	108.41
1	B	21	VAL	N-CA-C	5.75	117.44	109.80
1	B	289	LEU	N-CA-C	-5.60	101.28	109.63
1	B	130	VAL	N-CA-C	5.52	116.43	106.61
1	B	74	LEU	N-CA-C	5.51	116.89	109.24
1	B	89	GLU	N-CA-C	5.35	118.27	111.69
1	B	304	ALA	N-CA-C	-5.25	105.64	111.36
1	A	104	VAL	N-CA-C	5.19	113.84	109.02
1	B	220	VAL	N-CA-C	5.15	115.72	108.36
1	A	336	ALA	N-CA-C	-5.11	106.89	112.72
1	A	375	SER	N-CA-C	5.09	118.27	111.75
1	A	300	ASN	CA-C-N	5.01	124.45	119.24
1	A	300	ASN	C-N-CA	5.01	124.45	119.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3040	0	3032	54	0
1	B	3040	0	3032	56	0
All	All	6080	0	6064	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:368:HIS:HD2	1:B:370:GLY:H	1.18	0.91
1:B:113:MET:HE2	1:B:115:GLU:HB2	1.55	0.89
1:B:279:GLN:HG2	1:B:345:ARG:CZ	2.10	0.82
1:A:300:ASN:HD22	1:A:303:SER:H	1.33	0.77
1:B:279:GLN:HE21	1:B:345:ARG:NH2	1.83	0.76
1:A:313:GLN:HE22	1:A:405:ASN:HD21	1.32	0.75
1:B:222:ASN:HD22	1:B:224:GLY:H	1.35	0.73
1:B:138:ARG:O	1:B:141:GLU:HB3	1.89	0.73
1:A:356:ASN:HD21	1:A:360:GLU:HB2	1.53	0.72
1:B:313:GLN:HE22	1:B:405:ASN:HD21	1.37	0.71
1:B:368:HIS:CD2	1:B:370:GLY:H	2.07	0.71
1:A:221:ILE:HD13	1:A:243:GLN:HG3	1.73	0.71
1:B:279:GLN:HG2	1:B:345:ARG:NH1	2.07	0.69
1:B:139:ARG:O	1:B:139:ARG:HG3	1.93	0.69
1:A:157:THR:HG22	1:A:159:ALA:H	1.58	0.68
1:B:278:ILE:O	1:B:345:ARG:HD2	1.94	0.68
1:B:222:ASN:ND2	1:B:224:GLY:H	1.93	0.67
1:A:222:ASN:HD22	1:A:224:GLY:H	1.42	0.67
1:B:74:LEU:HD21	1:B:126:PHE:CE1	2.32	0.65
1:B:300:ASN:HD21	1:B:371:SER:HB2	1.61	0.65
1:B:54:ASP:OD1	1:B:139:ARG:HB3	1.98	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:106:GLU:H	1:A:106:GLU:CD	2.05	0.63
1:B:21:VAL:HG21	1:B:315:LEU:HD12	1.81	0.62
1:A:356:ASN:ND2	1:A:360:GLU:HB2	2.15	0.62
1:B:54:ASP:OD1	1:B:138:ARG:HA	1.99	0.62
1:B:64:ARG:HD2	1:B:67:ASP:OD1	1.99	0.62
1:B:300:ASN:HD22	1:B:303:SER:H	1.48	0.61
1:B:157:THR:HG22	1:B:159:ALA:H	1.64	0.61
1:A:300:ASN:ND2	1:A:303:SER:H	1.99	0.61
1:B:313:GLN:HE22	1:B:405:ASN:ND2	1.99	0.60
1:B:104:VAL:HG13	1:B:108:CYS:HB3	1.86	0.58
1:B:21:VAL:HG21	1:B:315:LEU:CD1	2.34	0.58
1:A:157:THR:CG2	1:A:159:ALA:H	2.15	0.58
1:B:185:THR:O	1:B:252:GLY:HA3	2.02	0.58
1:B:222:ASN:HD22	1:B:222:ASN:C	2.12	0.58
1:B:279:GLN:NE2	1:B:345:ARG:NH2	2.51	0.57
1:B:130:VAL:HA	1:B:134:GLN:HE22	1.69	0.57
1:B:190:GLN:OE1	1:B:200:GLN:OE1	2.22	0.56
1:A:31:PRO:HG2	1:A:34:GLN:NE2	2.21	0.56
1:A:206:ARG:HH11	1:A:222:ASN:HD21	1.52	0.56
1:A:300:ASN:HD21	1:A:302:VAL:HB	1.70	0.55
1:A:190:GLN:HE21	1:A:190:GLN:HA	1.72	0.55
1:A:222:ASN:ND2	1:A:224:GLY:H	2.04	0.55
1:A:313:GLN:HB3	1:A:314:PRO:HD3	1.88	0.55
1:A:313:GLN:HE22	1:A:405:ASN:ND2	2.04	0.55
1:B:157:THR:HB	1:B:160:GLU:OE2	2.07	0.54
1:A:25:THR:O	1:A:26:ALA:C	2.49	0.54
1:A:368:HIS:CD2	1:A:370:GLY:H	2.24	0.54
1:A:8:MET:HE2	1:A:13:ALA:HA	1.89	0.54
1:B:279:GLN:HE21	1:B:345:ARG:HH21	1.53	0.54
1:B:60:GLY:HA3	1:B:112:VAL:O	2.08	0.53
1:A:70:SER:HB3	1:A:72:GLN:OE1	2.08	0.53
1:A:350:ARG:HD2	1:A:376:SER:OG	2.08	0.53
1:A:21:VAL:HG21	1:A:315:LEU:CD1	2.39	0.53
1:A:157:THR:HG22	1:A:159:ALA:N	2.25	0.52
1:B:279:GLN:CG	1:B:345:ARG:CZ	2.85	0.52
1:A:335:THR:CG2	1:A:337:SER:O	2.59	0.51
1:A:177:LYS:HD3	1:A:217:GLY:O	2.10	0.51
1:B:58:MET:SD	1:B:113:MET:HG2	2.51	0.50
1:A:306:LEU:C	1:A:306:LEU:HD13	2.36	0.50
1:B:54:ASP:OD2	1:B:138:ARG:NH1	2.45	0.50
1:A:55:ASN:ND2	1:A:101:GLY:HA2	2.27	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:334:ARG:HG3	1:A:398:TRP:CZ3	2.48	0.49
1:B:85:PRO:HB2	1:B:87:HIS:CE1	2.47	0.49
1:B:350:ARG:HD2	1:B:376:SER:OG	2.13	0.49
1:A:138:ARG:O	1:A:139:ARG:C	2.55	0.49
1:A:276:LEU:HD21	1:A:311:LEU:HD11	1.96	0.48
1:B:75:PRO:HD2	1:B:93:GLY:O	2.13	0.48
1:B:74:LEU:H	1:B:74:LEU:CD2	2.27	0.48
1:B:208:ALA:O	1:B:212:MET:HG3	2.14	0.48
1:A:368:HIS:CD2	1:A:372:HIS:HE1	2.32	0.48
1:A:106:GLU:CD	1:A:106:GLU:N	2.72	0.47
1:B:61:TYR:CE1	1:B:117:THR:HG21	2.48	0.47
1:A:55:ASN:HD22	1:A:101:GLY:HA2	1.79	0.47
1:A:165:ALA:HB2	1:B:207:LEU:HD12	1.96	0.46
1:A:335:THR:HG21	1:A:337:SER:O	2.15	0.46
1:B:104:VAL:HG13	1:B:108:CYS:CB	2.45	0.46
1:A:222:ASN:HD22	1:A:222:ASN:C	2.24	0.46
1:A:269:GLY:C	1:A:271:ILE:HD12	2.41	0.46
1:A:210:HIS:HD2	1:A:222:ASN:OD1	1.99	0.46
1:A:332:ARG:HG2	1:A:398:TRP:CE3	2.51	0.45
1:B:157:THR:CG2	1:B:159:ALA:H	2.30	0.45
1:A:333:VAL:HG12	1:A:363:VAL:HG22	1.98	0.45
1:A:335:THR:HG22	1:A:337:SER:H	1.82	0.45
1:B:24:LEU:HD22	1:B:178:VAL:HG22	1.99	0.44
1:A:333:VAL:CG1	1:A:363:VAL:HG22	2.48	0.44
1:A:157:THR:HG23	1:A:158:THR:N	2.33	0.43
1:A:333:VAL:HG13	1:A:334:ARG:N	2.33	0.43
1:A:14:LEU:HD11	1:A:327:LEU:HD21	2.00	0.43
1:B:74:LEU:H	1:B:74:LEU:HD23	1.82	0.43
1:A:408:PHE:HA	1:B:157:THR:HG23	2.00	0.42
1:A:75:PRO:HA	1:A:123:GLY:HA2	2.01	0.42
1:B:104:VAL:CG1	1:B:108:CYS:HB3	2.48	0.42
1:B:206:ARG:HH11	1:B:222:ASN:HD21	1.66	0.42
1:B:74:LEU:HD21	1:B:126:PHE:HE1	1.81	0.42
1:A:90:TRP:CD1	1:A:94:THR:HG1	2.38	0.42
1:A:311:LEU:C	1:A:314:PRO:HD2	2.44	0.42
1:B:233:LEU:HB3	1:B:264:ILE:HD13	2.02	0.42
1:B:57:ALA:C	1:B:100:THR:HG23	2.46	0.41
1:A:258:ALA:HA	1:A:262:LYS:HD3	2.01	0.41
1:B:79:LYS:HA	1:B:97:ARG:O	2.20	0.41
1:B:300:ASN:HD21	1:B:302:VAL:HB	1.85	0.41
1:A:157:THR:CG2	1:A:158:THR:N	2.84	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:14:LEU:CD1	1:A:327:LEU:HD21	2.51	0.40
1:B:300:ASN:ND2	1:B:371:SER:HB2	2.34	0.40
1:B:190:GLN:OE1	1:B:200:GLN:NE2	2.54	0.40
1:A:333:VAL:CG1	1:A:334:ARG:N	2.83	0.40
1:B:222:ASN:HD22	1:B:223:LEU:N	2.19	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	401/411 (98%)	380 (95%)	16 (4%)	5 (1%)	10	20
1	B	401/411 (98%)	377 (94%)	17 (4%)	7 (2%)	7	13
All	All	802/822 (98%)	757 (94%)	33 (4%)	12 (2%)	8	16

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	198	ASP
1	A	282	LYS
1	B	139	ARG
1	B	282	LYS
1	A	228	ASP
1	A	328	PRO
1	B	197	GLY
1	B	198	ASP
1	A	82	ALA
1	B	92	ALA
1	B	73	PRO
1	B	328	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	325/331 (98%)	286 (88%)	39 (12%)	5	10
1	B	325/331 (98%)	280 (86%)	45 (14%)	3	7
All	All	650/662 (98%)	566 (87%)	84 (13%)	4	9

All (84) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LEU
1	A	10	LEU
1	A	14	LEU
1	A	20	ARG
1	A	24	LEU
1	A	48	LEU
1	A	65	LEU
1	A	68	ILE
1	A	70	SER
1	A	79	LYS
1	A	89	GLU
1	A	106	GLU
1	A	119	GLN
1	A	129	GLU
1	A	138	ARG
1	A	157	THR
1	A	182	LEU
1	A	188	GLU
1	A	190	GLN
1	A	194	GLN
1	A	196	LEU
1	A	207	LEU
1	A	222	ASN
1	A	223	LEU
1	A	228	ASP
1	A	233	LEU
1	A	257	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	263	THR
1	A	276	LEU
1	A	288	LYS
1	A	327	LEU
1	A	333	VAL
1	A	335	THR
1	A	337	SER
1	A	350	ARG
1	A	354	GLN
1	A	355	ARG
1	A	363	VAL
1	A	399	VAL
1	B	7	LEU
1	B	10	LEU
1	B	11	ASP
1	B	24	LEU
1	B	48	LEU
1	B	74	LEU
1	B	79	LYS
1	B	99	MET
1	B	104	VAL
1	B	113	MET
1	B	115	GLU
1	B	116	GLN
1	B	117	THR
1	B	118	GLU
1	B	119	GLN
1	B	121	ASP
1	B	127	THR
1	B	137	ARG
1	B	139	ARG
1	B	157	THR
1	B	182	LEU
1	B	188	GLU
1	B	194	GLN
1	B	196	LEU
1	B	207	LEU
1	B	222	ASN
1	B	223	LEU
1	B	229	ASP
1	B	233	LEU
1	B	243	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	257	GLU
1	B	263	THR
1	B	270	GLU
1	B	276	LEU
1	B	282	LYS
1	B	315	LEU
1	B	325	SER
1	B	333	VAL
1	B	335	THR
1	B	338	ARG
1	B	350	ARG
1	B	361	LEU
1	B	363	VAL
1	B	399	VAL
1	B	401	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	ASN
1	A	34	GLN
1	A	55	ASN
1	A	114	GLN
1	A	119	GLN
1	A	190	GLN
1	A	194	GLN
1	A	210	HIS
1	A	222	ASN
1	A	243	GLN
1	A	300	ASN
1	A	313	GLN
1	A	331	GLN
1	A	368	HIS
1	A	372	HIS
1	B	15	ASN
1	B	34	GLN
1	B	87	HIS
1	B	116	GLN
1	B	134	GLN
1	B	200	GLN
1	B	210	HIS
1	B	222	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	243	GLN
1	B	279	GLN
1	B	300	ASN
1	B	313	GLN
1	B	368	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	403/411 (98%)	0.65	30 (7%) 20 18	26, 40, 64, 80	0
1	B	403/411 (98%)	0.97	67 (16%) 4 3	27, 44, 74, 87	0
All	All	806/822 (98%)	0.81	97 (12%) 9 7	26, 42, 71, 87	0

All (97) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	327	LEU	6.0
1	A	327	LEU	6.0
1	B	328	PRO	5.5
1	A	7	LEU	5.4
1	B	7	LEU	4.9
1	B	326	GLY	4.7
1	A	328	PRO	4.6
1	B	198	ASP	4.2
1	A	325	SER	4.2
1	B	199	GLY	4.2
1	B	197	GLY	4.1
1	A	119	GLN	3.9
1	B	100	THR	3.9
1	B	107	GLY	3.8
1	B	127	THR	3.7
1	B	139	ARG	3.7
1	A	234	ARG	3.7
1	A	326	GLY	3.6
1	B	130	VAL	3.5
1	A	106	GLU	3.5
1	B	65	LEU	3.4
1	B	115	GLU	3.4
1	A	195	PRO	3.4
1	A	82	ALA	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	335	THR	3.4
1	B	53	PHE	3.3
1	A	398	TRP	3.3
1	B	69	ALA	3.2
1	A	194	GLN	3.2
1	A	357	ALA	3.2
1	A	257	GLU	3.1
1	B	132	SER	3.1
1	B	128	ALA	3.1
1	B	81	PHE	3.0
1	B	196	LEU	3.0
1	B	52	GLY	3.0
1	B	131	ARG	2.9
1	B	73	PRO	2.9
1	B	325	SER	2.9
1	B	126	PHE	2.9
1	B	360	GLU	2.9
1	B	92	ALA	2.8
1	B	79	LYS	2.8
1	A	87	HIS	2.8
1	A	395	VAL	2.8
1	B	257	GLU	2.7
1	A	199	GLY	2.7
1	B	101	GLY	2.7
1	A	277	ALA	2.7
1	B	106	GLU	2.7
1	B	111	VAL	2.7
1	A	193	GLY	2.6
1	B	136	ILE	2.6
1	B	48	LEU	2.6
1	A	121	ASP	2.6
1	B	201	ILE	2.6
1	B	72	GLN	2.6
1	B	82	ALA	2.5
1	A	409	GLY	2.5
1	B	98	ILE	2.5
1	B	117	THR	2.5
1	B	58	MET	2.5
1	B	89	GLU	2.5
1	B	329	ALA	2.5
1	B	99	MET	2.5
1	B	68	ILE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	187	ASP	2.4
1	B	260	TYR	2.4
1	B	194	GLN	2.4
1	A	361	LEU	2.4
1	A	197	GLY	2.3
1	B	11	ASP	2.3
1	B	324	ALA	2.3
1	B	138	ARG	2.3
1	B	195	PRO	2.3
1	B	332	ARG	2.3
1	B	133	GLY	2.2
1	B	134	GLN	2.2
1	B	200	GLN	2.2
1	A	89	GLU	2.2
1	B	359	GLY	2.2
1	A	196	LEU	2.2
1	A	355	ARG	2.2
1	B	66	ALA	2.2
1	B	71	GLY	2.2
1	A	243	GLN	2.1
1	B	258	ALA	2.1
1	B	147	ALA	2.1
1	B	135	ASN	2.1
1	B	116	GLN	2.1
1	B	361	LEU	2.1
1	B	93	GLY	2.0
1	A	331	GLN	2.0
1	B	409	GLY	2.0
1	B	398	TRP	2.0
1	A	198	ASP	2.0
1	B	86	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.