



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 04:51 PM UTC

PDB ID : 3NRR / pdb_00003nrr
Title : Co-crystal structure of dihydrofolate reductase-thymidylate synthase from *Babesia bovis* with dUMP, Raltitrexed and NADP
Authors : Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2010-06-30
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	515	6% 90% 7%
1	B	515	7% 91% 6%

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 9454 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydrofolate reductase-thymidylate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	503	Total	C	N	O	S	0	3	0
			4013	2578	686	730	19			
1	B	501	Total	C	N	O	S	0	4	0
			3991	2569	678	725	19			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP A7ASX7
A	-2	PRO	-	expression tag	UNP A7ASX7
A	-1	GLY	-	expression tag	UNP A7ASX7
A	0	SER	-	expression tag	UNP A7ASX7
B	-3	GLY	-	expression tag	UNP A7ASX7
B	-2	PRO	-	expression tag	UNP A7ASX7
B	-1	GLY	-	expression tag	UNP A7ASX7
B	0	SER	-	expression tag	UNP A7ASX7

- Molecule 2 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cl	0	0
			1	1		
2	B	1	Total	Cl	0	0
			1	1		


- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	S	0	0
			32	21	4	6	1		
4	B	1	Total	C	N	O	S	0	0
			32	21	4	6	1		

- Molecule 5 is 2'-DEOXYURIDINE 5'-MONOPHOSPHATE (CCD ID: UMP) (formula: $C_9H_{13}N_2O_8P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			20	9	2	8	1		
5	B	1	Total	C	N	O	P	0	0
			20	9	2	8	1		

- Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	537	Total 537	O 537	0	0
9	B	488	Total 488	O 488	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Dihydrofolate reductase-thymidylate synthase



- Molecule 1: Dihydrofolate reductase-thymidylate synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	51.33Å 83.83Å 83.92Å 119.61° 102.04° 90.26°	Depositor
Resolution (Å)	19.94 – 1.80 19.94 – 1.80	Depositor EDS
% Data completeness (in resolution range)	98.5 (19.94-1.80) 99.9 (19.94-1.80)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.39 (at 1.79Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.194 , 0.236 0.209 , 0.252	Depositor DCC
R_{free} test set	5573 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	17.0	Xtriage
Anisotropy	0.161	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 36.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.54$, $\langle L^2 \rangle = 0.38$	Xtriage
Estimated twinning fraction	0.000 for -h,k,-k-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9454	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UMP, D16, GOL, EDO, PO4, CL, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.90	2/4127 (0.0%)	0.92	4/5617 (0.1%)
1	B	0.94	3/4108 (0.1%)	0.93	3/5593 (0.1%)
All	All	0.92	5/8235 (0.1%)	0.93	7/11210 (0.1%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	395	CYS	C-O	-7.42	1.15	1.24
1	B	394	HIS	C-O	-7.30	1.13	1.23
1	B	396	PHE	C-O	-7.06	1.14	1.23
1	A	394	HIS	C-O	-6.38	1.15	1.23
1	A	396	PHE	C-O	-6.28	1.15	1.23

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	395	CYS	N-CA-C	9.11	121.29	111.36
1	A	395	CYS	N-CA-C	7.46	120.87	111.69
1	B	218	CYS	CB-CA-C	-6.34	106.70	111.20
1	B	396	PHE	N-CA-CB	-5.66	100.96	110.99
1	A	421	VAL	N-CA-CB	5.31	113.85	110.50
1	A	396	PHE	N-CA-CB	-5.30	101.61	110.99
1	A	218	CYS	CB-CA-C	-5.07	107.60	111.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4013	0	3931	29	0
1	B	3991	0	3910	23	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	96	0	50	3	0
3	B	96	0	50	2	0
4	A	64	0	40	4	0
4	B	64	0	40	4	0
5	A	20	0	11	2	0
5	B	20	0	11	2	0
6	A	32	0	48	1	0
6	B	20	0	30	3	0
7	A	6	0	8	0	0
8	B	5	0	0	0	0
9	A	537	0	0	5	0
9	B	488	0	0	6	0
All	All	9454	0	8129	60	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:393:CYS:SG	5:A:525:UMP:C6	2.39	1.16
1:B:393:CYS:SG	5:B:525:UMP:C6	2.51	1.04
1:B:476[B]:ARG:HG2	1:B:476[B]:ARG:HH21	1.29	0.96
1:A:476[B]:ARG:HG2	1:A:476[B]:ARG:HH11	1.44	0.83
1:A:511:ALA:HB3	9:A:879:HOH:O	1.86	0.76
1:B:511:ALA:HB2	9:B:995:HOH:O	1.89	0.73
1:B:476[B]:ARG:HG2	1:B:476[B]:ARG:NH2	2.03	0.68
1:A:393:CYS:SG	5:A:525:UMP:C5	2.87	0.67
1:B:511:ALA:CB	9:B:995:HOH:O	2.43	0.66
1:A:33:HIS:CE1	1:A:35:THR:HG22	2.30	0.65
4:B:520:D16:C7	4:B:520:D16:HP13	2.27	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:520:D16:C7	4:A:520:D16:HP13	2.27	0.63
1:A:476[B]:ARG:HG2	1:A:476[B]:ARG:NH1	2.09	0.63
1:B:393:CYS:SG	5:B:525:UMP:C5	2.92	0.62
1:B:33:HIS:CE1	1:B:35:THR:HG22	2.36	0.60
1:A:510:SER:O	1:A:511:ALA:CB	2.48	0.60
1:B:476[B]:ARG:HD3	9:B:910:HOH:O	2.02	0.58
1:B:119:LYS:NZ	9:B:873:HOH:O	2.15	0.56
1:B:459:HIS:O	1:B:463[A]:VAL:HG22	2.06	0.56
1:B:509:MET:SD	1:B:511:ALA:OXT	2.64	0.55
1:A:23:ILE:O	3:A:515[B]:NAP:H2N	2.07	0.54
1:A:23:ILE:O	3:A:515[A]:NAP:H2N	2.08	0.54
1:A:510:SER:O	1:A:511:ALA:HB3	2.09	0.52
1:A:433:ALA:HA	1:A:443:LEU:HD21	1.92	0.51
1:A:32:PRO:HB2	1:A:176:PHE:CZ	2.46	0.51
1:A:102:GLU:O	3:A:515[B]:NAP:H2A	2.11	0.51
4:B:520:D16:C7	4:B:520:D16:CP1	2.89	0.50
4:A:520:D16:C7	4:A:520:D16:CP1	2.90	0.50
1:B:197:PRO:HG2	9:B:944:HOH:O	2.11	0.50
1:A:215:TYR:HA	6:A:532:EDO:H22	1.93	0.49
1:A:214:LYS:HG2	1:A:215:TYR:CE1	2.47	0.49
1:A:511:ALA:HB1	9:A:666:HOH:O	2.12	0.48
1:A:42:ARG:O	1:A:46:THR:HG23	2.13	0.48
1:B:23:ILE:O	3:B:515[A]:NAP:H2N	2.13	0.48
1:B:23:ILE:O	3:B:515[B]:NAP:H2N	2.13	0.48
1:A:478[A]:ARG:HD3	9:A:786:HOH:O	2.13	0.48
4:A:520:D16:HP13	4:A:520:D16:H7	1.95	0.48
4:B:520:D16:HP13	4:B:520:D16:H7	1.95	0.47
1:A:85:ASN:HD22	1:A:85:ASN:N	2.13	0.47
1:A:33:HIS:HE1	1:A:35:THR:HG22	1.76	0.47
4:B:520:D16:CP1	4:B:520:D16:H7	2.45	0.46
1:A:485:ASN:HB3	9:A:539:HOH:O	2.14	0.46
1:B:109:ARG:NE	6:B:537:EDO:O2	2.45	0.46
1:A:476[B]:ARG:HH11	1:A:476[B]:ARG:CG	2.22	0.46
1:A:70:TYR:CD2	1:A:87:ILE:HD11	2.52	0.45
1:B:376:ILE:O	6:B:532:EDO:H22	2.16	0.45
4:A:520:D16:CP1	4:A:520:D16:H7	2.48	0.43
1:A:53:LEU:O	1:A:57:PRO:HA	2.18	0.43
1:B:42:ARG:O	1:B:46:THR:HG23	2.18	0.43
1:B:409:MET:HA	1:B:447:VAL:O	2.19	0.42
1:A:511:ALA:HB2	9:A:994:HOH:O	2.19	0.42
1:B:283:ILE:HG23	1:B:494:ILE:HD13	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:476[B]:ARG:HH21	1:B:476[B]:ARG:CG	2.16	0.41
1:B:279:LEU:HA	1:B:282:ILE:HD12	2.01	0.41
1:A:29:ILE:HA	1:A:30:PRO:HD3	1.92	0.41
1:A:214:LYS:HG2	1:A:215:TYR:CD1	2.55	0.41
1:A:333:TYR:CE1	1:A:392:PRO:HB3	2.56	0.41
1:A:382:VAL:HG13	6:B:532:EDO:H11	2.03	0.40
1:B:78:LEU:HA	1:B:79:PRO:C	2.45	0.40
1:B:241:HIS:HD2	9:B:603:HOH:O	2.05	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	502/515 (98%)	492 (98%)	10 (2%)	0	100	100
1	B	501/515 (97%)	489 (98%)	12 (2%)	0	100	100
All	All	1003/1030 (97%)	981 (98%)	22 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	440/460 (96%)	435 (99%)	5 (1%)	65	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	437/460 (95%)	434 (99%)	3 (1%)	76	73
All	All	877/920 (95%)	869 (99%)	8 (1%)	70	67

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	68	LYS
1	A	85	ASN
1	A	200	GLN
1	A	318	LYS
1	A	484	ARG
1	B	56	ASN
1	B	59	ILE
1	B	65	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	A	25	HIS
1	A	28	GLN
1	A	114	ASN
1	A	118	ASN
1	A	297	ASN
1	B	25	HIS
1	B	28	GLN
1	B	114	ASN
1	B	118	ASN
1	B	297	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 27 ligands modelled in this entry, 2 are monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	EDO	A	537	-	3,3,3	0.44	0	2,2,2	0.20	0
6	EDO	A	531	-	3,3,3	0.71	0	2,2,2	0.52	0
6	EDO	A	533	-	3,3,3	0.49	0	2,2,2	0.11	0
3	NAP	A	515[B]	-	50,52,52	0.99	3 (6%)	71,80,80	1.50	15 (21%)
6	EDO	A	535	-	3,3,3	0.40	0	2,2,2	0.38	0
4	D16	B	520	-	33,34,34	1.79	5 (15%)	46,48,48	1.55	7 (15%)
5	UMP	A	525	-	21,21,21	0.99	2 (9%)	30,31,31	1.50	5 (16%)
6	EDO	A	532	-	3,3,3	0.55	0	2,2,2	0.17	0
6	EDO	A	534	-	3,3,3	0.64	0	2,2,2	0.14	0
6	EDO	A	514	-	3,3,3	0.46	0	2,2,2	0.34	0
6	EDO	B	534	-	3,3,3	0.44	0	2,2,2	0.33	0
6	EDO	B	533	-	3,3,3	0.34	0	2,2,2	0.49	0
7	GOL	A	540	-	5,5,5	0.21	0	5,5,5	0.57	0
4	D16	A	530	-	33,34,34	1.52	6 (18%)	46,48,48	1.90	4 (8%)
6	EDO	B	539	-	3,3,3	0.53	0	2,2,2	0.26	0
5	UMP	B	525	-	21,21,21	1.21	3 (14%)	30,31,31	1.25	3 (10%)
8	PO4	B	513	-	4,4,4	1.00	0	6,6,6	0.54	0
3	NAP	B	515[A]	-	50,52,52	0.94	2 (4%)	71,80,80	1.51	13 (18%)
4	D16	B	530	-	33,34,34	1.42	4 (12%)	46,48,48	1.84	3 (6%)
4	D16	A	520	-	33,34,34	1.77	4 (12%)	46,48,48	1.81	11 (23%)
3	NAP	A	515[A]	-	50,52,52	1.05	3 (6%)	71,80,80	1.60	13 (18%)
3	NAP	B	515[B]	-	50,52,52	0.97	2 (4%)	71,80,80	1.48	10 (14%)
6	EDO	A	536	-	3,3,3	0.42	0	2,2,2	0.24	0
6	EDO	B	537	-	3,3,3	0.42	0	2,2,2	0.36	0
6	EDO	B	532	-	3,3,3	0.59	0	2,2,2	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	A	537	-	-	0/1/1/1	-
6	EDO	A	531	-	-	0/1/1/1	-
6	EDO	A	533	-	-	1/1/1/1	-
3	NAP	A	515[B]	-	-	2/35/67/67	0/5/5/5
6	EDO	A	535	-	-	0/1/1/1	-
4	D16	B	520	-	-	6/25/25/25	0/3/3/3
5	UMP	A	525	-	-	0/10/22/22	0/2/2/2
6	EDO	A	532	-	-	1/1/1/1	-
6	EDO	A	534	-	-	1/1/1/1	-
6	EDO	A	514	-	-	0/1/1/1	-
6	EDO	B	534	-	-	1/1/1/1	-
6	EDO	B	533	-	-	1/1/1/1	-
7	GOL	A	540	-	-	2/4/4/4	-
4	D16	A	530	-	-	8/25/25/25	0/3/3/3
6	EDO	B	539	-	-	1/1/1/1	-
5	UMP	B	525	-	-	0/10/22/22	0/2/2/2
3	NAP	B	515[A]	-	-	2/35/67/67	0/5/5/5
4	D16	B	530	-	-	6/25/25/25	0/3/3/3
4	D16	A	520	-	-	5/25/25/25	0/3/3/3
3	NAP	A	515[A]	-	-	4/35/67/67	0/5/5/5
3	NAP	B	515[B]	-	-	4/35/67/67	0/5/5/5
6	EDO	A	536	-	-	0/1/1/1	-
6	EDO	B	537	-	-	1/1/1/1	-
6	EDO	B	532	-	-	1/1/1/1	-

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	520	D16	O4-C4	6.63	1.34	1.23
4	A	520	D16	O4-C4	6.22	1.34	1.23
4	A	530	D16	O4-C4	5.34	1.32	1.23
4	B	530	D16	O4-C4	4.81	1.31	1.23
4	A	520	D16	C4A-C8A	4.61	1.48	1.41
4	B	520	D16	C4A-C8A	4.42	1.48	1.41
4	A	530	D16	C4A-C8A	3.36	1.46	1.41
3	A	515[A]	NAP	C7N-N7N	-3.23	1.27	1.33
4	A	520	D16	C4-N3	-3.22	1.32	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	515[B]	NAP	C7N-N7N	-3.14	1.27	1.33
4	B	530	D16	C8A-N1	-3.08	1.34	1.39
4	B	520	D16	C4-N3	-3.03	1.32	1.38
4	B	530	D16	C4A-C8A	2.94	1.45	1.41
3	A	515[A]	NAP	PN-O3	2.78	1.62	1.59
3	B	515[A]	NAP	C7N-N7N	-2.76	1.27	1.33
3	B	515[B]	NAP	C7N-N7N	-2.76	1.27	1.33
5	B	525	UMP	C6-C5	2.69	1.41	1.35
3	A	515[B]	NAP	PN-O3	2.62	1.62	1.59
4	A	520	D16	C8A-N1	-2.61	1.35	1.39
3	A	515[A]	NAP	C5A-N7A	-2.58	1.34	1.39
4	A	530	D16	C8A-N1	-2.53	1.35	1.39
5	A	525	UMP	C6-C5	2.51	1.40	1.35
3	B	515[A]	NAP	C8A-N7A	2.39	1.36	1.31
3	B	515[B]	NAP	C5A-N7A	-2.37	1.34	1.39
4	A	530	D16	C4-N3	-2.36	1.34	1.38
4	A	530	D16	OE1-CD	2.25	1.29	1.22
3	A	515[B]	NAP	C8A-N7A	2.20	1.35	1.31
4	B	530	D16	C4-N3	-2.15	1.34	1.38
5	A	525	UMP	C5-C4	-2.15	1.39	1.43
4	B	520	D16	C2-N3	2.15	1.36	1.31
5	B	525	UMP	P-OP2	-2.14	1.46	1.54
4	B	520	D16	C8A-N1	-2.03	1.36	1.39
5	B	525	UMP	C5-C4	-2.01	1.39	1.43
4	A	530	D16	O2-CT	-2.00	1.24	1.30

All (84) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	530	D16	S13-C14-N10	7.66	128.18	120.99
4	A	530	D16	C15-C14-N10	-7.44	120.17	127.84
4	B	530	D16	S13-C14-N10	7.16	127.70	120.99
4	B	530	D16	C15-C14-N10	-6.49	121.15	127.84
4	A	520	D16	CA-N-C	5.72	131.62	122.00
3	A	515[A]	NAP	C5A-C4A-N3A	-5.68	118.90	126.72
3	B	515[B]	NAP	C5A-C4A-N3A	-5.18	119.59	126.72
3	A	515[B]	NAP	C5A-C4A-N3A	-4.90	119.97	126.72
3	A	515[A]	NAP	N3A-C2A-N1A	-4.69	121.49	128.58
3	B	515[A]	NAP	N3A-C2A-N1A	-4.48	121.81	128.58
4	B	520	D16	CP1-N10-C14	-4.42	111.33	120.41
3	A	515[B]	NAP	N3A-C2A-N1A	-4.33	122.03	128.58
3	B	515[A]	NAP	C5A-C4A-N3A	-4.33	120.76	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	515[B]	NAP	N3A-C2A-N1A	-4.25	122.14	128.58
4	B	530	D16	C8A-C4A-C4	-4.08	115.70	120.11
3	A	515[A]	NAP	N3A-C4A-N9A	3.90	133.80	127.17
5	A	525	UMP	C2'-C1'-N1	3.87	123.49	113.81
3	B	515[A]	NAP	N9A-C8A-N7A	-3.62	108.80	113.94
4	B	520	D16	C8A-C4A-C4	-3.53	116.30	120.11
5	A	525	UMP	C5-C4-N3	3.51	119.72	114.80
3	A	515[A]	NAP	C2A-N3A-C4A	3.47	120.30	111.83
4	A	520	D16	C7-C6-C5	3.44	123.29	118.55
4	A	520	D16	C4A-C5-C6	-3.40	116.11	121.38
3	A	515[B]	NAP	C2A-N3A-C4A	3.31	119.91	111.83
3	A	515[B]	NAP	N9A-C8A-N7A	-3.30	109.26	113.94
4	B	520	D16	C4A-C5-C6	-3.23	116.37	121.38
3	B	515[B]	NAP	N3A-C4A-N9A	3.16	132.55	127.17
3	B	515[A]	NAP	C2A-N3A-C4A	3.12	119.45	111.83
5	A	525	UMP	C4-N3-C2	-3.12	122.74	126.61
3	A	515[A]	NAP	N9A-C8A-N7A	-3.10	109.53	113.94
4	A	530	D16	C8A-C4A-C4	-3.09	116.77	120.11
3	B	515[B]	NAP	C2A-N3A-C4A	3.09	119.37	111.83
5	B	525	UMP	C5-C4-N3	3.07	119.10	114.80
4	B	520	D16	C5-C4A-C8A	3.01	121.80	119.09
3	B	515[A]	NAP	C4A-C5A-N7A	-2.99	107.16	110.58
4	A	520	D16	CP1-N10-C14	-2.98	114.29	120.41
4	B	520	D16	S13-C14-N10	-2.97	118.20	120.99
4	A	520	D16	C5-C4A-C8A	2.90	121.70	119.09
3	A	515[B]	NAP	C4A-C5A-N7A	-2.84	107.34	110.58
5	B	525	UMP	C2'-C1'-N1	2.80	120.82	113.81
3	A	515[B]	NAP	N3A-C4A-N9A	2.78	131.89	127.17
3	B	515[B]	NAP	N9A-C8A-N7A	-2.78	110.00	113.94
3	B	515[A]	NAP	O7N-C7N-C3N	-2.75	116.23	119.60
3	B	515[B]	NAP	O7N-C7N-C3N	-2.74	116.25	119.60
4	A	530	D16	C6-C9-N10	-2.73	107.87	113.02
5	B	525	UMP	C6-C5-C4	-2.72	116.06	119.53
3	A	515[A]	NAP	O2B-P2B-O1X	-2.70	99.70	109.33
4	A	520	D16	C8A-C4A-C4	-2.69	117.20	120.11
4	A	520	D16	S13-C14-N10	-2.68	118.48	120.99
3	A	515[A]	NAP	O7N-C7N-C3N	-2.68	116.32	119.60
4	B	520	D16	C7-C6-C5	2.66	122.21	118.55
3	B	515[A]	NAP	C3N-C7N-N7N	2.64	121.00	117.74
3	B	515[B]	NAP	C3N-C7N-N7N	2.64	121.00	117.74
3	B	515[A]	NAP	C5A-N7A-C8A	2.63	107.59	103.45
3	A	515[B]	NAP	O7N-C7N-C3N	-2.58	116.45	119.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	520	D16	C15-C14-S13	2.56	114.86	111.97
3	B	515[B]	NAP	C4A-C5A-N7A	-2.53	107.69	110.58
4	A	520	D16	O-C-N	2.46	127.43	123.09
3	B	515[A]	NAP	O3X-P2B-O2X	2.45	116.98	107.80
3	A	515[A]	NAP	C5A-N7A-C8A	2.44	107.29	103.45
3	A	515[B]	NAP	C5A-N7A-C8A	2.42	107.26	103.45
3	B	515[B]	NAP	O3X-P2B-O2X	2.40	116.79	107.80
3	B	515[A]	NAP	C5A-C4A-N9A	2.35	108.37	105.81
3	A	515[A]	NAP	C4A-C5A-N7A	-2.34	107.90	110.58
3	A	515[A]	NAP	C3N-C7N-N7N	2.33	120.61	117.74
5	A	525	UMP	N3-C2-N1	2.33	117.93	114.89
3	A	515[B]	NAP	C3N-C7N-N7N	2.33	120.61	117.74
4	B	520	D16	O4-C4-N3	2.30	123.72	120.23
3	A	515[A]	NAP	O3X-P2B-O2X	2.24	116.21	107.80
3	B	515[A]	NAP	C4A-N9A-C8A	2.23	108.08	105.74
3	B	515[B]	NAP	C5A-N7A-C8A	2.21	106.93	103.45
4	A	520	D16	C11-C-N	-2.19	113.06	116.86
3	B	515[A]	NAP	N3A-C4A-N9A	2.18	130.87	127.17
5	A	525	UMP	OP3-P-OP2	2.15	115.88	107.80
3	A	515[B]	NAP	C4A-N9A-C8A	2.15	108.00	105.74
3	A	515[B]	NAP	O2B-P2B-O1X	-2.15	101.68	109.33
3	A	515[B]	NAP	O3X-P2B-O2X	2.14	115.83	107.80
3	A	515[B]	NAP	C5A-C4A-N9A	2.13	108.13	105.81
3	A	515[A]	NAP	C4A-N9A-C8A	2.12	107.96	105.74
3	A	515[B]	NAP	O2A-PA-O1A	2.09	122.16	112.44
3	B	515[A]	NAP	O2B-P2B-O1X	-2.08	101.91	109.33
4	A	520	D16	CT-CA-N	2.06	115.34	110.57
3	A	515[A]	NAP	O2A-PA-O1A	2.04	121.95	112.44
3	A	515[B]	NAP	C2B-C1B-N9A	2.00	117.05	113.75

There are no chirality outliers.

All (47) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	515[A]	NAP	C2B-C1B-N9A-C8A
3	A	515[A]	NAP	C2B-C1B-N9A-C4A
3	B	515[B]	NAP	C2B-C1B-N9A-C8A
3	B	515[B]	NAP	C2B-C1B-N9A-C4A
4	A	520	D16	S13-C14-N10-C9
4	A	520	D16	C15-C14-N10-C9
4	A	530	D16	C15-C14-N10-CP1
4	B	520	D16	S13-C14-N10-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	520	D16	C15-C14-N10-C9
4	B	530	D16	C15-C14-N10-CP1
7	A	540	GOL	O2-C2-C3-O3
4	B	520	D16	CT-CA-CB-CG
7	A	540	GOL	C1-C2-C3-O3
4	A	530	D16	C6-C9-N10-CP1
6	A	532	EDO	O1-C1-C2-O2
6	B	537	EDO	O1-C1-C2-O2
4	A	530	D16	N-CA-CB-CG
6	A	534	EDO	O1-C1-C2-O2
6	B	539	EDO	O1-C1-C2-O2
4	B	530	D16	C6-C9-N10-CP1
4	B	520	D16	N-CA-CB-CG
4	A	530	D16	CT-CA-CB-CG
4	A	520	D16	CA-CB-CG-CD
6	A	533	EDO	O1-C1-C2-O2
6	B	532	EDO	O1-C1-C2-O2
4	B	530	D16	CT-CA-CB-CG
4	A	520	D16	OE2-CD-CG-CB
3	B	515[A]	NAP	C4D-C5D-O5D-PN
4	B	530	D16	OE1-CD-CG-CB
3	A	515[A]	NAP	O4D-C1D-N1N-C2N
3	A	515[B]	NAP	O4D-C1D-N1N-C2N
3	B	515[B]	NAP	O4D-C1D-N1N-C2N
4	A	520	D16	OE1-CD-CG-CB
4	A	530	D16	C5-C6-C9-N10
3	A	515[A]	NAP	C4D-C5D-O5D-PN
3	A	515[B]	NAP	C4D-C5D-O5D-PN
3	B	515[B]	NAP	C4D-C5D-O5D-PN
6	B	533	EDO	O1-C1-C2-O2
6	B	534	EDO	O1-C1-C2-O2
4	B	530	D16	OE2-CD-CG-CB
4	B	520	D16	OE2-CD-CG-CB
3	B	515[A]	NAP	C2B-O2B-P2B-O3X
4	B	520	D16	OE1-CD-CG-CB
4	A	530	D16	OE2-CD-CG-CB
4	A	530	D16	OE1-CD-CG-CB
4	B	530	D16	N-CA-CB-CG
4	A	530	D16	C7-C6-C9-N10


There are no ring outliers.

11 monomers are involved in 21 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	515[B]	NAP	2	0
4	B	520	D16	4	0
5	A	525	UMP	2	0
6	A	532	EDO	1	0
5	B	525	UMP	2	0
3	B	515[A]	NAP	1	0
4	A	520	D16	4	0
3	A	515[A]	NAP	1	0
3	B	515[B]	NAP	1	0
6	B	537	EDO	1	0
6	B	532	EDO	2	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand NAP A 515 (B)




Ligand D16 B 520







Ligand NAP B 515 (A)




Ligand D16 B 530




Ligand D16 A 520



Ligand NAP A 515 (A)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	503/515 (97%)	0.35	32 (6%) 25 24	7, 16, 41, 79	3 (0%)
1	B	501/515 (97%)	0.30	34 (6%) 23 22	7, 16, 39, 82	4 (0%)
All	All	1004/1030 (97%)	0.33	66 (6%) 24 23	7, 16, 40, 82	7 (0%)

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	511	ALA	8.2
1	B	511	ALA	7.4
1	A	211	PRO	5.3
1	B	188	ASP	5.0
1	A	188	ASP	4.5
1	A	33	HIS	4.3
1	B	210	VAL	4.2
1	A	208	ILE	3.8
1	A	210	VAL	3.8
1	A	127	PHE	3.8
1	B	4	SER	3.5
1	B	317	ASP	3.4
1	B	318	LYS	3.3
1	B	322	THR	3.3
1	B	127	PHE	3.3
1	B	70	TYR	3.2
1	A	6	GLU	3.2
1	B	186	ARG	3.1
1	A	70	TYR	3.0
1	B	321	PHE	2.9
1	B	211	PRO	2.9
1	A	186	ARG	2.8
1	A	52	VAL	2.8
1	A	322	THR	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	8	CYS	2.6
1	B	319	ASN	2.6
1	B	196	PRO	2.6
1	A	115	VAL	2.6
1	B	113	ALA	2.6
1	B	476[A]	ARG	2.6
1	A	395	CYS	2.5
1	A	133	LEU	2.5
1	B	8	CYS	2.5
1	A	57	PRO	2.5
1	A	9	GLY	2.4
1	B	5	TYR	2.4
1	A	4	SER	2.4
1	B	208	ILE	2.4
1	A	54	SER	2.4
1	A	11	LEU	2.3
1	A	105	SER	2.3
1	A	314	ASP	2.3
1	B	320	GLY	2.3
1	A	5	TYR	2.3
1	A	116	PRO	2.3
1	A	195	ASP	2.3
1	B	10	ASP	2.3
1	A	113	ALA	2.2
1	B	50	PRO	2.2
1	A	196	PRO	2.2
1	B	175	ASP	2.2
1	B	33	HIS	2.2
1	A	484	ARG	2.2
1	B	485	ASN	2.2
1	B	6	GLU	2.1
1	B	132	VAL	2.1
1	B	395	CYS	2.1
1	A	187	LYS	2.1
1	A	53	LEU	2.1
1	B	187	LYS	2.1
1	B	212	LYS	2.0
1	B	9	GLY	2.0
1	B	52	VAL	2.0
1	B	53	LEU	2.0
1	B	389	ALA	2.0
1	A	132	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	EDO	B	537	4/4	0.60	0.24	48,50,50,51	0
7	GOL	A	540	6/6	0.65	0.17	40,43,44,45	0
6	EDO	A	532	4/4	0.68	0.17	37,38,39,42	0
6	EDO	A	534	4/4	0.75	0.17	45,46,46,46	0
6	EDO	A	537	4/4	0.77	0.18	34,35,37,39	0
6	EDO	A	535	4/4	0.79	0.14	34,38,38,42	0
8	PO4	B	513	5/5	0.79	0.14	47,51,52,53	0
6	EDO	A	531	4/4	0.80	0.14	25,25,27,31	0
6	EDO	B	532	4/4	0.81	0.16	28,29,30,30	0
6	EDO	A	514	4/4	0.83	0.14	31,32,33,35	0
6	EDO	A	536	4/4	0.85	0.16	35,39,40,44	0
4	D16	A	520	32/32	0.85	0.13	16,25,48,50	0
6	EDO	B	534	4/4	0.85	0.13	40,41,42,42	0
6	EDO	B	539	4/4	0.86	0.12	28,32,34,35	0
6	EDO	A	533	4/4	0.88	0.11	35,36,38,40	0
2	CL	B	514	1/1	0.88	0.08	54,54,54,54	0
4	D16	B	520	32/32	0.91	0.12	14,23,40,41	0
6	EDO	B	533	4/4	0.91	0.10	35,35,36,38	0
3	NAP	A	515[B]	48/48	0.92	0.10	13,20,30,32	48
3	NAP	B	515[A]	48/48	0.92	0.09	11,18,26,27	48
3	NAP	B	515[B]	48/48	0.92	0.09	11,18,28,29	48
3	NAP	A	515[A]	48/48	0.92	0.10	13,19,30,30	48
4	D16	B	530	32/32	0.94	0.09	10,14,32,35	0
4	D16	A	530	32/32	0.94	0.08	10,14,30,31	0
2	CL	A	513	1/1	0.97	0.14	28,28,28,28	0
5	UMP	A	525	20/20	0.97	0.05	9,10,14,15	0
5	UMP	B	525	20/20	0.97	0.05	7,11,15,17	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around D16 A 520:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around D16 B 520:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP A 515 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP B 515 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP B 515 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP A 515 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around D16 B 530:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around D16 A 530:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around UMP A 525:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.