



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 11:00 PM UTC

PDB ID : 4NRK / pdb_00004nrk
Title : Structure of hemagglutinin with F95Y mutation of influenza virus B/Lee/40 complex with LSTc
Authors : Ni, F.; Mbawuike, I.N.; Kondrashkina, E.; Wang, Q.
Deposited on : 2013-11-26
Resolution : 2.63 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.63 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2053 (2.66-2.62)
Clashscore	190562	2097 (2.66-2.62)
Ramachandran outliers	187476	2066 (2.66-2.62)
Sidechain outliers	187428	2066 (2.66-2.62)
RSRZ outliers	180081	2052 (2.66-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	346	
1	C	346	
1	E	346	
2	B	182	
2	D	182	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	182	 % 86% 7% 8%
3	G	2	 50% 50%
3	H	2	 50% 50%
3	I	2	 50% 50%
3	J	2	 50% 50%
3	L	2	 100%
3	N	2	 100%
3	O	2	 50% 50%
3	Q	2	 100%
3	R	2	 50% 50%
3	S	2	 50% 50%
3	T	2	 100%
3	U	2	 100%
4	K	3	 33% 33% 33%
4	P	3	 67% 33%
4	V	3	 33% 67%
5	M	3	 33% 67%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 12547 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin HA1 chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	340	Total	C	N	O	S	0	0	0
			2591	1625	459	491	16			
1	C	341	Total	C	N	O	S	0	0	0
			2596	1628	460	492	16			
1	E	340	Total	C	N	O	S	0	0	0
			2591	1625	459	491	16			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	38	ARG	LYS	conflict	UNP P03460
A	76	ILE	THR	conflict	UNP P03460
A	90	VAL	ALA	conflict	UNP P03460
A	95	TYR	PHE	engineered mutation	UNP P03460
A	147	THR	ALA	conflict	UNP P03460
A	167	ILE	THR	conflict	UNP P03460
C	38	ARG	LYS	conflict	UNP P03460
C	76	ILE	THR	conflict	UNP P03460
C	90	VAL	ALA	conflict	UNP P03460
C	95	TYR	PHE	engineered mutation	UNP P03460
C	147	THR	ALA	conflict	UNP P03460
C	167	ILE	THR	conflict	UNP P03460
E	38	ARG	LYS	conflict	UNP P03460
E	76	ILE	THR	conflict	UNP P03460
E	90	VAL	ALA	conflict	UNP P03460
E	95	TYR	PHE	engineered mutation	UNP P03460
E	147	THR	ALA	conflict	UNP P03460
E	167	ILE	THR	conflict	UNP P03460


- Molecule 2 is a protein called Hemagglutinin HA2 chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	168	Total	C	N	O	S	0	0	0
			1275	797	218	254	6			
2	D	168	Total	C	N	O	S	0	0	0
			1275	797	218	254	6			
2	F	168	Total	C	N	O	S	0	0	0
			1275	797	218	254	6			

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	54	SER	TYR	conflict	UNP P03460
B	177	GLY	-	expression tag	UNP P03460
B	178	ALA	-	expression tag	UNP P03460
B	179	LEU	-	expression tag	UNP P03460
B	180	VAL	-	expression tag	UNP P03460
B	181	PRO	-	expression tag	UNP P03460
B	182	ARG	-	expression tag	UNP P03460
D	54	SER	TYR	conflict	UNP P03460
D	177	GLY	-	expression tag	UNP P03460
D	178	ALA	-	expression tag	UNP P03460
D	179	LEU	-	expression tag	UNP P03460
D	180	VAL	-	expression tag	UNP P03460
D	181	PRO	-	expression tag	UNP P03460
D	182	ARG	-	expression tag	UNP P03460
F	54	SER	TYR	conflict	UNP P03460
F	177	GLY	-	expression tag	UNP P03460
F	178	ALA	-	expression tag	UNP P03460
F	179	LEU	-	expression tag	UNP P03460
F	180	VAL	-	expression tag	UNP P03460
F	181	PRO	-	expression tag	UNP P03460
F	182	ARG	-	expression tag	UNP P03460

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	G	2	Total	C	N	O	0	0	0
			28	16	2	10			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	H	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	J	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	L	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	N	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	O	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	Q	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	R	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	S	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	T	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	U	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	K	3	Total	C	N	O	0	0	0
			45	25	2	18			
4	P	3	Total	C	N	O	0	0	0
			45	25	2	18			
4	V	3	Total	C	N	O	0	0	0
			45	25	2	18			

- Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	M	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	C	1	Total	C	N	O	0	0
			14	8	1	5		
6	D	1	Total	C	N	O	0	0
			14	8	1	5		
6	E	1	Total	C	N	O	0	0
			14	8	1	5		
6	F	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	88	Total 88	O 88	0	0
7	B	21	Total 21	O 21	0	0
7	C	72	Total 72	O 72	0	0
7	D	34	Total 34	O 34	0	0
7	E	104	Total 104	O 104	0	0
7	F	31	Total 31	O 31	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hemagglutinin HA1 chain




- Molecule 1: Hemagglutinin HA1 chain



- Molecule 1: Hemagglutinin HA1 chain




- Molecule 2: Hemagglutinin HA2 chain



PRO
ARG

- Molecule 2: Hemagglutinin HA2 chain

Chain D:  83% 9% 8%



- Molecule 2: Hemagglutinin HA2 chain

Chain F:  86% 7% 8%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  50% 50%

HAG1
HAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  50% 50%

HAG1
HAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  50% 50%


HAG1
HAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50% 50%

HAG1
HAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  50%  50%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  50%  50%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  50%  50%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  100%

MAG1
MAG2

- Molecule 4: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  33% 33% 33%

MAG1
GAL2
SIA3

- Molecule 4: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  67% 33%

MAG1
GAL2
SIA3

- Molecule 4: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  33% 67%

MAG1
GAL2
SIA3

- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  33% 67%

MAG1
MAG2
BMA3

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 2 21	Depositor
Cell constants a, b, c, α , β , γ	83.61Å 128.30Å 211.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.87 – 2.63 45.87 – 2.63	Depositor EDS
% Data completeness (in resolution range)	99.9 (45.87-2.63) 100.0 (45.87-2.63)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.30 (at 2.61Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_1452)	Depositor
R, R_{free}	0.207 , 0.245 0.209 , 0.246	Depositor DCC
R_{free} test set	3439 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	40.8	Xtriage
Anisotropy	0.743	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 36.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12547	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SIA, NAG, BMA, GAL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.28	0/2650	0.72	0/3603
1	C	0.29	0/2655	0.74	2/3610 (0.1%)
1	E	0.28	0/2650	0.72	2/3603 (0.1%)
2	B	0.26	0/1294	0.68	0/1744
2	D	0.27	0/1294	0.68	0/1744
2	F	0.26	0/1294	0.69	2/1744 (0.1%)
All	All	0.28	0/11837	0.72	6/16048 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	130	ALA	CA-C-N	7.22	127.27	119.90
1	C	130	ALA	C-N-CA	7.22	127.27	119.90
1	E	88	LYS	CA-C-N	5.49	125.49	119.89
1	E	88	LYS	C-N-CA	5.49	125.49	119.89
2	F	127	GLY	CA-C-N	5.17	125.25	119.87
2	F	127	GLY	C-N-CA	5.17	125.25	119.87

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2591	0	2584	24	0
1	C	2596	0	2586	27	0
1	E	2591	0	2583	24	0
2	B	1275	0	1246	10	0
2	D	1275	0	1246	13	0
2	F	1275	0	1246	7	0
3	G	28	0	25	1	0
3	H	28	0	25	0	0
3	I	28	0	25	0	0
3	J	28	0	25	0	0
3	L	28	0	25	0	0
3	N	28	0	25	0	0
3	O	28	0	25	1	0
3	Q	28	0	25	0	0
3	R	28	0	25	0	0
3	S	28	0	25	2	0
3	T	28	0	25	0	0
3	U	28	0	25	0	0
4	K	45	0	38	1	0
4	P	45	0	38	1	0
4	V	45	0	38	1	0
5	M	39	0	34	1	0
6	A	14	0	13	0	0
6	B	14	0	13	0	0
6	C	14	0	13	0	0
6	D	14	0	13	0	0
6	E	14	0	13	0	0
6	F	14	0	13	0	0
7	A	88	0	0	8	0
7	B	21	0	0	2	0
7	C	72	0	0	9	0
7	D	34	0	0	4	0
7	E	104	0	0	9	0
7	F	31	0	0	2	0
All	All	12547	0	12017	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:224:VAL:O	7:E:587:HOH:O	1.83	0.97
1:A:175:GLU:OE1	7:A:524:HOH:O	1.92	0.87
1:E:86:GLU:OE2	7:E:528:HOH:O	1.93	0.86
2:D:79:GLU:OE1	7:D:322:HOH:O	1.97	0.81
7:A:563:HOH:O	3:G:1:NAG:O7	2.00	0.80
1:C:148:ASN:O	7:C:559:HOH:O	2.01	0.79
1:C:54:CYS:SG	7:C:555:HOH:O	2.43	0.77
1:E:335:LYS:O	7:E:555:HOH:O	2.03	0.76
1:C:256:LYS:NZ	7:C:564:HOH:O	2.20	0.75
1:C:293:ASP:O	7:C:570:HOH:O	2.03	0.74
2:D:129:SER:OG	7:D:330:HOH:O	2.06	0.74
1:C:106:GLN:HB3	2:D:70:MET:HE2	1.71	0.72
7:E:594:HOH:O	4:V:1:NAG:O7	2.09	0.70
1:A:271:LYS:NZ	7:A:576:HOH:O	2.24	0.70
2:D:159:ALA:HB3	2:D:166:THR:HG22	1.73	0.69
2:B:65:ARG:O	7:B:303:HOH:O	2.12	0.68
3:S:1:NAG:H3	3:S:1:NAG:H83	1.75	0.68
2:D:132:GLU:OE2	7:D:333:HOH:O	2.14	0.66
2:B:79:GLU:OE2	7:B:315:HOH:O	2.12	0.65
1:C:324:VAL:O	7:C:558:HOH:O	2.13	0.64
1:C:331:ALA:H	2:D:104:ASN:HD21	1.42	0.64
1:A:150:ASN:ND2	7:A:584:HOH:O	2.29	0.64
2:B:159:ALA:HB3	2:B:166:THR:HG22	1.82	0.62
2:D:65:ARG:NH1	7:D:326:HOH:O	2.14	0.61
1:C:331:ALA:H	2:D:104:ASN:ND2	1.98	0.61
2:F:25:THR:HG22	2:F:34:VAL:HG22	1.82	0.60
1:E:33:THR:HG22	1:E:308:TYR:HB2	1.84	0.59
2:D:14:TRP:CE2	2:D:25:THR:HG21	2.37	0.59
2:F:51:ASN:ND2	7:F:322:HOH:O	2.36	0.59
4:P:1:NAG:H83	4:P:1:NAG:H3	1.84	0.59
1:C:17:LYS:HG2	1:C:23:GLU:HG2	1.88	0.56
2:F:159:ALA:HB3	2:F:166:THR:HG22	1.88	0.56
2:F:65:ARG:O	7:F:305:HOH:O	2.18	0.55
7:E:558:HOH:O	3:S:1:NAG:O7	2.18	0.55
1:E:30:ILE:HG13	1:E:332:ASN:HB2	1.89	0.54
2:D:25:THR:HG22	2:D:34:VAL:HG22	1.88	0.54
1:A:332:ASN:HA	2:B:48:ILE:HD13	1.90	0.54
1:E:49:THR:HG23	1:E:81:VAL:HG12	1.89	0.54
1:A:30:ILE:HG13	1:A:332:ASN:HB2	1.91	0.53
3:O:2:NAG:H83	3:O:2:NAG:H3	1.91	0.53
4:K:1:NAG:H83	4:K:1:NAG:H3	1.91	0.53
1:C:134:PRO:HB2	1:C:162:LYS:HG3	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:232:ASN:HD22	1:E:232:ASN:N	2.06	0.52
1:A:197:LYS:NZ	1:A:201:GLU:OE2	2.38	0.52
1:C:192:PHE:O	7:C:512:HOH:O	2.18	0.51
1:C:332:ASN:HA	2:D:48:ILE:HD13	1.91	0.51
1:E:17:LYS:HG2	1:E:23:GLU:HG2	1.92	0.51
1:A:85:HIS:N	7:A:539:HOH:O	2.45	0.49
1:E:201:GLU:HG3	1:E:207:SER:HB3	1.95	0.49
1:E:332:ASN:HA	2:F:48:ILE:HD13	1.94	0.49
2:D:26:SER:HB3	2:D:33:ALA:HB3	1.95	0.49
1:A:49:THR:HG23	1:A:81:VAL:HG12	1.95	0.48
1:A:271:LYS:O	7:A:503:HOH:O	2.18	0.48
1:E:86:GLU:OE1	7:E:518:HOH:O	2.20	0.48
1:C:124:VAL:HG13	1:C:125:ILE:HG12	1.97	0.47
1:C:49:THR:HG23	1:C:81:VAL:HG12	1.95	0.47
1:A:17:LYS:HG2	1:A:23:GLU:HG2	1.95	0.47
1:A:124:VAL:HG13	1:A:125:ILE:HG12	1.96	0.47
1:E:75:ASN:O	1:E:77:PRO:HD3	2.15	0.47
1:C:211:LYS:HG2	1:C:224:VAL:HG22	1.97	0.46
1:E:287:PRO:HG2	1:E:289:ILE:HD11	1.97	0.46
1:C:64:ASP:OD2	1:C:92:SER:OG	2.23	0.46
1:A:87:VAL:HG12	1:A:88:LYS:HG3	1.97	0.46
1:E:217:ASN:ND2	1:E:251:VAL:O	2.49	0.46
1:A:124:VAL:HG22	1:A:177:PRO:HD2	1.98	0.45
1:A:44:LEU:HD11	1:A:318:GLY:HA3	1.99	0.45
1:A:14:HIS:HB2	1:A:26:VAL:HG23	1.99	0.45
1:C:126:ASN:N	7:C:517:HOH:O	2.49	0.45
1:E:38:ARG:HG3	7:E:604:HOH:O	2.17	0.45
1:C:296:HIS:CE1	1:C:298:LYS:HB2	2.52	0.45
1:E:97:ILE:HG12	1:E:245:ILE:HD11	1.99	0.44
1:A:188:THR:OG1	1:A:252:GLN:NE2	2.51	0.44
1:A:325:LYS:HE3	1:A:325:LYS:HB2	1.71	0.44
1:C:150:ASN:N	5:M:1:NAG:O6	2.50	0.44
1:C:325:LYS:HE3	1:C:325:LYS:HB2	1.74	0.44
1:E:38:ARG:N	7:E:604:HOH:O	2.24	0.44
2:D:133:ILE:HD12	2:D:137:CYS:HB2	2.00	0.43
1:C:75:ASN:O	1:C:77:PRO:HD3	2.18	0.43
1:E:312:GLU:OE1	7:E:593:HOH:O	2.21	0.43
1:C:44:LEU:HD11	1:C:318:GLY:HA3	2.00	0.43
1:C:70:PRO:O	1:C:71:LYS:HB2	2.18	0.43
1:C:33:THR:HG22	1:C:308:TYR:HB2	2.00	0.43
1:E:124:VAL:HG22	1:E:177:PRO:HD2	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:ASN:HD22	2:F:72:GLU:HB3	1.83	0.42
2:B:30:HIS:NE2	2:B:144:CYS:O	2.52	0.42
1:A:114:TYR:CG	1:A:275:ALA:HB1	2.54	0.42
1:A:157:ALA:HA	7:A:513:HOH:O	2.19	0.42
2:B:25:THR:HG22	2:B:34:VAL:HG22	2.01	0.42
1:E:40:HIS:ND1	1:E:289:ILE:HB	2.34	0.42
1:E:130:ALA:HA	1:E:131:PRO:HD3	1.96	0.42
1:C:99:HIS:ND1	7:C:532:HOH:O	2.06	0.42
1:E:44:LEU:HD11	1:E:318:GLY:HA3	2.02	0.42
2:B:30:HIS:CD2	2:B:145:ASN:HA	2.55	0.41
2:B:75:ASP:OD2	1:C:253:LYS:HE3	2.20	0.41
1:C:155:THR:O	7:C:551:HOH:O	2.22	0.41
1:A:253:LYS:HE3	2:F:75:ASP:OD2	2.21	0.41
1:A:328:LEU:HD21	2:B:97:GLU:HG2	2.03	0.41
1:A:70:PRO:O	1:A:71:LYS:HB2	2.20	0.41
2:B:14:TRP:CE2	2:B:25:THR:HG21	2.56	0.41
1:A:86:GLU:N	7:A:539:HOH:O	2.22	0.40
1:E:70:PRO:O	1:E:71:LYS:HB2	2.21	0.40
1:E:82:SER:HB2	1:E:281:VAL:HG22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	338/346 (98%)	325 (96%)	13 (4%)	0	100	100
1	C	339/346 (98%)	327 (96%)	12 (4%)	0	100	100
1	E	338/346 (98%)	325 (96%)	13 (4%)	0	100	100
2	B	166/182 (91%)	164 (99%)	2 (1%)	0	100	100
2	D	166/182 (91%)	164 (99%)	2 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	F	166/182 (91%)	164 (99%)	2 (1%)	0	100	100
All	All	1513/1584 (96%)	1469 (97%)	44 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	292/298 (98%)	292 (100%)	0	100	100
1	C	292/298 (98%)	292 (100%)	0	100	100
1	E	292/298 (98%)	292 (100%)	0	100	100
2	B	135/145 (93%)	133 (98%)	2 (2%)	57	74
2	D	135/145 (93%)	134 (99%)	1 (1%)	76	86
2	F	135/145 (93%)	133 (98%)	2 (2%)	57	74
All	All	1281/1329 (96%)	1276 (100%)	5 (0%)	84	91

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	22	HIS
2	B	32	VAL
2	D	22	HIS
2	F	22	HIS
2	F	76	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	GLN
1	A	150	ASN
1	A	154	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	217	ASN
1	A	252	GLN
1	A	319	ASN
2	B	95	GLN
1	C	14	HIS
1	C	43	ASN
1	C	75	ASN
1	C	150	ASN
1	C	154	ASN
1	C	170	ASN
1	C	319	ASN
2	D	62	ASN
2	D	104	ASN
1	E	14	HIS
1	E	85	HIS
1	E	116	ASN
1	E	154	ASN
1	E	170	ASN
1	E	313	HIS
1	E	319	ASN
2	F	30	HIS
2	F	109	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

36 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	G	1	3,1	14,14,15	0.35	0	17,19,21	0.39	0
3	NAG	G	2	3	14,14,15	0.18	0	17,19,21	0.36	0
3	NAG	H	1	3,1	14,14,15	1.07	1 (7%)	17,19,21	2.15	3 (17%)
3	NAG	H	2	3	14,14,15	0.28	0	17,19,21	0.43	0
3	NAG	I	1	3,1	14,14,15	0.97	1 (7%)	17,19,21	1.37	1 (5%)
3	NAG	I	2	3	14,14,15	0.36	0	17,19,21	0.47	0
3	NAG	J	1	3,1	14,14,15	0.67	1 (7%)	17,19,21	0.92	1 (5%)
3	NAG	J	2	3	14,14,15	0.27	0	17,19,21	0.38	0
4	NAG	K	1	4	14,14,15	0.50	0	17,19,21	1.37	2 (11%)
4	GAL	K	2	4	11,11,12	0.70	0	15,15,17	0.77	0
4	SIA	K	3	4	20,20,21	1.22	2 (10%)	21,28,31	1.94	6 (28%)
3	NAG	L	1	3,1	14,14,15	1.41	1 (7%)	17,19,21	1.89	1 (5%)
3	NAG	L	2	3	14,14,15	0.53	0	17,19,21	0.99	1 (5%)
5	NAG	M	1	5,1	14,14,15	0.36	0	17,19,21	0.64	0
5	NAG	M	2	5	14,14,15	0.40	0	17,19,21	0.65	0
5	BMA	M	3	5	11,11,12	0.98	1 (9%)	15,15,17	1.04	1 (6%)
3	NAG	N	1	3,1	14,14,15	0.38	0	17,19,21	0.57	0
3	NAG	N	2	3	14,14,15	0.21	0	17,19,21	0.39	0
3	NAG	O	1	3,1	14,14,15	0.61	1 (7%)	17,19,21	0.56	0
3	NAG	O	2	3	14,14,15	0.36	0	17,19,21	1.34	2 (11%)
4	NAG	P	1	4	14,14,15	0.42	0	17,19,21	1.35	2 (11%)
4	GAL	P	2	4	11,11,12	0.47	0	15,15,17	0.95	1 (6%)
4	SIA	P	3	4	20,20,21	1.22	3 (15%)	21,28,31	1.98	5 (23%)
3	NAG	Q	1	3,1	14,14,15	0.28	0	17,19,21	0.43	0
3	NAG	Q	2	3	14,14,15	0.23	0	17,19,21	0.40	0
3	NAG	R	1	3,1	14,14,15	1.30	1 (7%)	17,19,21	1.83	1 (5%)
3	NAG	R	2	3	14,14,15	0.31	0	17,19,21	0.49	0
3	NAG	S	1	3,1	14,14,15	1.38	1 (7%)	17,19,21	1.54	2 (11%)
3	NAG	S	2	3	14,14,15	0.43	0	17,19,21	0.57	0
3	NAG	T	1	3,1	14,14,15	0.36	0	17,19,21	0.47	0
3	NAG	T	2	3	14,14,15	0.26	0	17,19,21	0.40	0
3	NAG	U	1	3,1	14,14,15	0.56	0	17,19,21	0.48	0
3	NAG	U	2	3	14,14,15	0.37	0	17,19,21	0.47	0
4	NAG	V	1	4	14,14,15	0.27	0	17,19,21	0.51	0
4	GAL	V	2	4	11,11,12	0.70	0	15,15,17	0.70	0
4	SIA	V	3	4	20,20,21	1.24	3 (15%)	21,28,31	1.96	6 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	G	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
3	NAG	H	1	3,1	-	6/6/23/26	0/1/1/1
3	NAG	H	2	3	-	1/6/23/26	0/1/1/1
3	NAG	I	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1
3	NAG	J	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	J	2	3	-	2/6/23/26	0/1/1/1
4	NAG	K	1	4	-	5/6/23/26	0/1/1/1
4	GAL	K	2	4	-	2/2/19/22	0/1/1/1
4	SIA	K	3	4	-	2/18/34/38	0/1/1/1
3	NAG	L	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	L	2	3	-	2/6/23/26	0/1/1/1
5	NAG	M	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	M	2	5	-	4/6/23/26	0/1/1/1
5	BMA	M	3	5	-	1/2/19/22	0/1/1/1
3	NAG	N	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	N	2	3	-	3/6/23/26	0/1/1/1
3	NAG	O	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	O	2	3	-	6/6/23/26	0/1/1/1
4	NAG	P	1	4	-	4/6/23/26	0/1/1/1
4	GAL	P	2	4	-	0/2/19/22	0/1/1/1
4	SIA	P	3	4	-	2/18/34/38	0/1/1/1
3	NAG	Q	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	Q	2	3	-	2/6/23/26	0/1/1/1
3	NAG	R	1	3,1	-	4/6/23/26	0/1/1/1
3	NAG	R	2	3	-	1/6/23/26	0/1/1/1
3	NAG	S	1	3,1	-	6/6/23/26	0/1/1/1
3	NAG	S	2	3	-	2/6/23/26	0/1/1/1
3	NAG	T	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	T	2	3	-	3/6/23/26	0/1/1/1
3	NAG	U	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	U	2	3	-	2/6/23/26	0/1/1/1
4	NAG	V	1	4	-	2/6/23/26	0/1/1/1
4	GAL	V	2	4	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SIA	V	3	4	-	2/18/34/38	0/1/1/1

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	L	1	NAG	O5-C1	5.14	1.52	1.43
3	R	1	NAG	O5-C1	4.78	1.51	1.43
3	S	1	NAG	O5-C1	-4.63	1.35	1.43
3	H	1	NAG	O5-C1	3.79	1.50	1.43
3	I	1	NAG	O5-C1	3.54	1.49	1.43
4	K	3	SIA	C10-N5	2.50	1.42	1.34
4	P	3	SIA	C10-N5	2.48	1.42	1.34
4	V	3	SIA	C10-N5	2.48	1.42	1.34
5	M	3	BMA	C1-C2	2.40	1.57	1.52
4	V	3	SIA	C5-N5	-2.29	1.42	1.45
4	K	3	SIA	C5-N5	-2.27	1.42	1.45
4	V	3	SIA	C4-C5	-2.26	1.51	1.53
4	P	3	SIA	C5-N5	-2.23	1.42	1.45
3	J	1	NAG	O5-C1	2.18	1.47	1.43
3	O	1	NAG	O5-C1	-2.12	1.40	1.43
4	P	3	SIA	C4-C5	-2.11	1.51	1.53

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	L	1	NAG	C1-O5-C5	7.44	122.16	112.19
3	R	1	NAG	C1-O5-C5	7.27	121.93	112.19
3	H	1	NAG	C1-O5-C5	6.45	120.83	112.19
3	I	1	NAG	C1-O5-C5	5.41	119.43	112.19
4	P	3	SIA	O6-C2-C3	-4.97	103.87	110.56
3	H	1	NAG	C2-N2-C7	4.87	129.43	122.90
4	V	3	SIA	O6-C2-C1	4.77	116.72	107.72
3	O	2	NAG	C2-N2-C7	4.68	129.18	122.90
4	P	1	NAG	C2-N2-C7	4.59	129.05	122.90
4	K	1	NAG	C2-N2-C7	4.57	129.02	122.90
4	P	3	SIA	O6-C2-C1	4.53	116.27	107.72
4	K	3	SIA	O6-C2-C3	-4.49	104.52	110.56
4	K	3	SIA	O6-C2-C1	4.41	116.04	107.72
3	S	1	NAG	C2-N2-C7	4.22	128.56	122.90
4	V	3	SIA	O6-C2-C3	-4.17	104.95	110.56
3	L	2	NAG	C1-O5-C5	3.73	117.19	112.19
4	V	3	SIA	O1B-C1-C2	3.58	122.01	112.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	P	3	SIA	O1B-C1-C2	3.45	121.68	112.71
4	K	3	SIA	O1B-C1-C2	3.43	121.64	112.71
3	J	1	NAG	C1-O5-C5	3.35	116.68	112.19
5	M	3	BMA	O2-C2-C3	-3.13	103.67	110.15
4	K	3	SIA	C11-C10-N5	2.62	120.46	116.12
3	S	1	NAG	C4-C3-C2	2.61	114.84	111.02
4	P	3	SIA	C11-C10-N5	2.48	120.24	116.12
4	V	3	SIA	C11-C10-N5	2.47	120.22	116.12
4	K	3	SIA	C8-C7-C6	-2.38	108.58	113.05
3	H	1	NAG	C1-C2-N2	2.33	114.11	110.43
4	P	3	SIA	O1B-C1-O1A	-2.23	119.02	124.08
4	V	3	SIA	O1B-C1-O1A	-2.21	119.08	124.08
3	O	2	NAG	C1-C2-N2	2.16	113.84	110.43
4	K	1	NAG	C1-C2-N2	2.15	113.81	110.43
4	P	1	NAG	C1-C2-N2	2.14	113.80	110.43
4	K	3	SIA	O1B-C1-O1A	-2.09	119.34	124.08
4	P	2	GAL	C1-O5-C5	2.08	114.98	112.19
4	V	3	SIA	C8-C7-C6	-2.08	109.14	113.05

There are no chirality outliers.

All (77) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	U	2	NAG	O5-C5-C6-O6
3	N	1	NAG	O5-C5-C6-O6
3	S	2	NAG	O5-C5-C6-O6
3	U	2	NAG	C4-C5-C6-O6
3	O	1	NAG	O5-C5-C6-O6
3	J	1	NAG	O5-C5-C6-O6
3	J	2	NAG	O5-C5-C6-O6
3	L	1	NAG	O5-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6
3	H	1	NAG	O5-C5-C6-O6
4	V	1	NAG	O5-C5-C6-O6
3	I	1	NAG	O5-C5-C6-O6
3	L	2	NAG	O5-C5-C6-O6
3	R	1	NAG	C4-C5-C6-O6
3	L	2	NAG	C4-C5-C6-O6
3	H	1	NAG	C4-C5-C6-O6
3	I	1	NAG	C4-C5-C6-O6
3	O	1	NAG	C4-C5-C6-O6
3	S	2	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	J	1	NAG	C4-C5-C6-O6
3	J	2	NAG	C4-C5-C6-O6
3	N	1	NAG	C4-C5-C6-O6
3	G	2	NAG	C4-C5-C6-O6
3	L	1	NAG	C4-C5-C6-O6
3	T	2	NAG	O5-C5-C6-O6
3	H	1	NAG	C8-C7-N2-C2
3	H	1	NAG	O7-C7-N2-C2
3	O	2	NAG	C8-C7-N2-C2
3	O	2	NAG	O7-C7-N2-C2
3	R	1	NAG	C8-C7-N2-C2
3	R	1	NAG	O7-C7-N2-C2
3	S	1	NAG	C8-C7-N2-C2
3	S	1	NAG	O7-C7-N2-C2
4	K	1	NAG	C8-C7-N2-C2
4	K	1	NAG	O7-C7-N2-C2
4	K	3	SIA	C11-C10-N5-C5
4	K	3	SIA	O10-C10-N5-C5
4	P	1	NAG	C8-C7-N2-C2
4	P	1	NAG	O7-C7-N2-C2
4	P	3	SIA	C11-C10-N5-C5
4	P	3	SIA	O10-C10-N5-C5
4	V	3	SIA	C11-C10-N5-C5
4	V	3	SIA	O10-C10-N5-C5
3	O	2	NAG	O5-C5-C6-O6
4	K	2	GAL	C4-C5-C6-O6
3	S	1	NAG	O5-C5-C6-O6
3	R	1	NAG	O5-C5-C6-O6
3	H	2	NAG	O5-C5-C6-O6
5	M	3	BMA	O5-C5-C6-O6
3	T	2	NAG	C4-C5-C6-O6
4	V	1	NAG	C4-C5-C6-O6
3	O	2	NAG	C4-C5-C6-O6
3	R	2	NAG	O5-C5-C6-O6
4	K	2	GAL	O5-C5-C6-O6
3	Q	2	NAG	C4-C5-C6-O6
3	Q	2	NAG	O5-C5-C6-O6
3	S	1	NAG	C4-C5-C6-O6
3	H	1	NAG	C1-C2-N2-C7
3	O	2	NAG	C1-C2-N2-C7
4	K	1	NAG	C1-C2-N2-C7
5	M	2	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	H	1	NAG	C3-C2-N2-C7
3	O	2	NAG	C3-C2-N2-C7
3	S	1	NAG	C3-C2-N2-C7
4	K	1	NAG	C3-C2-N2-C7
5	M	2	NAG	C3-C2-N2-C7
4	K	1	NAG	O5-C5-C6-O6
3	N	2	NAG	C4-C5-C6-O6
3	N	2	NAG	C1-C2-N2-C7
3	S	1	NAG	C1-C2-N2-C7
3	T	2	NAG	C1-C2-N2-C7
4	P	1	NAG	C1-C2-N2-C7
5	M	2	NAG	C1-C2-N2-C7
4	P	1	NAG	C3-C2-N2-C7
3	U	1	NAG	O5-C5-C6-O6
5	M	2	NAG	O5-C5-C6-O6
3	N	2	NAG	O5-C5-C6-O6


There are no ring outliers.


7 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	P	1	NAG	1	0
3	O	2	NAG	1	0
3	G	1	NAG	1	0
3	S	1	NAG	2	0
4	K	1	NAG	1	0
5	M	1	NAG	1	0
4	V	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.








































5.6 Ligand geometry

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	C	406	1	14,14,15	1.19	1 (7%)	17,19,21	0.92	2 (11%)
6	NAG	A	405	1	14,14,15	0.44	0	17,19,21	0.64	0
6	NAG	D	201	2	14,14,15	2.26	2 (14%)	17,19,21	2.74	1 (5%)
6	NAG	B	201	2	14,14,15	0.73	1 (7%)	17,19,21	0.77	0
6	NAG	F	201	2	14,14,15	0.34	0	17,19,21	0.88	1 (5%)
6	NAG	E	403	1	14,14,15	0.61	0	17,19,21	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	C	406	1	-	0/6/23/26	0/1/1/1
6	NAG	A	405	1	-	1/6/23/26	0/1/1/1
6	NAG	D	201	2	-	0/6/23/26	0/1/1/1
6	NAG	B	201	2	-	1/6/23/26	0/1/1/1
6	NAG	F	201	2	-	3/6/23/26	0/1/1/1
6	NAG	E	403	1	-	3/6/23/26	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	201	NAG	O5-C1	7.26	1.55	1.43
6	D	201	NAG	C1-C2	4.26	1.58	1.52
6	C	406	NAG	O5-C1	-3.97	1.37	1.43
6	B	201	NAG	O5-C1	2.63	1.48	1.43

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
6	D	201	NAG	C1-O5-C5	11.00	126.92	112.19
6	C	406	NAG	C1-O5-C5	-2.31	109.09	112.19
6	F	201	NAG	C1-O5-C5	2.23	115.18	112.19
6	C	406	NAG	C3-C4-C5	2.12	114.08	110.23

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	F	201	NAG	O5-C5-C6-O6
6	B	201	NAG	O5-C5-C6-O6
6	E	403	NAG	O5-C5-C6-O6
6	F	201	NAG	C1-C2-N2-C7
6	E	403	NAG	C3-C2-N2-C7
6	F	201	NAG	C3-C2-N2-C7
6	E	403	NAG	C1-C2-N2-C7
6	A	405	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	340/346 (98%)	-0.17	0 100 100	22, 35, 57, 81	0
1	C	341/346 (98%)	0.35	15 (4%) 39 32	28, 44, 61, 75	0
1	E	340/346 (98%)	-0.20	2 (0%) 85 83	23, 36, 56, 75	0
2	B	168/182 (92%)	0.56	16 (9%) 14 11	24, 53, 82, 95	0
2	D	168/182 (92%)	-0.10	0 100 100	23, 45, 60, 73	0
2	F	168/182 (92%)	0.14	2 (1%) 76 73	20, 49, 69, 89	0
All	All	1525/1584 (96%)	0.06	35 (2%) 61 57	20, 41, 66, 95	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	14	TRP	3.6
1	C	141	GLY	3.4
2	F	168	ASP	3.4
2	B	35	ALA	3.3
1	C	341	LYS	3.2
1	C	133	GLY	3.1
2	B	168	ASP	2.9
2	B	32	VAL	2.9
1	C	148	ASN	2.8
2	B	144	CYS	2.6
2	B	148	CYS	2.6
1	C	73	MET	2.6
2	B	17	MET	2.5
1	C	40	HIS	2.5
1	C	151	GLY	2.5
1	C	144	PRO	2.5
1	C	146	VAL	2.4
1	C	58	PHE	2.4
2	B	141	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	159	ALA	2.3
1	C	145	ASN	2.3
2	B	21	TRP	2.3
2	F	22	HIS	2.3
2	B	8	GLY	2.2
1	C	340	ALA	2.1
1	C	147	THR	2.1
2	B	166	THR	2.1
1	E	340	ALA	2.1
1	C	229	GLY	2.1
2	B	156	THR	2.1
1	E	6	GLY	2.1
2	B	23	GLY	2.1
2	B	157	PHE	2.1
2	B	136	GLY	2.1
1	C	150	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	U	2	14/15	0.43	0.21	76,82,86,86	0
3	NAG	I	2	14/15	0.50	0.18	80,88,97,103	0
4	NAG	K	1	14/15	0.52	0.19	68,88,98,101	0
4	NAG	V	1	14/15	0.53	0.19	79,91,95,100	0
4	NAG	P	1	14/15	0.55	0.19	89,115,121,121	0
3	NAG	O	2	14/15	0.57	0.17	69,80,90,93	0
3	NAG	G	2	14/15	0.58	0.17	87,93,100,102	0
3	NAG	S	1	14/15	0.58	0.21	44,66,79,80	0
3	NAG	J	2	14/15	0.63	0.18	60,90,96,96	0
3	NAG	S	2	14/15	0.64	0.18	64,79,86,87	0
3	NAG	L	2	14/15	0.69	0.15	76,80,89,95	0
3	NAG	H	2	14/15	0.70	0.14	63,77,90,91	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	Q	2	14/15	0.71	0.14	79,85,92,97	0
3	NAG	T	2	14/15	0.74	0.13	74,91,95,99	0
5	BMA	M	3	11/12	0.74	0.16	55,62,74,75	0
3	NAG	N	2	14/15	0.76	0.13	65,84,96,99	0
3	NAG	R	2	14/15	0.76	0.13	52,65,76,77	0
3	NAG	H	1	14/15	0.77	0.17	53,67,72,77	0
3	NAG	G	1	14/15	0.79	0.13	50,64,79,84	0
5	NAG	M	2	14/15	0.79	0.18	42,60,74,75	0
4	GAL	P	2	11/12	0.79	0.13	53,77,91,91	0
5	NAG	M	1	14/15	0.80	0.16	53,61,65,77	0
3	NAG	T	1	14/15	0.82	0.13	45,58,74,80	0
3	NAG	Q	1	14/15	0.82	0.11	53,64,76,81	0
3	NAG	J	1	14/15	0.83	0.14	55,74,85,88	0
3	NAG	L	1	14/15	0.84	0.13	54,63,72,79	0
4	SIA	P	3	20/21	0.84	0.14	40,51,62,62	0
3	NAG	I	1	14/15	0.86	0.11	53,62,74,74	0
3	NAG	O	1	14/15	0.86	0.12	42,59,74,75	0
3	NAG	U	1	14/15	0.86	0.11	47,57,67,75	0
4	GAL	K	2	11/12	0.87	0.11	35,51,72,78	0
3	NAG	N	1	14/15	0.88	0.11	48,57,70,85	0
3	NAG	R	1	14/15	0.89	0.12	41,48,55,58	0
4	GAL	V	2	11/12	0.90	0.11	35,51,74,79	0
4	SIA	K	3	20/21	0.93	0.09	28,35,44,47	0
4	SIA	V	3	20/21	0.94	0.08	28,35,39,42	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain H:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain J:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain N:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain O:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain Q:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain R:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain S:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain T:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain U:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain P:


$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain V:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	C	406	14/15	0.33	0.22	80,96,104,104	0
6	NAG	B	201	14/15	0.37	0.19	115,124,131,132	0
6	NAG	E	403	14/15	0.59	0.20	59,86,91,92	0
6	NAG	F	201	14/15	0.59	0.16	74,85,91,96	0
6	NAG	D	201	14/15	0.68	0.19	69,82,92,96	0
6	NAG	A	405	14/15	0.79	0.14	72,81,90,91	0

6.5 Other polymers [i](#)

There are no such residues in this entry.