



wwPDB EM Validation Summary Report ⓘ

Mar 5, 2026 – 01:38 PM UTC

PDB ID : 5NRL / pdb_00005nrl
EMDB ID : EMD-3683
Title : Structure of a pre-catalytic spliceosome
Authors : Plaschka, C.; Lin, P.-C.; Nagai, K.
Deposited on : 2017-04-24
Resolution : 7.20 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 7.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	444 (6.70 - 7.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	2	1175	
2	3	89	
3	4	160	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	5	214	
5	6	112	
6	7	115	
7	8	109	
8	A	2413	
9	B	2163	
10	C	1008	
11	D	143	
12	E	587	
13	F	494	
14	G	469	
15	H	465	
16	I	95	
17	J	899	
18	K	126	
19	L	194	
20	M	242	
21	N	291	
22	O	971	
23	P	1361	
24	Q	435	
25	R	213	
26	S	107	
27	T	530	
28	U	266	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	V	280	
30	W	238	
31	X	111	
32	Y	111	
33	Z	85	
34	a	95	
35	b	196	
35	k	196	
35	s	196	
36	d	101	
36	n	101	
36	v	101	
37	e	94	
37	p	94	
37	w	94	
38	f	86	
38	q	86	
38	x	86	
39	g	77	
39	r	77	
39	y	77	
40	h	146	
40	l	146	
40	t	146	
41	i	110	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
41	m	110	35% 35% 49% 16%
41	u	110	84% 44% 40% 16%
42	j	187	18% 26% 13% 60%
43	o	93	17% 63% 17% 19%
44	z	86	34% 63% 23% 14%



2 Entry composition

There are 46 unique types of molecules in this entry. The entry contains 118701 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called U2 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	2	155	Total	C	N	O	P	0	0
			3275	1464	552	1104	155		

- Molecule 2 is a protein called U6 snRNA-associated Sm-like protein LSm3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	3	77	Total	C	N	O	S	0	0
			611	382	105	121	3		

- Molecule 3 is a RNA chain called U4 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	4	114	Total	C	N	O	P	0	0
			2423	1084	419	806	114		

- Molecule 4 is a RNA chain called U5 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	5	170	Total	C	N	O	P	0	0
			3615	1618	640	1188	169		

- Molecule 5 is a RNA chain called U6 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	6	95	Total	C	N	O	P	0	0
			2019	904	355	665	95		

- Molecule 6 is a protein called U6 snRNA-associated Sm-like protein LSm7.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	7	66	Total	C	N	O	S	0	0
			504	325	85	91	3		

- Molecule 7 is a protein called U6 snRNA-associated Sm-like protein LSm8.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	8	64	Total	C	N	O	S	0	0
			498	320	86	90	2		

- Molecule 8 is a protein called Pre-mRNA-splicing factor 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	A	2216	Total	C	N	O	S	0	0
			18122	11661	3103	3294	64		

- Molecule 9 is a protein called Pre-mRNA-splicing helicase BRR2.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	B	1699	Total	C	N	O	S	1	0
			13607	8720	2269	2564	54		

- Molecule 10 is a protein called Pre-mRNA-splicing factor SNU114.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	C	850	Total	C	N	O	S	0	0
			6784	4392	1129	1237	26		

- Molecule 11 is a protein called Spliceosomal protein DIB1.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	D	142	Total	C	N	O	S	0	0
			1164	736	202	215	11		

- Molecule 12 is a protein called 66 kDa U4/U6.U5 small nuclear ribonucleoprotein component.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	E	124	Total	C	N	O	S	0	0
			825	501	153	170	1		

- Molecule 13 is a protein called Pre-mRNA-processing factor 31.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	F	413	Total	C	N	O	S	0	0
			3238	2064	578	584	12		

- Molecule 14 is a protein called U4/U6 small nuclear ribonucleoprotein PRP3.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	G	372	Total	C	N	O	S	0	0
			2835	1786	523	512	14		

- Molecule 15 is a protein called U4/U6 small nuclear ribonucleoprotein PRP4.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	H	429	Total	C	N	O	S	0	0
			3396	2120	609	653	14		

- Molecule 16 is a RNA chain called Yeast UBC4 gene for ubiquitin-conjugating enzyme.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	I	29	Total	C	N	O	P	0	0
			600	271	95	205	29		

- Molecule 17 is a protein called Pre-mRNA-splicing factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	J	800	Total	C	N	O	S	0	0
			6485	4151	1106	1201	27		

- Molecule 18 is a protein called 13 kDa ribonucleoprotein-associated protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	K	124	Total	C	N	O	S	0	0
			936	597	161	174	4		

- Molecule 19 is a protein called 23 kDa U4/U6.U5 small nuclear ribonucleoprotein component.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	L	109	Total	C	N	O	S	0	0
			882	570	150	159	3		

- Molecule 20 is a protein called Pre-mRNA-splicing factor 38.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	M	174	Total	C	N	O	S	0	0
			1407	915	236	249	7		

- Molecule 21 is a protein called Pre-mRNA-splicing factor SPP381.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	N	85	Total	C	N	O	0	0
			425	255	85	85		

- Molecule 22 is a protein called U2 snRNP component HSH155.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	O	833	Total	C	N	O	S	0	0
			6612	4258	1121	1192	41		

- Molecule 23 is a protein called Pre-mRNA-splicing factor RSE1.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	P	1186	Total	C	N	O	S	0	0
			9437	6034	1589	1763	51		

- Molecule 24 is a protein called Cold sensitive U2 snRNA suppressor 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	Q	220	Total	C	N	O	S	0	0
			1786	1157	307	313	9		

- Molecule 25 is a protein called Protein HSH49.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	R	173	Total	C	N	O	S	0	0
			1429	930	239	258	2		

- Molecule 26 is a protein called Pre-mRNA-splicing factor RDS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	S	103	Total	C	N	O	S	0	0
			814	503	154	143	14		

- Molecule 27 is a protein called Pre-mRNA-splicing factor PRP9.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	T	462	Total	C	N	O	S	0	0
			3915	2487	677	735	16		

- Molecule 28 is a protein called Pre-mRNA-splicing factor PRP11.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	U	196	Total	C	N	O	S	0	0
			1488	933	258	291	6		

- Molecule 29 is a protein called Pre-mRNA-splicing factor PRP21.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	V	127	Total	C	N	O	S	0	0
			1084	689	193	196	6		

- Molecule 30 is a protein called U2 small nuclear ribonucleoprotein A'.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	W	170	Total	C	N	O	S	0	0
			1383	866	253	257	7		

- Molecule 31 is a protein called Unknown.

Mol	Chain	Residues	Atoms				AltConf	Trace
31	X	30	Total	C	N	O	0	0
			150	90	30	30		

- Molecule 32 is a protein called U2 small nuclear ribonucleoprotein B'.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Y	84	Total	C	N	O	S	0	0
			683	439	119	122	3		

- Molecule 33 is a protein called RDS3 complex subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Z	83	Total	C	N	O	S	0	0
			685	424	129	131	1		

- Molecule 34 is a protein called U6 snRNA-associated Sm-like protein LSm2.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	a	90	Total	C	N	O	S	0	0
			735	469	124	139	3		

- Molecule 35 is a protein called Small nuclear ribonucleoprotein-associated protein B.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	b	70	Total	C	N	O	S	0	0
			563	360	98	102	3		
35	k	70	Total	C	N	O	S	0	0
			563	360	98	102	3		
35	s	70	Total	C	N	O	S	0	0
			563	360	98	102	3		

- Molecule 36 is a protein called Small nuclear ribonucleoprotein Sm D3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	d	83	Total	C	N	O	S	0	0
			641	408	111	120	2		
36	n	82	Total	C	N	O	S	0	0
			632	402	109	119	2		
36	v	82	Total	C	N	O	S	0	0
			632	402	109	119	2		

- Molecule 37 is a protein called Small nuclear ribonucleoprotein E.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	e	77	Total	C	N	O	S	0	0
			602	396	95	108	3		
37	p	77	Total	C	N	O	S	0	0
			602	396	95	108	3		
37	w	77	Total	C	N	O	S	0	0
			602	396	95	108	3		

- Molecule 38 is a protein called Small nuclear ribonucleoprotein F.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	f	72	Total	C	N	O	S	0	0
			578	371	101	105	1		
38	q	73	Total	C	N	O	S	0	0
			585	376	102	106	1		
38	x	73	Total	C	N	O	S	0	0
			585	376	102	106	1		

- Molecule 39 is a protein called Small nuclear ribonucleoprotein G.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	g	71	Total	C	N	O	S	0	0
			549	345	96	106	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
39	r	75	Total	C	N	O	S	0	0
			577	363	100	112	2		
39	y	75	Total	C	N	O	S	0	0
			577	363	100	112	2		

- Molecule 40 is a protein called Small nuclear ribonucleoprotein Sm D1.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	h	80	Total	C	N	O	S	0	0
			630	402	108	118	2		
40	l	99	Total	C	N	O	S	0	0
			751	475	137	137	2		
40	t	72	Total	C	N	O	S	0	0
			569	364	99	104	2		

- Molecule 41 is a protein called Small nuclear ribonucleoprotein Sm D2.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	i	92	Total	C	N	O	S	0	0
			752	481	136	131	4		
41	m	92	Total	C	N	O	S	0	0
			752	481	136	131	4		
41	u	92	Total	C	N	O	S	0	0
			752	481	136	131	4		

- Molecule 42 is a protein called U6 snRNA-associated Sm-like protein LSm4.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	j	74	Total	C	N	O	S	0	0
			588	381	96	108	3		


- Molecule 43 is a protein called U6 snRNA-associated Sm-like protein LSm5.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	o	75	Total	C	N	O	S	0	0
			588	378	98	110	2		

- Molecule 44 is a protein called U6 snRNA-associated Sm-like protein LSm6.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	z	74	Total	C	N	O	S	0	0
			577	364	95	116	2		

- Molecule 45 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).




Mol	Chain	Residues	Atoms					AltConf
45	C	1	Total	C	N	O	P	0
			32	10	5	14	3	

- Molecule 46 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
46	L	1	Total	Zn	0
			1	1	
46	S	3	Total	Zn	0
			3	3	
46	T	2	Total	Zn	0
			2	2	
46	U	1	Total	Zn	0
			1	1	











• Molecule 10: Pre-mRNA-splicing factor SNU114


Chain C:




• Molecule 11: Spliceosomal protein DIB1




- Molecule 12: 66 kDa U4/U6.U5 small nuclear ribonucleoprotein component




- Molecule 13: Pre-mRNA-processing factor 31






• Molecule 14: U4/U6 small nuclear ribonucleoprotein PRP3




• Molecule 15: U4/U6 small nuclear ribonucleoprotein PRP4







- Molecule 18: 13 kDa ribonucleoprotein-associated protein




- Molecule 19: 23 kDa U4/U6.U5 small nuclear ribonucleoprotein component




- Molecule 20: Pre-mRNA-splicing factor 38




- Molecule 21: Pre-mRNA-splicing factor SPP381




- Molecule 22: U2 snRNP component HSH155








● Molecule 23: Pre-mRNA-splicing factor RSE1









• Molecule 24: Cold sensitive U2 snRNA suppressor 1





• Molecule 25: Protein HSH49




• Molecule 26: Pre-mRNA-splicing factor RDS3




• Molecule 27: Pre-mRNA-splicing factor PRP9








• Molecule 28: Pre-mRNA-splicing factor PRP11





• Molecule 29: Pre-mRNA-splicing factor PRP21






• Molecule 30: U2 small nuclear ribonucleoprotein A'



• Molecule 31: Unknown




• Molecule 32: U2 small nuclear ribonucleoprotein B''




• Molecule 33: RDS3 complex subunit 10










• Molecule 36: Small nuclear ribonucleoprotein Sm D3



• Molecule 36: Small nuclear ribonucleoprotein Sm D3




• Molecule 36: Small nuclear ribonucleoprotein Sm D3




• Molecule 37: Small nuclear ribonucleoprotein E








• Molecule 37: Small nuclear ribonucleoprotein E




• Molecule 37: Small nuclear ribonucleoprotein E



• Molecule 38: Small nuclear ribonucleoprotein F




• Molecule 38: Small nuclear ribonucleoprotein F







• Molecule 38: Small nuclear ribonucleoprotein F




• Molecule 39: Small nuclear ribonucleoprotein G




• Molecule 39: Small nuclear ribonucleoprotein G




• Molecule 39: Small nuclear ribonucleoprotein G



• Molecule 40: Small nuclear ribonucleoprotein Sm D1








• Molecule 40: Small nuclear ribonucleoprotein Sm D1




• Molecule 40: Small nuclear ribonucleoprotein Sm D1





• Molecule 41: Small nuclear ribonucleoprotein Sm D2




• Molecule 41: Small nuclear ribonucleoprotein Sm D2




• Molecule 41: Small nuclear ribonucleoprotein Sm D2



• Molecule 42: U6 snRNA-associated Sm-like protein LSM4




• Molecule 43: U6 snRNA-associated Sm-like protein LSM5



• Molecule 44: U6 snRNA-associated Sm-like protein LSM6





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	9559	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	56	Depositor
Minimum defocus (nm)	350	Depositor
Maximum defocus (nm)	5300	Depositor
Magnification	81000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.080	Depositor
Minimum map value	-0.019	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.0258	Depositor
Map size (Å)	686.39996, 686.39996, 686.39996	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.43, 1.43, 1.43	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, GTP, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	2	1.18	46/3579 (1.3%)	1.74	139/5551 (2.5%)
2	3	0.15	0/617	0.45	0/836
3	4	0.28	3/2705 (0.1%)	0.40	0/4204
4	5	0.28	1/4039 (0.0%)	0.37	2/6284 (0.0%)
5	6	0.13	0/2253	0.37	3/3497 (0.1%)
6	7	0.13	0/505	0.43	0/675
7	8	0.12	0/501	0.43	0/673
8	A	0.21	0/18580	0.50	4/25189 (0.0%)
9	B	0.32	0/13905	0.67	10/18852 (0.1%)
10	C	0.23	0/6928	0.48	1/9377 (0.0%)
11	D	0.20	0/1185	0.56	0/1596
12	E	0.16	0/822	0.52	0/1109
13	F	0.18	0/3292	0.49	0/4432
14	G	0.26	0/2885	0.59	2/3882 (0.1%)
15	H	0.19	0/3455	0.52	0/4663
16	I	0.14	0/665	0.29	0/1024
17	J	0.17	0/6613	0.50	0/8942
18	K	0.19	0/949	0.48	0/1292
19	L	0.15	0/899	0.51	0/1204
20	M	0.17	0/1430	0.57	3/1927 (0.2%)
21	N	0.10	0/421	0.29	0/583
22	O	0.19	0/6745	0.47	1/9157 (0.0%)
23	P	0.22	0/9623	0.53	1/13041 (0.0%)
24	Q	0.17	0/1835	0.53	0/2480
25	R	0.14	0/1453	0.40	0/1954
26	S	0.21	0/827	0.55	0/1105
27	T	0.28	0/3992	0.66	2/5346 (0.0%)
28	U	0.26	0/1511	0.65	2/2038 (0.1%)
29	V	0.26	0/1105	0.63	0/1475
30	W	0.35	0/1406	0.71	0/1905
31	X	0.15	0/148	0.48	0/204
32	Y	0.20	0/692	0.46	0/923

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	Z	0.21	0/694	0.46	0/929
34	a	0.17	0/745	0.48	0/1005
35	b	0.20	0/567	0.47	0/762
35	k	0.33	0/567	0.56	0/762
35	s	0.32	0/567	0.59	0/762
36	d	0.22	0/650	0.45	0/879
36	n	0.33	0/641	0.56	0/868
36	v	0.36	0/641	0.58	0/868
37	e	0.16	0/612	0.42	0/830
37	p	0.46	1/612 (0.2%)	0.65	1/830 (0.1%)
37	w	0.39	0/612	0.65	0/830
38	f	0.16	0/589	0.42	0/796
38	q	0.28	0/597	0.62	0/807
38	x	0.33	0/597	0.63	0/807
39	g	0.19	0/554	0.58	0/746
39	r	0.28	0/582	0.71	0/785
39	y	0.16	0/582	0.41	0/785
40	h	0.15	0/635	0.41	0/861
40	l	0.35	0/756	0.72	1/1023 (0.1%)
40	t	0.38	0/574	0.64	1/777 (0.1%)
41	i	0.16	0/764	0.42	0/1026
41	m	0.29	0/764	0.55	0/1026
41	u	0.33	0/764	0.57	0/1026
42	j	0.15	0/594	0.41	0/802
43	o	0.13	0/595	0.37	0/806
44	z	0.13	0/584	0.45	0/787
All	All	0.31	51/122004 (0.0%)	0.61	173/167605 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	2	0	2
8	A	0	2
9	B	0	4
17	J	0	2
20	M	0	2
23	P	0	2
27	T	0	1
30	W	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
39	r	0	1
All	All	0	17

The worst 5 of 51 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2	1149	G	O3'-P	19.48	1.90	1.61
1	2	143	G	O3'-P	15.14	1.83	1.61
4	5	105	A	O3'-P	14.43	1.82	1.61
1	2	143	G	C3'-O3'	14.26	1.63	1.42
1	2	1161	U	O3'-P	-12.45	1.42	1.61

The worst 5 of 173 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	144	G	C4'-C3'-O3'	-25.53	74.71	113.00
1	2	1151	U	C4'-C3'-O3'	-19.99	83.02	113.00
1	2	143	G	C4'-C3'-O3'	18.15	140.22	113.00
1	2	1092	A	C2'-C3'-O3'	17.89	140.53	113.70
1	2	1097	G	C3'-C2'-O2'	16.44	135.37	110.70

There are no chirality outliers.

5 of 17 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	2	1109	C	Sidechain
1	2	141	A	Sidechain
8	A	1190	ASN	Peptide
8	A	1481	GLU	Peptide
9	B	684	LEU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	2	3275	0	1663	252	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	3	611	0	620	19	0
3	4	2423	0	1216	166	0
4	5	3615	0	1829	165	0
5	6	2019	0	1022	101	0
6	7	504	0	557	9	0
7	8	498	0	533	20	0
8	A	18122	0	18041	956	0
9	B	13607	0	13606	714	0
10	C	6784	0	6967	298	0
11	D	1164	0	1152	63	0
12	E	825	0	657	38	0
13	F	3238	0	3345	149	0
14	G	2835	0	2608	117	0
15	H	3396	0	3364	192	0
16	I	600	0	310	31	0
17	J	6485	0	6515	316	0
18	K	936	0	987	52	0
19	L	882	0	844	58	0
20	M	1407	0	1416	83	0
21	N	425	0	183	3	0
22	O	6612	0	6823	313	0
23	P	9437	0	9532	485	0
24	Q	1786	0	1778	70	0
25	R	1429	0	1458	43	0
26	S	814	0	809	39	0
27	T	3915	0	3853	146	0
28	U	1488	0	1410	69	0
29	V	1084	0	1081	52	0
30	W	1383	0	1407	242	0
31	X	150	0	151	7	0
32	Y	683	0	715	91	0
33	Z	685	0	693	30	0
34	a	735	0	744	31	0
35	b	563	0	600	25	0
35	k	563	0	600	40	0
35	s	563	0	598	58	0
36	d	641	0	666	33	0
36	n	632	0	653	29	0
36	v	632	0	653	44	0
37	e	602	0	631	30	0
37	p	602	0	631	41	0
37	w	602	0	631	48	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
38	f	578	0	579	18	0
38	q	585	0	587	45	0
38	x	585	0	587	41	0
39	g	549	0	566	25	0
39	r	577	0	595	40	0
39	y	577	0	595	31	0
40	h	630	0	677	29	0
40	l	751	0	776	66	0
40	t	569	0	616	52	0
41	i	752	0	786	43	0
41	m	752	0	786	53	0
41	u	752	0	786	61	0
42	j	588	0	602	16	0
43	o	588	0	594	10	0
44	z	577	0	572	19	0
45	C	32	0	12	4	0
46	L	1	0	0	0	0
46	S	3	0	0	0	0
46	T	2	0	0	0	0
46	U	1	0	0	0	0
All	All	118701	0	113268	5353	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

The worst 5 of 5353 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:4:67:A:C2	9:B:716:LEU:HD21	1.32	1.63
8:A:2398:LEU:HD13	9:B:1060:LYS:CD	1.37	1.53
9:B:1070:ASP:CG	12:E:208:LYS:CD	1.86	1.47
1:2:143:G:C3'	1:2:143:G:O3'	1.63	1.44
9:B:1070:ASP:OD2	12:E:208:LYS:CD	1.64	1.44

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	3	75/89 (84%)	74 (99%)	1 (1%)	0	100	100
6	7	62/115 (54%)	62 (100%)	0	0	100	100
7	8	62/109 (57%)	61 (98%)	1 (2%)	0	100	100
8	A	2202/2413 (91%)	2095 (95%)	105 (5%)	2 (0%)	48	83
9	B	1694/2163 (78%)	1631 (96%)	60 (4%)	3 (0%)	43	78
10	C	838/1008 (83%)	785 (94%)	52 (6%)	1 (0%)	48	83
11	D	140/143 (98%)	126 (90%)	14 (10%)	0	100	100
12	E	114/587 (19%)	103 (90%)	9 (8%)	2 (2%)	6	34
13	F	409/494 (83%)	387 (95%)	21 (5%)	1 (0%)	43	78
14	G	358/469 (76%)	335 (94%)	23 (6%)	0	100	100
15	H	425/465 (91%)	398 (94%)	27 (6%)	0	100	100
17	J	788/899 (88%)	722 (92%)	61 (8%)	5 (1%)	21	59
18	K	122/126 (97%)	121 (99%)	1 (1%)	0	100	100
19	L	101/194 (52%)	94 (93%)	7 (7%)	0	100	100
20	M	164/242 (68%)	141 (86%)	23 (14%)	0	100	100
21	N	77/291 (26%)	76 (99%)	1 (1%)	0	100	100
22	O	829/971 (85%)	789 (95%)	40 (5%)	0	100	100
23	P	1170/1361 (86%)	1059 (90%)	104 (9%)	7 (1%)	21	59
24	Q	214/435 (49%)	202 (94%)	11 (5%)	1 (0%)	24	63
25	R	165/213 (78%)	162 (98%)	3 (2%)	0	100	100
26	S	101/107 (94%)	88 (87%)	13 (13%)	0	100	100
27	T	454/530 (86%)	416 (92%)	38 (8%)	0	100	100
28	U	188/266 (71%)	159 (85%)	28 (15%)	1 (0%)	24	63
29	V	123/280 (44%)	112 (91%)	11 (9%)	0	100	100
30	W	168/238 (71%)	129 (77%)	28 (17%)	11 (6%)	1	12

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
31	X	26/111 (23%)	26 (100%)	0	0	100	100
32	Y	82/111 (74%)	76 (93%)	5 (6%)	1 (1%)	10	44
33	Z	81/85 (95%)	76 (94%)	4 (5%)	1 (1%)	10	44
34	a	88/95 (93%)	81 (92%)	7 (8%)	0	100	100
35	b	66/196 (34%)	61 (92%)	5 (8%)	0	100	100
35	k	66/196 (34%)	62 (94%)	4 (6%)	0	100	100
35	s	66/196 (34%)	62 (94%)	4 (6%)	0	100	100
36	d	81/101 (80%)	79 (98%)	2 (2%)	0	100	100
36	n	80/101 (79%)	77 (96%)	3 (4%)	0	100	100
36	v	80/101 (79%)	77 (96%)	3 (4%)	0	100	100
37	e	73/94 (78%)	71 (97%)	2 (3%)	0	100	100
37	p	73/94 (78%)	72 (99%)	1 (1%)	0	100	100
37	w	73/94 (78%)	72 (99%)	1 (1%)	0	100	100
38	f	70/86 (81%)	67 (96%)	3 (4%)	0	100	100
38	q	71/86 (83%)	68 (96%)	3 (4%)	0	100	100
38	x	71/86 (83%)	69 (97%)	2 (3%)	0	100	100
39	g	69/77 (90%)	63 (91%)	6 (9%)	0	100	100
39	r	73/77 (95%)	66 (90%)	5 (7%)	2 (3%)	4	25
39	y	73/77 (95%)	64 (88%)	6 (8%)	3 (4%)	2	18
40	h	76/146 (52%)	75 (99%)	1 (1%)	0	100	100
40	l	93/146 (64%)	89 (96%)	3 (3%)	1 (1%)	11	46
40	t	68/146 (47%)	67 (98%)	1 (2%)	0	100	100
41	i	90/110 (82%)	90 (100%)	0	0	100	100
41	m	90/110 (82%)	89 (99%)	1 (1%)	0	100	100
41	u	90/110 (82%)	89 (99%)	1 (1%)	0	100	100
42	j	70/187 (37%)	67 (96%)	3 (4%)	0	100	100
43	o	71/93 (76%)	66 (93%)	5 (7%)	0	100	100
44	z	72/86 (84%)	70 (97%)	2 (3%)	0	100	100
All	All	13125/17406 (75%)	12318 (94%)	765 (6%)	42 (0%)	37	72

5 of 42 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
17	J	881	VAL
23	P	1299	ILE
24	Q	368	ILE
30	W	34	LEU
30	W	52	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	3	71/81 (88%)	71 (100%)	0	100	100
6	7	56/103 (54%)	56 (100%)	0	100	100
7	8	56/99 (57%)	56 (100%)	0	100	100
8	A	1982/2182 (91%)	1981 (100%)	1 (0%)	88	89
9	B	1525/1955 (78%)	1521 (100%)	4 (0%)	86	86
10	C	761/910 (84%)	761 (100%)	0	100	100
11	D	131/132 (99%)	131 (100%)	0	100	100
12	E	60/534 (11%)	59 (98%)	1 (2%)	53	69
13	F	354/445 (80%)	354 (100%)	0	100	100
14	G	267/436 (61%)	267 (100%)	0	100	100
15	H	377/410 (92%)	377 (100%)	0	100	100
17	J	708/813 (87%)	708 (100%)	0	100	100
18	K	102/104 (98%)	102 (100%)	0	100	100
19	L	92/179 (51%)	92 (100%)	0	100	100
20	M	154/224 (69%)	154 (100%)	0	100	100
22	O	739/867 (85%)	739 (100%)	0	100	100
23	P	1093/1244 (88%)	1093 (100%)	0	100	100
24	Q	192/391 (49%)	192 (100%)	0	100	100
25	R	154/189 (82%)	154 (100%)	0	100	100
26	S	93/97 (96%)	93 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
27	T	429/492 (87%)	420 (98%)	9 (2%)	47	65
28	U	158/236 (67%)	157 (99%)	1 (1%)	78	83
29	V	118/259 (46%)	116 (98%)	2 (2%)	53	69
30	W	161/219 (74%)	151 (94%)	10 (6%)	16	38
32	Y	76/100 (76%)	75 (99%)	1 (1%)	61	74
33	Z	75/77 (97%)	75 (100%)	0	100	100
34	a	85/91 (93%)	85 (100%)	0	100	100
35	b	64/176 (36%)	64 (100%)	0	100	100
35	k	64/176 (36%)	64 (100%)	0	100	100
35	s	64/176 (36%)	64 (100%)	0	100	100
36	d	72/89 (81%)	72 (100%)	0	100	100
36	n	71/89 (80%)	71 (100%)	0	100	100
36	v	71/89 (80%)	71 (100%)	0	100	100
37	e	69/83 (83%)	69 (100%)	0	100	100
37	p	69/83 (83%)	69 (100%)	0	100	100
37	w	69/83 (83%)	69 (100%)	0	100	100
38	f	64/77 (83%)	64 (100%)	0	100	100
38	q	65/77 (84%)	65 (100%)	0	100	100
38	x	65/77 (84%)	65 (100%)	0	100	100
39	g	61/66 (92%)	61 (100%)	0	100	100
39	r	64/66 (97%)	64 (100%)	0	100	100
39	y	64/66 (97%)	64 (100%)	0	100	100
40	h	75/129 (58%)	75 (100%)	0	100	100
40	l	81/129 (63%)	80 (99%)	1 (1%)	63	75
40	t	67/129 (52%)	66 (98%)	1 (2%)	57	72
41	i	85/103 (82%)	85 (100%)	0	100	100
41	m	85/103 (82%)	85 (100%)	0	100	100
41	u	85/103 (82%)	85 (100%)	0	100	100
42	j	64/172 (37%)	64 (100%)	0	100	100
43	o	66/84 (79%)	66 (100%)	0	100	100
44	z	66/75 (88%)	66 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	11739/15369 (76%)	11708 (100%)	31 (0%)	84 86

5 of 31 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
27	T	358	THR
30	W	160	THR
29	V	158	ARG
40	l	82	LEU
30	W	36	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 256 such sidechains are listed below:

Mol	Chain	Res	Type
39	g	56	GLN
41	m	52	HIS
10	C	1004	ASN
10	C	693	ASN
38	q	77	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	2	147/1175 (12%)	47 (31%)	25 (17%)
16	I	26/95 (27%)	8 (30%)	2 (7%)
3	4	110/160 (68%)	33 (30%)	6 (5%)
4	5	167/214 (78%)	62 (37%)	8 (4%)
5	6	91/112 (81%)	33 (36%)	8 (8%)
All	All	541/1756 (30%)	183 (33%)	49 (9%)

5 of 183 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	2	33	U
1	2	41	C
1	2	46	C
1	2	47	U
1	2	66	A

5 of 49 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
3	4	91	U
4	5	114	G
3	4	134	U
4	5	40	C
4	5	130	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	PSU	2	35	16,1	18,21,22	1.10	1 (5%)	21,30,33	1.87	5 (23%)
1	PSU	2	42	16,1	18,21,22	1.12	1 (5%)	21,30,33	1.87	4 (19%)
1	PSU	2	44	16,1	18,21,22	1.07	1 (5%)	21,30,33	1.79	4 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	2	35	16,1	-	0/7/25/26	0/2/2/2
1	PSU	2	42	16,1	-	0/7/25/26	0/2/2/2
1	PSU	2	44	16,1	-	0/7/25/26	0/2/2/2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2	42	PSU	C6-C5	3.67	1.39	1.35
1	2	35	PSU	C6-C5	3.56	1.39	1.35
1	2	44	PSU	C6-C5	3.42	1.39	1.35

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	2	42	PSU	C4-N3-C2	-4.81	119.75	126.37
1	2	42	PSU	N1-C2-N3	4.72	120.14	115.17
1	2	35	PSU	C4-N3-C2	-4.72	119.87	126.37
1	2	35	PSU	N1-C2-N3	4.66	120.08	115.17
1	2	44	PSU	N1-C2-N3	4.56	119.98	115.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	2	35	PSU	1	0
1	2	42	PSU	2	0
1	2	44	PSU	5	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 7 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
45	GTP	C	1101	-	33,34,34	0.89	2 (6%)	50,54,54	1.53	9 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
45	GTP	C	1101	-	-	0/22/38/38	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
45	C	1101	GTP	C2-N3	2.11	1.38	1.33
45	C	1101	GTP	C5-N7	-2.01	1.35	1.39

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
45	C	1101	GTP	C5-C4-N3	-5.06	120.33	128.39
45	C	1101	GTP	C2-N3-C4	4.64	120.29	112.30
45	C	1101	GTP	N9-C4-N3	3.17	132.28	125.95
45	C	1101	GTP	C2-N1-C6	-3.03	119.61	125.11
45	C	1101	GTP	C5-C6-N1	2.62	119.93	113.25

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
45	C	1101	GTP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
4	5	3
1	2	3
12	E	1
31	X	1

The worst 5 of 8 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	E	236:SER	C	297:LYS	N	126.30
1	X	19:ALA	C	101:ALA	N	56.70
1	5	72:C	O3'	73:U	P	3.93

Continued on next page...

Continued from previous page...

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	5	42:A	O3'	43:G	P	3.10
1	2	1149:G	O3'	1150:U	P	1.90


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-3683. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 253



Y Index: 232




Z Index: 232


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views

This section was not generated.


6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1240 nm³; this corresponds to an approximate mass of 1120 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.139 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-3683 and PDB model 5NRL. Per-residue inclusion information can be found in section 3 on page 14.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.0258 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0258).

9.4 Atom inclusion [i](#)



At the recommended contour level, 74% of all backbone atoms, 60% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0258) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5990	 0.1170
2	 0.2760	 0.0470
3	 0.5440	 0.0880
4	 0.9080	 0.1920
5	 0.8050	 0.1610
6	 0.8490	 0.1950
7	 0.5250	 0.0490
8	 0.5600	 0.0820
A	 0.7100	 0.1500
B	 0.6040	 0.1240
C	 0.7390	 0.1500
D	 0.6650	 0.1440
E	 0.5550	 0.1590
F	 0.7210	 0.1670
G	 0.7410	 0.1600
H	 0.7760	 0.1380
I	 0.7900	 0.1290
J	 0.7460	 0.1600
K	 0.6930	 0.1580
L	 0.7210	 0.1510
M	 0.7060	 0.1400
N	 0.7880	 0.2460
O	 0.6550	 0.1020
P	 0.6160	 0.0950
Q	 0.5210	 0.1160
R	 0.4630	 0.0960
S	 0.7310	 0.0980
T	 0.1060	 0.0240
U	 0.2500	 0.0420
V	 0.0000	 0.0440
W	 0.0000	 -0.0000
X	 0.5070	 0.2310
Y	 0.0000	 0.0080
Z	 0.6490	 0.1080
a	 0.6180	 0.0880



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
b	 0.6820	 0.1200
d	 0.6500	 0.1270
e	 0.6880	 0.1190
f	 0.6930	 0.1170
g	 0.6540	 0.1230
h	 0.7060	 0.1050
i	 0.7160	 0.1360
j	 0.5100	 0.0780
k	 0.4970	 0.0340
l	 0.3620	 0.0730
m	 0.4950	 0.0640
n	 0.3060	 0.0440
o	 0.6960	 0.0800
p	 0.5580	 0.0620
q	 0.5850	 0.0790
r	 0.3290	 0.0510
s	 0.0000	 0.0010
t	 0.0000	 0.0150
u	 0.0000	 -0.0040
v	 0.0000	 -0.0080
w	 0.0000	 0.0040
x	 0.0000	 -0.0260
y	 0.0000	 -0.0010
z	 0.5740	 0.0700