



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 03:49 PM UTC

PDB ID : 6NR7 / pdb_00006nr7
Title : Rerefinement of chicken vinculin
Authors : Stec, B.
Deposited on : 2019-01-23
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1086	 70% 26% .

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8443 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Vinculin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1086	8336	5150	1516	1620	50	0	0	0

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP P12003
A	-18	GLY	-	expression tag	UNP P12003
A	-17	SER	-	expression tag	UNP P12003
A	-16	SER	-	expression tag	UNP P12003
A	-15	HIS	-	expression tag	UNP P12003
A	-14	HIS	-	expression tag	UNP P12003
A	-13	HIS	-	expression tag	UNP P12003
A	-12	HIS	-	expression tag	UNP P12003
A	-11	HIS	-	expression tag	UNP P12003
A	-10	HIS	-	expression tag	UNP P12003
A	-9	SER	-	expression tag	UNP P12003
A	-8	SER	-	expression tag	UNP P12003
A	-7	GLY	-	expression tag	UNP P12003
A	-6	LEU	-	expression tag	UNP P12003
A	-5	VAL	-	expression tag	UNP P12003
A	-4	PRO	-	expression tag	UNP P12003
A	-3	ARG	-	expression tag	UNP P12003
A	-2	GLY	-	expression tag	UNP P12003
A	-1	SER	-	expression tag	UNP P12003
A	0	HIS	-	expression tag	UNP P12003

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is (1R,2R,3S,4R,5R,6S)-4-{[(S)-[(2S)-2,3-dihydroxypropoxy](hydroxy)phosphoryl]oxy}-3,5,6-trihydroxycyclohexane-1,2-diyl bis[dihydrogen (phosphate)] (CCD ID: KYG) (formula: C₉H₂₁O₁₇P₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			29	9	17	3		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	58	Total	O	0	0
			58	58		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Vinculin



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	56.02Å 126.95Å 351.87Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.96 – 3.00 46.96 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.5 (46.96-3.00) 99.6 (46.96-3.00)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.41 (at 3.01Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.219 , 0.315 0.219 , 0.309	Depositor DCC
R_{free} test set	1134 reflections (4.39%)	wwPDB-VP
Wilson B-factor (Å ²)	102.6	Xtriage
Anisotropy	0.289	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 91.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8443	wwPDB-VP
Average B, all atoms (Å ²)	123.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, KYG, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.08	0/8451	1.61	28/11415 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

There are no bond length outliers.

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	876	PRO	N-CA-C	8.68	121.29	110.70
1	A	843	PRO	N-CA-C	6.97	119.20	110.70
1	A	872	PRO	N-CA-C	6.60	118.75	110.70
1	A	871	PRO	N-CA-C	6.51	118.64	110.70
1	A	75	PRO	N-CA-C	6.16	118.22	110.70
1	A	845	PRO	N-CA-C	6.14	118.19	110.70
1	A	860	PRO	N-CA-C	5.89	117.89	110.70
1	A	1054	PHE	CA-C-O	-5.89	115.34	120.88
1	A	909	ALA	CA-C-N	5.81	128.34	120.38
1	A	909	ALA	C-N-CA	5.81	128.34	120.38
1	A	877	PRO	N-CA-C	5.80	117.78	110.70
1	A	675	VAL	N-CA-C	-5.71	105.16	110.53
1	A	863	PRO	N-CA-C	5.62	117.55	110.70
1	A	905	LEU	N-CA-C	-5.50	105.19	111.14
1	A	952	LYS	CA-C-N	5.47	127.55	120.44
1	A	952	LYS	C-N-CA	5.47	127.55	120.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	651	GLY	CA-C-N	5.47	129.02	120.82
1	A	651	GLY	C-N-CA	5.47	129.02	120.82
1	A	794	ILE	CA-C-N	5.34	125.76	119.83
1	A	794	ILE	C-N-CA	5.34	125.76	119.83
1	A	1037	THR	N-CA-C	-5.34	105.12	111.69
1	A	675	VAL	N-CA-CB	5.30	117.36	110.57
1	A	1045	SER	CA-C-N	5.14	127.14	120.56
1	A	1045	SER	C-N-CA	5.14	127.14	120.56
1	A	447	ASP	CA-CB-CG	5.12	117.72	112.60
1	A	442	THR	CA-CB-OG1	-5.12	101.93	109.60
1	A	142	LEU	CA-C-N	5.10	128.06	120.31
1	A	142	LEU	C-N-CA	5.10	128.06	120.31

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	397	ASP	Peptide
1	A	652	THR	Peptide
1	A	884	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8336	0	8473	153	0
2	A	10	0	0	0	0
3	A	29	0	0	0	0
4	A	10	0	0	0	0
5	A	58	0	0	2	0
All	All	8443	0	8473	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:895:ASN:HD22	1:A:898:MET:HB2	1.50	0.77
1:A:654:ASN:HD22	1:A:654:ASN:N	1.89	0.71
1:A:171:MET:HE1	1:A:241:ILE:HD12	1.77	0.67
1:A:627:GLU:HA	1:A:627:GLU:OE1	1.95	0.67
1:A:926:MET:HE1	1:A:1034:VAL:HG21	1.78	0.66
1:A:452:GLY:O	1:A:454:GLY:N	2.29	0.66
1:A:1001:VAL:O	1:A:1003:ALA:N	2.28	0.66
1:A:914:SER:OG	1:A:924:LYS:NZ	2.29	0.65
1:A:793:THR:HG22	1:A:824:ILE:HG12	1.77	0.65
1:A:895:ASN:HD21	1:A:1024:VAL:HG22	1.62	0.64
1:A:377:MET:HE3	1:A:421:LEU:O	1.99	0.63
1:A:969:ALA:HB2	1:A:981:LEU:HD23	1.80	0.63
1:A:915:LYS:HB2	1:A:1057:ARG:NH1	2.13	0.62
1:A:74:MET:HE3	1:A:74:MET:HA	1.82	0.62
1:A:462:LEU:O	1:A:465:GLN:N	2.34	0.61
1:A:160:TYR:CE2	1:A:209:MET:HE1	2.36	0.61
1:A:171:MET:HE3	1:A:195:MET:HE1	1.81	0.61
1:A:42:ALA:HB3	1:A:43:PRO:HD3	1.83	0.61
1:A:27:HIS:HB2	1:A:108:LEU:HD23	1.82	0.60
1:A:1054:PHE:CZ	1:A:1056:LEU:HD21	2.37	0.59
1:A:259:ALA:HB1	1:A:378:THR:HG21	1.84	0.59
1:A:654:ASN:HD22	1:A:654:ASN:H	1.50	0.59
1:A:493:LEU:HD11	1:A:522:LEU:CD1	2.33	0.59
1:A:662:GLN:NE2	5:A:1202:HOH:O	2.35	0.59
1:A:369:ASN:O	1:A:371:ALA:N	2.36	0.58
1:A:1001:VAL:HG12	1:A:1002:LYS:N	2.18	0.58
1:A:351:GLN:O	1:A:355:GLN:NE2	2.37	0.57
1:A:613:ALA:HA	1:A:683:LEU:HD21	1.86	0.57
1:A:277:MET:HE1	1:A:360:LEU:HB3	1.86	0.57
1:A:500:ALA:O	1:A:503:TRP:N	2.37	0.56
1:A:596:SER:O	1:A:600:SER:OG	2.23	0.56
1:A:597:ASP:O	1:A:600:SER:OG	2.20	0.56
1:A:914:SER:HG	1:A:924:LYS:NZ	2.02	0.56
1:A:685:ASN:HD22	1:A:688:ASN:HD22	1.52	0.55
1:A:530:ALA:HB2	1:A:541:LEU:HD23	1.89	0.55
1:A:895:ASN:ND2	1:A:1024:VAL:HG22	2.22	0.55
1:A:696:GLU:HA	1:A:696:GLU:OE2	2.07	0.54
1:A:258:TRP:HB2	1:A:485:ARG:HH11	1.72	0.54
1:A:79:ILE:O	1:A:83:ASN:HB2	2.08	0.54
1:A:4:PHE:CZ	1:A:998:LEU:HD21	2.43	0.54
1:A:330:GLN:HE21	1:A:330:GLN:HA	1.73	0.53
1:A:280:ALA:HB1	1:A:299:ILE:HG13	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20:ILE:O	1:A:24:VAL:HG23	2.09	0.53
1:A:157:LEU:C	1:A:157:LEU:HD23	2.34	0.53
1:A:453:LYS:O	1:A:459:ALA:HB2	2.08	0.53
1:A:137:VAL:HG21	1:A:174:MET:SD	2.50	0.52
1:A:452:GLY:C	1:A:454:GLY:H	2.18	0.52
1:A:917:ASN:HD21	1:A:920:ILE:HD13	1.74	0.52
1:A:259:ALA:CB	1:A:378:THR:HG21	2.40	0.51
1:A:147:VAL:HG12	1:A:147:VAL:O	2.10	0.51
1:A:1032:GLN:NE2	1:A:1036:GLU:HG2	2.25	0.51
1:A:804:VAL:HG21	1:A:813:LEU:HG	1.93	0.51
1:A:493:LEU:HD13	1:A:650:VAL:HA	1.94	0.50
1:A:535:GLY:N	1:A:536:PRO:HD2	2.26	0.50
1:A:390:ALA:HA	1:A:393:ASN:HD22	1.77	0.50
1:A:497:ILE:O	1:A:501:GLN:N	2.44	0.50
1:A:672:THR:HB	1:A:673:PRO:HD3	1.94	0.49
1:A:1001:VAL:O	1:A:1004:THR:N	2.40	0.49
1:A:171:MET:HE1	1:A:241:ILE:CD1	2.43	0.49
1:A:75:PRO:HA	1:A:78:PHE:CE1	2.47	0.49
1:A:259:ALA:HB2	1:A:485:ARG:NH2	2.28	0.49
1:A:304:ASP:OD2	1:A:531:ASN:ND2	2.46	0.48
1:A:95:LEU:HD11	1:A:104:ALA:HB3	1.95	0.48
1:A:112:SER:O	1:A:115:ILE:N	2.46	0.48
1:A:208:ALA:HA	1:A:694:HIS:CE1	2.48	0.48
1:A:102:VAL:N	1:A:103:PRO:CD	2.77	0.48
1:A:493:LEU:HD11	1:A:522:LEU:HD11	1.94	0.48
1:A:917:ASN:HD22	1:A:920:ILE:HB	1.79	0.48
1:A:1030:LEU:O	1:A:1034:VAL:HG23	2.13	0.48
1:A:1045:SER:O	1:A:1048:ILE:HG23	2.14	0.47
1:A:207:SER:C	1:A:694:HIS:HE1	2.23	0.47
1:A:595:VAL:HG11	1:A:717:ILE:HD11	1.97	0.47
1:A:664:THR:HG22	1:A:665:VAL:N	2.29	0.47
1:A:20:ILE:O	1:A:20:ILE:CG2	2.62	0.47
1:A:57:VAL:O	1:A:61:THR:N	2.47	0.47
1:A:936:LEU:HD11	1:A:946:ALA:HB3	1.95	0.47
1:A:129:ALA:HA	1:A:132:ARG:NH1	2.30	0.47
1:A:500:ALA:C	1:A:502:ARG:N	2.71	0.47
1:A:957:ALA:O	1:A:958:SER:C	2.57	0.47
1:A:731:LYS:HD3	1:A:825:LEU:HD21	1.97	0.47
1:A:930:MET:HE2	1:A:954:ILE:HD13	1.96	0.47
1:A:91:ALA:HB1	1:A:104:ALA:HB1	1.96	0.46
1:A:627:GLU:OE1	1:A:627:GLU:CA	2.62	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:975:LYS:HG2	1:A:978:ARG:NH2	2.30	0.46
1:A:4:PHE:HZ	1:A:998:LEU:HD21	1.80	0.46
1:A:150:VAL:HG12	1:A:150:VAL:O	2.16	0.46
1:A:382:GLN:HA	1:A:382:GLN:OE1	2.16	0.46
1:A:957:ALA:O	1:A:960:GLU:N	2.45	0.46
1:A:780:ARG:O	1:A:784:LYS:HB2	2.16	0.46
1:A:615:ALA:O	1:A:617:SER:N	2.49	0.45
1:A:20:ILE:O	1:A:20:ILE:HG22	2.16	0.45
1:A:664:THR:HG21	1:A:709:MET:HA	1.98	0.45
1:A:988:ILE:N	1:A:989:PRO:CD	2.80	0.45
1:A:179:GLN:OE1	1:A:180:GLN:NE2	2.49	0.45
1:A:667:SER:O	1:A:671:LEU:HG	2.16	0.45
1:A:937:VAL:HG12	1:A:938:ARG:N	2.32	0.45
1:A:74:MET:HB3	1:A:75:PRO:HD3	1.98	0.44
1:A:627:GLU:O	1:A:631:ALA:N	2.48	0.44
1:A:-5:VAL:N	1:A:-4:PRO:CD	2.81	0.44
1:A:739:VAL:HA	1:A:742:ALA:HB3	2.00	0.44
1:A:262:ASP:OD1	1:A:488:LYS:NZ	2.50	0.43
1:A:422:CYS:SG	1:A:423:GLU:N	2.91	0.43
1:A:661:ILE:O	1:A:664:THR:HB	2.18	0.43
1:A:202:LEU:O	1:A:204:VAL:N	2.51	0.43
1:A:280:ALA:HB2	1:A:298:ALA:HB3	1.99	0.43
1:A:419:ALA:O	1:A:428:ARG:HB2	2.18	0.43
1:A:590:ALA:O	1:A:593:GLN:N	2.50	0.43
1:A:917:ASN:ND2	1:A:920:ILE:HD13	2.32	0.43
1:A:229:ASN:HD22	1:A:229:ASN:HA	1.60	0.43
1:A:584:LYS:NZ	5:A:1204:HOH:O	2.47	0.43
1:A:146:THR:C	1:A:148:ALA:H	2.27	0.43
1:A:280:ALA:HB2	1:A:298:ALA:CB	2.48	0.43
1:A:941:SER:OG	1:A:942:GLY:N	2.46	0.43
1:A:273:ILE:O	1:A:276:LYS:N	2.51	0.43
1:A:880:GLU:C	1:A:881:LYS:HG3	2.44	0.43
1:A:385:ALA:O	1:A:388:ILE:HG22	2.18	0.42
1:A:558:LEU:HD11	1:A:568:GLN:HG3	2.01	0.42
1:A:918:ASP:HA	1:A:921:ALA:HB3	2.00	0.42
1:A:566:SER:N	1:A:567:PRO:HD2	2.34	0.42
1:A:654:ASN:H	1:A:654:ASN:ND2	2.16	0.42
1:A:841:ASP:N	1:A:841:ASP:OD1	2.52	0.42
1:A:779:PHE:O	1:A:783:VAL:HG12	2.20	0.42
1:A:-12:HIS:O	1:A:-11:HIS:ND1	2.53	0.42
1:A:84:ALA:O	1:A:87:LYS:N	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:504:ILE:HG12	1:A:577:GLN:HE22	1.83	0.42
1:A:148:ALA:O	1:A:230:ARG:NH2	2.53	0.42
1:A:67:ASP:HB3	1:A:70:LEU:HB3	2.02	0.42
1:A:479:ARG:O	1:A:483:ASN:ND2	2.53	0.42
1:A:78:PHE:HA	1:A:81:VAL:HG23	2.02	0.41
1:A:5:HIS:HB3	1:A:251:THR:O	2.20	0.41
1:A:243:GLU:OE2	1:A:243:GLU:HA	2.20	0.41
1:A:730:ILE:HG13	1:A:759:ARG:HG2	2.02	0.41
1:A:676:VAL:HA	1:A:679:ALA:HB3	2.02	0.41
1:A:4:PHE:CD1	1:A:4:PHE:N	2.89	0.41
1:A:741:MET:HG3	1:A:808:ILE:HG22	2.03	0.41
1:A:237:MET:O	1:A:241:ILE:HG12	2.21	0.41
1:A:695:PHE:O	1:A:699:LYS:N	2.32	0.41
1:A:789:GLU:O	1:A:827:ALA:HB1	2.21	0.41
1:A:930:MET:HE2	1:A:954:ILE:CD1	2.51	0.41
1:A:462:LEU:O	1:A:465:GLN:HB3	2.21	0.41
1:A:95:LEU:CD1	1:A:104:ALA:HB3	2.52	0.40
1:A:605:PRO:HG2	1:A:636:HIS:CG	2.56	0.40
1:A:736:LYS:O	1:A:740:ALA:HB2	2.21	0.40
1:A:836:GLN:O	1:A:837:PRO:C	2.64	0.40
1:A:185:GLN:O	1:A:186:GLU:C	2.64	0.40
1:A:1064:TRP:CD1	1:A:1065:TYR:CD2	3.09	0.40
1:A:587:MET:HB3	1:A:650:VAL:HG21	2.04	0.40
1:A:136:ARG:O	1:A:137:VAL:C	2.64	0.40
1:A:493:LEU:HD22	1:A:650:VAL:O	2.22	0.40
1:A:205:LEU:HB2	1:A:233:THR:CG2	2.51	0.40
1:A:346:THR:HG22	1:A:347:PRO:HD2	2.03	0.40
1:A:793:THR:CG2	1:A:824:ILE:HG12	2.50	0.40
1:A:804:VAL:HG21	1:A:813:LEU:CD2	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1084/1086 (100%)	903 (83%)	138 (13%)	43 (4%)	2	14

All (43) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	290	PRO
1	A	369	ASN
1	A	453	LYS
1	A	744	MET
1	A	1001	VAL
1	A	1002	LYS
1	A	186	GLU
1	A	370	ALA
1	A	397	ASP
1	A	501	GLN
1	A	562	GLY
1	A	939	GLY
1	A	1007	GLY
1	A	-4	PRO
1	A	38	PRO
1	A	136	ARG
1	A	203	PRO
1	A	389	ASP
1	A	538	ARG
1	A	790	LEU
1	A	868	GLY
1	A	879	GLU
1	A	64	THR
1	A	113	ARG
1	A	465	GLN
1	A	475	SER
1	A	487	VAL
1	A	617	SER
1	A	846	PRO
1	A	864	PRO
1	A	-11	HIS
1	A	99	PRO
1	A	147	VAL
1	A	165	GLY
1	A	274	ASP
1	A	616	PRO
1	A	620	PRO
1	A	958	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	567	PRO
1	A	860	PRO
1	A	32	VAL
1	A	1053	GLY
1	A	81	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	893/893 (100%)	805 (90%)	88 (10%)	7 30

All (88) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-13	HIS
1	A	-10	HIS
1	A	-9	SER
1	A	0	HIS
1	A	4	PHE
1	A	6	THR
1	A	29	GLU
1	A	35	LYS
1	A	39	ASP
1	A	53	ASN
1	A	65	THR
1	A	78	PHE
1	A	79	ILE
1	A	94	MET
1	A	115	ILE
1	A	119	THR
1	A	120	SER
1	A	141	ILE
1	A	152	GLU
1	A	179	GLN
1	A	180	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	217	ASN
1	A	229	ASN
1	A	230	ARG
1	A	311	GLU
1	A	327	THR
1	A	330	GLN
1	A	346	THR
1	A	357	SER
1	A	358	GLN
1	A	366	LYS
1	A	381	LYS
1	A	386	LYS
1	A	392	GLN
1	A	403	GLU
1	A	422	CYS
1	A	427	GLU
1	A	445	LEU
1	A	447	ASP
1	A	471	GLN
1	A	477	THR
1	A	508	THR
1	A	519	ILE
1	A	548	VAL
1	A	549	ASP
1	A	600	SER
1	A	627	GLU
1	A	650	VAL
1	A	654	ASN
1	A	657	THR
1	A	664	THR
1	A	693	GLU
1	A	694	HIS
1	A	717	ILE
1	A	720	LYS
1	A	766	VAL
1	A	774	SER
1	A	794	ILE
1	A	807	ASN
1	A	822	TYR
1	A	824	ILE
1	A	825	LEU
1	A	831	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	833	GLU
1	A	841	ASP
1	A	849	LEU
1	A	850	GLU
1	A	852	LEU
1	A	855	THR
1	A	858	LEU
1	A	862	LYS
1	A	870	VAL
1	A	879	GLU
1	A	880	GLU
1	A	881	LYS
1	A	889	LYS
1	A	892	GLU
1	A	896	GLN
1	A	914	SER
1	A	920	ILE
1	A	983	GLN
1	A	993	THR
1	A	995	LEU
1	A	1002	LYS
1	A	1011	ILE
1	A	1014	GLU
1	A	1040	GLU
1	A	1050	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	-10	HIS
1	A	53	ASN
1	A	180	GLN
1	A	229	ASN
1	A	231	ASN
1	A	279	GLN
1	A	297	GLN
1	A	301	GLN
1	A	330	GLN
1	A	351	GLN
1	A	358	GLN
1	A	392	GLN
1	A	393	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	399	ASN
1	A	531	ASN
1	A	635	ASN
1	A	654	ASN
1	A	688	ASN
1	A	694	HIS
1	A	743	ASN
1	A	747	GLN
1	A	773	ASN
1	A	836	GLN
1	A	895	ASN
1	A	896	GLN
1	A	904	GLN
1	A	949	GLN
1	A	971	GLN
1	A	980	ASN
1	A	1025	HIS
1	A	1029	ASN
1	A	1032	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	PO4	A	1104	-	4,4,4	0.63	0	6,6,6	0.51	0
2	SO4	A	1102	-	4,4,4	0.32	0	6,6,6	0.08	0
2	SO4	A	1101	-	4,4,4	0.34	0	6,6,6	0.06	0
4	PO4	A	1105	-	4,4,4	0.68	0	6,6,6	0.48	0
3	KYG	A	1103	-	29,29,29	0.75	0	42,45,45	1.10	4 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	KYG	A	1103	-	-	10/23/47/47	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1103	KYG	CAF-CAQ-CAS	4.17	117.57	109.11
3	A	1103	KYG	CAO-CAS-CAQ	2.52	114.36	110.86
3	A	1103	KYG	CAM-CAO-CAS	2.27	114.83	109.68
3	A	1103	KYG	CAQ-CAF-CAG	2.05	116.33	111.72

There are no chirality outliers.


All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1103	KYG	CAY-OAX-PAU-OAW
3	A	1103	KYG	CAY-OAX-PAU-OAT
3	A	1103	KYG	CAQ-CAS-OAT-PAU
3	A	1103	KYG	CAO-CAS-OAT-PAU
3	A	1103	KYG	CAQ-CAF-OAE-PAB
3	A	1103	KYG	CAF-OAE-PAB-OAD
3	A	1103	KYG	CAY-OAX-PAU-OAV
3	A	1103	KYG	CAZ-CAY-OAX-PAU
3	A	1103	KYG	CAG-OAH-PAI-OAL
3	A	1103	KYG	CAF-CAG-OAH-PAI

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1086/1086 (100%)	-0.67	1 (0%) 92 86	56, 119, 187, 232	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	167	GLY	2.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	KYG	A	1103	29/29	0.54	0.08	152,199,214,222	0
2	SO4	A	1101	5/5	0.58	0.07	166,168,171,172	0
4	PO4	A	1104	5/5	0.65	0.06	166,170,183,193	0
4	PO4	A	1105	5/5	0.73	0.07	151,161,166,170	0
2	SO4	A	1102	5/5	0.88	0.06	121,138,141,147	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.