



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:00 PM UTC

PDB ID : 1NSD / pdb_00001nsd
Title : INFLUENZA B VIRUS NEURAMINIDASE CAN SYNTHESIZE ITS OWN INHIBITOR
Authors : Burmeister, W.P.; Ruigrok, R.W.H.; Cusack, S.
Deposited on : 1993-05-24
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	390	
1	B	390	

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 9115 atoms, of which 2466 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NEURAMINIDASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	390	Total	C	H	N	O	S	5	0	0
			3737	1899	701	533	575	29			
1	B	390	Total	C	H	N	O	S	5	0	0
			3737	1899	701	533	575	29			

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	0	0
			28	8	14	1	5		
2	B	1	Total	C	H	N	O	0	0
			28	8	14	1	5		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	2	Total Ca 2 2	0	0
3	B	1	Total Ca 1 1	0	0

- Molecule 4 is 2-DEOXY-2,3-DEHYDRO-N-ACETYL-NEURAMINIC ACID (CCD ID: DAN) (formula: $C_{11}H_{17}NO_8$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C H N O 36 11 16 1 8	0	0
4	B	1	Total C H N O 36 11 16 1 8	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	257	Total H O 769 512 257	0	0
5	B	249	Total H O 741 492 249	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: NEURAMINIDASE



• Molecule 1: NEURAMINIDASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	88.90Å 88.90Å 222.80Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	(Not available) – 1.80	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-1.80)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.169 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	9115	wwPDB-VP
Average B, all atoms (Å ²)	12.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, CA, DAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.00	13/3109 (0.4%)	1.57	31/4197 (0.7%)
1	B	1.02	13/3109 (0.4%)	1.56	25/4197 (0.6%)
All	All	1.01	26/6218 (0.4%)	1.56	56/8394 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	395	HIS	CD2-NE2	-7.20	1.29	1.37
1	A	353	HIS	CD2-NE2	-7.16	1.29	1.37
1	A	172	HIS	CD2-NE2	-6.84	1.30	1.37
1	A	133	HIS	CD2-NE2	-6.68	1.30	1.37
1	A	100	HIS	CD2-NE2	-6.61	1.30	1.37
1	B	272	HIS	CD2-NE2	-6.59	1.30	1.37
1	B	133	HIS	CD2-NE2	-6.38	1.30	1.37
1	A	182	HIS	CD2-NE2	-6.35	1.30	1.37
1	A	154	HIS	CD2-NE2	-6.25	1.30	1.37
1	B	182	HIS	CD2-NE2	-6.25	1.30	1.37
1	A	214	HIS	CD2-NE2	-6.25	1.30	1.37
1	A	430	HIS	CD2-NE2	-6.15	1.31	1.37
1	A	395	HIS	CD2-NE2	-6.13	1.31	1.37
1	A	430	HIS	CG-ND1	-6.07	1.31	1.38
1	B	353	HIS	CD2-NE2	-6.07	1.31	1.37
1	B	100	HIS	CD2-NE2	-5.98	1.31	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	172	HIS	CD2-NE2	-5.95	1.31	1.37
1	B	214	HIS	CD2-NE2	-5.95	1.31	1.37
1	A	272	HIS	CG-ND1	-5.85	1.31	1.38
1	B	438	HIS	CD2-NE2	-5.85	1.31	1.37
1	B	182	HIS	CG-ND1	-5.44	1.32	1.38
1	A	128	HIS	CD2-NE2	-5.33	1.31	1.37
1	B	154	HIS	CD2-NE2	-5.28	1.32	1.37
1	A	438	HIS	CD2-NE2	-5.27	1.32	1.37
1	B	128	HIS	CD2-NE2	-5.21	1.32	1.37
1	B	272	HIS	CG-ND1	-5.08	1.32	1.38

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	270	VAL	N-CA-CB	-12.60	95.98	112.36
1	B	224	GLN	N-CA-C	9.97	122.23	111.36
1	A	235	CYS	O-C-N	-9.62	110.27	122.20
1	A	224	GLN	N-CA-C	8.96	122.22	111.82
1	A	163	ILE	N-CA-C	-8.66	94.03	107.71
1	B	270	VAL	CB-CA-C	8.61	120.40	110.93
1	A	305	ASN	OD1-CG-ND2	-7.95	114.65	122.60
1	A	108	ASN	OD1-CG-ND2	-7.88	114.72	122.60
1	A	172	HIS	CB-CG-CD2	-6.79	122.37	131.20
1	B	128	HIS	CA-CB-CG	6.72	120.52	113.80
1	A	193	ASP	CA-CB-CG	6.71	119.31	112.60
1	A	154	HIS	CB-CG-CD2	-6.65	122.56	131.20
1	A	402	MET	CA-CB-CG	-6.63	100.84	114.10
1	B	341	ASP	N-CA-CB	-6.45	100.47	110.46
1	A	339	ASN	OD1-CG-ND2	-6.42	116.17	122.60
1	A	87	GLN	OE1-CD-NE2	-6.38	116.22	122.60
1	A	218	ASN	OD1-CG-ND2	-6.36	116.24	122.60
1	A	395	HIS	CB-CG-CD2	-6.31	123.00	131.20
1	B	341	ASP	CA-CB-CG	6.22	118.82	112.60
1	B	434	LYS	CA-CB-CG	6.03	126.16	114.10
1	A	143	ASN	OD1-CG-ND2	-5.93	116.67	122.60
1	B	87	GLN	OE1-CD-NE2	-5.92	116.68	122.60
1	B	333	THR	CA-CB-OG1	-5.91	100.73	109.60
1	B	241	ASP	CA-CB-CG	5.81	118.41	112.60
1	A	162	LYS	O-C-N	-5.75	115.06	122.20
1	A	353	HIS	CB-CG-CD2	-5.74	123.74	131.20
1	B	229	ASN	OD1-CG-ND2	-5.74	116.86	122.60
1	B	333	THR	N-CA-CB	-5.74	102.16	110.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	395	HIS	CB-CG-CD2	-5.73	123.76	131.20
1	A	236	TYR	N-CA-C	-5.70	98.65	110.80
1	B	438	HIS	CB-CG-CD2	-5.63	123.88	131.20
1	B	147	GLU	CA-CB-CG	5.60	125.31	114.10
1	A	133	HIS	CB-CG-CD2	-5.57	123.96	131.20
1	B	92	GLN	OE1-CD-NE2	-5.54	117.06	122.60
1	A	415	LYS	CG-CD-CE	5.53	124.02	111.30
1	A	438	HIS	CB-CG-CD2	-5.51	124.03	131.20
1	A	154	HIS	CB-CG-ND1	5.50	130.96	122.70
1	B	305	ASN	OD1-CG-ND2	-5.49	117.11	122.60
1	A	100	HIS	CA-CB-CG	-5.41	108.39	113.80
1	A	182	HIS	CB-CG-CD2	-5.39	124.19	131.20
1	B	182	HIS	CB-CG-CD2	-5.38	124.20	131.20
1	B	133	HIS	CB-CG-CD2	-5.37	124.22	131.20
1	A	454	LEU	N-CA-C	5.34	119.79	113.12
1	A	118	PHE	CA-CB-CG	5.30	119.10	113.80
1	A	218	ASN	CB-CG-ND2	5.29	124.34	116.40
1	B	270	VAL	N-CA-C	5.27	118.21	113.10
1	A	395	HIS	CB-CG-ND1	5.27	130.60	122.70
1	A	176	TRP	CG-CD2-CE3	5.25	139.15	133.90
1	A	172	HIS	CB-CG-ND1	5.19	130.49	122.70
1	B	187	TRP	CE2-CD2-CG	-5.18	100.98	107.20
1	B	434	LYS	N-CA-CB	-5.18	100.89	110.32
1	A	270	VAL	N-CA-C	5.17	117.08	112.17
1	B	353	HIS	CB-CG-CD2	-5.16	124.49	131.20
1	B	434	LYS	CB-CG-CD	-5.14	99.47	111.30
1	B	143	ASN	OD1-CG-ND2	-5.12	117.48	122.60
1	A	176	TRP	CB-CG-CD1	-5.11	119.23	126.90

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	162	LYS	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3036	701	2923	18	0
1	B	3036	701	2923	14	0
2	A	14	14	13	0	0
2	B	14	14	13	0	0
3	A	2	0	0	0	0
3	B	1	0	0	0	0
4	A	20	16	16	0	0
4	B	20	16	16	0	0
5	A	257	512	0	2	0
5	B	249	492	0	4	0
All	All	6649	2466	5904	31	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (31) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:192:VAL:HG22	1:B:201:ILE:HD13	1.64	0.79
1:A:192:VAL:HG22	1:A:201:ILE:HD13	1.79	0.63
1:B:78:GLU:HB2	5:B:705:HOH:O	2.06	0.54
1:A:368:MET:HE1	1:A:398:VAL:HG13	1.91	0.51
1:B:347:ILE:HD12	1:B:373:ARG:HG2	1.93	0.51
1:A:356:MET:HE1	1:A:382:TYR:CE1	2.47	0.49
1:A:133:HIS:HE1	5:A:593:HOH:O	1.96	0.48
1:A:328:ASP:OD1	1:A:370:LYS:NZ	2.47	0.46
1:A:276:CYS:HB3	1:A:288:CYS:HB3	1.97	0.46
1:B:435:LYS:HE3	5:B:650:HOH:O	2.16	0.45
1:A:284:LYS:HE3	1:A:305:ASN:ND2	2.31	0.45
1:A:269:ARG:HH21	1:A:339:ASN:HD21	1.63	0.45
1:B:284:LYS:NZ	1:B:307:GLU:OE1	2.50	0.44
1:B:368:MET:HE1	1:B:398:VAL:HG13	1.98	0.44
1:B:133:HIS:HD2	5:B:562:HOH:O	2.00	0.43
1:B:132:THR:O	1:B:153:ARG:HA	2.19	0.43
1:A:106:ARG:HD2	5:A:499:HOH:O	2.18	0.43
1:A:201:ILE:HB	1:A:213:TYR:HB3	2.01	0.43
1:B:417:LYS:HB3	1:B:417:LYS:HE2	1.64	0.43
1:B:276:CYS:HB3	1:B:288:CYS:HB3	2.01	0.42
1:A:252:PHE:HB2	1:A:264:ILE:HB	2.00	0.42
1:B:201:ILE:HB	1:B:213:TYR:HB3	2.01	0.41
1:A:76:GLU:N	1:A:76:GLU:OE1	2.53	0.41
1:B:186:GLU:HB3	1:B:205:TYR:CZ	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:ILE:HG12	1:A:221:LEU:HD21	2.02	0.41
1:B:80:THR:HG21	5:B:673:HOH:O	2.19	0.41
1:A:186:GLU:HB3	1:A:205:TYR:CZ	2.56	0.41
1:A:381:ARG:HA	1:A:381:ARG:HD2	1.92	0.41
1:A:129:PHE:CD2	1:A:157:SER:HB3	2.56	0.40
1:A:314:ARG:HB2	1:A:387:TRP:CD1	2.56	0.40
1:A:200:LEU:HG	1:B:454:LEU:HD12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	388/390 (100%)	376 (97%)	12 (3%)	0	100	100
1	B	388/390 (100%)	375 (97%)	12 (3%)	1 (0%)	36	25
All	All	776/780 (100%)	751 (97%)	24 (3%)	1 (0%)	48	34

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	220	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	324/324 (100%)	308 (95%)	16 (5%)	22	10
1	B	324/324 (100%)	313 (97%)	11 (3%)	32	20
All	All	648/648 (100%)	621 (96%)	27 (4%)	26	14

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	80	THR
1	A	87	GLN
1	A	106	ARG
1	A	156	ILE
1	A	170	ILE
1	A	200	LEU
1	A	228	CYS
1	A	267	THR
1	A	271	GLU
1	A	306	VAL
1	A	320	THR
1	A	333	THR
1	A	359	LYS
1	A	378	LEU
1	A	402	MET
1	A	455	TRP
1	B	76	GLU
1	B	106	ARG
1	B	152	LEU
1	B	198	ASN
1	B	270	VAL
1	B	306	VAL
1	B	333	THR
1	B	337	GLU
1	B	341	ASP
1	B	435	LYS
1	B	455	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	133	HIS
1	A	168	ASN
1	A	229	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	339	ASN
1	B	108	ASN
1	B	133	HIS
1	B	168	ASN
1	B	198	ASN
1	B	229	ASN
1	B	452	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 3 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	DAN	B	467	-	20,20,20	2.39	4 (20%)	24,28,28	1.52	4 (16%)
2	NAG	A	466	1	14,14,15	0.68	0	17,19,21	1.61	3 (17%)
4	DAN	A	467	-	20,20,20	2.43	4 (20%)	24,28,28	1.62	5 (20%)
2	NAG	B	466	1	14,14,15	0.56	0	17,19,21	1.60	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DAN	B	467	-	-	0/18/34/34	0/1/1/1
2	NAG	A	466	1	-	1/6/23/26	0/1/1/1
4	DAN	A	467	-	-	0/18/34/34	0/1/1/1
2	NAG	B	466	1	-	0/6/23/26	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	467	DAN	C3-C2	8.88	1.48	1.33
4	B	467	DAN	C3-C2	8.60	1.48	1.33
4	B	467	DAN	C7-C6	3.09	1.56	1.52
4	A	467	DAN	C7-C6	3.06	1.56	1.52
4	B	467	DAN	C6-C5	2.57	1.57	1.53
4	B	467	DAN	O1B-C1	-2.47	1.23	1.30
4	A	467	DAN	O1B-C1	-2.42	1.24	1.30
4	A	467	DAN	C6-C5	2.39	1.56	1.53

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	467	DAN	C4-C5-N5	-4.89	105.65	111.13
4	B	467	DAN	C4-C5-N5	-4.43	106.16	111.13
2	B	466	NAG	C1-O5-C5	4.05	117.61	112.19
2	A	466	NAG	C1-O5-C5	3.95	117.48	112.19
2	B	466	NAG	C8-C7-N2	3.16	121.36	116.12
4	A	467	DAN	O1B-C1-C2	3.04	120.95	114.06
2	A	466	NAG	C8-C7-N2	2.88	120.89	116.12
4	B	467	DAN	O1B-C1-C2	2.84	120.50	114.06
4	B	467	DAN	O6-C2-C3	-2.60	121.71	124.62
2	B	466	NAG	C1-C2-N2	-2.42	106.62	110.43
4	A	467	DAN	O6-C2-C3	-2.35	121.99	124.62
4	A	467	DAN	O1B-C1-O1A	-2.14	118.81	123.90
4	B	467	DAN	O6-C2-C1	2.07	116.14	112.02
2	A	466	NAG	C2-N2-C7	2.02	125.61	122.90
4	A	467	DAN	O6-C2-C1	2.01	116.03	112.02

There are no chirality outliers.


All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	466	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.