



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 12:03 PM UTC

PDB ID : 4NSW / pdb_00004nsw
Title : Crystal structure of the BAR-PH domain of ACAP1
Authors : Pang, X.; Zhang, K.; Ma, J.; Zhou, Q.; Sun, F.
Deposited on : 2013-11-29
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	382	5% 68% 23% • • •
1	B	382	4% 69% 23% • 5%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5985 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Arf-GAP with coiled-coil, ANK repeat and PH domain-containing protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	368	Total	C	N	O	S	0	0	0
			2940	1841	538	548	13			
1	B	362	Total	C	N	O	S	0	0	0
			2899	1813	532	541	13			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP Q15027
A	-3	PRO	-	expression tag	UNP Q15027
A	-2	LEU	-	expression tag	UNP Q15027
A	-1	GLY	-	expression tag	UNP Q15027
A	0	SER	-	expression tag	UNP Q15027
B	-4	GLY	-	expression tag	UNP Q15027
B	-3	PRO	-	expression tag	UNP Q15027
B	-2	LEU	-	expression tag	UNP Q15027
B	-1	GLY	-	expression tag	UNP Q15027
B	0	SER	-	expression tag	UNP Q15027


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	79	Total	O	0	0
			79	79		
2	B	67	Total	O	0	0
			67	67		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Arf-GAP with coiled-coil, ANK repeat and PH domain-containing protein 1



- Molecule 1: Arf-GAP with coiled-coil, ANK repeat and PH domain-containing protein 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	42.46Å 59.72Å 168.95Å 90.00° 91.40° 90.00°	Depositor
Resolution (Å)	29.85 – 2.20 29.85 – 2.20	Depositor EDS
% Data completeness (in resolution range)	95.2 (29.85-2.20) 95.2 (29.85-2.20)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.21 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.5.0088	Depositor
R, R_{free}	0.211 , 0.266 0.231 , 0.292	Depositor DCC
R_{free} test set	2059 reflections (4.76%)	wwPDB-VP
Wilson B-factor (Å ²)	38.5	Xtriage
Anisotropy	0.570	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.043 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5985	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.81	0/2989	1.06	10/4022 (0.2%)
1	B	0.81	0/2946	0.98	3/3964 (0.1%)
All	All	0.81	0/5935	1.02	13/7986 (0.2%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	249	GLU	N-CA-C	8.78	115.98	108.78
1	A	214	SER	N-CA-C	6.86	118.41	111.07
1	B	104	THR	CB-CA-C	-6.44	99.91	110.85
1	A	250	LEU	N-CA-C	6.26	119.12	110.35
1	B	150	GLN	N-CA-C	-6.12	106.78	114.56
1	A	277	SER	N-CA-C	6.01	119.03	110.68
1	A	1	MET	N-CA-C	-6.01	105.78	113.23
1	A	144	VAL	CA-C-N	5.93	126.27	119.92
1	A	144	VAL	C-N-CA	5.93	126.27	119.92
1	A	144	VAL	N-CA-CB	5.64	115.33	110.08
1	A	38	LEU	N-CA-C	5.60	117.38	111.28
1	A	115	GLU	N-CA-C	5.59	118.14	111.71
1	B	104	THR	N-CA-CB	5.09	117.70	110.16

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2940	0	2962	81	0
1	B	2899	0	2922	79	0
2	A	79	0	0	6	0
2	B	67	0	0	10	0
All	All	5985	0	5884	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:MET:HE1	1:B:75:MET:HE3	1.31	1.08
1:B:160:ARG:HH21	1:B:160:ARG:HG2	1.24	1.03
1:A:148:ARG:HG3	2:A:458:HOH:O	1.63	0.96
1:A:125:ARG:HD3	1:A:129:ARG:NH2	1.88	0.89
1:A:0:SER:HB2	1:B:71:PRO:HG3	1.55	0.86
1:B:159:LEU:HG	2:B:430:HOH:O	1.81	0.81
1:B:35:LEU:HD11	1:B:112:LEU:HD13	1.64	0.78
1:B:104:THR:HG23	1:B:194:ARG:HD3	1.66	0.77
1:A:45:LEU:HD23	1:A:45:LEU:C	2.09	0.76
1:B:160:ARG:HH21	1:B:160:ARG:CG	2.00	0.75
1:A:280:PHE:O	1:A:281:LYS:HB2	1.87	0.74
1:B:165:GLY:O	1:B:169:ARG:HG2	1.89	0.73
1:A:260:ARG:O	1:A:267:VAL:HG12	1.89	0.72
1:A:259:LEU:HB3	1:A:266:LEU:HD21	1.72	0.70
1:A:197:GLU:OE2	1:B:217:ARG:HD2	1.90	0.70
1:B:75:MET:HE1	1:B:227:LEU:CD1	2.24	0.68
1:A:66:LEU:C	1:A:66:LEU:HD13	2.19	0.67
1:A:66:LEU:HD11	1:B:188:ILE:CD1	2.24	0.67
1:A:48:SER:OG	1:B:51:HIS:HD2	1.76	0.67
1:B:237:ASP:O	1:B:241:ARG:HG2	1.94	0.66
1:A:296:VAL:HB	1:A:305:VAL:HG13	1.77	0.66
1:A:66:LEU:HD11	1:B:188:ILE:HD11	1.78	0.66
1:A:90:LYS:HZ2	1:A:209:GLU:HG2	1.62	0.65
1:A:327:PHE:HE2	1:A:345:GLU:HG2	1.62	0.65
1:A:71:PRO:HD2	1:B:184:ARG:NH1	2.12	0.64
1:A:48:SER:OG	1:B:51:HIS:CD2	2.51	0.64
1:A:211:SER:O	1:A:214:SER:HB3	1.99	0.63
1:A:327:PHE:CE2	1:A:345:GLU:HG2	2.35	0.62
1:B:312:LEU:HD23	1:B:358:SER:HB2	1.81	0.62
1:A:184:ARG:HD3	2:B:439:HOH:O	1.99	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:160:ARG:HG2	1:B:160:ARG:NH2	2.02	0.60
1:B:107:GLN:HG2	1:B:108:GLN:HE21	1.67	0.59
1:B:299:LYS:HG3	2:B:450:HOH:O	2.03	0.59
1:A:0:SER:CB	1:B:71:PRO:HG3	2.31	0.59
1:B:104:THR:HG22	1:B:108:GLN:HG2	1.84	0.58
1:B:105:LEU:HD22	1:B:191:PHE:HE1	1.68	0.58
1:A:224:LEU:O	1:A:228:VAL:HG23	2.04	0.58
1:B:355:VAL:O	1:B:359:ILE:HG13	2.03	0.57
1:B:140:HIS:O	1:B:144:VAL:HG23	2.03	0.57
1:A:90:LYS:NZ	1:A:209:GLU:HG2	2.19	0.57
1:A:351:TRP:O	1:A:355:VAL:HG23	2.05	0.56
1:A:252:GLY:HA3	1:B:160:ARG:HG3	1.87	0.56
1:A:317:VAL:HG21	1:A:355:VAL:CG1	2.35	0.56
1:A:250:LEU:HD12	1:A:252:GLY:HA2	1.86	0.56
1:B:102:GLN:O	1:B:106:GLN:HG3	2.05	0.56
1:A:250:LEU:HD13	1:B:167:ARG:HE	1.71	0.56
1:A:189:MET:CE	1:B:75:MET:HE3	2.22	0.56
1:B:275:ARG:HD2	2:B:412:HOH:O	2.06	0.55
1:A:46:LEU:O	1:A:50:ARG:HG2	2.06	0.55
1:B:68:ARG:HD3	2:B:456:HOH:O	2.07	0.55
1:A:250:LEU:HD13	1:B:167:ARG:NE	2.21	0.55
1:B:107:GLN:HG2	1:B:108:GLN:NE2	2.22	0.55
1:A:64:CYS:SG	1:A:84:THR:HG21	2.47	0.54
1:A:253:GLU:O	1:B:167:ARG:NH2	2.40	0.54
1:B:309:VAL:HG11	1:B:312:LEU:HD12	1.88	0.54
1:A:45:LEU:C	1:A:45:LEU:CD2	2.80	0.53
1:A:125:ARG:HD2	1:A:126:ASP:OD1	2.07	0.53
1:A:125:ARG:HD3	1:A:129:ARG:HH22	1.70	0.53
1:B:176:GLN:NE2	2:B:453:HOH:O	2.42	0.53
1:B:224:LEU:O	1:B:228:VAL:HG23	2.09	0.53
1:A:45:LEU:HD23	1:A:45:LEU:O	2.08	0.52
1:A:125:ARG:CD	1:A:126:ASP:OD1	2.58	0.52
1:A:66:LEU:CD1	1:B:188:ILE:CD1	2.87	0.52
1:B:101:THR:O	1:B:105:LEU:HD23	2.10	0.52
1:B:118:ARG:NH1	2:B:449:HOH:O	2.24	0.52
1:A:257:PRO:HG2	1:A:350:LEU:HD23	1.91	0.52
1:A:192:VAL:HG12	1:B:83:PHE:HD1	1.75	0.51
1:A:185:LYS:NZ	2:A:453:HOH:O	2.37	0.51
1:B:103:HIS:HA	1:B:106:GLN:HE21	1.75	0.51
1:A:189:MET:HE1	1:B:75:MET:CE	2.23	0.50
1:A:145:PRO:HB2	1:A:148:ARG:HD2	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:176:GLN:NE2	2:A:436:HOH:O	2.39	0.50
1:A:261:GLU:HB3	1:A:263:PRO:HD3	1.94	0.50
2:A:453:HOH:O	1:B:75:MET:HE2	2.11	0.50
1:B:71:PRO:O	1:B:73:GLU:HG3	2.12	0.49
1:A:296:VAL:HB	1:A:305:VAL:CG1	2.44	0.48
1:A:69:LEU:HD11	1:B:31:LEU:N	2.29	0.48
1:A:125:ARG:HD3	1:A:129:ARG:HH21	1.74	0.48
1:B:312:LEU:CD2	1:B:358:SER:HB2	2.44	0.48
1:B:325:ARG:HH21	1:B:341:GLN:HE22	1.61	0.48
1:B:75:MET:HE1	1:B:227:LEU:HD12	1.96	0.47
1:A:66:LEU:CD2	1:B:35:LEU:HD23	2.45	0.47
1:B:5:LEU:HD23	1:B:177:ILE:HG21	1.95	0.47
1:B:93:SER:OG	1:B:205:GLN:NE2	2.47	0.47
1:A:69:LEU:CD1	1:B:31:LEU:HA	2.45	0.47
1:A:261:GLU:C	1:A:263:PRO:HD3	2.40	0.47
1:A:320:CYS:C	1:A:322:ASP:H	2.23	0.47
1:A:157:ALA:O	1:A:161:THR:HG23	2.16	0.46
1:A:10:CYS:HB2	1:A:17:PHE:CE1	2.50	0.46
1:B:257:PRO:HB3	1:B:269:GLU:O	2.14	0.46
1:B:106:GLN:O	1:B:111:THR:HG23	2.15	0.46
1:B:274:LYS:HE3	1:B:297:TYR:CE2	2.51	0.46
1:A:260:ARG:HD3	1:A:269:GLU:OE1	2.15	0.45
1:A:1:MET:HE2	1:A:184:ARG:CZ	2.46	0.45
1:A:206:GLY:HA3	1:B:203:PHE:CD1	2.51	0.45
1:A:15:PRO:HD2	2:A:429:HOH:O	2.16	0.45
1:B:80:LEU:O	1:B:84:THR:HG22	2.16	0.45
1:B:178:ASN:HB2	2:B:421:HOH:O	2.16	0.45
1:A:144:VAL:HA	1:A:145:PRO:HD3	1.72	0.45
1:A:146:ARG:HG3	1:A:147:ARG:HE	1.81	0.45
1:B:325:ARG:HE	1:B:341:GLN:NE2	2.15	0.45
1:A:196:VAL:HG21	1:B:83:PHE:CG	2.52	0.44
1:A:283:TRP:HH2	1:A:339:LEU:HD22	1.82	0.44
1:A:317:VAL:HG21	1:A:355:VAL:HG12	1.99	0.44
1:B:11:LEU:HD22	1:B:167:ARG:HD3	1.98	0.43
1:B:346:ARG:HH11	1:B:346:ARG:HG2	1.83	0.43
1:B:35:LEU:HD12	1:B:113:VAL:CG1	2.48	0.43
1:B:110:GLN:HG3	2:B:420:HOH:O	2.19	0.43
1:A:69:LEU:HD11	1:B:30:GLU:C	2.44	0.42
1:B:353:SER:HA	1:B:356:GLN:HB2	2.01	0.42
1:A:48:SER:HB3	1:B:52:TYR:HA	2.01	0.42
1:A:297:TYR:CD1	1:A:297:TYR:C	2.97	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:293:ASN:HA	1:A:312:LEU:HD12	2.02	0.42
1:B:104:THR:HG22	1:B:108:GLN:CG	2.50	0.42
1:A:257:PRO:HD3	1:A:347:LEU:HD22	2.02	0.42
1:A:269:GLU:HA	1:A:288:PHE:O	2.19	0.42
1:A:124:ARG:HD3	2:A:435:HOH:O	2.20	0.41
1:B:24:VAL:HG11	1:B:177:ILE:HG12	2.02	0.41
1:A:73:GLU:HA	1:A:74:PRO:HD3	1.91	0.41
1:A:256:GLU:O	1:A:257:PRO:C	2.64	0.41
1:A:317:VAL:CG2	1:A:355:VAL:CG1	2.99	0.41
1:B:45:LEU:C	1:B:45:LEU:HD23	2.45	0.41
1:A:259:LEU:HD12	1:A:266:LEU:HD23	2.03	0.41
1:B:35:LEU:CD1	1:B:113:VAL:HG13	2.51	0.41
1:B:160:ARG:CG	1:B:160:ARG:NH2	2.69	0.41
1:B:180:ILE:HG23	2:B:453:HOH:O	2.20	0.41
1:A:302:LYS:HE3	1:A:303:ASP:HA	2.03	0.40
1:B:28:VAL:HG21	1:B:120:PHE:CZ	2.56	0.40
1:B:330:GLU:HG2	1:B:332:VAL:CG2	2.52	0.40
1:A:210:LEU:HD13	1:B:200:ALA:HA	2.02	0.40
1:A:56:SER:HA	1:B:45:LEU:HD12	2.04	0.40
1:A:200:ALA:HA	1:B:210:LEU:HD13	2.02	0.40
1:A:76:MET:HE2	1:A:76:MET:HB3	1.75	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	366/382 (96%)	347 (95%)	14 (4%)	5 (1%)	9	7
1	B	360/382 (94%)	352 (98%)	8 (2%)	0	100	100
All	All	726/764 (95%)	699 (96%)	22 (3%)	5 (1%)	18	19

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	0	SER
1	A	281	LYS
1	A	146	ARG
1	A	261	GLU
1	A	247	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	315/325 (97%)	278 (88%)	37 (12%)	5	5
1	B	311/325 (96%)	275 (88%)	36 (12%)	5	5
All	All	626/650 (96%)	553 (88%)	73 (12%)	5	5

All (73) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	0	SER
1	A	2	THR
1	A	4	LYS
1	A	5	LEU
1	A	23	LEU
1	A	31	LEU
1	A	36	GLU
1	A	37	LYS
1	A	41	LEU
1	A	48	SER
1	A	65	ASP
1	A	76	MET
1	A	112	LEU
1	A	125	ARG
1	A	134	LEU
1	A	180	ILE
1	A	185	LYS
1	A	188	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	204	GLN
1	A	209	GLU
1	A	214	SER
1	A	215	GLN
1	A	218	LYS
1	A	224	LEU
1	A	226	GLN
1	A	229	LEU
1	A	256	GLU
1	A	259	LEU
1	A	274	LYS
1	A	282	THR
1	A	302	LYS
1	A	315	CYS
1	A	317	VAL
1	A	319	LEU
1	A	324	GLU
1	A	339	LEU
1	A	348	LEU
1	B	4	LYS
1	B	5	LEU
1	B	12	LYS
1	B	16	ARG
1	B	23	LEU
1	B	31	LEU
1	B	38	LEU
1	B	41	LEU
1	B	46	LEU
1	B	80	LEU
1	B	84	THR
1	B	91	LEU
1	B	104	THR
1	B	112	LEU
1	B	135	GLU
1	B	146	ARG
1	B	147	ARG
1	B	160	ARG
1	B	175	LEU
1	B	190	GLU
1	B	223	GLN
1	B	229	LEU
1	B	233	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	274	LYS
1	B	275	ARG
1	B	299	LYS
1	B	300	LYS
1	B	307	VAL
1	B	308	VAL
1	B	312	LEU
1	B	317	VAL
1	B	318	LYS
1	B	334	THR
1	B	335	SER
1	B	338	CYS
1	B	358	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	140	HIS
1	A	178	ASN
1	A	207	HIS
1	A	226	GLN
1	A	271	HIS
1	A	341	GLN
1	B	51	HIS
1	B	88	ASN
1	B	89	HIS
1	B	106	GLN
1	B	108	GLN
1	B	176	GLN
1	B	205	GLN
1	B	207	HIS
1	B	223	GLN
1	B	294	GLN
1	B	341	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	368/382 (96%)	0.41	21 (5%) 29 26	28, 56, 92, 124	0
1	B	362/382 (94%)	0.41	16 (4%) 39 36	28, 52, 102, 131	0
All	All	730/764 (95%)	0.41	37 (5%) 33 30	28, 53, 99, 131	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	279	ALA	4.8
1	A	252	GLY	4.0
1	A	280	PHE	4.0
1	B	149	ALA	3.7
1	B	361	SER	3.3
1	B	263	PRO	3.2
1	A	281	LYS	2.9
1	B	360	ALA	2.9
1	A	250	LEU	2.8
1	A	276	ALA	2.8
1	B	140	HIS	2.8
1	A	357	SER	2.6
1	B	323	SER	2.6
1	A	304	PRO	2.6
1	A	74	PRO	2.5
1	A	352	VAL	2.5
1	A	278	ASN	2.5
1	B	144	VAL	2.5
1	B	258	SER	2.5
1	A	322	ASP	2.5
1	A	263	PRO	2.4
1	B	145	PRO	2.3
1	B	321	PRO	2.3
1	A	339	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	10	CYS	2.2
1	B	334	THR	2.2
1	A	262	GLY	2.2
1	B	317	VAL	2.2
1	B	1	MET	2.2
1	A	-1	GLY	2.2
1	A	149	ALA	2.2
1	B	152	ALA	2.2
1	B	0	SER	2.2
1	A	71	PRO	2.2
1	A	72	PRO	2.1
1	A	282	THR	2.1
1	A	139	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.