



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 11:50 PM UTC

PDB ID : 7NT4 / pdb_00007nt4
Title : X-ray structure of SCoV2-PLpro in complex with small molecule inhibitor
Authors : Napolitano, V.; Mourao, A.; Bostock, M.; Matsuda, A.; Czarna, A.; Popowicz, G.M.
Deposited on : 2021-03-09
Resolution : 2.68 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5070 (2.70-2.66)
Clashscore	190562	5409 (2.70-2.66)
Ramachandran outliers	187476	5324 (2.70-2.66)
Sidechain outliers	187428	5324 (2.70-2.66)
RSRZ outliers	180081	5070 (2.70-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	318	9% 59% 31% 7% ••
1	B	318	3% 69% 24% 5% ••

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EDO	A	405	-	-	X	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 5184 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Non-structural protein 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	308	Total	C	N	O	S	0	0	0
			2349	1483	390	459	17			
1	B	313	Total	C	N	O	S	0	5	0
			2491	1583	411	478	19			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P0DTD1
A	0	ALA	-	expression tag	UNP P0DTD1
A	1	MET	-	expression tag	UNP P0DTD1
B	-1	GLY	-	expression tag	UNP P0DTD1
B	0	ALA	-	expression tag	UNP P0DTD1
B	1	MET	-	expression tag	UNP P0DTD1

- Molecule 2 is PROFLAVIN (CCD ID: PRL) (formula: $C_{13}H_{11}N_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	N	0	0
			16	13	3		
2	A	1	Total	C	N	0	0
			16	13	3		
2	A	1	Total	C	N	0	0
			16	13	3		
2	B	1	Total	C	N	0	0
			16	13	3		
2	B	1	Total	C	N	0	0
			16	13	3		
2	B	1	Total	C	N	0	0
			16	13	3		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Zn	0	0
			1	1		
4	B	1	Total	Zn	0	0
			1	1		

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	86	Total 86	O 86	0	0
6	B	107	Total 107	O 107	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Non-structural protein 3



• Molecule 1: Non-structural protein 3



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	116.37Å 116.37Å 253.57Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.47 – 2.68 49.47 – 2.68	Depositor EDS
% Data completeness (in resolution range)	72.6 (49.47-2.68) 72.8 (49.47-2.68)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.44 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.193 , 0.264 0.194 , 0.264	Depositor DCC
R_{free} test set	1001 reflections (4.50%)	wwPDB-VP
Wilson B-factor (Å ²)	35.8	Xtriage
Anisotropy	0.418	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 54.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5184	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, EDO, SO4, PRL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.86	3/2404 (0.1%)	1.43	26/3280 (0.8%)
1	B	0.69	0/2559	1.33	17/3476 (0.5%)
All	All	0.78	3/4963 (0.1%)	1.38	43/6756 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	139	ARG	CG-CD	21.13	2.15	1.52
1	A	139	ARG	NE-CZ	-11.16	1.20	1.33
1	A	139	ARG	CZ-NH1	-5.15	1.25	1.32

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	27	THR	CB-CA-C	9.04	123.92	111.63
1	B	76	THR	CA-CB-OG1	-8.61	96.68	109.60
1	A	309	ASN	CA-CB-CG	-8.48	104.12	112.60
1	A	266	THR	CB-CA-C	8.05	124.75	109.37
1	A	162	GLU	CB-CA-C	7.86	122.65	109.84
1	A	16	ASN	CB-CA-C	-7.63	98.57	110.78
1	A	312	THR	CA-CB-OG1	-7.34	98.59	109.60
1	A	139	ARG	NE-CZ-NH2	7.28	125.75	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	139	ARG	NE-CZ-NH1	-7.25	114.25	121.50
1	A	139	ARG	CG-CD-NE	-6.98	96.65	112.00
1	A	75	THR	CA-CB-OG1	6.73	119.69	109.60
1	A	169	THR	CA-CB-OG1	-6.65	99.63	109.60
1	B	124	ILE	N-CA-CB	-6.60	99.72	111.93
1	B	172	TYR	CB-CA-C	-6.53	99.95	110.79
1	B	110	ASN	CA-CB-CG	-6.12	106.47	112.60
1	A	251	GLN	CB-CA-C	5.81	118.97	109.90
1	A	260	THR	CB-CA-C	5.81	119.94	110.24
1	A	23	ASP	CA-CB-CG	5.78	118.38	112.60
1	A	75	THR	CB-CA-C	-5.78	98.03	110.45
1	B	63[A]	ASP	CB-CA-C	5.71	120.27	110.79
1	B	63[B]	ASP	CB-CA-C	5.71	120.27	110.79
1	B	5	THR	N-CA-C	5.70	117.85	109.24
1	B	260	THR	CB-CA-C	5.70	119.76	110.24
1	A	256	HIS	CB-CA-C	-5.70	100.27	109.72
1	B	142	ALA	CA-C-N	-5.64	117.32	123.30
1	B	142	ALA	C-N-CA	-5.64	117.32	123.30
1	A	110	ASN	CA-CB-CG	-5.61	106.99	112.60
1	A	20	GLN	CA-C-N	5.60	128.27	122.27
1	A	20	GLN	C-N-CA	5.60	128.27	122.27
1	A	222	GLN	CB-CG-CD	-5.44	103.35	112.60
1	A	239	GLU	CB-CA-C	-5.44	102.79	111.17
1	B	109	ASP	CB-CA-C	-5.42	104.59	111.86
1	B	144	GLU	CB-CA-C	-5.36	102.30	111.31
1	B	169	THR	CA-CB-OG1	-5.32	101.62	109.60
1	A	75	THR	N-CA-CB	5.31	120.53	111.66
1	A	172	TYR	CB-CA-C	-5.26	101.73	110.68
1	B	251	GLN	CB-CA-C	5.26	118.11	109.90
1	A	95	LYS	CB-CA-C	5.23	118.94	109.37
1	A	134	GLN	CB-CA-C	-5.14	102.59	110.81
1	A	28	TYR	CB-CA-C	5.09	118.54	109.38
1	B	16	ASN	CB-CA-C	-5.07	102.03	110.14
1	B	162	GLU	CA-C-N	5.00	127.96	120.90
1	B	162	GLU	C-N-CA	5.00	127.96	120.90

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	27	THR	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2349	0	2186	84	0
1	B	2491	0	2401	74	0
2	A	48	0	33	1	0
2	B	48	0	33	0	0
3	A	16	0	24	7	0
3	B	12	0	18	3	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	10	0	0	1	0
5	B	15	0	0	1	0
6	A	86	0	0	5	0
6	B	107	0	0	5	0
All	All	5184	0	4695	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:139:ARG:CD	1:A:139:ARG:CG	2.15	1.24
1:A:229:LYS:HB3	1:B:63[B]:ASP:OD1	1.45	1.15
1:A:284:TYR:CE2	1:A:293:LYS:HE3	1.91	1.04
1:A:260:THR:HG22	3:A:407:EDO:H11	1.39	1.00
1:B:49:ASN:ND2	1:B:49:ASN:H	1.66	0.92
1:A:112:CYS:HA	3:A:405:EDO:H21	1.56	0.88
1:A:229:LYS:CB	1:B:63[B]:ASP:OD1	2.25	0.84
1:A:229:LYS:HB3	1:B:63[B]:ASP:CG	2.04	0.82
1:B:49:ASN:HA	6:B:581:HOH:O	1.79	0.81
1:A:10:THR:HG22	1:A:18:HIS:O	1.82	0.80
1:B:24:MET:HA	1:B:47:PRO:HG2	1.64	0.79
1:A:107:TRP:HD1	3:A:405:EDO:H11	1.46	0.78
1:A:48:HIS:O	1:A:50:SER:N	2.19	0.74
1:A:230:GLN:HE21	1:A:230:GLN:HA	1.50	0.74
1:A:107:TRP:CD1	3:A:405:EDO:H11	2.23	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:297:TYR:HE2	6:A:541:HOH:O	1.72	0.73
1:A:116:THR:HG21	1:A:263:SER:HB3	1.73	0.69
1:B:49:ASN:H	1:B:49:ASN:HD22	1.38	0.69
1:A:172:TYR:O	1:A:175:GLN:HB2	1.93	0.69
1:B:141[A]:ARG:CB	1:B:141[A]:ARG:HH11	2.06	0.68
1:A:284:TYR:HD2	1:A:291:LEU:HD11	1.58	0.67
1:A:64:THR:O	1:A:67:VAL:HG12	1.94	0.66
1:B:172:TYR:O	1:B:175:GLN:HB2	1.95	0.66
1:B:24:MET:HA	1:B:47:PRO:CG	2.26	0.66
1:A:9:PHE:CB	1:A:19:THR:HG23	2.26	0.66
1:A:9:PHE:CB	1:A:19:THR:CG2	2.74	0.66
1:B:137:TYR:CZ	1:B:141[B]:ARG:HD3	2.32	0.64
1:B:141[A]:ARG:NH1	1:B:141[A]:ARG:HB3	2.13	0.64
1:A:78:PRO:HD3	1:B:224:PRO:HG3	1.79	0.64
1:A:139:ARG:HB3	1:A:139:ARG:HE	1.63	0.63
1:A:209:MET:HE2	1:A:246:SER:HB2	1.82	0.62
1:A:70:PHE:HB2	1:A:76:THR:HG23	1.81	0.62
1:B:137:TYR:OH	1:B:141[B]:ARG:HD3	2.01	0.61
1:B:141[A]:ARG:HH11	1:B:141[A]:ARG:HB2	1.65	0.61
1:A:167:ARG:NH1	1:A:209:MET:HE3	2.16	0.61
1:B:141[A]:ARG:NH1	6:B:501:HOH:O	2.28	0.61
1:B:141[A]:ARG:CB	1:B:141[A]:ARG:NH1	2.64	0.60
1:B:260:THR:HG22	5:B:410:SO4:O2	2.02	0.60
1:A:21:VAL:HG21	6:A:516:HOH:O	2.01	0.60
1:A:230:GLN:HA	1:A:230:GLN:NE2	2.15	0.60
1:A:297:TYR:C	1:A:297:TYR:CD1	2.79	0.60
1:B:209:MET:HE2	1:B:246:SER:HB2	1.84	0.59
1:A:227:CYS:SG	1:A:229:LYS:HE2	2.43	0.58
1:B:34:PRO:HG2	1:B:59:LEU:CD1	2.33	0.58
1:B:69:ALA:CB	3:B:405:EDO:H22	2.33	0.58
1:B:34:PRO:HA	1:B:43:THR:HG23	1.86	0.58
1:A:209:MET:HE2	1:A:246:SER:CB	2.34	0.58
1:A:284:TYR:CE2	1:A:293:LYS:CE	2.80	0.58
1:B:297:TYR:C	1:B:297:TYR:CD1	2.82	0.57
1:A:284:TYR:HE2	1:A:293:LYS:HE3	1.61	0.57
1:A:307:LYS:HB3	3:A:407:EDO:H12	1.87	0.56
1:A:9:PHE:CA	1:A:19:THR:HG22	2.36	0.56
1:B:69:ALA:HB3	3:B:405:EDO:H22	1.89	0.55
1:B:179:LEU:O	1:B:182:CYS:HB2	2.07	0.55
1:A:179:LEU:O	1:A:182:CYS:HB2	2.07	0.54
1:A:9:PHE:CB	1:A:19:THR:HG22	2.39	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:184:ARG:HD3	1:B:186:LEU:HD21	1.90	0.53
1:A:116:THR:CG2	1:A:263:SER:HB3	2.37	0.53
1:A:294:SER:HB2	5:A:409:SO4:O1	2.08	0.53
1:B:209:MET:HE2	1:B:246:SER:CB	2.39	0.52
1:B:72:TYR:CE2	1:B:132:ALA:HB2	2.45	0.52
1:B:264:GLU:HB3	1:B:301:ILE:HD13	1.91	0.52
1:A:264:GLU:HB3	1:A:301:ILE:HD13	1.91	0.52
1:B:5:THR:HB	1:B:22:VAL:O	2.10	0.52
1:B:23:ASP:OD1	1:B:23:ASP:C	2.53	0.51
1:A:284:TYR:CZ	1:A:293:LYS:HE3	2.44	0.51
1:A:281:GLU:OE2	1:A:284:TYR:OH	2.28	0.51
1:A:229:LYS:CA	1:B:63[B]:ASP:OD1	2.59	0.50
1:B:122:GLN:HA	1:B:141[B]:ARG:HH11	1.75	0.50
1:A:67:VAL:CG1	1:A:68:GLU:N	2.75	0.50
1:A:112:CYS:HB3	3:A:405:EDO:H12	1.92	0.50
1:B:34:PRO:CG	1:B:59:LEU:HD12	2.42	0.50
1:B:79:SER:O	1:B:83:ARG:HG3	2.12	0.50
1:A:292:THR:HA	3:A:406:EDO:H12	1.93	0.50
1:A:229:LYS:HA	1:B:63[B]:ASP:OD1	2.12	0.50
1:A:139:ARG:CG	1:A:139:ARG:NE	2.75	0.49
1:A:213:SER:HB3	1:A:216:GLN:HB2	1.95	0.48
1:A:137:TYR:C	1:A:137:TYR:CD2	2.90	0.48
1:B:213:SER:HB3	1:B:216:GLN:HB2	1.95	0.48
1:A:264:GLU:OE1	1:A:297:TYR:OH	2.31	0.48
1:B:116:THR:HG21	1:B:263:SER:HB3	1.96	0.47
1:A:269:TYR:HB2	6:A:575:HOH:O	2.13	0.47
1:B:148:PHE:CE2	1:B:152:ILE:HD11	2.49	0.47
1:A:203:VAL:CG1	1:A:207:MET:HE2	2.43	0.47
1:A:79:SER:O	1:A:83:ARG:HG3	2.14	0.47
1:B:24:MET:O	1:B:47:PRO:HD2	2.15	0.47
1:B:264:GLU:OE1	1:B:297:TYR:OH	2.33	0.47
1:A:38:ASP:HB2	6:A:567:HOH:O	2.14	0.46
1:B:128:PHE:CD1	1:B:133:LEU:HD13	2.50	0.46
1:B:166:VAL:O	1:B:170:MET:HG2	2.16	0.46
1:A:224:PRO:CG	1:B:76:THR:HG23	2.45	0.46
1:A:284:TYR:CD2	1:A:291:LEU:HD11	2.45	0.46
1:A:184:ARG:HD3	1:A:186:LEU:HD21	1.97	0.46
1:B:167:ARG:HA	1:B:244:MET:HE1	1.98	0.45
1:B:174:PHE:HB3	1:B:203:VAL:HG22	1.97	0.45
1:B:34:PRO:HD2	1:B:59:LEU:HD12	1.98	0.45
1:A:264:GLU:HB3	1:A:301:ILE:CD1	2.46	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:264:GLU:CB	1:A:301:ILE:HD13	2.47	0.44
1:B:63[B]:ASP:O	1:B:67:VAL:HG23	2.17	0.44
1:A:139:ARG:HB3	1:A:139:ARG:NE	2.29	0.44
1:A:174:PHE:HB3	1:A:203:VAL:HG22	2.00	0.44
1:A:42:VAL:O	1:A:45:ILE:HG22	2.18	0.44
1:B:167:ARG:HD2	1:B:209:MET:CE	2.47	0.44
1:A:9:PHE:HA	1:A:19:THR:HG22	2.00	0.43
1:A:268:ASN:ND2	1:A:270:GLN:H	2.17	0.43
1:A:309:ASN:HB3	1:A:310:SER:H	1.37	0.43
1:A:280:LYS:HB3	1:A:281:GLU:H	1.70	0.43
1:B:267:GLY:HA3	1:B:272:GLY:HA2	2.00	0.43
1:A:72:TYR:CE2	1:A:132:ALA:HB2	2.52	0.43
1:B:69:ALA:HB1	3:B:405:EDO:H22	2.00	0.43
1:B:133:LEU:HA	1:B:133:LEU:HD23	1.72	0.43
1:B:187:ASN:HB2	1:B:236:VAL:HG11	2.01	0.43
1:B:264:GLU:CB	1:B:301:ILE:HD13	2.49	0.43
1:B:34:PRO:CG	1:B:59:LEU:CD1	2.97	0.42
1:A:301:ILE:HG22	1:A:302:THR:N	2.33	0.42
1:B:34:PRO:HG2	1:B:59:LEU:HD12	2.02	0.42
1:B:264:GLU:HB3	1:B:301:ILE:CD1	2.48	0.42
1:B:63[A]:ASP:O	1:B:67:VAL:HG23	2.19	0.42
1:B:24:MET:HE1	6:B:581:HOH:O	2.19	0.42
1:B:174:PHE:C	1:B:176:HIS:N	2.76	0.42
1:A:244:MET:HE3	1:A:305:PHE:CZ	2.55	0.42
1:A:269:TYR:HA	2:A:401:PRL:H8	2.01	0.42
1:B:34:PRO:HA	1:B:43:THR:CG2	2.49	0.42
1:A:224:PRO:HB2	1:B:76:THR:HG23	2.02	0.42
1:B:61:ASN:HD22	1:B:61:ASN:C	2.28	0.42
1:A:312:THR:HG23	6:A:547:HOH:O	2.20	0.41
1:A:36:TYR:CE2	1:A:85:MET:HB3	2.55	0.41
1:A:40:ALA:O	1:A:42:VAL:HG13	2.20	0.41
1:B:24:MET:HG2	1:B:47:PRO:HG2	2.02	0.41
1:B:165:ASP:OD1	1:B:165:ASP:C	2.63	0.41
1:B:98:GLN:NE2	6:B:506:HOH:O	2.52	0.41
1:B:190:CYS:O	1:B:192:THR:N	2.53	0.41
1:A:186:LEU:HD13	1:A:233:LYS:HE3	2.03	0.41
1:A:224:PRO:HG2	1:B:76:THR:HG23	2.03	0.41
1:A:284:TYR:CZ	1:A:293:LYS:CE	3.03	0.41
1:A:22:VAL:HG11	1:A:26:MET:HA	2.01	0.41
1:B:102:LEU:HD22	1:B:122:GLN:HB2	2.03	0.41
1:B:301:ILE:HG22	1:B:302:THR:N	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:307:LYS:HE3	6:B:557:HOH:O	2.21	0.41
1:B:260:THR:HG23	1:B:306:TYR:HA	2.03	0.41
1:B:309:ASN:HB3	1:B:310:SER:H	1.32	0.40
1:A:39:GLY:O	1:A:89:ASN:HB2	2.21	0.40
1:A:99:VAL:O	1:A:100:ASN:C	2.63	0.40
1:A:51:HIS:O	1:A:52:GLU:C	2.64	0.40
1:A:72:TYR:CZ	1:A:132:ALA:HA	2.57	0.40
1:A:139:ARG:CD	1:A:139:ARG:CB	2.96	0.40
1:A:76:THR:HB	1:B:224:PRO:HB2	2.04	0.40
1:A:209:MET:HE2	1:A:246:SER:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	306/318 (96%)	279 (91%)	23 (8%)	4 (1%)	9	22
1	B	316/318 (99%)	295 (93%)	20 (6%)	1 (0%)	36	57
All	All	622/636 (98%)	574 (92%)	43 (7%)	5 (1%)	16	34

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	25	SER
1	A	49	ASN
1	B	181	SER
1	A	31	GLN
1	A	29	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	245/276 (89%)	202 (82%)	43 (18%)	2	4
1	B	271/276 (98%)	234 (86%)	37 (14%)	3	8
All	All	516/552 (94%)	436 (84%)	80 (16%)	2	6

All (80) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	LEU
1	A	21	VAL
1	A	23	ASP
1	A	25	SER
1	A	30	GLN
1	A	31	GLN
1	A	55	THR
1	A	61	ASN
1	A	64	THR
1	A	67	VAL
1	A	75	THR
1	A	76	THR
1	A	86	SER
1	A	98	GLN
1	A	105	ILE
1	A	106	LYS
1	A	124	ILE
1	A	126	LEU
1	A	162	GLU
1	A	166	VAL
1	A	168	GLU
1	A	173	LEU
1	A	175	GLN
1	A	192	THR
1	A	196	GLN
1	A	198	THR
1	A	204	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	211	THR
1	A	215	GLU
1	A	219	LYS
1	A	221	VAL
1	A	230	GLN
1	A	233	LYS
1	A	236	VAL
1	A	251	GLN
1	A	255	LYS
1	A	260	THR
1	A	266	THR
1	A	270	GLN
1	A	296	GLU
1	A	307	LYS
1	A	310	SER
1	A	312	THR
1	B	5	THR
1	B	22	VAL
1	B	26	MET
1	B	45	ILE
1	B	49	ASN
1	B	61	ASN
1	B	64	THR
1	B	71	GLU
1	B	76	THR
1	B	86	SER
1	B	95	LYS
1	B	98	GLN
1	B	105	ILE
1	B	124	ILE
1	B	125	GLU
1	B	126	LEU
1	B	133	LEU
1	B	134	GLN
1	B	166	VAL
1	B	173	LEU
1	B	175	GLN
1	B	190	CYS
1	B	191	LYS
1	B	192	THR
1	B	198	THR
1	B	204	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	211	THR
1	B	219	LYS
1	B	221	VAL
1	B	222	GLN
1	B	223	ILE
1	B	236	VAL
1	B	251	GLN
1	B	260	THR
1	B	270	GLN
1	B	293	LYS
1	B	310	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	ASN
1	A	123	GLN
1	A	157	ASN
1	A	175	GLN
1	A	230	GLN
1	A	251	GLN
1	A	268	ASN
1	A	270	GLN
1	B	49	ASN
1	B	61	ASN
1	B	157	ASN
1	B	175	GLN
1	B	251	GLN
1	B	270	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 2 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	SO4	B	410	-	4,4,4	0.34	0	6,6,6	0.09	0
2	PRL	B	402	-	18,18,18	0.70	0	26,26,26	0.58	0
3	EDO	A	406	-	3,3,3	0.14	0	2,2,2	0.12	0
2	PRL	A	401	-	18,18,18	0.62	0	26,26,26	0.62	0
5	SO4	B	409	-	4,4,4	0.32	0	6,6,6	0.11	0
5	SO4	A	409	-	4,4,4	0.31	0	6,6,6	0.09	0
3	EDO	A	407	-	3,3,3	0.66	0	2,2,2	1.14	0
3	EDO	B	405	-	3,3,3	0.44	0	2,2,2	1.06	0
3	EDO	B	404	-	3,3,3	0.40	0	2,2,2	0.19	0
2	PRL	B	403	-	18,18,18	0.65	0	26,26,26	0.50	0
3	EDO	A	405	-	3,3,3	0.46	0	2,2,2	1.29	0
2	PRL	B	401	-	18,18,18	0.68	0	26,26,26	0.61	0
5	SO4	A	410	-	4,4,4	0.33	0	6,6,6	0.08	0
3	EDO	A	404	-	3,3,3	0.19	0	2,2,2	0.56	0
2	PRL	A	402	-	18,18,18	0.77	0	26,26,26	0.68	0
5	SO4	B	408	-	4,4,4	0.32	0	6,6,6	0.11	0
2	PRL	A	403	-	18,18,18	0.59	0	26,26,26	0.61	0
3	EDO	B	406	-	3,3,3	0.32	0	2,2,2	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	406	-	-	0/1/1/1	-
2	PRL	B	402	-	-	-	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PRL	A	401	-	-	-	0/3/3/3
3	EDO	A	407	-	-	1/1/1/1	-
3	EDO	B	405	-	-	0/1/1/1	-
3	EDO	B	404	-	-	0/1/1/1	-
3	EDO	A	405	-	-	1/1/1/1	-
2	PRL	B	403	-	-	-	0/3/3/3
2	PRL	B	401	-	-	-	0/3/3/3
3	EDO	A	404	-	-	0/1/1/1	-
2	PRL	A	402	-	-	-	0/3/3/3
2	PRL	A	403	-	-	-	0/3/3/3
3	EDO	B	406	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	405	EDO	O1-C1-C2-O2
3	A	407	EDO	O1-C1-C2-O2
3	B	406	EDO	O1-C1-C2-O2


There are no ring outliers.


7 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	410	SO4	1	0
3	A	406	EDO	1	0
2	A	401	PRL	1	0
5	A	409	SO4	1	0
3	A	407	EDO	2	0
3	B	405	EDO	3	0
3	A	405	EDO	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	308/318 (96%)	0.14	29 (9%)	14 12	18, 39, 112, 130	0
1	B	313/318 (98%)	-0.22	10 (3%)	50 45	13, 34, 80, 139	5 (1%)
All	All	621/636 (97%)	-0.04	39 (6%)	26 22	13, 37, 106, 139	5 (0%)

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	49	ASN	5.6
1	A	21	VAL	5.0
1	A	63	ASP	4.4
1	B	226	THR	4.4
1	A	22	VAL	4.3
1	B	63[A]	ASP	4.2
1	B	192	THR	4.1
1	A	28	TYR	3.9
1	A	10	THR	3.8
1	A	45	ILE	3.8
1	A	32	PHE	3.5
1	A	24	MET	3.5
1	B	224	PRO	3.3
1	A	27	THR	3.3
1	A	9	PHE	3.1
1	A	54	LYS	3.0
1	A	64	THR	3.0
1	A	20	GLN	3.0
1	A	44	LYS	2.9
1	A	46	LYS	2.8
1	A	59	LEU	2.8
1	A	48	HIS	2.8
1	A	25	SER	2.7
1	A	19	THR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	33	GLY	2.7
1	B	230	GLN	2.5
1	B	191	LYS	2.5
1	A	51	HIS	2.5
1	B	48	HIS	2.4
1	A	58	VAL	2.4
1	A	37	LEU	2.4
1	B	4	ARG	2.4
1	B	225	CYS	2.4
1	A	60	PRO	2.4
1	A	67	VAL	2.3
1	A	56	PHE	2.3
1	A	226	THR	2.1
1	B	227	CYS	2.1
1	A	26	MET	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	SO4	A	410	5/5	0.52	0.15	143,147,151,157	0
5	SO4	A	409	5/5	0.78	0.13	101,102,106,106	0
5	SO4	B	409	5/5	0.84	0.19	96,96,102,111	0
5	SO4	B	408	5/5	0.85	0.12	96,97,109,112	0
3	EDO	B	404	4/4	0.86	0.20	44,45,47,47	0
5	SO4	B	410	5/5	0.88	0.16	138,140,145,155	0
3	EDO	A	406	4/4	0.90	0.17	62,62,64,65	0
2	PRL	B	402	16/16	0.91	0.18	66,71,75,75	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EDO	A	407	4/4	0.91	0.11	33,36,37,39	0
3	EDO	B	406	4/4	0.92	0.16	56,59,60,63	0
2	PRL	B	403	16/16	0.93	0.13	53,63,68,69	0
2	PRL	A	402	16/16	0.93	0.11	41,46,50,51	0
3	EDO	B	405	4/4	0.93	0.12	53,55,55,56	0
2	PRL	A	401	16/16	0.94	0.10	52,54,56,56	0
2	PRL	A	403	16/16	0.94	0.11	28,29,30,30	16
4	ZN	B	407	1/1	0.94	0.10	112,112,112,112	0
3	EDO	A	405	4/4	0.94	0.24	46,47,47,47	0
2	PRL	B	401	16/16	0.96	0.09	29,31,33,33	16
4	ZN	A	408	1/1	0.97	0.08	65,65,65,65	0
3	EDO	A	404	4/4	0.98	0.15	28,28,29,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around PRL B 402:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PRL B 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PRL A 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PRL A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PRL A 403:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around PRL B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.