



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 06:46 PM UTC

PDB ID : 9NTK / pdb_00009ntk
Title : Chimeric Adenosine deaminase growth factor (ADGF) in complex with pentostatin monophosphate
Authors : Kaur, G.; Horton, J.R.; Cheng, X.
Deposited on : 2025-03-18
Resolution : 2.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7383 (2.54-2.50)
Clashscore	190562	8079 (2.54-2.50)
Ramachandran outliers	187476	7944 (2.54-2.50)
Sidechain outliers	187428	7946 (2.54-2.50)
RSRZ outliers	180081	7387 (2.54-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	536	81% 11% 8%
1	B	536	82% 10% 8%
1	C	536	3% 80% 12% 8%
1	D	536	82% 10% 8%
2	E	4	25% 75%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	4	 25%75%
2	H	4	 25%75%
2	I	4	 25%75%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 16622 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosine deaminase AGSA, Adenosine deaminase AGSA, Chimeric Adenosine deaminase growth factor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	494	Total	C	N	O	S	0	0	0
			3990	2557	671	752	10			
1	B	494	Total	C	N	O	S	0	0	0
			3990	2557	671	752	10			
1	C	494	Total	C	N	O	S	0	0	0
			3990	2557	671	752	10			
1	D	494	Total	C	N	O	S	0	0	0
			3990	2557	671	752	10			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	527	HIS	-	expression tag	UNP P15287
A	528	HIS	-	expression tag	UNP P15287
A	529	HIS	-	expression tag	UNP P15287
A	530	HIS	-	expression tag	UNP P15287
A	531	HIS	-	expression tag	UNP P15287
A	532	HIS	-	expression tag	UNP P15287
A	533	HIS	-	expression tag	UNP P15287
A	534	HIS	-	expression tag	UNP P15287
A	535	HIS	-	expression tag	UNP P15287
A	536	HIS	-	expression tag	UNP P15287
B	527	HIS	-	expression tag	UNP P15287
B	528	HIS	-	expression tag	UNP P15287
B	529	HIS	-	expression tag	UNP P15287
B	530	HIS	-	expression tag	UNP P15287
B	531	HIS	-	expression tag	UNP P15287
B	532	HIS	-	expression tag	UNP P15287
B	533	HIS	-	expression tag	UNP P15287
B	534	HIS	-	expression tag	UNP P15287
B	535	HIS	-	expression tag	UNP P15287
B	536	HIS	-	expression tag	UNP P15287

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	527	HIS	-	expression tag	UNP P15287
C	528	HIS	-	expression tag	UNP P15287
C	529	HIS	-	expression tag	UNP P15287
C	530	HIS	-	expression tag	UNP P15287
C	531	HIS	-	expression tag	UNP P15287
C	532	HIS	-	expression tag	UNP P15287
C	533	HIS	-	expression tag	UNP P15287
C	534	HIS	-	expression tag	UNP P15287
C	535	HIS	-	expression tag	UNP P15287
C	536	HIS	-	expression tag	UNP P15287
D	527	HIS	-	expression tag	UNP P15287
D	528	HIS	-	expression tag	UNP P15287
D	529	HIS	-	expression tag	UNP P15287
D	530	HIS	-	expression tag	UNP P15287
D	531	HIS	-	expression tag	UNP P15287
D	532	HIS	-	expression tag	UNP P15287
D	533	HIS	-	expression tag	UNP P15287
D	534	HIS	-	expression tag	UNP P15287
D	535	HIS	-	expression tag	UNP P15287
D	536	HIS	-	expression tag	UNP P15287

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	4	Total	C	N	O	0	0	0
			50	28	2	20			
2	F	4	Total	C	N	O	0	0	0
			50	28	2	20			
2	H	4	Total	C	N	O	0	0	0
			50	28	2	20			
2	I	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Zn 1 1	0	0
3	B	1	Total Zn 1 1	0	0
3	C	1	Total Zn 1 1	0	0
3	D	1	Total Zn 1 1	0	0

- Molecule 4 is pentostatin 5'-phosphate (CCD ID: A1CDW) (formula: $C_{11}H_{17}N_4O_7P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O P 23 11 4 7 1	0	0
4	B	1	Total C N O P 23 11 4 7 1	0	0
4	C	1	Total C N O P 23 11 4 7 1	0	0
4	D	1	Total C N O P 23 11 4 7 1	0	0

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	D	1	Total	C	O	0	0
			4	2	2		
6	D	1	Total	C	O	0	0
			4	2	2		
6	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	C	1	Total	C	O	0	0
			6	3	3		
7	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	33	Total	O	0	0
			33	33		
8	B	29	Total	O	0	0
			29	29		
8	C	27	Total	O	0	0
			27	27		
8	D	29	Total	O	0	0
			29	29		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Adenosine deaminase AGSA, Adenosine deaminase AGSA, Chimeric Adenosine deaminase growth factor




- Molecule 1: Adenosine deaminase AGSA, Adenosine deaminase AGSA, Chimeric Adenosine deaminase growth factor





- Molecule 1: Adenosine deaminase AGSA, Adenosine deaminase AGSA, Chimeric Adenosine deaminase growth factor






- Molecule 1: Adenosine deaminase AGSA, Adenosine deaminase AGSA, Chimeric Adenosine deaminase growth factor



- Molecule 2: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	92.83Å 118.48Å 109.55Å 90.00° 98.49° 90.00°	Depositor
Resolution (Å)	29.63 – 2.53 29.63 – 2.53	Depositor EDS
% Data completeness (in resolution range)	97.1 (29.63-2.53) 97.4 (29.63-2.53)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.65 (at 2.54Å)	Xtriage
Refinement program	PHENIX 1.21.2_5419	Depositor
R, R_{free}	0.212 , 0.256 0.212 , 0.258	Depositor DCC
R_{free} test set	2000 reflections (2.54%)	wwPDB-VP
Wilson B-factor (Å ²)	29.6	Xtriage
Anisotropy	0.595	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 38.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	16622	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 43.68 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.7022e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, EDO, NAG, MAN, A1CDW, GOL, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.27	0/4089	0.48	0/5552
1	B	0.27	0/4089	0.49	0/5552
1	C	0.28	0/4089	0.49	0/5552
1	D	0.27	0/4089	0.48	0/5552
All	All	0.27	0/16356	0.49	0/22208

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3990	0	3902	42	0
1	B	3990	0	3902	28	0
1	C	3990	0	3902	44	0
1	D	3990	0	3902	35	0
2	E	50	0	43	0	0
2	F	50	0	43	0	0
2	H	50	0	43	1	0
2	I	50	0	43	0	0
3	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	23	0	0	0	0
4	B	23	0	0	0	0
4	C	23	0	0	0	0
4	D	23	0	0	0	0
5	A	42	0	39	0	0
5	B	42	0	39	0	0
5	C	42	0	39	0	0
5	D	42	0	39	0	0
6	A	20	0	30	1	0
6	B	12	0	18	2	0
6	C	12	0	18	1	0
6	D	12	0	18	1	0
7	A	6	0	8	2	0
7	B	6	0	8	0	0
7	C	6	0	8	0	0
7	D	6	0	8	0	0
8	A	33	0	0	0	0
8	B	29	0	0	0	0
8	C	27	0	0	0	0
8	D	29	0	0	0	0
All	All	16622	0	16052	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:205:ASP:HB2	7:A:611:GOL:H32	1.61	0.83
1:A:29:THR:HG22	1:A:31:LYS:H	1.53	0.71
1:C:29:THR:HG22	1:C:31:LYS:H	1.56	0.70
1:A:141:MET:HE1	1:A:182:PHE:HZ	1.60	0.67
1:D:59:GLU:HB3	1:D:515:VAL:HG21	1.78	0.66
1:A:141:MET:HE2	1:A:169:VAL:HG22	1.78	0.65
1:A:59:GLU:HB3	1:A:515:VAL:HG21	1.79	0.65
1:D:511:VAL:O	1:D:515:VAL:HG23	1.96	0.65
1:B:29:THR:HG22	1:B:31:LYS:H	1.62	0.64
1:D:29:THR:HG22	1:D:31:LYS:H	1.64	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:90:SER:HB2	1:A:198:LEU:HD22	1.81	0.62
1:C:145:GLN:H	1:C:145:GLN:CD	2.10	0.60
1:A:28:LEU:HG	1:A:29:THR:H	1.66	0.59
1:D:125:ARG:HH12	1:D:453:GLU:HA	1.70	0.57
1:D:301:SER:HB2	1:D:303:GLU:OE1	2.04	0.57
1:C:110:MET:HE1	1:C:478:LEU:HD13	1.85	0.57
1:B:59:GLU:HB3	1:B:515:VAL:HG21	1.87	0.56
1:B:465:LEU:HG	1:B:466:MET:HE2	1.86	0.56
1:A:228:ARG:HD2	1:A:273:TYR:OH	2.05	0.56
1:C:29:THR:HG22	1:C:31:LYS:N	2.21	0.56
1:B:150:ARG:HD3	1:B:217:GLN:HA	1.88	0.55
1:B:198:LEU:HA	6:B:606:EDO:H21	1.89	0.55
1:A:59:GLU:H	1:A:59:GLU:CD	2.14	0.55
1:C:381:LEU:HD13	1:C:403:LEU:HD23	1.88	0.55
1:C:327:ASP:OD1	1:C:361:PHE:HA	2.07	0.54
1:B:90:SER:HB2	1:B:198:LEU:HD22	1.89	0.54
1:D:327:ASP:OD1	1:D:361:PHE:HA	2.06	0.54
1:C:141:MET:HB3	1:C:169:VAL:HG22	1.90	0.54
1:A:29:THR:HG22	1:A:31:LYS:N	2.22	0.53
1:A:140:TYR:CZ	1:A:168:LEU:HD13	2.44	0.53
1:A:297:LEU:HD13	1:A:299:PHE:CZ	2.44	0.52
1:C:364:ALA:HB1	1:C:393:ALA:HB3	1.92	0.52
1:A:204:LEU:HD22	6:A:610:EDO:H22	1.90	0.52
1:C:118:LEU:C	1:C:119:HIS:HD2	2.18	0.52
1:B:119:HIS:CD2	1:B:447:ASP:OD1	2.63	0.52
1:C:59:GLU:H	1:C:59:GLU:CD	2.17	0.52
1:B:228:ARG:HD2	1:B:273:TYR:OH	2.10	0.51
1:C:117:HIS:CD2	1:C:447:ASP:OD1	2.59	0.51
1:C:229:ARG:HB2	1:C:272:LEU:HD11	1.92	0.51
1:C:415:PRO:HD2	1:C:460:ASP:OD2	2.11	0.51
1:B:432:LEU:HD13	1:B:435:LEU:HD12	1.93	0.51
1:B:96:ASP:O	1:B:100:THR:HG23	2.11	0.51
1:A:204:LEU:HB3	7:A:611:GOL:H2	1.93	0.50
1:D:141:MET:HB3	1:D:169:VAL:HG22	1.94	0.50
1:D:413:VAL:HB	1:D:444:ILE:HD13	1.93	0.50
1:D:71:LYS:HA	1:D:466:MET:HE1	1.93	0.50
1:D:59:GLU:H	1:D:59:GLU:CD	2.20	0.50
1:D:303:GLU:H	1:D:303:GLU:CD	2.20	0.50
1:C:430:HIS:HE1	1:C:432:LEU:HD13	1.76	0.49
1:A:140:TYR:CE2	1:A:168:LEU:HD13	2.48	0.49
1:D:29:THR:HG22	1:D:31:LYS:N	2.27	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:ARG:HG2	1:A:238:GLU:OE1	2.12	0.49
1:C:50:LEU:HD11	1:C:484:ASN:HD21	1.78	0.49
1:A:125:ARG:HH12	1:A:456:PRO:HD3	1.78	0.48
1:B:119:HIS:HD2	1:B:447:ASP:OD1	1.96	0.48
1:C:118:LEU:O	1:C:119:HIS:HD2	1.97	0.48
1:A:298:ARG:CZ	1:A:332:GLU:HG3	2.44	0.48
1:D:432:LEU:HD13	1:D:435:LEU:HD12	1.95	0.48
1:C:119:HIS:CE1	1:C:362:HIS:CE1	3.02	0.47
1:D:202:PRO:HA	6:D:607:EDO:H11	1.96	0.47
1:B:141:MET:HB3	1:B:169:VAL:HG22	1.96	0.47
1:D:125:ARG:NH1	1:D:453:GLU:HA	2.29	0.47
1:A:71:LYS:HA	1:A:466:MET:HE1	1.96	0.47
1:A:32:ALA:O	1:A:36:LEU:HD13	2.13	0.47
1:A:124:ALA:HB3	1:A:231:TYR:CZ	2.49	0.47
1:B:327:ASP:OD1	1:B:361:PHE:HA	2.15	0.47
1:C:487:ARG:HD3	1:C:488:TYR:CZ	2.51	0.46
1:A:141:MET:HE1	1:A:182:PHE:CZ	2.45	0.46
1:A:229:ARG:HB2	1:A:272:LEU:HD11	1.98	0.46
1:D:98:ILE:HG12	1:D:462:TYR:CE1	2.51	0.46
1:D:519:LYS:HA	1:D:519:LYS:HD2	1.57	0.46
1:B:32:ALA:O	1:B:36:LEU:HD13	2.16	0.46
1:C:288:ILE:HD13	1:C:499:ALA:HB1	1.97	0.46
1:B:98:ILE:HG12	1:B:462:TYR:CE2	2.52	0.45
1:C:318:LYS:HA	1:C:318:LYS:HD3	1.78	0.45
1:B:213:LYS:O	1:B:217:GLN:HG3	2.15	0.45
1:C:44:GLU:HB3	1:D:399:ARG:HG2	1.98	0.45
1:C:356:ARG:HH22	2:H:1:NAG:H4	1.80	0.45
1:D:127:ASP:OD2	1:D:187:LYS:HD2	2.17	0.45
1:A:114:GLY:HA2	1:A:246:TYR:O	2.16	0.45
1:C:32:ALA:O	1:C:36:LEU:HD13	2.16	0.45
1:A:364:ALA:HB1	1:A:393:ALA:HB3	1.99	0.45
1:C:237:GLU:HG2	1:C:280:PHE:HE1	1.81	0.44
1:C:117:HIS:CE1	1:C:362:HIS:CE1	3.06	0.44
1:D:291:LYS:CD	1:D:324:LEU:HD21	2.47	0.44
1:A:168:LEU:HD12	1:A:168:LEU:HA	1.83	0.44
1:D:28:LEU:HD23	1:D:28:LEU:HA	1.83	0.44
1:D:124:ALA:HB3	1:D:231:TYR:CZ	2.53	0.44
1:B:129:ILE:O	1:B:134:THR:HG23	2.18	0.44
1:C:204:LEU:HD22	6:C:608:EDO:H22	2.00	0.44
1:A:213:LYS:O	1:A:217:GLN:HG3	2.17	0.44
1:D:67:ILE:HD11	1:D:106:ILE:HG21	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:413:VAL:HB	1:C:444:ILE:HD13	2.00	0.43
1:D:310:LYS:HE2	1:D:347:TYR:CZ	2.54	0.43
1:B:381:LEU:HD13	1:B:403:LEU:HD23	1.99	0.43
1:D:250:ARG:NH2	1:D:360:PHE:HB3	2.34	0.43
1:D:324:LEU:HD13	1:D:490:ALA:HB3	2.01	0.43
1:C:96:ASP:O	1:C:100:THR:HG23	2.19	0.42
1:C:228:ARG:HD2	1:C:273:TYR:OH	2.18	0.42
1:A:68:LEU:HD23	1:A:68:LEU:HA	1.85	0.42
1:A:371:THR:HB	6:B:607:EDO:H12	2.01	0.42
1:B:138:HIS:HB3	1:B:154:SER:O	2.19	0.42
1:C:430:HIS:CE1	1:C:432:LEU:HD13	2.54	0.42
1:B:364:ALA:HB1	1:B:393:ALA:HB3	2.01	0.42
1:A:96:ASP:O	1:A:100:THR:HG23	2.18	0.42
1:D:96:ASP:O	1:D:100:THR:HG23	2.20	0.42
1:C:118:LEU:C	1:C:119:HIS:CD2	2.96	0.42
1:C:124:ALA:HB3	1:C:231:TYR:CZ	2.54	0.42
1:B:253:LEU:HD21	1:B:292:ILE:HG21	2.02	0.42
1:C:413:VAL:HG22	1:C:432:LEU:HD22	2.00	0.42
1:A:120:ASP:O	1:A:231:TYR:HE2	2.03	0.42
1:B:117:HIS:CD2	1:B:447:ASP:OD1	2.72	0.42
1:D:118:LEU:HD23	1:D:446:SER:O	2.20	0.42
1:A:37:LYS:HB2	1:A:37:LYS:HE2	1.88	0.42
1:C:370:GLU:HB2	1:D:471:ARG:H	1.84	0.42
1:A:346:LEU:HD23	1:A:346:LEU:HA	1.80	0.41
1:C:98:ILE:HG12	1:C:462:TYR:CE1	2.55	0.41
1:C:303:GLU:H	1:C:303:GLU:CD	2.29	0.41
1:D:68:LEU:HD23	1:D:68:LEU:HA	1.87	0.41
1:B:297:LEU:HD13	1:B:299:PHE:CZ	2.55	0.41
1:A:141:MET:HB3	1:A:169:VAL:HG22	2.03	0.41
1:C:213:LYS:O	1:C:217:GLN:HG3	2.21	0.41
1:B:122:ALA:CB	1:B:448:ASP:HB3	2.50	0.41
1:B:128:TRP:CD1	1:B:234:GLN:HG3	2.55	0.41
1:A:122:ALA:HB1	1:A:448:ASP:HB3	2.02	0.41
1:B:415:PRO:HD2	1:B:460:ASP:OD1	2.20	0.41
1:C:250:ARG:HH21	1:C:360:PHE:HB3	1.86	0.41
1:D:250:ARG:HH21	1:D:360:PHE:HB3	1.85	0.41
1:C:363:ALA:HB3	1:C:388:VAL:HG13	2.02	0.41
1:A:141:MET:HE3	1:A:169:VAL:HA	2.03	0.41
1:C:74:LEU:HD23	1:C:74:LEU:HA	1.84	0.41
1:D:117:HIS:CD2	1:D:447:ASP:OD1	2.74	0.41
1:A:413:VAL:HG22	1:A:432:LEU:HD22	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:112:LYS:HE2	1:C:458:SER:OG	2.21	0.40
1:D:70:GLU:OE2	1:D:101:THR:HB	2.20	0.40
1:D:381:LEU:HD13	1:D:403:LEU:HD23	2.02	0.40
1:C:120:ASP:O	1:C:231:TYR:HE1	2.03	0.40
1:C:297:LEU:HD23	1:C:297:LEU:HA	1.96	0.40
1:A:208:TRP:CE2	1:A:331:GLN:HG3	2.55	0.40
1:A:305:ILE:HG13	1:A:341:TYR:CE1	2.57	0.40
1:A:425:ARG:HD2	1:B:425:ARG:HD2	2.03	0.40
1:C:145:GLN:CD	1:C:145:GLN:N	2.78	0.40
1:D:167:LYS:HD3	1:D:172:GLU:OE2	2.20	0.40
1:A:77:ASP:O	1:A:81:ASN:HB2	2.21	0.40
1:A:138:HIS:HB3	1:A:154:SER:O	2.22	0.40
1:B:433:VAL:HA	1:B:436:ILE:HD12	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	492/536 (92%)	481 (98%)	11 (2%)	0	100	100
1	B	492/536 (92%)	483 (98%)	9 (2%)	0	100	100
1	C	492/536 (92%)	481 (98%)	11 (2%)	0	100	100
1	D	492/536 (92%)	481 (98%)	11 (2%)	0	100	100
All	All	1968/2144 (92%)	1926 (98%)	42 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	433/470 (92%)	430 (99%)	3 (1%)	76	89
1	B	433/470 (92%)	430 (99%)	3 (1%)	76	89
1	C	433/470 (92%)	430 (99%)	3 (1%)	76	89
1	D	433/470 (92%)	430 (99%)	3 (1%)	76	89
All	All	1732/1880 (92%)	1720 (99%)	12 (1%)	76	89

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	LYS
1	A	189	ASN
1	A	442	ILE
1	B	149	VAL
1	B	189	ASN
1	B	442	ILE
1	C	164	CYS
1	C	189	ASN
1	C	442	ILE
1	D	164	CYS
1	D	189	ASN
1	D	442	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	281	GLN
1	A	369	GLN
1	A	390	HIS
1	A	418	ASN
1	A	480	GLN
1	B	82	GLN
1	B	145	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	175	ASN
1	B	352	ASN
1	B	367	ASN
1	B	369	GLN
1	C	39	ASN
1	C	119	HIS
1	C	302	GLN
1	C	352	ASN
1	C	369	GLN
1	C	390	HIS
1	C	418	ASN
1	C	480	GLN
1	C	484	ASN
1	D	147	ASN
1	D	307	ASN
1	D	340	HIS
1	D	351	GLN
1	D	369	GLN
1	D	414	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

16 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	E	1	1,2	14,14,15	0.77	0	17,19,21	0.91	0
2	NAG	E	2	2	14,14,15	0.73	0	17,19,21	0.87	1 (5%)
2	BMA	E	3	2	11,11,12	0.98	1 (9%)	15,15,17	2.53	4 (26%)
2	MAN	E	4	2	11,11,12	0.63	0	15,15,17	1.15	1 (6%)
2	NAG	F	1	1,2	14,14,15	0.76	0	17,19,21	1.03	1 (5%)
2	NAG	F	2	2	14,14,15	0.78	0	17,19,21	0.88	0
2	BMA	F	3	2	11,11,12	0.98	0	15,15,17	2.54	4 (26%)
2	MAN	F	4	2	11,11,12	0.65	0	15,15,17	1.34	1 (6%)
2	NAG	H	1	1,2	14,14,15	0.75	0	17,19,21	0.97	0
2	NAG	H	2	2	14,14,15	0.74	0	17,19,21	1.04	0
2	BMA	H	3	2	11,11,12	0.88	0	15,15,17	2.22	4 (26%)
2	MAN	H	4	2	11,11,12	0.69	0	15,15,17	1.15	1 (6%)
2	NAG	I	1	1,2	14,14,15	0.85	0	17,19,21	1.38	1 (5%)
2	NAG	I	2	2	14,14,15	0.68	0	17,19,21	0.94	0
2	BMA	I	3	2	11,11,12	0.96	1 (9%)	15,15,17	2.53	5 (33%)
2	MAN	I	4	2	11,11,12	0.67	0	15,15,17	1.55	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
2	BMA	E	3	2	-	0/2/19/22	0/1/1/1
2	MAN	E	4	2	-	2/2/19/22	1/1/1/1
2	NAG	F	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	BMA	F	3	2	-	1/2/19/22	0/1/1/1
2	MAN	F	4	2	-	2/2/19/22	1/1/1/1
2	NAG	H	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	2/6/23/26	0/1/1/1
2	BMA	H	3	2	-	0/2/19/22	0/1/1/1
2	MAN	H	4	2	-	2/2/19/22	0/1/1/1
2	NAG	I	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	I	2	2	-	0/6/23/26	0/1/1/1
2	BMA	I	3	2	-	0/2/19/22	0/1/1/1
2	MAN	I	4	2	-	2/2/19/22	1/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	3	BMA	C2-C3	2.13	1.55	1.52
2	I	3	BMA	C2-C3	2.02	1.55	1.52

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	3	BMA	C1-O5-C5	6.69	121.15	112.19
2	E	3	BMA	C1-O5-C5	6.58	121.01	112.19
2	F	3	BMA	C1-O5-C5	6.31	120.64	112.19
2	H	3	BMA	C1-O5-C5	6.22	120.53	112.19
2	F	3	BMA	C3-C4-C5	4.51	118.41	110.23
2	F	4	MAN	C1-O5-C5	4.43	118.12	112.19
2	E	3	BMA	C3-C4-C5	4.02	117.53	110.23
2	I	4	MAN	C1-O5-C5	3.76	117.22	112.19
2	I	3	BMA	C2-C3-C4	3.73	117.43	110.86
2	E	3	BMA	C2-C3-C4	3.69	117.36	110.86
2	I	3	BMA	C3-C4-C5	3.62	116.80	110.23
2	H	4	MAN	C1-O5-C5	3.48	116.85	112.19
2	E	4	MAN	C1-O5-C5	3.42	116.77	112.19
2	F	3	BMA	C2-C3-C4	3.04	116.21	110.86
2	F	3	BMA	O4-C4-C3	-3.02	103.25	110.38
2	H	3	BMA	C2-C3-C4	2.99	116.13	110.86
2	H	3	BMA	C3-C4-C5	2.80	115.32	110.23
2	I	4	MAN	C2-C3-C4	-2.63	106.24	110.86
2	E	3	BMA	O4-C4-C3	-2.54	104.39	110.38
2	F	1	NAG	O4-C4-C3	-2.45	104.60	110.38
2	I	3	BMA	O3-C3-C2	-2.37	105.22	110.05
2	H	3	BMA	O3-C3-C2	-2.30	105.35	110.05
2	I	3	BMA	O4-C4-C3	-2.30	104.96	110.38
2	I	4	MAN	O4-C4-C5	2.26	114.89	109.32
2	I	1	NAG	O5-C5-C6	-2.13	103.52	107.66
2	E	2	NAG	O5-C1-C2	-2.07	108.08	111.29

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	4	MAN	C4-C5-C6-O6
2	I	4	MAN	C4-C5-C6-O6
2	H	2	NAG	O5-C5-C6-O6
2	F	4	MAN	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	E	4	MAN	O5-C5-C6-O6
2	I	4	MAN	O5-C5-C6-O6
2	H	4	MAN	C4-C5-C6-O6
2	H	2	NAG	C4-C5-C6-O6
2	F	4	MAN	O5-C5-C6-O6
2	H	4	MAN	O5-C5-C6-O6
2	F	3	BMA	O5-C5-C6-O6



All (3) ring outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	E	4	MAN	C1-C2-C3-C4-C5-O5
2	F	4	MAN	C1-C2-C3-C4-C5-O5
2	I	4	MAN	C1-C2-C3-C4-C5-O5

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry

Of 38 ligands modelled in this entry, 4 are monoatomic - leaving 34 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	EDO	B	606	-	3,3,3	0.26	0	2,2,2	0.38	0
6	EDO	A	606	-	3,3,3	0.24	0	2,2,2	0.28	0
5	NAG	A	605	1	14,14,15	0.64	0	17,19,21	1.52	2 (11%)
7	GOL	C	609	-	5,5,5	0.22	0	5,5,5	0.58	0
6	EDO	D	607	-	3,3,3	0.23	0	2,2,2	0.37	0
6	EDO	A	607	-	3,3,3	0.27	0	2,2,2	0.23	0
5	NAG	C	604	1	14,14,15	0.80	0	17,19,21	0.93	1 (5%)
6	EDO	C	606	-	3,3,3	0.25	0	2,2,2	0.25	0
6	EDO	A	609	-	3,3,3	0.20	0	2,2,2	0.45	0
5	NAG	D	604	1	14,14,15	0.77	0	17,19,21	1.48	2 (11%)
4	A1CDW	D	602	3	20,25,25	0.34	0	25,37,37	0.43	0
6	EDO	B	607	-	3,3,3	0.27	0	2,2,2	0.13	0
7	GOL	A	611	-	5,5,5	0.41	0	5,5,5	0.65	0
5	NAG	B	605	1	14,14,15	0.80	0	17,19,21	1.51	3 (17%)
5	NAG	D	603	1	14,14,15	0.78	0	17,19,21	1.04	1 (5%)
5	NAG	A	604	1	14,14,15	0.71	0	17,19,21	1.02	1 (5%)
6	EDO	A	608	-	3,3,3	0.24	0	2,2,2	0.35	0
5	NAG	C	605	1	14,14,15	0.79	0	17,19,21	1.36	2 (11%)
5	NAG	B	604	1	14,14,15	0.77	0	17,19,21	1.03	1 (5%)
6	EDO	B	608	-	3,3,3	0.27	0	2,2,2	0.34	0
5	NAG	B	603	1	14,14,15	0.71	0	17,19,21	1.04	0
5	NAG	D	605	1	14,14,15	0.83	0	17,19,21	1.72	2 (11%)
4	A1CDW	A	602	3	20,25,25	0.36	0	25,37,37	0.46	0
6	EDO	C	607	-	3,3,3	0.22	0	2,2,2	0.36	0
6	EDO	D	606	-	3,3,3	0.27	0	2,2,2	0.12	0
6	EDO	D	608	-	3,3,3	0.25	0	2,2,2	0.15	0
7	GOL	B	609	-	5,5,5	0.25	0	5,5,5	0.47	0
5	NAG	A	603	1	14,14,15	0.73	0	17,19,21	0.98	0
6	EDO	C	608	-	3,3,3	0.27	0	2,2,2	0.36	0
6	EDO	A	610	-	3,3,3	0.30	0	2,2,2	0.19	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	A1CDW	B	602	3	20,25,25	0.35	0	25,37,37	0.48	0
5	NAG	C	603	1	14,14,15	0.80	0	17,19,21	0.93	1 (5%)
4	A1CDW	C	602	3	20,25,25	0.40	0	25,37,37	0.65	0
7	GOL	D	609	-	5,5,5	0.31	0	5,5,5	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	B	606	-	-	0/1/1/1	-
6	EDO	A	606	-	-	0/1/1/1	-
5	NAG	A	605	1	-	2/6/23/26	0/1/1/1
7	GOL	C	609	-	-	2/4/4/4	-
6	EDO	D	607	-	-	0/1/1/1	-
6	EDO	A	607	-	-	0/1/1/1	-
5	NAG	C	604	1	-	2/6/23/26	0/1/1/1
6	EDO	C	606	-	-	1/1/1/1	-
6	EDO	A	609	-	-	0/1/1/1	-
5	NAG	D	604	1	-	1/6/23/26	0/1/1/1
4	A1CDW	D	602	3	-	4/10/33/33	0/2/3/3
6	EDO	B	607	-	-	1/1/1/1	-
7	GOL	A	611	-	-	4/4/4/4	-
5	NAG	B	605	1	-	0/6/23/26	0/1/1/1
5	NAG	D	603	1	-	0/6/23/26	0/1/1/1
5	NAG	A	604	1	-	0/6/23/26	0/1/1/1
6	EDO	A	608	-	-	0/1/1/1	-
5	NAG	C	605	1	-	2/6/23/26	0/1/1/1
5	NAG	B	604	1	-	1/6/23/26	0/1/1/1
6	EDO	B	608	-	-	0/1/1/1	-
5	NAG	B	603	1	-	0/6/23/26	0/1/1/1
5	NAG	D	605	1	-	0/6/23/26	0/1/1/1
4	A1CDW	A	602	3	-	4/10/33/33	0/2/3/3
6	EDO	C	607	-	-	0/1/1/1	-
6	EDO	D	606	-	-	1/1/1/1	-
6	EDO	D	608	-	-	0/1/1/1	-
7	GOL	B	609	-	-	2/4/4/4	-
5	NAG	A	603	1	-	1/6/23/26	0/1/1/1
6	EDO	C	608	-	-	0/1/1/1	-
6	EDO	A	610	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	A1CDW	B	602	3	-	0/10/33/33	0/2/3/3
5	NAG	C	603	1	-	0/6/23/26	0/1/1/1
4	A1CDW	C	602	3	-	3/10/33/33	0/2/3/3
7	GOL	D	609	-	-	0/4/4/4	-

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	605	NAG	C1-O5-C5	5.34	119.34	112.19
5	D	604	NAG	C1-O5-C5	4.87	118.71	112.19
5	A	605	NAG	C1-O5-C5	4.40	118.08	112.19
5	C	605	NAG	C1-O5-C5	4.32	117.98	112.19
5	B	605	NAG	C1-O5-C5	3.96	117.50	112.19
5	B	604	NAG	C1-O5-C5	2.99	116.19	112.19
5	A	605	NAG	C2-N2-C7	2.79	126.64	122.90
5	B	605	NAG	C3-C4-C5	-2.69	105.35	110.23
5	D	605	NAG	O4-C4-C5	2.40	115.23	109.32
5	C	605	NAG	C3-C4-C5	-2.33	106.00	110.23
5	A	604	NAG	C1-O5-C5	2.31	115.28	112.19
5	B	605	NAG	C2-N2-C7	2.24	125.90	122.90
5	D	604	NAG	C1-C2-N2	2.23	113.94	110.43
5	C	604	NAG	C1-O5-C5	2.17	115.10	112.19
5	D	603	NAG	O5-C1-C2	-2.05	108.12	111.29
5	C	603	NAG	O5-C1-C2	-2.01	108.17	111.29

There are no chirality outliers.

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	602	A1CDW	C7-O8-P9-O10
4	C	602	A1CDW	C7-O8-P9-O11
4	D	602	A1CDW	C7-O8-P9-O10
4	D	602	A1CDW	C7-O8-P9-O11
7	A	611	GOL	C1-C2-C3-O3
5	A	605	NAG	O5-C5-C6-O6
7	B	609	GOL	O2-C2-C3-O3
5	A	605	NAG	C4-C5-C6-O6
7	A	611	GOL	O1-C1-C2-C3
7	B	609	GOL	C1-C2-C3-O3
7	C	609	GOL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	611	GOL	O2-C2-C3-O3
4	A	602	A1CDW	O5-C6-C7-O8
4	A	602	A1CDW	C2-C6-C7-O8
7	C	609	GOL	O2-C2-C3-O3
6	A	610	EDO	O1-C1-C2-O2
6	D	606	EDO	O1-C1-C2-O2
4	C	602	A1CDW	C7-O8-P9-O12
5	C	604	NAG	C4-C5-C6-O6
5	C	604	NAG	O5-C5-C6-O6
6	B	607	EDO	O1-C1-C2-O2
4	A	602	A1CDW	C7-O8-P9-O10
5	D	604	NAG	O5-C5-C6-O6
4	D	602	A1CDW	C6-C7-O8-P9
7	A	611	GOL	O1-C1-C2-O2
4	D	602	A1CDW	O5-C6-C7-O8
5	A	603	NAG	O5-C5-C6-O6
5	B	604	NAG	C4-C5-C6-O6
5	C	605	NAG	O5-C5-C6-O6
6	C	606	EDO	O1-C1-C2-O2
5	C	605	NAG	C4-C5-C6-O6
4	A	602	A1CDW	C6-C7-O8-P9



There are no ring outliers.


6 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	606	EDO	1	0
6	D	607	EDO	1	0
6	B	607	EDO	1	0
7	A	611	GOL	2	0
6	C	608	EDO	1	0
6	A	610	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	494/536 (92%)	0.06	7 (1%) 73 71	19, 28, 49, 80	0
1	B	494/536 (92%)	0.02	7 (1%) 73 71	18, 28, 45, 65	0
1	C	494/536 (92%)	0.24	16 (3%) 50 47	20, 32, 57, 101	0
1	D	494/536 (92%)	0.04	5 (1%) 79 77	18, 29, 44, 59	0
All	All	1976/2144 (92%)	0.09	35 (1%) 67 64	18, 30, 49, 101	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	160	ALA	4.6
1	C	161	ASN	4.4
1	C	160	ALA	4.3
1	D	160	ALA	3.6
1	C	460	ASP	3.4
1	C	164	CYS	3.3
1	C	119	HIS	3.2
1	A	164	CYS	3.2
1	B	30	SER	3.1
1	C	158	PRO	2.9
1	A	521	HIS	2.9
1	C	166	TRP	2.9
1	A	161	ASN	2.8
1	A	28	LEU	2.8
1	B	28	LEU	2.7
1	C	159	PRO	2.5
1	C	219	ARG	2.5
1	C	163	GLY	2.5
1	B	29	THR	2.5
1	C	157	GLY	2.4
1	D	164	CYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	303	GLU	2.2
1	A	163	GLY	2.2
1	C	162	SER	2.2
1	C	440	TYR	2.1
1	D	28	LEU	2.1
1	C	28	LEU	2.1
1	C	303	GLU	2.1
1	B	142	CYS	2.1
1	C	521	HIS	2.1
1	D	521	HIS	2.1
1	A	314	ASP	2.0
1	B	321	ASP	2.0
1	B	521	HIS	2.0
1	D	406	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MAN	F	4	11/12	0.33	0.19	114,127,138,139	0
2	MAN	E	4	11/12	0.34	0.20	128,142,151,153	0
2	BMA	H	3	11/12	0.47	0.17	86,98,111,114	0
2	BMA	E	3	11/12	0.56	0.15	90,108,125,132	0
2	MAN	H	4	11/12	0.60	0.19	97,111,124,129	0
2	NAG	E	2	14/15	0.71	0.17	73,92,107,109	0
2	BMA	F	3	11/12	0.74	0.13	53,86,97,99	0
2	NAG	F	2	14/15	0.78	0.15	57,72,81,87	0
2	NAG	H	2	14/15	0.82	0.12	60,78,93,93	0
2	NAG	E	1	14/15	0.86	0.11	29,61,73,90	0
2	NAG	F	1	14/15	0.87	0.11	38,49,59,76	0
2	NAG	H	1	14/15	0.92	0.09	34,51,65,68	0
2	NAG	I	1	14/15	-	-	28,45,58,63	0
2	NAG	I	2	14/15	-	-	38,60,72,84	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	BMA	I	3	11/12	-	-	56,67,71,77	0
2	MAN	I	4	11/12	-	-	48,62,79,84	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain H:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	EDO	A	607	4/4	0.56	0.21	43,43,47,50	0
6	EDO	A	610	4/4	0.75	0.19	37,42,48,53	0
5	NAG	A	603	14/15	0.76	0.17	30,46,61,65	0
5	NAG	C	603	14/15	0.76	0.15	39,50,66,68	0
6	EDO	A	606	4/4	0.78	0.17	39,40,48,53	0
5	NAG	D	603	14/15	0.81	0.14	30,48,56,59	0
7	GOL	A	611	6/6	0.81	0.20	33,41,47,50	0
5	NAG	C	605	14/15	0.83	0.12	37,44,55,55	0
6	EDO	D	606	4/4	0.84	0.17	32,39,48,53	0
6	EDO	C	608	4/4	0.84	0.22	37,37,44,49	0
7	GOL	C	609	6/6	0.84	0.21	30,39,41,48	0
7	GOL	D	609	6/6	0.85	0.13	45,51,55,59	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	A1CDW	C	602	23/23	0.86	0.12	24,42,59,71	0
5	NAG	B	603	14/15	0.87	0.14	23,38,50,64	0
5	NAG	A	605	14/15	0.87	0.10	30,38,50,51	0
6	EDO	A	609	4/4	0.87	0.12	34,37,43,54	0
6	EDO	D	608	4/4	0.88	0.14	28,33,35,37	0
5	NAG	B	604	14/15	0.88	0.10	9,27,37,43	0
3	ZN	C	601	1/1	0.89	0.11	62,62,62,62	0
7	GOL	B	609	6/6	0.89	0.12	34,38,46,55	0
6	EDO	B	606	4/4	0.89	0.11	35,36,36,42	0
6	EDO	B	608	4/4	0.89	0.15	39,42,43,49	0
4	A1CDW	D	602	23/23	0.90	0.10	27,39,56,62	0
5	NAG	A	604	14/15	0.90	0.08	18,30,38,39	0
6	EDO	D	607	4/4	0.90	0.13	30,36,40,61	0
5	NAG	D	604	14/15	0.90	0.10	14,33,45,54	0
5	NAG	B	605	14/15	0.92	0.08	25,29,39,42	0
6	EDO	C	607	4/4	0.92	0.08	27,27,30,37	0
4	A1CDW	B	602	23/23	0.92	0.09	26,37,53,63	0
5	NAG	D	605	14/15	0.92	0.08	29,34,40,40	0
4	A1CDW	A	602	23/23	0.92	0.10	25,35,46,52	0
6	EDO	A	608	4/4	0.93	0.09	39,39,39,45	0
5	NAG	C	604	14/15	0.93	0.08	10,31,45,47	0
6	EDO	C	606	4/4	0.94	0.08	34,37,39,40	0
6	EDO	B	607	4/4	0.96	0.08	18,22,27,31	0
3	ZN	A	601	1/1	0.99	0.07	41,41,41,41	0
3	ZN	D	601	1/1	0.99	0.06	44,44,44,44	0
3	ZN	B	601	1/1	0.99	0.04	39,39,39,39	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A1CDW C 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1CDW D 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1CDW B 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around A1CDW A 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.